


VOIS. 94 & 95.

RUDIMENTARY TREATISE
ON
LOGARITHMS
AND
MATHEMATICAL TABLES.
AND
TABLES OF NATURAL SINES AND TANGENTS
AND NATURAL COSINES.

Price 2s. 6d.

LONDON:—JOHN WEALE.

15. 8. 607





A
RUDIMENTARY TREATISE
ON
LOGARITHMS.

By HENRY LAW,
CIVIL ENGINEER.

LONDON:
JOHN WEALE, 59, HIGH HOLBORN.
1859.

LONDON:
BRADBURY AND EVANS, PRINTERS, WHITEFRIARS

P R E F A C E.

THE following little work is intended to have a twofold object—both to explain and illustrate the use and application of logarithms for the practical calculator, and to set forth and demonstrate their nature and properties for the Mathematical student. While, therefore, the Theoretical and Practical parts have been kept distinct, so that either might be separately studied or referred to, they have been so written with reference to each other, as to form but one connected treatise, which the student, who really wishes to become thoroughly acquainted with the subject, should entirely peruse. For, although a knowledge of their mathematical properties is not essential to a knowledge of their use, yet they are so intimately connected, that the acquirement of one greatly facilitates the acquirement of the other.

H. L

OLD WINESOR, 9th July, 1850.

CONTENTS.

	PAGE
<u>CHAPTER I. Explanation and Definitions of Logarithms</u>	<u>1</u>
21 <u>II. On the Exponents of Powers</u>	<u>4</u>
22 <u>III. Of various Systems of Logarithms</u>	<u>8</u>
22 <u>IV. Mode of calculating Logarithms, and Demonstration of</u> <u>their Properties</u>	<u>12</u>
22 <u>V. Description of Logarithmic Tables</u>	<u>31</u>
22 <u>VI. Logarithmic Arithmetic</u>	<u>43</u>
 <u>APPENDIX. Table of the Logarithms of every Prime Number from</u> <u>2 to 1000</u>	 <u>62</u>
<u>Table by the aid of which the Number answering to</u> <u>any Logarithm can be found to six places</u>	<u>64</u>

A

RUDIMENTARY TREATISE

ON

L O G A R I T H M S.

CHAPTER I.

Explanation and Definitions of Logarithms.

THE word Logarithm is derived from two Greek words (*λογος*, *ratio*, and *αριθμος*, *number*), and signifies the *ratios of numbers*.

By the *ratio* of two numbers, or the *proportion* which one number bears to the other (the two terms being synonymous), is meant the *magnitude of the quotient* arising from the division of one number by the other. Thus, the ratio of 2 to 6 is expressed by $\frac{2}{6}$, and any other two numbers would be said to have the same ratio when the quotient arising from the division of one by the other was the same; so, $\frac{4}{12}$ being equal to $\frac{2}{6}$, 4 is said to have the same ratio to 12 that 2 has to 6.

This is frequently written—

$$4 : 12 :: 2 : 6$$

and is read, as 4 is to 12 so is 2 to 6; it signifies nothing more than that the ratio of the two first numbers is the same as that of the two last, or that $\frac{4}{12} = \frac{2}{6}$.

A series of numbers is said to be in *continued proportion* when the ratio between each two consecutive numbers is the same, thus—

$$2, 6, 18, 54, 162,$$

are in continued proportion, because the ratios of 2 to 6, 6 to 18, 18 to 54, and 54 to 162, or $\frac{2}{6}$, $\frac{6}{18}$, $\frac{18}{54}$, $\frac{54}{162}$, are all equal. Now, the ratio of 2 to 18 is made up of the ratio of 2 to 6 and 6 to 18; but as these are equal, it is twice the ratio of 2 to 6; so, in like manner, the ratio of 2 to 54 is three times the ratio of 2 to 6; and the ratio of 2 to 162 is four times that of 2 to 6.

In order to examine some of the properties of a series of numbers in continued proportion, let us take the following, which is a more extensive series than the preceding:—

1, 2, 4, 8, 16, 32, 64, 128, 256, 512, 1024, 2048 . . . (A),
0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11 . . . (B),

and let us place under each term in this series a number expressing how many times the ratio of 1 to 2 is contained in the ratio of 1 to that term; we see at once that under 1 we must place 0, and under 2 we must place 1; also, since the ratio of 1 to 4 is twice that of 1 to 2, under 4 we must place 2, and since the ratio of 1 to 8 is three times that of 1 to 2, under 8 we must place 3; and, proceeding in a similar manner, we shall obtain the numbers in the second line above. Now, the numbers which we have thus placed under the terms of the proportion are *logarithms* of those terms, and are so called because they express the number of ratios of unity to the first term contained in the ratio of unity to the term under which they are placed.

The numbers composing a series in continued proportion, similar to the above, will, on examination, be found to be derived from each other by the continual multiplication of the previous term by some constant number; thus, in the first series, 6 is derived from 2 by being multiplied by 3, and in like manner 18 is obtained from 6, and 54 from 18; so in the second series, the constant multiplier is 2, each term being derived from the preceding by multiplication by that number. A series of numbers thus obtained by the continual multiplication of its terms by a constant number is called a *geometrical series*; such is the series (A) above; while a series in which the terms are derived by the continual addition of a constant number is termed an *arithmetical series*, an example of which is afforded by the series (B) above.

Now, whatever the number may be by the continual multiplication of which the *geometrical series* is formed, if the series commences with unity, and under it is written the

arithmetical series formed by the continued addition of unity, commencing with the cypher, then will the numbers in the lower line express the number of ratios of unity to the first term, of which the ratio of unity to all the other terms is made up, and therefore they will be the logarithms of the numbers in the line above them. For example:—

1, 3, 9, 27, 81, 243 { are the numbers forming a geometrical series;

of which 0, 1, 2, 3, 4, 5 { are the logarithms forming an arithmetical series.

So, 1, 7, 49, 343, 2401 { are the numbers forming a geometrical series;

of which 0, 1, 2, 3, 4 { are the logarithms forming an arithmetical series.

And again, 1, 10, 100, 1000, 10000 { are the numbers forming a geometrical series;

of which 0, 1, 2, 3, 4 { are the logarithms forming an arithmetical series.

Now, from the very nature of a geometrical series, it follows, that its terms are all powers of the constant number by the multiplication of which they are produced, and therefore, in place of writing the numbers themselves, we might introduce the expression denoting the power, without actually performing the multiplication, and we should thus obtain for the three geometrical series above, writing them vertically instead of in horizontal lines*,

Nos.	Loga.	Nos.	Loga.	Nos.	Loga.
1 = 3 ⁰		1 = 7 ⁰		1 = 10 ⁰	
3 = 3 ¹		7 = 7 ¹		10 = 10 ¹	
9 = 3 ²		49 = 7 ²		100 = 10 ²	
27 = 3 ³		343 = 7 ³		1000 = 10 ³	
81 = 3 ⁴		2401 = 7 ⁴		10000 = 10 ⁴	
243 = 3 ⁵					

In these we perceive immediately that the numbers denoting the powers, or, as they are termed, the *indices* or *exponents* of the *powers*, are the same as the arithmetical series given above, and that they are therefore the logarithms of the numbers in the first columns. The constant number, of which the powers are successively taken, is termed the *root* or *radix*, and may have any value that we please assigned to it. Thus, we derive another definition of a logarithm, which may be de-

* It must be borne in mind that $a^0 = 1$, and $a^1 = a$, whatever the value of a may be.

scribed as the *index or exponent*, to which a certain root or base must be involved, in order to be equal to the number of which it is the logarithm. It is, therefore, evident that a given number may have any number of logarithms corresponding with it; or that the same logarithm may serve for several different numbers, according to the value assumed for the base or root to be involved, or what is the same thing, the common ratio of the geometrical progression*. Thus, in the examples above, the bases or common ratios are 3, 7, and 10.

We have, therefore, three distinctly different definitions which may be given of logarithms, depending upon the particular way in which they are regarded, and we shall recapitulate these definitions, before proceeding farther, in order to insure their being thoroughly understood.

1. The logarithm of a given number is the number of ratios of some assumed constant number to unity, contained in the ratio of the given number to unity.

2. Logarithms are a series of numbers in *arithmetical progression*, answering to another series of numbers in *geometrical progression*; so taken that 0 in the first corresponds with 1 in the latter.

3. The logarithm of a number is the index or exponent of the power, to which a given constant base or root must be involved, to be equal to that number.

Whichever of these definitions may be adopted, the same general properties may be deduced as belonging to logarithms; we shall, however, in the following pages, consider them under the notion involved in the third definition, as the exponents of the powers of some constant root. And, in order to a more perfect conception of the subject, we shall first consider the properties of the exponents of powers generally.

CHAPTER II

On the Exponents of Powers.

In algebra, the powers of a quantity, or the number of times that that quantity has been employed as a factor to produce a given quantity, are denoted by that number being written

* See page 13.

somewhat to the right and above the number or letter expressing the original quantity or root of the power. Thus, the square of 6 is written 6^2 ; the cube of x , x^3 ; and the fifth power of 12, 12^5 . In the first example, as 6 enters twice as a factor, it is called the second power, and is denoted by 2 written over the 6; in the second example, as x enters three times as a factor, it is called the third power, and is denoted by a 3 written above the x ; and in the last example, as 12 enters five times as a factor, it is termed the fifth power, and is written 12^5 . The number thus placed over a number, to denote the power to which it is required to be raised, is termed the *index* or *exponent* of that power; as the former of these terms is sometimes employed in a different sense, to avoid ambiguity we shall use only the last. Thus, in the foregoing examples, 2, 3, and 5 are the exponents of the powers, to which the quantities 6, x , and 12 are to be respectively raised or involved.

Frequently letters are employed instead of numbers as exponents of powers; thus, x^a denotes that the quantity represented by x is to be raised to the power represented by a ; and b^n , that the quantity b is to be raised to the power of n , or the n th power. The quantities, as x or b , in the foregoing examples, which have to be involved, or the powers of which are to be taken, are termed the *roots* or *bases*.

When it is desired to multiply any two powers of a quantity, a very little consideration will show that their product will be equal to a power of that same quantity, whose exponent is the sum of the two exponents of the powers to be multiplied. For, let us suppose the powers to be multiplied to be x^3 and x^2 , then $x^3 = x.x.x$, and $x^2 = x.x$, therefore, $x^3 \times x^2 = x.x.x.x.x = x^5$, the exponent of which 5 is equal to $3 + 2$, the sum of the exponents of the two factors. And the converse of this rule holds good, for if it is required to divide a power of a given quantity by any other power of the same quantity, it is only necessary to subtract the exponent of the divisor from the exponent of the dividend to obtain the exponent of their quotient. Thus, let it be required to divide

$$x^5 \text{ by } x^3, \text{ we have } x^5 \div x^3 = \frac{x.x.x.x.x}{x.x} = x.x.x = x^3,$$

the exponent of which is equal to $5 - 2$.

Let us next examine the value of the power of a power; for instance, the square of x^3 . In this case, we see at once that the square of x^3 is nothing more than x^3 multiplied by itself, and by

our former rule for the multiplication of powers, we have $x^3 \times x^1 = x^4$; if we had required the cube of x^3 , it would have been $x^3 \cdot x^3 \cdot x^3 = x^9$, and for every higher power of x^3 we must add another 3 to the exponent; it is therefore obvious, that as the exponent of the original power has to be taken as many times as the exponent of the power to which it has to be raised, that the new exponent will be equal to the product of the other two; thus, in the above examples, $3 \times 2 = 6$, therefore $(x^3)^2 = x^6$, and $3 \times 3 = 9$, therefore $(x^3)^3 = x^9$. The converse of this rule also holds good, for if it is required to extract any root of a power, we have only to divide the exponent of the power by the exponent of the root, to obtain the exponent desired. Thus the square root of x^4 is x^2 , because $4 \div 2 = 2$; and the square root of x^6 is x^3 , because $6 \div 2 = 3$.

The four processes which we have here described are those which are of the most frequent occurrence, and as it is essential that they should be perfectly comprehended before entering on the use of logarithms, we shall recapitulate them in the form of rules.

1. The multiplication of the powers of any quantity is performed by the addition of their exponents; that is, $x^n \times x^m = x^{(n+m)}$.

2. The division of the power of a quantity by any other power of the same quantity, is performed by subtracting the exponent of the divisor from the exponent of the dividend; that is, $x^n \div x^m = x^{(n-m)}$.

3. The involution of any power of a quantity to some power is performed by multiplying its exponent by the exponent of the power to which it is to be raised; that is, the n th power of x^m is $x^{n \cdot m}$.

4. The extraction of the root of any power is performed by dividing its exponent by the exponent of the root required, that is, the n th root of x^m is $x^{\frac{m}{n}}$.

In the last example we have an exponent differing from any which we have previously met with, namely, a *fractional* exponent; its use, however, in that example sufficiently explains its meaning, which is, that the quantity to which it is attached is to be raised to the power denoted by the numerator of the fraction, and is then to have the root extracted, which is denoted by the denominator of the same; or, the processes may be reversed, and the root first extracted, and then the power raised, since the order in which these operations are performed makes no difference in the final re-

sult. For example, let x above equal 4, m equal 3, and n equal 2; then $x^{\frac{m}{n}} = 4^{\frac{3}{2}}$, and if we take the cube of 4, which equals 64, and extract its square root, we obtain 8; or, if we first extract its square root we obtain 2, the cube of which is also equal to 8. And therefore we perceive that the final result is the same, whichever process is first performed.

In the example to the second rule, namely, $x^{(n-m)} = x^r$; if m is less than n , then the exponent r is a *positive* number, and x^r is termed a *direct* power of x ; if, however, m exceeds n , then will r be a *negative* number, and in this case x^{-r} is termed an *inverse* power of x . In order to arrive at a correct idea of the value of an inverse power, we will take a direct power, and successively divide by its root, or subtract unity from its exponent, until we obtain a negative value; thus, let us start with x^3 , then—

$$x^{3-1} = \frac{x^3}{x} = x^2$$

$$x^{2-1} = \frac{x^2}{x} = x^1 = x$$

$$x^{1-1} = \frac{x^1}{x} = x^0 = 1$$

$$x^{0-1} = \frac{x^0}{x} = \frac{1}{x} = x^{-1}$$

$$x^{-1-1} = \frac{1}{x} \div x = \frac{1}{x^2} = x^{-2}$$

$$x^{-2-1} = \frac{1}{x^2} \div x = \frac{1}{x^3} = x^{-3},$$

or, in more general terms, $x^{-n} = \frac{1}{x^n}$; that is to say, the *inverse power of any number is equal to unity divided by the direct power with an equal exponent.*

This last rule holds equally, when the exponent of the inverse power is a fraction, as it does when an integer; thus, $x^{-\frac{1}{n}}$ is equal to unity divided by the n th root of x , or to $\frac{1}{x^{\frac{1}{n}}}$.

We have then four different forms in which an exponent may be presented.

1. The *positive integral* exponent, as x^n , which denotes the

direct n th power of x , and is equal to the product arising from the multiplication of n factors, each equal to x .

2. The *negative integral* exponent, as x^{-n} , which denotes the *inverse* n th power of x , and is equal to unity divided n times by x .

3. The *positive fractional* exponent, as $x^{\frac{1}{n}}$, which denotes the *direct* n th root of x , and is equal to a quantity which, being multiplied n times by itself, shall be equal to x .

4. The *negative fractional* exponent, as $x^{-\frac{1}{n}}$, which denotes the *inverse* n th root of x , and is equal to unity divided by the *direct* n th root of x .

CHAPTER III.

Of various Systems of Logarithms.

WE next proceed with the consideration of logarithms, under the view suggested in the third definition given of them in the first chapter, as the exponents of the powers of some constant number, taken as a base for the system. It was there stated that any value might be assumed for this base; two only have, however, been employed, namely, 2.7182818 and 10. The first was that adopted by Baron Napier, the inventor of logarithms, and was employed by him in the first system of logarithms, which was calculated by Briggs. The reason why such an intricate number was adopted, and not some simple integer, will be presently explained; it may be sufficient at present to state, that the system having this number for its base, being capable of being expressed more simply, and calculated more easily, than any other, was the reason of its adoption; from which circumstance, they have also been occasionally designated the *natural* system of logarithms; they are, however, more frequently termed *Napierean* or *Hyperbolic* logarithms. The latter term, derived from certain relations, found to exist between the logarithms of this system and the asymptotic spaces of the hyperbola, and which were believed to be peculiar to it, is very properly falling into disuse, since it is now known that the same property belongs to every system, the only difference being in the angle included between the asymptotes, which depends upon and varies with the value of the base; for in the system of which we are now speaking, in which the base equals 2.7182818, the

asymptotes are at right angles to each other; in the other system, having 10 for its base, they make an angle of $25^{\circ}.7404$.

It was soon perceived by Briggs, who had calculated the first table of Napierian logarithms, that several important advantages were possessed by a system of logarithms whose base was 10; he consequently proposed it to Baron Napier, by whom it was adopted, and it is now universally employed for the purposes of calculation; although the Napierian logarithms are always employed in the Differential and Integral Calculus, and the other higher branches of analysis.

The logarithms of any particular system are immediately reduced to those of any other system, by merely being multiplied by a constant number, whose value depends on the relative values of the bases of the two systems. Thus, the logarithms belonging to the common, or as it is sometimes termed *Briggean*, system, whose base is 10, are converted into the Napierian, whose base is 2.71828, by being multiplied by 2.3025851, while the Napierian are reduced to the Briggean by being divided by the same number, or, what is the same thing, being multiplied by its reciprocal 0.4342945. We shall not stop here to prove this, or to explain its reason, as it would involve considerations with which the student is supposed at present not to be acquainted; its demonstration will be given in a subsequent chapter*.

We shall now proceed to explain why the base of the system was altered from 2.71828 to 10, and to point out the advantages thereby attained.

In the tables below we have given the numbers whose logarithms are the first six integers in both systems, the left-hand table being taken to the Napierian base, and the right-hand to the base of 10.

Nos.	Base.	Loga.	Nos.	Base.	Loga.
1.00	= 2.71828	⁰	1	= 10	⁰
2.72	= 2.71828	¹	10	= 10	¹
7.39	= 2.71828	²	100	= 10	²
20.09	= 2.71828	³	1000	= 10	³
54.60	= 2.71828	⁴	10000	= 10	⁴
148.41	= 2.71828	⁵	100000	= 10	⁵
403.43	= 2.71828	⁶	1000000	= 10	⁶

By reference to the right-hand table it will be seen that the common logarithm of 1 is 0, that of 10 is 1, and of 100 is

* See page 22.

2; it is requisite, however, for the purposes of general computation that we should know the logarithms of all the intermediate numbers included between these, as from 1 to 10, from 10 to 100, and so on. Now, since the logarithm of 1 is 0, and of 10 is 1, it follows that the logarithms of any intermediate numbers, greater than 1, but less than 10, must be some fraction, whose value lies between 0 and 1; and in like manner that, since the logarithm of 100 is 2, the logarithm of any intermediate number between 10 and 100, must have a value between 1 and 2. Interpolating, therefore, these fractional values of the logarithms of the intermediate numbers, we obtain the following series:—

Nos.	Loga.	Nos.	Loga.
1 = 10	0.00000	11 = 10	1.04139
2 = 10	0.30103	12 = 10	1.07918
3 = 10	0.47712	13 = 10	1.11394
4 = 10	0.60206	14 = 10	1.14613
5 = 10	0.69897	15 = 10	1.17609
6 = 10	0.77815	16 = 10	1.20412
7 = 10	0.84510	17 = 10	1.23045
8 = 10	0.90309	18 = 10	1.25527
9 = 10	0.95424	19 = 10	1.27875
10 = 10	1.00000	20 = 10	1.30103
		&c.	&c.

All numbers which are powers of 10, necessarily have integers for their logarithms, but the logarithms of all the intermediate numbers are compounded of an integer and a decimal fraction. The decimal portion is termed the *mantissa*, and the integer, which precedes it, is called the *index*, or *characteristic*; as, however, the former of these terms is frequently employed in a different sense, we shall here only use the latter.

In the foregoing Table, if we compare the logarithm of 2 with that of 20, we shall find that they only differ in the characteristic, the mantissa or decimal portion being identical in both; the reason of this will be very evident, if we consider that 20 is 2 multiplied by 10, and therefore that the logarithm of 20 is equal to the logarithm of 2, with that of 10 added to it, and, as the logarithm of 10 is an integral number, its addition only affects the value of the characteristic. In fact, the addition of 1 to the characteristic is multiplying the number which it represents by 10; in like manner, adding 2

to the characteristic, is multiplying the number by 100, and so on. Thus the logarithm

$$\begin{aligned} \text{Of 2 is } 0.30103; \\ \text{Of } 2 \times 10 = 20 \text{ is } 0.30103 + 1 = 1.30103; \\ \text{Of } 2 \times 100 = 200 \text{ is } 0.30103 + 2 = 2.30103; \\ \text{Of } 2 \times 1000 = 2000 \text{ is } 0.30103 + 3 = 3.30103. \end{aligned}$$

The mantissa, or the decimal portion of the logarithm, is always the same with the same figures, whether they are decimals or integers; it is only the *characteristic* which changes its value, with a change in the position of the decimal point. The value of the characteristic of the logarithm of a number is always one less than the number of integers in that number; thus, in the above example, when the number is 20 the characteristic is 1, when 200 it is 2, and when 2000 it is 3.

The characteristic, therefore, of the logarithms of all numbers

Equal to, or greater than 1, but less than 10, is 1,	
" " 10, " 100, " 2,	
" " 100, " 1000, " 3,	
" " 1000, " 10000, " 4.	
&c.	&c &c.

By way of further illustration, we will take the number 67854, and successively divide it by 10, examining the change thus produced in the value of the corresponding logarithms:

Nos.	Logs.
67854 . . .	= 4.831576
6785.4 . . .	= 3.831576
678.54 .	= 2.831576
67.854 . .	= 1.831576
6.7854 .	= 0.831576
.67854 . .	= 0.831576 - 1
.067854 . .	= 0.831576 - 2
.0067854	= 0.831576 - 3

We here perceive, as we have already stated, that, the figures remaining unaltered, no change takes place in the *mantissa* of the logarithm, but that as the number is successively divided by 10, the value of the *characteristic* is diminished by unity. We see further that, when the number is wholly a decimal fraction, the characteristic of its logarithm is *negative*; when the first figure after the decimal

point is a *significant figure**, the characteristic of its logarithm is -1 , when a nought is interposed after the decimal point, so that the first significant figure is the second decimal figure, the characteristic is -2 , with two noughts it is -3 , and generally, the characteristic of the logarithm of a decimal fraction is a negative number, greater by unity than the number of noughts following the decimal point. Instead of writing, as we have above, $0.831576 - 3$, the characteristic is placed to the left of the mantissa, with the negative sign *above* it, thus $\bar{3}.831576$. The negative sign is placed *above*, instead of *before* the characteristic, to denote that it is only the *characteristic* and not the *mantissa* that is negative. Thus, the characteristic of the logarithm of

1	is	$\bar{1}$.
.01	„	$\bar{2}$.
.001	„	$\bar{3}$.
.0001	„	$\bar{4}$.
&c.	&c.	

Since the characteristic of the logarithm of any number does not depend upon the value of the figures composing that number, and is so easily found by attention to the foregoing rules, it is usual to omit them altogether in the tables of logarithms, and only to give the mantissa or decimal portion.

It is only logarithms having 10 for their base which possess this important property, of having the same mantissa for the same figures, and this was the reason of that number being proposed by Briggs for the base of the common system of logarithms.

CHAPTER IV.

Mode of calculating Logarithms, and Demonstration of their Properties.

In the following Chapter the expressions, or formulæ employed for the calculation of logarithms, are mathematically deduced, and demonstrations are given of all the properties of logarithms referred to in any other portion of the work. By those not familiar with mathematical investigation, the present

* All the numerals are significant figures, with the exception of the cypher.

chapter may be omitted, as it is in nowise necessary to the proper understanding of the remainder of the work; the subject would, however, have been hardly complete without it, and it was considered that a rigid demonstration would be far more satisfactory to those by whom it could be followed, than a mere enunciation of the several propositions without any proof; and that, the reason of the several propositions and rules being understood, they would become much more firmly fixed in the memory, and their practical application and adaptation to peculiar cases rendered far more easy.

DEFINITIONS

1. The *Power* of a number or quantity, is the product arising from the multiplication of that number, any number of times by itself.

2. The *Root*, or *base* of a power, is the number or quantity, by the continual multiplication of which by itself, that power is produced.

3. The *Exponent*, or *index* of a power, is the number of times that the root of that power enters into it, as a factor.

4. The *Exponent*, or *index* of a root, is the number of times that it must be employed as a factor, to produce a given power.

5. A *Logarithm* of a number, to any base, is the index or exponent of the power to which that base must be involved, to be equal to the number.

6. A *System of Logarithms*, is the collection of the logarithms of a series of numbers, taken to the same base.

SCHOLIUM. The logarithm of any number, as x , to any base b , is expressed by $\log_b x$; in like manner, the logarithm of the same number, to any other base, as c , is written $\log_c x$.

7. A series of numbers is in *Arithmetical Progression*, when each number is derived from that which precedes it, by the *addition* of a constant number.

SCHOLIUM. Such a series is called an *Arithmetical Series*, and any one of the numbers composing it, a *term*.

8. The *Common Difference*, is the constant number, by the continual addition of which, an arithmetical series is formed.

9. A series of numbers is in *Geometrical Progression*, when each number is derived from that which precedes it, by the *multiplication* by a constant number.

SCHOLIUM. Such a series is called a *Geometrical Series*.

10 The *Common Ratio*, is the constant number, by the

continual multiplication by which, a geometrical series is formed.

SCHOLIUM. In investigations similar to the following, the term *coefficient* is employed in a somewhat extended signification, to mean any quantity or expression (however complicated) by which the quantity, more immediately under consideration, is multiplied.

Thus, in the expression,

$$\frac{\frac{r}{\lambda} \left(\frac{r}{\lambda} - 1 \right)}{2} x^2 + \frac{\frac{r}{\lambda} \left(\frac{r}{\lambda} - 1 \right) \left(\frac{r}{\lambda} - 2 \right)}{2.3} x^3,$$

the quantities $\frac{\frac{r}{\lambda} \left(\frac{r}{\lambda} - 1 \right)}{2}$ and $\frac{\frac{r}{\lambda} \left(\frac{r}{\lambda} - 1 \right) \left(\frac{r}{\lambda} - 2 \right)}{2.3}$

are looked upon as the coefficients of x^2 and x^3 respectively

11. The *Characteristic* of a Logarithm, is the integral number, to the left of the decimal point.

12. The *Mantissa* of a Logarithm, is the decimal number, to the right of the decimal point.

13. A *Significant Figure* is every figure but a cypher; the *cypher* signifying no actual quantity, but being employed only to determine the place of the other figures.

PROPOSITION A.

THEOREM. In an equation of the form

$$\begin{aligned} A + Bx + Cx^2 + Dx^3 + \dots + \&c. = \\ a + bx + cx^2 + dx^3 + \dots + \&c. \end{aligned}$$

the coefficient of any power of x on one side of the equation, is equal to the coefficient of the like power of x on the other side; that is, $A = a$, $B = b$, $C = c$, &c.

Because, in the above expression, the values of the coefficients are perfectly independent of the value of x , therefore, we may assume x to have any value we please, without destroying the equation.

Let, therefore, $x = 0$, the equation then becomes

$$A = a.$$

Now, since A and a are equal, we may remove them from the original equation, which then becomes

$$\begin{aligned} Bx + Cx^2 + Dx^3 + \dots + \&c. = \\ bx + cx^2 + dx^3 + \dots + \&c. \end{aligned}$$

Dividing both sides by x , we obtain

$$\begin{aligned} B + Cx + Dx^2 + \dots + \&c. = \\ b + cx + dx^2 + \dots + \&c. \end{aligned}$$

And again, assuming $x = 0$, we have

$$B = b.$$

And in like manner, it may be shown that $C = c$, $D = d$, &c.

SCHOLIUM. 1. The above Theorem is true, whatever signs the terms of the equation may be affected with, provided only, that the terms involving like powers of x , on the opposite sides, are affected with like signs. Thus, it is true if

$$\begin{aligned} A - Bx + Cx^2 - Dx^3 + \dots - \&c. = \\ a - bx + cx^2 - dx^3 + \dots - \&c. \end{aligned}$$

or if,

$$\begin{aligned} -A + Bx - Cx^2 + Dx^3 - \dots + \&c. = \\ -a + bx - cx^2 + dx^3 - \dots + \&c. \end{aligned}$$

2. This Theorem also holds good when more complicated functions of x take the place of x , x^2 , x^3 , &c., provided only, that the same functions occur in the same order on opposite sides; as for example, if

$$\begin{aligned} A + Bx + Cx^2 + Dxy + Ey^2 + Fx^3 + \dots + \&c. = \\ a + bx + cx^2 + dxy + ey^2 + fx^3 + \dots + \&c. \end{aligned}$$

PROPOSITION B.

PROBLEM. To expand b^λ in terms of λ .

For b , substitute $(1 + y)$, then $b^\lambda = (1 + y)^\lambda$; expanding this expression by the Binomial Theorem*, it becomes

$$\begin{aligned} b^\lambda &= 1 + \lambda y + \lambda \frac{(\lambda - 1)}{2} y^2 + \lambda \frac{(\lambda - 1) \cdot (\lambda - 2)}{2 \cdot 3} y^3 + \\ &\quad \lambda \frac{(\lambda - 1) \cdot (\lambda - 2) \cdot (\lambda - 3)}{2 \cdot 3 \cdot 4} y^4 + \dots + \&c. \\ &= 1 + \lambda y + \frac{\lambda^2 - \lambda}{2} y^2 + \frac{\lambda^3 - 3\lambda^2 + 2\lambda}{2 \cdot 3} y^3 + \\ &\quad \frac{\lambda^4 - 6\lambda^3 + 11\lambda^2 - 6\lambda}{2 \cdot 3 \cdot 4} y^4 + \dots + \&c. \end{aligned}$$

* For a demonstration of the Binomial Theorem, see the "Elements of Algebra," p. 148, by Mr. Hadden.

$$= 1 + \lambda y + \left(\frac{\lambda^2}{2} - \frac{\lambda}{2} \right) y^2 + \left(\frac{\lambda^3}{6} - \frac{3\lambda^2}{6} + \frac{2\lambda}{6} \right) y^3 + \\ \left(\frac{\lambda^4}{24} - \frac{6\lambda^3}{24} + \frac{11\lambda^2}{24} - \frac{6\lambda}{24} \right) y^4 + \dots + \&c.$$

Arranging this last expression according to the powers of λ , we have

$$b^\lambda = 1 + \lambda \left\{ y - \frac{1}{2} y^2 + \frac{1}{3} y^3 - \frac{1}{4} y^4 + \dots - \&c. \right\} \\ + \lambda^2 \left\{ \frac{1}{2} y^2 - \frac{1}{2} y^3 + \frac{11}{24} y^4 - \dots + \&c. \right\} \\ + \lambda^3 \left\{ \frac{1}{6} y^3 - \frac{1}{4} y^4 + \dots - \&c. \right\}$$

Or, if we put

$$A = \left\{ y - \frac{1}{2} y^2 + \frac{1}{3} y^3 - \frac{1}{4} y^4 + \dots - \&c. \right\}$$

$$B = \left\{ \frac{1}{2} y^2 - \frac{1}{2} y^3 + \frac{11}{24} y^4 - \dots + \&c. \right\}$$

$$C = \left\{ \frac{1}{6} y^3 - \frac{1}{4} y^4 + \dots - \&c. \right\}$$

we have

$$b^\lambda = 1 + A\lambda + B\lambda^2 + C\lambda^3 + \dots + \&c. \dots [1.]$$

Now, in order to obtain the values of the coefficients B, C, &c., in terms of A, let us put x for $A\lambda + B\lambda^2 + C\lambda^3 + \&c.$, then the above expression becomes

$$b^\lambda = 1 + x.$$

Extracting the root on both sides, we have,

$$b = (1 + x)^{\frac{1}{\lambda}},$$

and raising them to the power of r , it becomes

$$b^r = (1 + x)^{\frac{r}{\lambda}}$$

Expanding by the Binomial Theorem, we have

$$b^r = 1 + \frac{r}{\lambda} x + \frac{\frac{r}{\lambda} \left(\frac{r}{\lambda} - 1 \right)}{2} x^2 + \frac{\frac{r}{\lambda} \left(\frac{r}{\lambda} - 1 \right) \cdot \left(\frac{r}{\lambda} - 2 \right)}{2.3} x^3 + \\ \frac{\frac{r}{\lambda} \left(\frac{r}{\lambda} - 1 \right) \cdot \left(\frac{r}{\lambda} - 2 \right) \cdot \left(\frac{r}{\lambda} - 3 \right)}{2.3.4} x^4 + \dots + \&c.$$

Substituting, in this expression, $A\lambda + B\lambda^2 + C\lambda^3 + \&c.$, for x , it becomes

$$b^r = 1 + \frac{r}{\lambda} (A\lambda + B\lambda^2 + C\lambda^3 + \&c.) + \\ \frac{\frac{r}{\lambda} \left(\frac{r}{\lambda} - 1 \right)}{2} (A\lambda + B\lambda^2 + C\lambda^3 + \&c.)^2 + \\ \frac{\frac{r}{\lambda} \left(\frac{r}{\lambda} - 1 \right) \cdot \left(\frac{r}{\lambda} - 2 \right)}{2.3} (A\lambda + B\lambda^2 + C\lambda^3 + \&c.)^3 + \dots + \&c. \\ = 1 + r(A + B\lambda + C\lambda^2 + \&c.) + \\ \frac{r(r-\lambda)}{2} (A + B\lambda + C\lambda^2 + \&c.)^2 + \\ \frac{r(r-\lambda) \cdot (r-2\lambda)}{2.3} (A + B\lambda + C\lambda^2 + \&c.)^3 + \dots + \&c.$$

If now we assume $\lambda = 0$, this expression becomes

$$b^r = 1 + Ar + \frac{A^2 r^2}{2} + \frac{A^3 r^3}{2.3} + \dots + \&c$$

Which expression, being perfectly general, is true whatever value is assigned to r ; we may therefore substitute λ for r , whence we obtain

$$b^\lambda = 1 + A\lambda + \frac{A^2}{2} \lambda^2 + \frac{A^3}{2.3} \lambda^3 + \dots + \&c. \dots \dots \dots [2.]$$

The value of A is already known in terms of y , but as $b =$

1 + y, therefore $y = b - 1$, and if we substitute this value for y, we have

$$A = \left\{ (b-1) - \frac{1}{2}(b-1)^2 + \frac{1}{3}(b-1)^3 - \frac{1}{4}(b-1)^4 + \dots - \&c. \right\} \dots [3.]$$

PROPOSITION C.

PROBLEM. *From the equation*

$$b^\lambda = n = 1 + A\lambda + \frac{A^2}{2}\lambda^2 + \frac{A^3}{2.3}\lambda^3 + \dots + \&c.$$

to determine the value of λ , in terms of b and n .

If, in the equation $n = b^\lambda$, both sides are raised to the power of x , it becomes $n^x = b^{\lambda x}$; then expanding n^x in terms of x , we obtain (Prop. B, [2])

$$n^x = 1 + A_1 x + \frac{A_1^2}{2} x^2 + \frac{A_1^3}{2.3} x^3 + \dots + \&c.$$

in which (Prop. B, [3])

$$A_1 = \left\{ (n-1) - \frac{1}{2}(n-1)^2 + \frac{1}{3}(n-1)^3 - \dots + \&c. \right\}$$

Also expanding $b^{\lambda x}$ in terms of λx , we have (Prop. B, [2])

$$b^{\lambda x} = 1 + A\lambda x + \frac{A^2}{2}\lambda^2 x^2 + \frac{A^3}{2.3}\lambda^3 x^3 + \dots + \&c.$$

If now in the equation $b^{\lambda x} = n^x$, we substitute the values of $b^{\lambda x}$ and n^x obtained above, it becomes

$$\begin{aligned} & 1 + A\lambda x + \frac{1}{2} A^2 \lambda^2 x^2 + \frac{1}{6} A^3 \lambda^3 x^3 + \dots + \&c. \\ & = 1 + A_1 x + \frac{1}{2} A_1^2 x^2 + \frac{1}{6} A_1^3 x^3 + \dots + \&c. \end{aligned}$$

From which we have, by Prop. A,

$$\begin{aligned} A\lambda &= A_1 \\ A^2 \lambda^2 &= A_1^2 \\ A^3 \lambda^3 &= A_1^3, \&c. \end{aligned}$$

From each of which we obtain

$$\lambda = \frac{A_1}{A}$$

Substituting for A_1 its value given above, and for A its value determined in Prop. B, [3], we have

$$\lambda = \frac{(n-1) - \frac{1}{2}(n-1)^2 + \frac{1}{3}(n-1)^3 - \&c.}{(b-1) - \frac{1}{2}(b-1)^2 + \frac{1}{3}(b-1)^3 - \&c.} \dots\dots [1.]$$

SCHOLIUM. Since $b^\lambda = n$, it follows, from the definition of a logarithm, page 4, that λ is the logarithm of the number n to the base b . Now as b may have any value that we please assigned to it, and, as every different value of b gives a different value of λ , it follows that there may be any number of logarithms corresponding with the number n , because any number of values may be given to the base b^* .

We may therefore assume such a value for b as shall give

$$A = \left\{ (b-1) - \frac{1}{2}(b-1)^2 + \frac{1}{3}(b-1)^3 - \&c. \right\} = 1, \text{ in}$$

which case the expression [1, above] for the logarithm becomes

$$\lambda = (n-1) - \frac{1}{2}(n-1)^2 + \frac{1}{3}(n-1)^3 - \dots + \&c. \dots [2.]$$

This is the value for A actually taken by Baron Napier, and employed by him in his first Table of Logarithms, from which circumstance, logarithms calculated to this base are termed *Napierean Logarithms*.

PROPOSITION D.

PROBLEM. *In the equation*

$$b^\lambda = 1 + A\lambda + \frac{A^2}{2}\lambda^2 + \frac{A^3}{2.3}\lambda^3 + \frac{A^4}{2.3.4}\lambda^4 + \dots + \&c.$$

to determine the value of b , when A is made equal to unity

Substituting the assumed value of A , in the above expression, it becomes

* See page 8.

$$b^{\lambda} = 1 + \lambda + \frac{1}{2}\lambda^2 + \frac{1}{2.3}\lambda^3 + \frac{1}{2.3.4}\lambda^4 + \dots + \&c.$$

Now, as this expression is true, whatever be the value of λ , it is true when $\lambda = 1$, in which case it becomes

$$b = 1 + 1 + \frac{1}{2} + \frac{1}{2.3} + \frac{1}{2.3.4} + \frac{1}{2.3.4.5} + \&c.$$

From which expression, as it is rapidly convergent, we may easily determine the value of b , to any required degree of exactness.

SCHOLIUM. The following is the calculation for the first thirteen terms.

•	1 + 1 =	2.000,000,000	000
	$\frac{1}{2}$ =	.500,000,000	000
÷ by 3	=	.166,666,666	667
„ 4	=	.041,666,666	667
„ 5	=	.008,333,333	333
„ 6	=	.001,388,888	889
„ 7	=	.000,198,412	698
„ 8	=	.000,024,801	587
„ 9	=	.000,002,755	732
„ 10	=	.000,000,275	573
„ 11	=	.000,000,025	052
„ 12	=	.000,000,002	088
		2.718,281,828	286

In which the first nine decimals are correct. This number is usually denoted by e , and is, as stated in the scholium to the preceding proposition, the base of the Napierian system of logarithms.

PROPOSITION E

PROBLEM. *To obtain a rapidly convergent series, for calculating the logarithms of numbers.*

In the expression Prop. C, [1], if we put A for its equivalent value in the denominator, we have

$$\lambda = \log_b n = \frac{1}{A} \left\{ (n-1) - \frac{1}{2}(n-1)^2 + \frac{1}{8}(n-1)^3 - \dots + \&c. \right\} \dots\dots\dots [1.]$$

This expression being true for all values of n , we may put $1 + m = n$, it then becomes

$$\log_b(1 + m) = \frac{1}{A} \left(m - \frac{1}{2} m^2 + \frac{1}{3} m^3 - \dots + \&c. \right)$$

Again, if we put $1 - m = n$, we have

$$\log_b(1 - m) = \frac{1}{A} \left(-m - \frac{1}{2} m^2 - \frac{1}{3} m^3 - \dots - \&c. \right)$$

Then, subtracting the second equation from the first, we obtain

$$\begin{aligned} \log_b(1 + m) - \log_b(1 - m) &= \log_b \frac{1 + m}{1 - m} = \\ &= \frac{1}{A} \left(m - \frac{1}{2} m^2 + \frac{1}{3} m^3 - \dots + \&c. \right) \\ &\quad - \frac{1}{A} \left(-m - \frac{1}{2} m^2 - \frac{1}{3} m^3 - \dots - \&c. \right) \\ &= \frac{2}{A} \left(m + \frac{1}{3} m^3 + \frac{1}{5} m^5 + \dots + \&c. \right) \end{aligned}$$

Now, let $1 + m = a$, and $1 - m = a - 1$, then we have

$$\frac{1 + m}{1 - m} = \frac{a}{a - 1}.$$

From which we obtain

$$m = \frac{1}{2a - 1}.$$

Substituting this value of m in the above expression, we have

$$\begin{aligned} \log_b \frac{a}{a - 1} &= \frac{2}{A} \left\{ \frac{1}{2a - 1} + \frac{1}{3(2a - 1)^3} + \right. \\ &\quad \left. \frac{1}{5(2a - 1)^5} + \dots + \&c. \right\} \dots\dots\dots [2,] \end{aligned}$$

a series which is rapidly converging.

PROPOSITION F

PROBLEM. *To reduce the logarithms of a system having one base, to those having a different base.*

We have, in Prop. E, [1],

$$\log_b n = \frac{1}{A} \left\{ (n-1) - \frac{1}{2}(n-1)^2 + \frac{1}{3}(n-1)^3 - \dots + \&c. \right\}$$

In which expression the coefficient $\frac{1}{A}$ is constant for every logarithm having b for its base, its value being entirely independent of n (Prop. B, [3]); and we have further shown (Prop. D) that, when the base of the system of logarithms is taken equal to $2.718281828 = e$, the value of A is reduced to unity; in this case, therefore, we have

$$\log_e n = (n-1) - \frac{1}{2}(n-1)^2 + \frac{1}{3}(n-1)^3 - \dots + \&c. [1.]$$

This system, therefore, having e for its base, has been called the *natural* system of logarithms, because it can be expressed in terms of n alone, and has unity for its coefficient.

Now, we have (Prob. B, [3])

$$A = (b-1) - \frac{1}{2}(b-1)^2 + \frac{1}{3}(b-1)^3 - \dots + \&c.,$$

an expression from which, by comparison with [1] above, we immediately perceive that $\log_b b = A$, or that the value of A , the denominator of the constant coefficient $\frac{1}{A}$, for any system of logarithms to the base b , is equal to the Napierian logarithm of b . The constant coefficient $\frac{1}{A}$ is called the *modulus* of the system to which it belongs; and to reduce logarithms having one base to those having a different one, it is only necessary to divide them by the modulus of their own system, by which they become reduced to natural, or Napierian logarithms, and then to multiply them by the modulus of the system having the required base *

* See page 9.

PROPOSITION G.

PROBLEM. To find the Napierian logarithm of b , when b equals 10

In the expression (Prop. E, [2])

$$\log_a \frac{a}{a-1} = \frac{2}{A} \left\{ \frac{1}{2a-1} + \frac{1}{3(2a-1)^3} + \frac{1}{5(2a-1)^5} + \dots + \&c. \right\}$$

if we put $a = 2$, and bear in mind that, as we want the Napierian logarithm, the modulus equals unity, we obtain

$$\log_a \frac{2}{1} = \log_a 2 = 2 \left\{ \frac{1}{3} + \frac{1}{3 \cdot 3^3} + \frac{1}{5 \cdot 3^5} + \dots + \&c. \right\}$$

Performing the calculation, we have

$$\begin{array}{rcl} \frac{1}{3} & = & \cdot 333,333,333,333 \\ \frac{1}{3} \cdot \frac{1}{3^3} & = & \cdot 012,345,679,012 \\ \frac{1}{5} \cdot \frac{1}{3^5} & = & \cdot 000,823,045,268 \\ \frac{1}{7} \cdot \frac{1}{3^7} & = & \cdot 000,065,321,053 \\ \frac{1}{9} \cdot \frac{1}{3^9} & = & \cdot 000,005,645,029 \\ \frac{1}{11} \cdot \frac{1}{3^{11}} & = & \cdot 000,000,513,184 \\ \frac{1}{13} \cdot \frac{1}{3^{13}} & = & \cdot 000,000,048,248 \\ \frac{1}{15} \cdot \frac{1}{3^{15}} & = & \cdot 000,000,004,646 \\ \frac{1}{17} \cdot \frac{1}{3^{17}} & = & \cdot 000,000,000,436 \\ & & \hline & & 346,573,590,200 \\ & & & 2 \\ \log_a 2 & = & 0.693,147,180,418. \end{array}$$

Now, $4 = 2^2$, therefore $\log_2 4 = 2 \log_2 2 =$
 $1.386,294,360,836.$

Again, let us put $a = 5$, we have then

$$\log_2 \frac{5}{4} = 2 \left\{ \frac{1}{9} + \frac{1}{8 \cdot 9^3} + \frac{1}{5 \cdot 9^5} + \frac{1}{7 \cdot 9^7} + \dots + \&c. \right\}$$

and, performing the calculation, we have

$$\begin{aligned} \frac{1}{9} &= .111,111,111,111 \\ \frac{1}{8} \cdot \frac{1}{9^3} &= .000,457,247,371 \\ \frac{1}{5} \cdot \frac{1}{9^5} &= .000,003,387,017 \\ \frac{1}{7} \cdot \frac{1}{9^7} &= .000,000,029,869 \\ \frac{1}{9} \cdot \frac{1}{9^9} &= .000,000,000,286 \\ &\quad \underline{.111,571,775,654} \\ &\quad \quad \quad 2 \\ \log_2 \frac{5}{4} &= .223,143,551,308 \end{aligned}$$

Now, the $\log_2 \frac{5}{4} = \log_2 5 - \log_2 4$; if, therefore, we add to $\log_2 \frac{5}{4}$ the $\log_2 4$, as found above, we shall have

$$\begin{aligned} &.223,143,551,308 \\ &1.386,294,360,836 \\ &\hline &1.609,437,912,144 \end{aligned}$$

equal the $\log_2 5$; then, since $\log_2 5 + \log_2 2 = \log_2 10$, we have

$$1.609,437,912 + .693,147,180 = 2.302,585,092,$$

which is the true value of $\log_2 10$, to nine places of decimals.

PROPOSITION H.

THEOREM. *The logarithm of any number q to the base p , multiplied by the logarithm of p to the base q , is always equal to unity; that is, $\log_p q \cdot \log_q p = 1$.*

Let $\log_p q = l$, and $\log_q p = k$; then $p^l = q$, and $q^k = p$.

If the first of these, $p^l = q$, be raised to the power of k , we have

$$p^{l \cdot k} = q^k.$$

But $q^k = p$, therefore $p^{l \cdot k} = p$, and

$$l \cdot k = \log_p q \cdot \log_q p, \text{ must equal unity}$$

PROPOSITION I.

PROBLEM. *To determine the value of $\log_b e$, e being the base of the Napierian system of logarithms.*

Comparing the expression for the value of A , given in the Scholium to Proposition C, with the formula [2] in the same, we see that A is the Napierian logarithm of b , or $e^A = b$; therefore $\log_e b = A$.

Now we have, from Theorem H,

$$\log_e b \cdot \log_b e = 1, \text{ or } A \cdot \log_b e = 1,$$

$$\text{Therefore } \log_b e = \frac{1}{A} = \frac{1}{2.302585092} = 434294482.$$

This is therefore the value of the modulus [Prop. F] of the common system of logarithms.

PROPOSITION K.

THEOREM. *If a series of logarithms to the same base are in arithmetical progression, the corresponding numbers will form a series in geometrical progression.*

That is, if in $b^{l_1} = n_1$, $b^{l_2} = n_2$, $b^{l_3} = n_3$, $b^{l_4} = n_4$, the values of the exponents of b are such that l_1, l_2, l_3, l_4 , form an arithmetical progression, then will n_1, n_2, n_3, n_4 , form a geometrical progression.

For, let d be the common difference of the arithmetical series, then

$$b^{l_2} = b^{l_1 + \delta} = b^{l_1} \cdot b^{\delta}$$

$$b^{l_3} = b^{l_2 + \delta} = b^{l_2} \cdot b^{\delta}$$

$$b^{l_4} = b^{l_3 + \delta} = b^{l_3} \cdot b^{\delta}$$

$$\&c. \quad \&c. \quad \&c.$$

Let $b^{\delta} = n_2$, then, substituting in the above for b^{δ} , b^{l_1} , b^{l_2} , b^{l_3} , &c., their equals n_2 , n_1 , n_2 , n_3 , &c., we obtain

$$n_2 = n_1 \cdot n_2$$

$$n_3 = n_2 \cdot n_2$$

$$n_4 = n_3 \cdot n_2$$

$$\&c. \quad \&c.$$

Or, we see that each term of the series n_1 , n_2 , n_3 , &c., is equal to the preceding term *multiplied* by the constant quantity n_2 ; they are, therefore (Def. 9), in *geometrical* progression, n_2 being their *common ratio*.

SCHOLIUM. It should be observed that, since $b^{\delta} = n_2$, δ , the *common difference* of the series of logarithms, is the logarithm of n_2 , the *common ratio* of the series of numbers.

PROPOSITION L.

PROBLEM. To deduce an expression for the limit of the increment of a logarithm, produced by any given increase in the corresponding natural number.

If, in the expression Prop. E [1], we put $\frac{1}{b} + 1$ for n , it becomes

$$\log \left(\frac{1}{b} + 1 \right) = \frac{1}{A} \left\{ \frac{1}{b} - \frac{1}{2b^2} + \frac{1}{3b^3} - \frac{1}{4b^4} + \dots \&c. \right\} \dots [1].$$

$$\text{Now } \log \left(\frac{1}{b} + 1 \right) = \log \left(\frac{1+b}{b} \right) = \log (b+1) - \log b,$$

equal the increment occasioned in the logarithm of b , by increasing its value by unity.

In the expression $\left\{ \frac{1}{b} - \frac{1}{2b^2} + \frac{1}{3b^3} - \&c. \right\}$, the first term, $\frac{1}{b}$, is greater than the sum of all the succeeding terms, and therefore

$$\log \left(\frac{1}{b} + 1 \right) = \log (b + 1) - \log b < \frac{1}{A} \cdot \frac{1}{b} \dots [2].$$

That is, the difference between the logarithms of two numbers differing by unity, is less than the modulus of the system divided by the lesser of those numbers.

SCHOLIUM 1. In the common system of logarithms, the modulus $= \frac{1}{A}$ has been shown [Proposition I] to be equal to .434294482; in this case, therefore, we have

$$\log (b + 1) - \log b < \frac{.434294482}{b} \dots \dots \dots [3].$$

SCHOLIUM 2. In the case of the logarithms of several consecutive numbers, each greater by unity than the preceding, putting m for the modulus of the system, we have

$$\log (b + 1) - \log b < \frac{m}{b}$$

$$\log (b + 2) - \log (b + 1) < \frac{m}{b + 1}$$

$$\log (b + 3) - \log (b + 2) < \frac{m}{b + 2},$$

from which we see that, as the numbers increase, the *rate of increase* of their logarithms decrease; thus, the addition of unity to b increases its logarithm by $\frac{m}{b}$, while the addition of

unity to $b + 1$ increases its logarithm only $\frac{m}{b + 1}$; when, however, b is a large number, b and $b + 1$ are very nearly equal, and therefore the rate of increase of the logarithms may be considered as proportional to that of the correspond-

ing numbers, so long as the increment of the latter is small, as compared with the number itself.

PROPOSITION M.

THEOREM. *The sum of the logarithms of two numbers, is the logarithm of their product.*

Let $\lambda = \log_b m$, and $l = \log_b n$, then $b^\lambda = m$, and $b^l = n$

Now.

$$m \cdot n = b^\lambda \cdot b^l = b^{\lambda+l}.$$

And because

$$b^{\lambda+l} = m \cdot n,$$

therefore $\lambda + l$ is the logarithm of $m \cdot n$, to the base b ; or, the sum of the logarithms of m and n is the logarithm of their product.

PROPOSITION N.

THEOREM. *The logarithm of the quotient of two numbers is equal to the logarithm of the dividend, with the logarithm of the divisor subtracted from it.*

Let λ and l denote the same as in the foregoing proposition. Then

$$\frac{m}{n} = \frac{b^\lambda}{b^l} = b^{\lambda-l}.$$

And because

$$b^{\lambda-l} = \frac{m}{n}$$

therefore $\lambda - l$ is the logarithm of $\frac{m}{n}$, to the base b ; or, the logarithm of the quotient of m divided by n , is equal to the logarithm of m , with the logarithm of n subtracted from it.

PROPOSITION O.

THEOREM. *The logarithm of any power of a number, is equal to the logarithm of that number, multiplied by the exponent of the power.*

Let $\lambda = \log_b m$, then

$$m = b^\lambda,$$

$$m^2 = b^\lambda \cdot b^\lambda = b^{2\lambda},$$

$$m^3 = b^\lambda \cdot b^\lambda \cdot b^\lambda = b^{3\lambda},$$

$$m^n = b_1^\lambda \cdot b_2^\lambda \cdot b_3^\lambda \cdot \dots \cdot b_n^\lambda = b^{n\lambda}.$$

And because

$$b^{n\lambda} = m^n,$$

therefore $n\lambda$ is the logarithm of m^n to the base b ; or, *the logarithm of the n th root of m , is equal to n times the logarithm of m .*

PROPOSITION P.

THEOREM. *The logarithm of any root of a number, is equal to the logarithm of that number, divided by the exponent of the root.*

Let $\lambda = \log_b m$, then $m = b^\lambda$; let the square root of $m = x$, and the logarithm of $x = l$, then

$$m = x \cdot x = b^{2l} = b^\lambda,$$

$$\text{therefore, } 2l = \lambda, \text{ and } l = \frac{\lambda}{2}$$

In like manner, if the cube root of $m = y$, and the logarithm of $y = p$, then

$$m = y \cdot y \cdot y = b^{3p} = b^\lambda;$$

$$\text{therefore, } 3p = \lambda, \text{ and } p = \frac{\lambda}{3}.$$

And generally, if the n th root of $m = z$, and the logarithm of $z = q$, then

$$m = z_1 \cdot z_2 \cdot z_3 \cdot \dots \cdot z_n = b^{nq} = b^\lambda;$$

$$\text{therefore, } nq = \lambda, \text{ and } q = \frac{\lambda}{n};$$

or, *the logarithm of the n th root of m , is equal to the logarithm of m , divided by n*

PROPOSITION Q.

THEOREM. *In the system of logarithms whose base is 10, the mantissa is the same for the same order of figures, whether those figures are integers or decimals.*

If the figures composing the two numbers are in the same order, and only differ in the place of the decimal point, the two numbers may be made equal by altering the position of the point in one of them, which will, in effect, be *multiplying* or *dividing* by 10, for every place that the decimal is moved to the *right* or to the *left*.

The logarithm of the number which has thus been *multiplied* or *divided* by 10, or some integral power of 10, must have the logarithm of that power of 10 *added to* or *subtracted from* it, in order to be still the correct logarithm of that number; and it will then become equal to the logarithm of the other number.

Now, the logarithm of any power of 10 to the base 10, is obviously the *exponent* of that power, and as the exponent is integral, the logarithm of every integral power of 10 must itself be an integer, with no decimals or mantissa. The *addition* or *subtraction*, therefore, of the logarithm of the power of 10, by which the number has been *multiplied* or *divided*, will not affect its mantissa, which will consequently be the same as before its value was altered. And therefore the mantissæ of the two logarithms were originally the same.

PROPOSITION R.

THEOREM. *The characteristic of the logarithm of a number to the base 10, is always one less than the number of integral figures in that number.*

Let the number consist of only one integer; then its value must be less than 10; now the logarithm of 10 is 1, therefore the logarithm of the number must be less than that of 10, and therefore its characteristic must be 0 (followed by some decimal), and in this case is one less than the number of integers in the number.

Then, let the number be successively multiplied by 10, and at the same time let the logarithm of 10, or 1, be successively added to the characteristic of its logarithm.

Now each multiplication by 10, will add an integer to the number, at the same time that it will add 1 to the characteristic of its logarithm, and therefore as originally the character-

istic was 1 less than the number of integers, so it will always continue, however great the number of integers may be.

PROPOSITION S.

THEOREM. *In the logarithm (to the base 10) of a number less than unity, the characteristic is negative, but the mantissa is positive; and the value of the characteristic is one greater than the number of cyphers between the decimal point and the first significant figure, the number being decimally expressed.*

Let the number be multiplied by such a power of 10, as will make it have only one integral figure, and let that power be the n th; then the logarithm will have been increased by n , and it will now have 0 for a characteristic (Prop. R), followed by a mantissa; both being positive. Let m equal the value of the mantissa, now this must have been also its original value (Prop. Q); therefore, since the logarithm now equals m , and n has been added to it, its original value must have been $m - n$; that is, it must have had a positive mantissa equal to m , and a negative characteristic equal to n .

Now the number of times (or n) that a decimal fraction must be multiplied by 10, to make only its first significant figure an integer, must be one greater than the number of cyphers which originally stood between that significant figure and the decimal point.

Therefore the negative characteristic of the logarithm of a decimal fraction, is one greater than the number of cyphers between the first significant figure and the decimal point

CHAPTER V.

Description of Logarithmic Tables.

BEFORE proceeding to give rules for performing the various processes of Logarithmic Arithmetic, it will be advantageous to describe generally, a few of the most useful Tables of Logarithms, so as to render the student familiar with their use, before he is actually required to employ them.

The object of Mathematical Tables is to present in a concise form, and one easily referred to, two or more series of numbers mutually dependent upon each other. So that any number in one series being given, the corresponding number

in either of the other series may be immediately found, on inspection of the tables. The number given is termed the *argument* of the tables, and the number sought the *resultant*. Thus in the table a specimen of which is given at page 33, the numbers in the left-hand margin and at the head of the table are the *argument*, by which we are directed where to find the logarithms of those numbers, which logarithms are the *resultants*. When we thus seek in any column of a table for the argument by which to find some other number, we are said to *enter* that column with the argument. For example, if we are looking in the table at page 33 for the logarithm of 2565, we *enter* the column of numbers (distinguished by N at the top) with the *argument* 2565, and on the same line in the contiguous column we find the *resultant* 4090874, which is the logarithm required.

Tables of the Logarithms of Numbers exist under a great variety of forms, and are calculated to a greater or less number of decimal places, according to the purposes to which they are intended to be applied. For Astronomical and Trigonometrical calculations, where considerable accuracy is required, tables are used in which the logarithms are carried to seven places of decimals; for ordinary purposes tables of six places will be found ample; and even in many cases five places will be sufficient. We shall describe some of the best and most generally employed tables, to seven, six, and five places.

The best tables of the Logarithms of Numbers to seven places, are those by Babbage, although for general use we should recommend Hutton's, which contain logarithmic sines, tangents, &c., to the same number of places, also the natural sines and tangents, and a great variety of other tables which will be found of frequent use. We have given on the opposite page as a specimen of these tables, a portion of one page of the same.

N. 25500 L. 406 OF NUMBERS.												37
N.	0	1	2	3	4	5	6	7	8	9	D.	Pro.
2550	4065402	5572	5742	5913	6083	6253	6424	6594	6764	6934		170
51	7105	7275	7445	7615	7786	7956	8126	8296	8466	8637		1 17
52	8807	8977	9147	9317	9487	9658	9828	9998	0168	0338		2 34
53	4070508	0678	0848	1018	1189	1359	1529	1699	1869	2039		3 51
54	2209	2379	2549	2719	2889	3059	3229	3399	3569	3739	170	4 68
55	3909	4079	4249	4419	4589	4759	4929	5099	5269	5439		5 85
56	5608	5778	5948	6118	6288	6458	6628	6798	6968	7137		6 102
57	7307	7477	7647	7817	7987	8156	8326	8496	8666	8836		7 119
58	9005	9175	9345	9515	9684	9854	0024	0194	0363	0533		8 136
59	4080703	0873	1042	1212	1382	1551	1721	1891	2060	2230		9 153
2560	2400	2569	2739	2909	3078	3248	3417	3587	3757	3926		169
61	4096	4265	4435	4604	4774	4944	5113	5283	5452	5622		1 17
62	5791	5961	6130	6300	6469	6639	6808	6978	7147	7317		2 34
63	7486	7656	7825	7994	8164	8333	8503	8672	8841	9011		3 51
64	9180	9350	9519	9688	9858	0027	0196	0366	0535	0704		4 68
65	4090874	1043	1212	1382	1551	1720	1889	2059	2228	2397		5 85
66	2567	2736	2905	3074	3243	3413	3582	3751	3920	4089		6 101
67	4259	4428	4597	4766	4935	5105	5274	5443	5612	5781		7 118
68	5950	6119	6288	6458	6627	6796	6965	7134	7303	7472	169	8 135
69	7641	7810	7979	8148	8317	8486	8655	8824	8993	9162		9 152

The natural numbers which form the *arguments* of the table extend from 10000 to 107999, the *resultants*, or logarithms answering to them, from 4.0000000 to 5.03341973, the former being given to 5 and 6 places, while the latter extend to 7 and 8 places. In the extreme left-hand column headed N, which is the column of arguments, only the first four figures of the natural numbers are given, the last figure must be sought for along the top of the table, in the line of figures immediately under the words "Logarithm of Numbers;" and the resultant, or the logarithm itself, will be found at the intersection of the two lines in which the two portions of the argument were found; that is, on the same *line* with the *first four* figures, and in the same *column* as the *last* figure. We observe, however, upon looking at the table, that while the first column of resultants (having 0 at the top) contains 7 figures, the other nine columns contain only 4. The explanation of this is as follows, the four figures given in these columns are only the four final figures of the logarithm, that is the 4th, 5th, 6th, and 7th, decimals, the first three figures, or the 1st, 2nd, and 3rd, decimals, are the same as those of the logarithms in the first column of resultants, and being the same it is considered unnecessary to repeat them, as they may be as easily supplied from the first column, and considerable saving of space is effected by their omission. It is in order to allow of this saving of space, by the omission of the similar figures, that the peculiar arrangement of the tables, by which a portion of the argument is found in the side column and a portion at the head of the table, has been adopted. It is not, however, always the case, that the initial figures found in the first column are the correct initial figures for all the other logarithms in the same line, because as the logarithms successively increase, after a certain interval, the last of the initial figures or the 3rd decimal becomes altered in value, and this alteration is equally likely to occur in any one of the columns. An example of this occurs at the third line of the table, in which the initial figures 406 apply, as far as the column headed with 7, they here, however, change, and in the next column become 407, and so continue until the ninth line, in which they change to 408 in the column headed with 6. Various methods have been adopted for directing attention to this change in the initial figures; in Hutton's tables it is shown by a line being drawn over the first figure of each of the logarithms to which the altered initial figures are to be applied, and in some other tables, as in Babbage's, it is

shown by the first cypher being put in smaller type, as
 $\begin{array}{|l|l|} \hline .0168 & .0338 \\ \hline \end{array}$.

It has been shown, in the conclusion of the previous chapter (Scholium 2, Prop. L), that with small increments in the natural numbers, the logarithms corresponding with them increase in arithmetical progression, so that the difference between the successive logarithms remains constant for several logarithms in succession. Whenever the value of the difference changes, it is inserted in a column headed D, on the right of the table on the line in which the change occurs. Thus the number 170 is inserted in the column D, on the fifth line, and indicates that the difference between two successive logarithms has changed from 171 to 170 in the line in which it stands. The differences change much more rapidly at the commencement of the table than near its conclusion. The difference given in this column is that due to an increment of one unit in the 5th figure of the natural number, thus

$$\text{Log of } 25584 = 4.4079684$$

$$\text{,, } 25585 = 4.4079854$$

$$\begin{array}{ccc} & 1 & 170 \\ \hline & & \hline \end{array}$$

and as for any increment less than this, we may consider the logarithms to vary in arithmetical progression, to ascertain the logarithm of any number between those given above, the increment of the logarithm to be added to 4.4079684 will bear the same proportion to 170, that the increment of the natural number does to 1; for example, let it be required to find the logarithm of 25584.6, here the increment of the number being .6, we form the proportion $1.0 : .6 :: 170 : 102$, by which we find that 102 is the corresponding increment of the logarithm, which being added to 4.4079684 gives 4.4079786 for the logarithm of 25584.6. Again, if the increment of the natural number had been .06, the corresponding increment of the logarithm would have been 10.2.

If now we divide the whole difference 170 by 10, we obtain 17, the difference corresponding with an increase of one unit in the sixth figure of the natural number, the double of this or 34 for two units, the treble or 51 for three units, and so on; and each of the numbers so obtained will be the increment of the logarithm corresponding with an increase of that number of units in the sixth figure of the natural number. The increment thus obtained, for each of the nine units, is

inserted in an adjoining column (headed "Pro.," an abbreviation of Proportional Parts).

The numbers contained in these little tables are, as already explained, the increments of the logarithm for an increase in the *sixth* figure of the natural numbers, they express, however, the increments for the units in the *seventh* place of the natural number when divided by 10, or for the *eighth* when divided by 100. Thus, suppose the logarithm of 25608587 were required, we derive at once from the table the logarithm of the first five figures, to which we add the proper increment for each additional figure, derived from the little table in the right-hand column. Thus—

Log of	25608000	is	7.4083757
Increment for	500	„	85
„	80	„	13.6
„	7	„	1.19
Therefore the log of	<u>25608587</u>	„	<u>7.4083857</u>

These little tables of proportional parts are of equal service in finding the natural numbers corresponding with any given logarithm. Thus, if the logarithm given were 4.4074327, on looking in the table we see that the next less logarithm is 4.4074249, which corresponds with the natural number 25552; then subtracting the logarithm taken from the table, from the given logarithm, we obtain the difference, 78; looking in the second column of the table of Proportional Parts, we find against the next less difference, 68, the number 4, which is the sixth figure of the number required; we have still 10 left, to which adding a nought we obtain 100, and the nearest number in the table being 102, against which we find 6, that is the seventh figure required. The number answering to the logarithm 4.4074249 is therefore 25552.46.

In these and all the best tables of logarithms, the characteristic is omitted, the tables containing only the mantissa of the logarithm. The characteristic must be added in accordance with the rule given at page 11.

We next pass on to describe tables of logarithms to *six* decimal places. As a specimen, we have given a page from the "Mathematical Tables," forming one of the same series as the present work.

No. 240 L. 380.]

LOGARITHMS OF NUMBERS.

[No. 269 L. 431.]

N.	0	1	2	3	4	5	6	7	8	9	N.
240	380211	0392	0573	0754	0934	1115	1296	1476	1656	1837	240
1	2017	2197	2377	2557	2737	2917	3097	3277	3456	3636	1
2	3815	3995	4174	4353	4533	4712	4891	5070	5249	5428	2
3	5606	5785	5964	6142	6321	6499	6677	6856	7034	7212	3
4	7390	7568	7746	7924	8101	8279	8456	8634	8811	8989	4
5	9166	9343	9520	9698	9875	0051	0228	0405	0582	0759	5
6	390935	1112	1288	1464	1641	1817	1993	2169	2345	2521	6
7	2697	2873	3048	3224	3400	3575	3751	3926	4101	4277	7
8	4452	4627	4802	4977	5152	5326	5501	5676	5850	6025	8
9	6199	6374	6548	6722	6896	7071	7245	7419	7592	7766	9
250	7940	8114	8287	8461	8634	8808	8981	9154	9328	9501	250
1	9674	9847	0020	0192	0365	0538	0711	0883	1056	1228	1
2	401401	1573	1745	1917	2089	2261	2433	2605	2777	2949	2
3	3121	3292	3464	3635	3807	3978	4149	4320	4492	4663	3
4	4834	5005	5176	5346	5517	5688	5858	6029	6199	6370	4
5	6540	6710	6881	7051	7221	7391	7561	7731	7901	8070	5
6	8240	8410	8579	8749	8918	9087	9257	9426	9595	9764	6
7	9933	0102	0271	0440	0609	0777	0946	1114	1283	1451	7
8	411620	1788	1956	2124	2293	2461	2629	2796	2964	3132	8
9	3300	3467	3635	3803	3970	4137	4305	4472	4639	4806	9
260	4973	5140	5307	5474	5641	5808	5974	6141	6308	6474	260
1	6641	6807	6973	7139	7306	7472	7638	7804	7970	8135	1
2	8301	8467	8633	8798	8964	9129	9295	9460	9625	9791	2
3	9956	0121	0286	0451	0616	0781	0945	1110	1275	1439	3
4	421604	1768	1933	2097	2261	2426	2590	2754	2918	3082	4
5	3246	3410	3574	3737	3901	4065	4228	4392	4555	4718	5
6	4882	5045	5208	5371	5534	5697	5860	6023	6186	6349	6
7	6511	6674	6836	6999	7161	7324	7486	7648	7811	7973	7
8	8135	8297	8459	8621	8783	8944	9106	9268	9429	9591	8
9	9752	9914	0075	0236	0398	0559	0720	0881	1042	1203	9

PROPORTIONAL PARTS.

N.	1	2	3	4	5	6	7	8	9
2433	17.8	35.6	53.4	71.2	89.0	106.8	124.6	142.4	160.2
2446	17.7	35.4	53.1	70.8	88.5	106.2	123.9	141.6	159.3
2460	17.6	35.2	52.8	70.4	88.0	105.6	123.2	140.8	158.4
2474	17.5	35.0	52.5	70.0	87.5	105.0	122.5	140.0	157.5
2488	17.4	34.8	52.2	69.6	87.0	104.4	121.8	139.2	156.6
2503	17.3	34.6	51.9	69.2	86.5	103.8	121.1	138.4	155.7
2517	17.2	34.4	51.6	68.8	86.0	103.2	120.4	137.6	154.8
2532	17.1	34.2	51.3	68.4	85.5	102.6	119.7	136.8	153.9
2547	17.0	34.0	51.0	68.0	85.0	102.0	119.0	136.0	153.0
2562	16.9	33.8	50.7	67.6	84.5	101.4	118.3	135.2	152.1
2577	16.8	33.6	50.4	67.2	84.0	100.8	117.6	134.4	151.2
2592	16.7	33.4	50.1	66.8	83.5	100.2	116.9	133.6	150.3
2608	16.6	33.2	49.8	66.4	83.0	99.6	116.2	132.8	149.4
2624	16.5	33.0	49.5	66.0	82.5	99.0	115.5	132.0	148.5
2640	16.4	32.8	49.2	65.6	82.0	98.4	114.8	131.2	147.6
2656	16.3	32.6	48.9	65.2	81.5	97.8	114.1	130.4	146.7
2672	16.2	32.4	48.5	64.8	81.0	97.2	113.4	129.6	145.8
2689	16.1	32.2	48.3	64.4	80.5	96.6	112.7	128.8	144.9

This table contains the logarithms of every number less than 10,000 to six places of decimals, and in their general form and arrangement are very similar to those just described. The natural numbers which form the argument of the table are given to four places, the first three being found in the left-hand column, and the fourth at the head of the table; the first three figures are also repeated in the last column, to facilitate the use of the tables. In the first column of resultants the whole six figures of the logarithm are given, but in the succeeding columns only the last four, the two initial figures being supplied from the first column. In these tables, a horizontal line is introduced to separate the logarithms which have different initial figures, the line being made to break, or step up, when the change in the initial figures occurs other than at the commencement of a line. Thus in the middle of the sixth line the initial figures change from 38 to 39, and this is indicated by the line thus 9875 | 0051, the former of these being 389875, and the latter 390051.

In these tables also the proportional parts are somewhat differently arranged. In Hutton's and other logarithmic tables, the line in which the difference changes its value is shown, but each line contains ten logarithms, and there is nothing to indicate between which of these logarithms the change occurs; in the tables now being described, the number corresponding with the logarithm at which the change takes place is given in the left-hand column, and on the same line will be found the proportional parts for each unit constituting the fifth figure of the natural number. Thus, let the logarithm of 246057 be required; here we obtain the logarithm of the first four figures at once from the body of the table, for the increment to be added for the other two figures we look in the table of proportional parts, and on the same line with the first four figures of the given number, and in the same column as the fifth figure of the same, we find the proportional part to be added for that figure, and on the same line and in the same column as the sixth figure, we find the proportional part, *which, having first been divided by ten, must be added for that figure.* Thus—

The log of	246000	is	5.390935
Increment for	50	„	88
„	7	„	12.32
Therefore the log of	<u>246057</u>	„	<u>5.391035</u>

If the first four figures of the number are not exactly found in the first column of proportional parts, we must take the next less number. Thus, had the given number, whose logarithm was required, been 254371, we must have looked for the proportional part for the last two figures in the line having 2532 in the left-hand column, those being the next less numbers to 2543.

To find a number from its logarithm, the application of this table is very simple. We must take the next less logarithm in the upper part of the table, and the four first figures of the corresponding number will be obtained; we must then take the difference between the given logarithm and that found in the table, and, looking in the table of proportional parts, on the same line with the first four figures just found (or the next less to them), for the next less number to this difference, the figure at the head of the column in which it is found will be the *fifth* figure of the required number. Then, if the difference found in the table be taken from the difference sought for, and a nought be added, the number at the head of the column in which this second difference may be found (on the same line as before), will be the *sixth* figure of the required number. Thus, what is the natural number whose logarithm is 3.416369?

$$\begin{array}{rcl}
 \text{The given logarithm} & = & 3.416369 \\
 \text{Next less logarithm} & = & 3.416308 = \text{the log of } 2608. \\
 & & \underline{61} = 1\text{st diff.} \\
 \text{Next less diff. in table} & = & 49.8 = \quad .3 \\
 & & \underline{112} = 2\text{nd diff.} \\
 \text{Nearest diff. in table} & = & 116 = \quad .07 \\
 & & \underline{\quad} \\
 \text{Therefore the number required is} & & \underline{\underline{2608.37}}
 \end{array}$$

Again, what is the natural number whose logarithm is 5.394564?

$$\begin{array}{rcl}
 \text{The given logarithm} & = & 5.394564 \\
 \text{Next less logarithm} & = & 5.394452 = \text{log of } 248000 \\
 & & \underline{112} = 1\text{st diff.} \\
 \text{Next less diff. in table} & = & 105 = \quad 60 \\
 & & \underline{70} = 2\text{nd diff.} = 4 \\
 \text{Therefore the required number is} & & \underline{\underline{248064}}
 \end{array}$$

The next table of logarithms which we shall describe are those reprinted, under the superintendence of the Society for the Diffusion of Useful Knowledge, from the tables of Lalande, published in France. A specimen of these tables is given below.

3960" = 1° 6' 0"			3990" = 1° 6' 30"			4020" = 1° 7' 0"		
Num.	Log.	D.	Num.	Log.	D.	Num.	Log.	D.
3960	•59770	10	3990	•60097	11	4020	•60423	10
3961	•59780	11	3991	•60108	11	4021	•60433	11
3962	•59791	11	3992	•60119	11	4022	•60444	11
3963	•59802	11	3993	•60130	11	4023	•60455	11
3964	•59813	11	3994	•60141	11	4024	•60466	11
3965	•59824	11	3995	•60152	11	4025	•60477	10
3966	•59835	11	3996	•60163	10	4026	•60487	11
3967	•59846	11	3997	•60173	11	4027	•60498	11
3968	•59857	11	3998	•60184	11	4028	•60509	11
3969	•59868	11	3999	•60195	11	4029	•60520	11
3970	•59879	11	4000	•60206	11	4030	•60531	10
3971	•59890	11	4001	•60217	11	4031	•60541	11
3972	•59901	11	4002	•60228	11	4032	•60552	11
3973	•59912	11	4003	•60239	10	4033	•60563	11
3974	•59923	11	4004	•60249	11	4034	•60574	10
3975	•59934	11	4005	•60260	11	4035	•60584	11
3976	•59945	11	4006	•60271	11	4036	•60595	11
3977	•59956	10	4007	•60282	11	4037	•60606	11
3978	•59966	11	4008	•60293	11	4038	•60617	10
3979	•59977	11	4009	•60304	10	4039	•60627	11
3980	•59988	11	4010	•60314	11	4040	•60638	11
3981	•59999	11	4011	•60325	11	4041	•60649	11
3982	•60010	11	4012	•60336	11	4042	•60660	10
3983	•60021	11	4013	•60347	11	4043	•60670	11
3984	•60032	11	4014	•60358	11	4044	•60681	11
3985	•60043	11	4015	•60369	10	4045	•60692	11
3986	•60054	11	4016	•60379	11	4046	•60703	10
3987	•60065	11	4017	•60390	11	4047	•60713	11
3988	•60076	10	4018	•60401	11	4048	•60724	11
3989	•60086	11	4019	•60412	11	4049	•60735	11
3990	•60097	11	4020	•60423	11	4050	•60746	11

They are only carried to five decimal places, and their arrangement is quite different from that of the tables already described. They contain the logarithms of every consecutive number from 1 to 10,000, the arguments and resultants being placed in parallel columns, and the differences between the logarithms being given in a third column on the right hand. In these tables no proportional parts of the differences are given for the several units in the fifth place of the natural number, but they have to be found by proportion in the manner explained at page 35.

Thus, suppose the logarithm of 39694 were required: we immediately find, from the table, the logarithm of 39690 to be 4.59868, but we know this to be too small, and we want the proportional part of the whole difference, 11, to be added for the four units in the fifth place of the natural number. Now, the difference, 11, corresponds with an increase of ten units in the fifth figure of the number, therefore, as $10 : 11 :: 4 : 4.4$, which is the proportional part required. The rule, therefore, for finding the proportional parts is as follows:—Multiply the difference given in the third column by all the figures of the natural number, except the first four, and point off as many decimals in the product as there were figures in the multiplier, the integral portion will be the proportional part to be added to the logarithm. In the example above we have $11 \times .4 = 4.4$, the integer of which being added to 4.59868, gives 4.59872 for the logarithm of 39694.

Again, what is the logarithm of 403567? The logarithm of 403500 is 5.60584, and the difference, 11, being multiplied by 67, is 737, from which pointing off *two* decimals, leaves the integer 7 to be added; therefore, the logarithm of 403567 is 5.60591.

To find a number answering to a logarithm, from these tables, proceed as follows:—Look for the next less logarithm, and the number answering to it will be the first four figures of the number required. Then take the difference between this logarithm and the one given; to this difference add as many cyphers as additional figures are required, and divide by the difference given in the third column of the table, the quotient will be the figures to be added to the first four already derived from the tables; the position of the decimal point will be determined by the value of the characteristic.

For example, what is the number answering to the logarithm 3.60428?

$$\begin{array}{rcl}
 \text{Logarithm given} & . & = 3.60428 \\
 \text{Next less logarithm} & . & = 3.60423 = 4020 \\
 & & \hline
 & & 50 \div 10 = .5 \\
 & & \hline
 & & 4020.5 \\
 & & \hline
 & & 4020.5
 \end{array}$$

Therefore 4020.5 is the number whose logarithm is 3.60428.

Again, what is the number answering to the logarithm 4.60719?

$$\begin{array}{rcl}
 \text{Logarithm given} & . & = 4.60719 \\
 \text{Next less logarithm} & . & = 4.60713 = 40470 \\
 & & \hline
 & & 600 \div 11 = 5.4 \\
 & & \hline
 & & 40475.4 \\
 & & \hline
 & & 40475.4
 \end{array}$$

Therefore 40475.4 is the number whose logarithm is 4.60719.

Having described some of the principal tables, and explained the method of using them, it will be desirable to show how many figures may be relied upon as accurate, in the results obtained by tables of five, six, and seven decimal places.

Let us have the logarithm 3.17284 given to five places of decimals: now the real value of this logarithm, if expressed to a greater number of places, might, for aught that can be known, be anything between 3.172835 and 3.172845, and might therefore differ from the logarithm given by very nearly .000005; which then is the extreme limit of the difference which tables to five places will show; any difference less than this might occur without any change in the value of the logarithm, as given in the table.

It has been shown in Prop. L [3], page 27, that the difference between the logarithms of two numbers, which differ only by unity, is less than the modulus of the system divided by the lesser number, or, in the case of common logarithms, than .434294482 divided by the lesser number. * Now, the

difference between the true logarithm and that given to five places may, as we have shown above, be nearly equal to $\cdot 000005$, which is therefore less than $\cdot 4342945$ divided by the number, or the number is less than $\frac{\cdot 4342945}{\cdot 000005} = 86858\cdot 9$.

That is to say, that unless the number, whose logarithm is given, is less than 86859, its value cannot be determined with certainty beyond *four* figures; but that if less than 86859, the first *five* figures derived from the table will be true.

In a similar way it may be shown that, when working with tables of logarithms to six decimal places, the first *six* figures of the result may be depended upon if less than 868589, but if greater, only the first *five* figures must be kept. And in the case of logarithms to seven decimal places, if the result is less than 8685890, *seven* places will be accurate, but if greater, only *six*. Generally, in any tables of logarithms, the result obtained may be considered accurate to as many figures as there are decimal places in the logarithms, provided the mantissa of the logarithm is less than $\cdot 9388$, but if greater, then the result will only be accurate to one less number of figures than the decimals in the logarithm.

CHAPTER VI.

Logarithmic Arithmetic.

WE next proceed to the application of logarithms to the ordinary processes of arithmetic, and to illustrate and explain their general use for the purposes of calculation. The references following the rules show the proposition in Chapter IV., in which the rule is demonstrated.

TO FIND THE ARITHMETICAL COMPLEMENT OF A LOGARITHM.

By the *arithmetical complement* of a logarithm is meant the remainder left by the subtraction of the logarithm from 10. Thus the arithmetical complement of 3·241735 is $10\cdot 000000 - 3\cdot 241735 = 6\cdot 758265$. Its great use is in division, as will be presently shown; for if, instead of subtracting a logarithm, we add its complement, and subtract 10, we obtain the same result. To find the arithmetical complement employ the following rule

RULE.—*Subtract the first right-hand significant figure from 10, and all the others (including the characteristic when positive) from 9; when the characteristic is negative, it must be added to 9.*

EXAMPLES.

The arithmetical complement of	5.631642	is	4.368358
"	"	2.170630	" 7.829370
"	"	1.217034	" 10.782966
"	"	3.173680	" 12.826320
"	"	3.607218	" 6.392782
"	"	0.714000	" 9.286000

MULTIPLICATION.

RULE.—*To multiply two or more numbers together, add their logarithms, the sum will be the logarithm of their product (Prop. M).*

EXAMPLES.

Multiply 5631 by 42.

Logarithm of	5631	=	3.750586
"	42	=	1.623249
			<hr/>
			5.373835
			5.373831 = log of 236500
			<hr/>
		40 =	2
		Answer =	<u>236502</u>

Multiply 52, 734, and 6 together.

Logarithm of	52	=	1.716003
"	734	=	2.865696
"	6	=	0.778151
			<hr/>
			5.359850
			5.359835 = log of 229000
			<hr/>
		150 =	8
		Answer =	<u>229008</u>

Multiply 61, 22, and 65 together.

Logarithm of	61	=	1.785330
"	22	=	1.342423
"	65	=	1.812913
			<hr/>
			4.940666 = log of 87230.
			<hr/>

DIVISION.

RULE.—To divide one number by another, subtract the logarithm of the divisor from the logarithm of the dividend, and the remainder will be the logarithm of the quotient (Prop. N).

EXAMPLES.

$$\begin{array}{rcl}
 & \text{Divide 1164 by 4.} & \\
 \text{Logarithm of } 1164 & = 3.065953 & \\
 \text{Logarithm of } 4 & = 0.602060 & \\
 \hline
 & 2.463893 = \log \text{ of } 291. &
 \end{array}$$

$$\begin{array}{rcl}
 & \text{Divide 116908 by 5314.} & \\
 \text{Logarithm of } 116900 & = 5.067815 & \\
 \text{Prop. part for } 8 & = 29.68 & \\
 \hline
 \text{Logarithm of } 116908 & = 5.067845 & \\
 \text{Logarithm of } 5314 & = 3.725422 & \\
 \hline
 & 1.342423 = \log \text{ of } 22. &
 \end{array}$$

Instead of subtracting the logarithm of the divisor we may add its arithmetical complement, the result, with 10 subtracted from the characteristic, will as before be the logarithm of the quotient. Thus, in the example above, the arithmetical complement of 3.725422, the logarithm of the divisor, is 6.274578, which added to 5.067845, gives 1.342423, the same answer as before. This method will be found very convenient where it is desired to divide one number by several others; we have, in such a case, only to add to the logarithm of the dividend, the arithmetical complement of the logarithms of the several divisors, and subtract from the characteristic as many tens as there were divisors, the result will be the logarithm of the quotient.

$$\begin{array}{rcl}
 & \text{Divide 579416 by 4, 23, and 47.} & \\
 \text{Logarithm of } 579400 & = 5.762978 & \\
 \text{Proportional part for } 10 & = 7.5 & \\
 \text{Proportional part for } 6 & = 4.5 & \\
 \hline
 \text{Logarithm of } 579416 & = 5.762990 & \\
 \text{Arith. comp. of log of } 4 & = 9.397940 & \\
 \text{Arith. comp. of log of } 23 & = 8.638272 & \\
 \text{Arith. comp. of log of } 47 & = 8.327902 & \\
 \hline
 & 2.127104 = \log \text{ of } 134. &
 \end{array}$$

PROPORTION, OR THE RULE OF THREE.

Questions in proportion, or the rule of three, may be resolved with great facility with the aid of logarithms.

RULE.—*Add together the logarithms of the two middle terms, and from their sum subtract the logarithm of the first term, the remainder will be the logarithm of the fourth term, or quantity required. Or, instead of subtracting the logarithm of the first term, add its arithmetical complement and subtract 10 from the characteristic.*

EXAMPLES.

If 14 men, in 47 days, excavate 5631 cubic yards, what length of time will it take them to excavate 47280 cubic yards?

Or, as $5631 : 47 :: 47280 : 1$

Logarithm of . . . 47280 = 4.674677

” . . . 47 = 1.672098

6.346775

Logarithm of . . . 5631 = 3.750586

2.596189 = log of 394.626

By the second method:—

Logarithm of . . . 47280 = 4.674677

” . . . 47 = 1.672098

Arith. comp. of log of 5631 = 6.249414

2.596189 as before.

If an engine of 67 horses' power can raise from a reservoir 57,600 cubic feet of water in a given time, what horses' power will be required to raise 8,575,000 cubic feet in the same time?

Or, as $57,600 : 67 :: 8,575,000 : 1$

Logarithm of . . . 8,575,000 = 6.933234

” . . . 67 = 1.826075

8.759309

Logarithm of . . . 57,600 = 4.760422

3.998887 = log of 9974.4

Or:—

Logarithm of . . . 8,575,000 = 6.933234

67 = 1.826075

Arith. comp. of log of 57,600 = 5.239578

3.998887 as before.

INVOLUTION AND EVOLUTION.

Involution is the process of raising a number to any power of itself, and evolution is the extraction of any root of a number; both these processes are very readily performed by means of logarithms.

RULE I.—*To raise a number to any power desired, multiply the logarithm of the number by the exponent of that power, and the product will be the logarithm of the power required.*

RULE II.—*To extract any root of a number, divide the logarithm of that number by the exponent of the root, and the quotient will be the logarithm of the root required.*

EXAMPLES.

What is the square of 745, the cube of 67, and the 7th power of 8?

$$\text{Logarithm of } 745 = 2.872156$$

$$\begin{array}{r} 2 \\ \hline 5.744312 = \log \text{ of } 555025. \end{array}$$

$$\text{Logarithm of } 67 = 1.826075$$

$$\begin{array}{r} 3 \\ \hline 5.478225 = \log \text{ of } 300763. \end{array}$$

$$\text{Logarithm of } 8 = 0.903090$$

$$\begin{array}{r} 7 \\ \hline 6.321630 = \log \text{ of } 2097152 \end{array}$$

What is the square root of 4225, the cube root of 6859, and the 6th root of 117649?

$$\text{Log of } 4225 = 3.625827 \div 2 = 1.812913 = \log \text{ of } 65.$$

$$\text{Log of } 6859 = 3.836261 \div 3 = 1.278754 = \log \text{ of } 19.$$

$$\text{Log of } 117649 = 5.070588 \div 6 = 0.845098 = \log \text{ of } 7.$$

When the number to be involved to any power, or whose root is to be extracted, is a *fraction*, its characteristic will be *negative*; in this case, in multiplying the logarithm by any number, it must be borne in mind that the mantissa is *positive*, and therefore that any figures carried from the multiplication of the same, must be *deducted* from the characteristic, instead of being added to it.

EXAMPLE.

What is the square of $\cdot 25$, the cube of $\cdot 058$, and the 5th power of $\cdot 9784$?

$$\text{Logarithm of } \cdot 25 = \bar{1} \cdot 397940$$

$$\begin{array}{r} \bar{2} \\ \hline \bar{2} \cdot 795880 = \log \text{ of } \cdot 0625. \end{array}$$

$$\text{Logarithm of } \cdot 058 = \bar{2} \cdot 763428$$

$$\begin{array}{r} \bar{3} \\ \hline \bar{4} \cdot 290284 = \log \text{ of } \cdot 000195112. \end{array}$$

$$\text{Logarithm of } \cdot 9784 = \bar{1} \cdot 990516$$

$$\begin{array}{r} \bar{5} \\ \hline \bar{1} \cdot 952580 = \log \text{ of } \cdot 89656. \end{array}$$

In dividing a logarithm with a *negative* characteristic by any number, if the characteristic is a multiple of that number, or is divisible by it, proceed to divide in the usual manner, remembering, however, that the new characteristic will be *negative*. Should the characteristic not be divisible by the number by which it is required to divide the logarithm, separate the mantissa from the characteristic, and add to each such a number as will make the characteristic divisible, then divide each of the sums by the number, and the quotient will be the characteristic and mantissa respectively of the logarithm required. The equal numbers added to the characteristic and mantissa, must of course be considered *negative* in the first case and *positive* in the other.

EXAMPLES.

What is the square root of $\cdot 209$?

$$\text{Logarithm of } \cdot 209 = \bar{1} \cdot 320146$$

Adding -1 to the characteristic we have $\bar{2} \div 2 = \bar{1}$, the new characteristic, and adding 1 to the mantissa we have $1 \cdot 320146 \div 2 = \cdot 660073$ for the new mantissa, therefore $\bar{1} \cdot 320146 \div 2 = \bar{1} \cdot 660073 = \log \text{ of } \cdot 45716 =$ the square root of $\cdot 209$.

What is the cube root of $\cdot 000195112$?

$$\text{Logarithm of } \cdot 000195112 = \bar{4} \cdot 290284.$$

$\bar{4} + \bar{2} = \bar{6} \div 3 = \bar{2}$ for the characteristic, and $\cdot 290284 + 2 = 2 \cdot 290284 \div 3 = \cdot 763428$ for the mantissa. Therefore, $\bar{4} \cdot 290284 \div 3 = \bar{2} \cdot 763428 = \log \text{ of } \cdot 058$.

The four operations just described, namely, Multiplication, Division, Involution, and Evolution, comprise actually the

whole of the processes in the performance of which logarithms are employed, and when the student is conversant with these, he will be able to apply logarithms in a variety of cases in which their use will be attended with the saving of immense labour.

As an exercise in the preceding rules, and more especially in their practical application, we shall give a variety of useful formulæ, logarithmically expressed, and illustrate their use by examples; at the same time, that they may not be merely exercises, but may prove useful for reference, we shall arrange and classify them under their proper heads. In the following formulæ the letter λ will be used to denote "logarithm of;" thus, λa , will mean the logarithm of a , or the quantity for which a stands; and $2 \lambda (x^2 + y)$ means twice the logarithm of the quantity inclosed within the parenthesis, or y added to the square of x . All the lineal dimensions are given in feet, all the superficial dimensions in square feet, all the solid dimensions in cube feet, and all the weights or pressures in avoirdupois pounds, unless where it is otherwise expressly stated.

INTEREST.

Simple Interest.—[1.] Add together the logarithms of the principal, the rate, and the time, and from the sum subtract 2; the remainder will be the logarithm of the interest.

Compound Interest.—[2.] Find the amount of £1 at the given rate of interest for the first term; this is called the *ratio*, and the logarithm of the ratio for such rates of interest as are likely to be used are given in the annexed table. Multiply the logarithm of the ratio by the time, and add to the product the logarithm of the principal; the sum is the logarithm of the amount.

Rate of interest.	Logarithm of ratio.	Rate of interest.	Logarithm of ratio.
1	0043214	5½	0232525
1½	0053950	5¾	0242804
1¾	0064660	6	0253059
2	0075344	6½	0263289
2½	0086002	6¾	0273496
3	0096633	7	0283679
3½	0107239	7½	0293838
4	0117818	8	0303973
4½	0128372	8½	0314085
5	0138901	9	0324173
5½	0149403	9½	0334238
6	0159881	10	0344279
6½	0170333	10½	0354297
7	0180761	11	0364293
7½	0191163	11½	0374265
8	0201540	12	0384214
8½	0211893	12½	0394141
9	0222221	13	0404045

MENSURATION.

Triangle.—Let a , b , and c be the three sides, $d = \frac{1}{2}(a + b + c)$, and A equal the area; then

$$[3.] \lambda A = \frac{1}{2} \{ \lambda d + \lambda (d - a) + \lambda (d - b) + \lambda (d - c) \}.$$

D

Square.—[4.] The logarithm of the area equals twice the logarithm of one of the sides.

Rectangle.—[5.] The logarithm of the area equals the logarithm of the length added to the logarithm of the height.

Polygon.—Let l equal the length of one of the sides, n equal the number of sides, and A equal the area; then

$$[6.]* \lambda A = .39794 + 2 \lambda l + \lambda n + \lambda \tan \left(\frac{90n - 180}{n} \right) - 1.$$

Circle.—Let d equal the diameter, c equal the circumference, and a equal the area; then

$$[7.] \lambda d = .50285 + \lambda c - 1 = .60206 + \lambda a - \lambda c = .053455 + \frac{1}{2} \lambda a.$$

$$[8.] \lambda c = .49715 + \lambda d = .60206 + \lambda a - \lambda d = .550605 + \frac{1}{2} \lambda a.$$

$$[9.] \lambda a = .89509 + 2 \lambda d - 1 = .90079 + 2 \lambda c - 2 = .39794 + \lambda d + \lambda c - 1.$$

Circular arcs.—Let r equal the radius, m equal the measure of the arc in degrees, and l its length; then

$$[10.] \lambda l = .2418776 + \lambda r + \lambda m - 2.$$

Circular sectors.—Let d equal the diameter, and a equal the area, the other letters as in [10]; then

$$[11.] \lambda a = .69897 + \lambda r + \lambda l - 1 = .338456 + 2 \lambda d + \lambda m - 3.$$

Parabola.—Let x_1 and x_2 be two abscissæ, y_1 and y_2 the corresponding ordinates, and a equal the area; then

$$[12.] \lambda a = .823909 + \lambda x_2 + \lambda (2y_2) - 1.$$

$$[13.] \lambda y_2 = \frac{1}{2} (\lambda x_2 + 2 \lambda y_1 - \lambda x_1).$$

Ellipses.—Let t equal the transverse, and c the conjugate diameters, y equal any ordinate, and x_1 , x_2 the corresponding abscissæ; also let a equal the area, and p equal the periphery; then

$$[14.] \lambda a = .89509 + \lambda c + \lambda t - 1.$$

$$[15.] \lambda p = .196118 + \lambda (t + c).$$

$$[16.] \lambda y = \lambda c + \frac{1}{2} \lambda x_1 + \frac{1}{2} \lambda x_2 - \lambda t.$$

Formulae [16] applies also in the case of the Hyperbola.

Parallelopipedon, prism, or cylinder.—[17.] The logarithm of the cubic contents equals the logarithm of the area of the base added to the logarithm of its perpendicular height.

Pyramid or Cone.—Let a equal the area of the base, h its perpendicular height, and s its solidity; then

$$[18.] \lambda s = .823909 + \lambda a + \lambda h - 1.$$

Sphere.—Let d equal the diameter, c equal the circumference, s equal the solidity, and σ the surface; then

$$[19.] \lambda \sigma = \lambda d + \lambda c = .696487 + 2 \lambda d = .502837 + 2 \lambda c - 1.$$

$$[20.] \lambda s = .719 + 3 \lambda d - 1 = .227372 + 3 \lambda c - 1.$$

* The logarithmic tan must here be taken to a radius equal unity, therefore 10 must be subtracted from the characteristic given in the tables.

Regular Bodies—Let l equal the length of any linear edge, s equal the solidity, σ equal the surface, and a and b , numbers obtained from the annexed table; then

$$[21.] \lambda \sigma = 2 \lambda l + a.$$

$$[22.] \lambda s = 3 \lambda l + b.$$

No. of sides.	Name.	a	b
4	Tetraëdron . . .	0.2385607	1.0713486
6	Hexaëdron . . .	0.7781513	0.0000000
8	Octaëdron . . .	0.5395906	1.6730624
12	Dodecaëdron . .	1.3148398	0.8844056
20	Icosaëdron . . .	0.9375306	0.3387940

TRIGONOMETRY.

Plane Triangles.—[23.] *Given two sides of a triangle and an angle opposite to one of them, to find the angle opposite to the other one.* RULE:—To the logarithmic sine of the given angle add the arithmetical complement of the logarithm of the opposite side, and the logarithm of the other given side; the sum with 10 subtracted from it will be the logarithmic sine of the angle required.

[24.] *Given two angles and a side opposite to one of them, to find the side opposite to the other one.* RULE:—To the logarithm of the given side, add the arithmetical complement of the logarithmic sine of its opposite angle, and the logarithmic sine of the other angle; the sum with 10 subtracted will be the logarithm of the side required.

[25.] *When two sides and the included angle are given, to find the third side.* RULE:—To the logarithm of the difference of the given sides add the arithmetical complement of the logarithm of their sum, and the logarithmic tangent of half the sum of the angles opposite the given sides, and the sum with 10 subtracted will be the logarithmic tangent of half the difference of those angles. Then to the arithmetical complement of the logarithmic cosine of half the said difference, add the logarithmic cosine of half the sum of the same angles, and the logarithm of the sum of the given sides; the sum with 10 subtracted will be the logarithm of the third side required.

[26.] *When the three sides are given, to find the angles.* RULE:—To the arithmetical complement of the logarithm of the longest side, add the logarithm of the sum of the other two sides, and the logarithm of the difference of those sides; the sum with 10 subtracted from it is the logarithm of the difference of the segments of the base or longest side. Then half this difference added to half the base will equal the longer segment, and deducted from it will equal the shorter one.

Right-angled triangles.—Let h equal the hypotenuse, b equal the base, and p equal the perpendicular; then

$$[27.] \lambda h = \frac{1}{2} \lambda (b^2 + p^2).$$

$$[28.] \lambda b = \frac{1}{2} \lambda (h^2 - p^2) = \frac{1}{2} \lambda (h + p) + \frac{1}{2} \lambda (h - p).$$

$$[29.] \lambda p = \frac{1}{2} \lambda (h^2 - b^2) = \frac{1}{2} \lambda (h + b) + \frac{1}{2} \lambda (h - b).$$

MECHANICS.

Via vivâ.—Let w equal the weight of a body, v its velocity in feet per second, and v its *vis vivâ*; then

$$[30.] \lambda v = 1.507732 + \lambda w + 2 \lambda v.$$

Action of gravity.—Let s equal the space passed over in t seconds, and v the velocity as above; then

$$[31.] \lambda s = .69797 = \lambda t + \lambda v - 1 = 2.205702 + 2 \lambda t - 1 \\ = .190238 + 2 \lambda v - 2.$$

$$[32.] \lambda v = 1.507732 + \lambda t = .30103 + \lambda s - \lambda t = .904881 + \frac{1}{2} \lambda s.$$

$$[33.] \lambda t = .492268 + \lambda v - 2 = .30203 + \lambda s - \lambda v \\ = .306649 + \frac{1}{2} \lambda s - 1.$$

Pendulums.—Let t equal the time in seconds of one vibration in a very small circular arc, and l the length; then

$$[34.] \lambda t = .251016 + \frac{1}{2} \lambda l.$$

Central forces.—Let w equal the weight of a body moving in a circle whose radius is r , with a velocity of v feet per second, and let f equal the centrifugal force; then

$$[35.] \lambda f = .492268 + 2 \lambda v + \lambda w - \lambda r - 2.$$

Arches.—Let R equal radius of curvature at crown, b equal breadth of arch, w equal vertical weight on every square foot of the key-stone, including its own weight, and P equal the thrust or horizontal pressure on the key-stone; then

$$[36.] \lambda P = \lambda R + \lambda b + \lambda w.$$

Also let d equal horizontal distance of center of gravity of half the arch from its springing, r equal the rise of the arch, and w equal the weight of half the arch; then

$$[37.] \lambda P = \lambda w + \lambda d - \lambda r.$$

Retaining walls.—Let h equal height of wall, P equal pressure against wall, acting horizontally at one-third of the height of the wall above its base, and b a number obtained from the annexed table; then

$$[38.] \lambda P = 2 \lambda h + b.$$

Material supported by wall.	b
Water	1.494850
Fine dry sand	1.194958
Loose shingle, perfectly dry	1.111867
Common earth, perfectly dry and pulverulent945222
The same, slightly moistened, or in its natural state747800
Earth, the most dense and compact793301

Resistance of air.—Let a equal the area of a thin surface moving through water with a velocity equal v feet per second, and R equal the resistance; then

$$[39.] \lambda R = .230449 + 2 \lambda v + \lambda a - 2.$$

Resistance of water.—The notation being the same; then

$$[40.] \lambda R = .98945 + 2 \lambda v + \lambda a - 1.$$

HYDRAULICS

Discharge through pipes.—Let d equal diameter in inches, Q equal quantity of water discharged in cubic feet per minute, l equal the length of the pipe, and h equal the head; then

$$[41.] \lambda d = \frac{1}{2} \{ 2 \lambda Q + .6515 + \lambda (l + 4.2 d) - \lambda h - 2 \}.$$

$$[42.] \lambda Q = \frac{1}{2} \{ 1.3485 + \lambda h + 5 \lambda d - \lambda (l + 4.2 d) \}.$$

$$[43.] \lambda l = 1.3485 + \lambda h + 5 \lambda d - 2 \lambda Q.$$

$$[44.] \lambda h = .6515 + 2 \lambda Q + \lambda (l + 4.2 d) - 5 \lambda d - 2.$$

Discharge through canals.—Let a equal sectional area of canal, p equal the wetted perimeter, l equal length, h equal corresponding fall, and v equal the velocity in feet per second; then

$$[45.] \lambda v = 1.961142 + \frac{1}{2} \{ \lambda a + \lambda h - \lambda p - \lambda l \}.$$

Discharge over weirs.—Let d equal the depth of water flowing over the weir, b equal its breadth, and Q equal the cubic feet discharged in a second; then

$$[46.] \lambda Q = .511883 + \lambda b + \frac{3}{2} \lambda d.$$

STRENGTH OF MATERIALS.

Tensile strength.—Let a equal area in square inches, w equal weight producing fracture, and A equal number in column 2 of annexed table; then

$$[47.] \lambda w = \lambda a + A.$$

Strength to resist Crushing.—Let a equal the area in square inches, w the weight producing fracture, and B numbers in column 3 of annexed table; then when the height of piece is between once and $4\frac{1}{2}$ times its diameter,

$$[48.] \lambda w = \lambda a + B.$$

Strength of Columns.*—Let w equal the breaking weight in tons, D equal external, and d internal diameter, both in inches, l equal the length, and C equal number in column 4 of annexed table; then when the column is solid, with both ends rounded, and its length not less than 15 times its diameter,

$$[49.] \lambda w = 3.6 \lambda D - 1.7 \lambda l + C.$$

* Professor Hodgkinson's Formulas.

When the column is *hollow*; then

$$[50.] \lambda w = \lambda (D^{3.6} - d^{3.6}) - 1.7 \lambda l - .059243 + c.$$

When the column is *solid* both ends are *flat*, and the length is not less than 30 times the diameter; then

$$[51.] \lambda w = 3.6 \lambda D - 1.7 \lambda l + .471843 + c.$$

When the column is *hollow*; then

$$[52.] \lambda w = \lambda (D^{3.6} - d^{3.6}) - 1.7 \lambda l + .473217 + c.$$

Transverse strength of a rectangular bar.—Let b equal the breadth and d the depth, both in inches, l equal the length, w the breaking weight, and D the number in the fifth column of the annexed table; then

$$[53.] \lambda w = \lambda b + 2 \lambda d - \lambda l + D.$$

Transverse strength of Professor Hodgkinson's girder.—Let a equal area of bottom flange in inches, and d , w , and l have the same meaning as above; then

$$[54.] \lambda w = 3.685921 + \lambda a + \lambda d - \lambda l.$$

Deflexion.—Let δ equal the deflexion in inches with the weight w , and n equal the numbers in the sixth column of the annexed table; then

$$[55.] \lambda \delta = 3 \lambda l + \lambda w - \lambda b - 3 \lambda d - n.$$

Material.	A	B	C	D	E
Cast iron . . .	4.253338	5.032417	1.173186	3.310693	4.629338
Wrought iron . .	4.770499	1.414973	3.359836	4.761063
Steel	5.113943	1.574031	4.826910
Elm	3.988559	3.108565	2.528917	3.409515
Oak	4.074816	3.586587	0.209515	2.745855	3.527501
Fir	3.977724	0.068186	2.567026	3.428723

The following collection of examples apply to the foregoing formulæ, reference being made by the numbers in parentheses. Only a portion of the examples are worked out at length, but answers are given in every case.

EXAMPLES.

[1.] What would the interest at $4\frac{1}{2}$ per cent. upon £3653 for 7 years amount to?

$$\text{Logarithm of } 3653 = 3.562650$$

$$,, \quad 4.5 = 0.653213$$

$$,, \quad 7 = 0.845098$$

$$\underline{5.060961}$$

$$\underline{2}$$

$$\underline{3.060961} = \text{Log of } 1150.69.$$

∴ Answer is £1150 14s.

[2.] What would £364 put out at 6 per cent. compound interest yearly, amount to at the end of 23 years?

$$\text{Log of ratio from table} = 0.0253059$$

23

$$\text{Logarithm of } 364 = 2.561101$$

$$\underline{\underline{3.103137 = \text{Log of } 1268.05.}}$$

∴ Answer is £1268 1s.

[2.] What would £100 amount to at the end of 50 years, put out to annual compound interest at 5 per cent. ?

Ans. £1146 15s.

[3.] The sides of a triangle are respectively 564, 373, and 746, what is its area ?

$$\text{Log of } d = \frac{1}{2} (564 + 373 + 746) = 2.925312$$

$$\text{Log of } (d - a) = (842 - 564) = 2.444045$$

$$\text{Log of } (d - b) = (842 - 373) = 2.671173$$

$$\text{Log of } (d - c) = (842 - 746) = 1.982271$$

$$\underline{\underline{2) 10.022811}}$$

$$\underline{\underline{5.011405 = \text{Log of } 1026.61.}}$$

Therefore the area required is 1026.61.

[4.] What is the area of a square, the length of one side of which is 56.24 feet ?

Ans. 3162.94.

[5.] What is the area of a rectangle, the length of whose sides is 15.6 and 16.2 ?

Ans. 252.62.

[6.] What is the area of a polygon of 12 sides, each of which is 5.06 feet in length ?

$$\frac{90n - 180}{n} = 75^\circ$$

$$\text{Logarithm of } l = 5.06 = 0.704151$$

2

$$\underline{\underline{1.408302}}$$

$$\text{Logarithmic tan of } 75^\circ = 0.571948$$

$$\text{Logarithm of } n = 12 = 1.079181$$

$$\underline{\underline{.397940}}$$

$$\underline{\underline{3.457371}}$$

1.

$$\underline{\underline{\text{Logarithm of area} = 2.457371 = 286.663.}}$$

[6.] What is the area of an octagonal room, each side of which is 5 feet ?

Ans. 120.71.

[7, 8, and 9.] What is the circumference and area of a circle whose diameter is 21.72 feet?

$$\text{Logarithm of } d = 21.72 = 1.336860$$

$$.497150$$

$$\text{Logarithm of circumference} = 1.834010 = 68.236$$

$$2$$

$$3.668020$$

$$0.900790$$

$$4.568810$$

$$2.$$

$$\text{Logarithm of area} = 2.568810 = 370.54.$$

[7, 8, and 9.] What is the diameter and circumference of a circle whose area is 562 square feet?

Ans. Circumference is 84.0376 feet, and diameter is 26.75 feet.

[10.] What is the length of an arc of 73° of a circle, whose radius is 54.72 feet?

Ans. 44.237 feet.

[11.] What is the area of a sector of a circle whose radius is 26 feet, and whose sides include an angle of 42° ?

Ans. 247.58 feet.

[12.] What is the area of a parabola whose abscissa is 5.32, and the corresponding ordinate 4.13?

$$\text{Log of } (2 y_2) = 2 \times 4.13 = 0.916980$$

$$\text{Log of } x_2 = 5.32 = 0.725912$$

$$.823909$$

$$2.466801$$

$$1.$$

$$1.466801 = 29.295 = \text{area of parabola.}$$

[13.] In a parabola an ordinate measured 5.17, and its corresponding abscissa 8.95, what will be the length of the ordinate whose abscissa is 10?

$$\text{Log } y_1 = 5.17 = 0.713491$$

$$2$$

$$1.426982$$

$$\text{Log } x_2 = 10.00 = 1.000000$$

$$2.426982$$

$$\text{Log } x_1 = 8.95 = 0.951823$$

$$2)1.475155$$

$$\text{Logarithm of } y_2 = 0.737577 = 5.4648 = \text{the ordinate required.}$$

[14 and 15.] What is the area and periphery of an ellipse whose conjugate diameter is 27 and its transverse diameter is 49?

Ans. Area is 1039.08; and periphery is 119.38.

[16.] In an ellipse whose two diameters are 51 and 38, what is the length of the ordinate corresponding with an abscissa of 20 feet?

Since $x_1 = 20$, $x_2 = 51 - 20 = 31$.

$$\text{Log } x_1 = 20 = 1.301030$$

$$\text{Log } x_2 = 31 = 1.491367$$

$$\hline 2) 2.792397$$

$$\hline 1.396198$$

$$\text{Log } c = 38 = 1.579784$$

$$\hline 2.975982$$

$$\text{Log } t = 51 = 1.707570$$

$$\text{Log } y = \hline 1.268412 = 18.553 = \text{the ordinate required.}$$

[17.] What is the cubic contents of a cylinder whose diameter is 2.75 feet, and its height 6 feet?

Ans. 35.637.

[18.] What is the cubic content of a cone whose diameter is 3.5 feet, and its height 5.42 feet?

Ans. 34.764.

[19 and 20.] What is the spherical surface and the solidity of a sphere whose diameter is 5.734 feet?

Ans. Surface is 163.46 feet; solidity is 98.712 feet.

[21 and 22.] What is the surface and solidity of a tetraëdron, one of whose lineal edges is 7.31 feet, of an octaëdron whose lineal edge is 3.17, and of a dodecaëdron whose lineal edge is 5.69?

Ans. Tetraëdron, surface is 146.69 feet; solidity is 46.036 feet.

Octaëdron, surface is 34.81 feet; solidity is 15.005 feet.

Dodecaëdron, surface is 668.43 feet; solidity is 1411.7 feet.

[23 and 24.] In a plane triangle two of its sides are 7.3 and 6.92, and the angle opposite the longer side is $74^\circ 39'$, what are the remaining angles and the length of the other side?

Then by [23]

$$\text{Logarithmic sin of } 74^\circ 39' = 9.984224$$

$$\text{Arithm. comp. of log of } 7.3 = 9.136677$$

$$\text{Logarithm of } \dots 6.92 = 0.840106$$

$$\hline 19.961007$$

$$\hline 10.$$

$$\text{Log sine of angle op. other side} = \hline 9.961007 = 66^\circ 4' 56''.$$

Then, since the three angles of a triangle are equal to 180° we have

$180^\circ - (74^\circ 39' + 66^\circ 4' 56'') = 39^\circ 16' 4''$ for the angle opposite the side yet to be found.

Then by [24]

$$\begin{array}{rcl} \text{Logarithm of } 6.92 & = & 0.840106 \\ \text{Arith. comp. of log sin of } 66^\circ 4' 56'' & = & 0.038993 \\ \text{Logarithmic sin of } 39^\circ 16' 4'' & = & 9.801366 \\ \hline & & 10.680465 \\ & & 10^\circ \end{array}$$

$$\text{Logarithm of side required} \quad . \quad . \quad = \quad \underline{0.680465} = 4.791.$$

Ans. The three sides are 4.791, 6.92, and 7.3, and the three angles opposite to each respectively are $39^\circ 16' 4''$, $66^\circ 4' 56''$, and $74^\circ 39'$.

[25 and 3.] Two sides of a triangular piece of ground measure 81.10 and 105.75, and the angle included between them is $47^\circ 52'$, what is the length of the other side, and the area of the piece of ground?

$$\begin{array}{rcl} \text{Log } (105.75 - 81.10) & . \quad . \quad . \quad = & 1.391817 \\ \text{Arith. comp. of log } (105.75 + 81.1) & . \quad = & 7.728507 \\ \text{Logarithmic tan of } 66^\circ 4' & = & 10.352778 \\ \hline & & 19.473102 \\ & & 10^\circ \end{array}$$

$$\left. \begin{array}{l} \text{Log tan of half the difference of the angles} \\ \text{opposite the given sides} \end{array} \right\} \quad 9.473102 = 16^\circ 33' 14''.$$

$$\begin{array}{rcl} \text{Arith. comp. of log cos of } 16^\circ 33' 14'' & = & 0.018384 \\ \text{Logarithmic cosine of } 66^\circ 4' 0'' & = & 9.608177 \\ \text{Logarithm of } (105.75 + 81.1) & = & 2.271493 \\ \hline & & 11.898054 \\ & & 10^\circ \end{array}$$

$$\text{Logarithm of third side} \quad . \quad . \quad . \quad = \quad \underline{1.898054} = 79.08. \text{ Ans.}$$

Ans. And the area by [3] is 38355 square feet.

[26.] In a plane triangle whose sides are 27.3, 54.5, and 62, what are the angles opposite those sides respectively?

$$\begin{array}{rcl} \text{Arithmetical comp. of log of } 62 & . \quad = & 8.207608 \\ \text{Log of } (27.3 + 54.5) & = & 1.912753 \\ \text{Log of } (54.5 - 27.3) & = & 1.434569 \\ \hline & & 11.554930 \\ & & 10^\circ \end{array}$$

$$\left. \begin{array}{l} \text{Log of the difference of the seg-} \\ \text{ments of the base} \end{array} \right\} = \underline{1.554930} = 35.886.$$

Therefore the larger segment is $31 + 17.943 = 48.943$, and the lesser segment is $31 - 17.943 = 13.057$.

Then by [23]

$$\begin{array}{rcl} \text{Logarithmic sin of } . & 90^\circ & = 10.000000 \\ \text{Arith. comp. of log of } 54.5 & = & 8.263603 \\ \text{Logarithm of } . & 48.943 & = 1.689691 \end{array}$$

$$\hline 19.953294$$

$$10^\circ$$

$$\text{Log sine of angle opp. larger segment} = \underline{\underline{9.953294}} = 63^\circ 54' 4''.$$

Then $90^\circ - 63^\circ 54' 4'' = 26^\circ 5' 56'' =$ angle opposite side which measures 27.3. Again,

$$\begin{array}{rcl} \text{Logarithmic sine of } . & 90^\circ & = 10.000000 \\ \text{Arith. comp. of log of } 27.3 & = & 8.563837 \\ \text{Logarithm of } . & 13.057 & = 1.115843 \end{array}$$

$$\hline 19.679680$$

$$10^\circ$$

$$\text{Log sin of angle opp. lesser segment} = \underline{\underline{9.679680}} = 28^\circ 34' 23''.$$

Then $90^\circ - 28^\circ 34' 23'' = 61^\circ 25' 37'' =$ the angle opposite the side which measures 54.5; and $28^\circ 34' 23'' + 63^\circ 54' 4'' = 92^\circ 28' 27'' =$ the angle opposite the longest side.

[27.] What is the length of the diagonal of a rectangle whose two sides are 34 and 53.2? Ans. 63.14.

[28.] A house is 47 feet in height, at what distance must the base of a ladder 53 feet long be placed from the house in order that the top of the ladder may just meet that of the house? Ans. 24.5 feet.

[30.] What is the vis vivâ of a railway train weighing 117 tons, and travelling at a rate of 33 miles per hour? Ans. 19,313,300,000.

[31.] A body having been falling freely by the action of gravity for 7.5 seconds, it is desired to know the space which it has fallen through.

Ans. 915.37 feet.

[32 and 33.] A body falls under the influence of gravity from a height of 427 feet, what time will it occupy and what will be its final velocity, neglecting the resistance of the air?

Ans. It will occupy 4.1866 seconds, and acquire a velocity of 165.995 feet per second.

[34.] What length of time will a pendulum 34.7 inches in length be in making one vibration? Ans. 0.9416 seconds.

[35.] A body weighing 53 lbs. is whirled round in a circle whose radius is 15 feet, with a velocity of 12.7 feet per second, what is the strain upon the rope by which it is constrained to move in the circle? Ans. 17703 lbs.

[36.] What is the horizontal pressure at the crown of an arch whose radius of curvature is 147.52 feet, whose breadth is 35 feet, and the vertical weight on each square foot at the key-stone is 974 lbs. Ans. 5,028,950 lbs.

[37.] In an iron bridge having a span of 212 feet, with a rise of 22.5 feet, the weight of half the arch is 998 tons, and the distance of its center of gravity from the springing is 43 feet, what is the horizontal thrust of the arch?

Ans. 1907.3 tons.

[38.] A retaining wall 37 feet in height supports a loose sandy soil, required the pressure which every foot in length of it has to sustain?

Ans. 21447 lbs.

[38.] What is the pressure against a sluice 20 feet wide, and having a depth of 7 feet water against it?

Ans. 30,012,360 lbs.

[39 and 40.] What resistance would a board whose area is 14.7 square feet experience in being moved through the air with a velocity of 17 feet per second, and what would be the resistance in water?

Ans. In air, 72.221 lbs.; in water, 4146.34 lbs.

[42.] What quantity of water will be discharged by a pipe 18 inches in diameter, 5371 feet long, and under a head of 75 feet?

$$\text{Log of } d = 18 = 1.2552725$$

5

$$6.2763625$$

$$\text{Log of } h = 75 = 1.8750613$$

$$1.3485000$$

$$9.4999238$$

$$\text{Log } (l + 4.2d) = 5446.6 = 3.7361255$$

$$2.57637983$$

$$\text{Log of quantity per minute} = 2.8818991 = 761.9.$$

Ans. 761.9 cubic feet per minute.

[44.] What head will be required to force 350 cubic feet of water per minute through a pipe 15.5 inches in diameter, and 3640 feet long?

Ans. 22.739 feet.

[45.] What is the velocity with which water will flow through a conduit, 15 feet wide at the surface, 4 feet deep, with the sides sloped at 1 to 1, and the inclination of the surface of the water in which is 6 inches per mile?

Ans. 1.383 feet per second.

[46.] What is the quantity of water flowing over a weir 127 feet long, when the surface of the river is 6 inches above the top of the weir?

Ans. 145.93 cubic feet per second.

[47.] What weights would be requisite to tear asunder rods 2 inches square, of cast iron, wrought iron, oak, and fir?

Ans. Cast iron, 71,680 lbs.; wrought iron, 235,810 lbs.; oak, 47,520 lbs.; fir, 38,000 lbs.

[48.] What weight will be necessary to crush a block of cast iron 3 inches square?

Ans. 969,750 lbs.

[52.] What weight will be required to break a hollow column with flat

ends, the length of which is 37 feet, its external diameter 12 inches, and its internal diameter 10 inches?

$$\text{Log of } D = 12 = \begin{array}{r} 1.079181 \\ 3.6 \end{array}$$

$$\underline{\underline{3.8850516}} = \log of D^3 = 7674.6.$$

$$\text{Log of } d = 10 = \begin{array}{r} 1.000000 \\ 3.6 \end{array}$$

$$\underline{\underline{3.6000000}} = \log of d^3 = 3981.1$$

$$D^3 - d^3 = \underline{\underline{3693.5}}$$

$$\text{Log } (D^3 - d^3) = 3693.5 = \begin{array}{r} 3.567438 \\ 0 = 1.173186 \\ 0.473217 \end{array}$$

$$\text{Log } l = 37 = 1.568202 \times 1.7 = \begin{array}{r} 5.213841 \\ 2.6659434 \end{array}$$

$$\underline{\underline{2.547898}} = \log of 353.1.$$

Therefore the answer is 353.1 tons.

[53.] A bar of cast iron 2 inches wide and 3 inches deep is laid upon supports 6 feet apart, what weight applied in the center would break it?

Ans. 6135 lbs.

[54.] What weight applied in the center will be required to break a girder of Professor Hodgkinson's form of section, in which the area of the bottom flange is 26 square inches, the depth 15 inches, and the distance between the supports 23 feet?

Ans. 82,273 lbs.

[55.] What deflexion will be produced in a bar of cast iron 2 inches wide, 3 inches in depth, and with a 6 feet bearing, by a weight of 2730 lbs. applied in the center?

Ans. .256 inch.

APPENDIX.

*Table of the Logarithms of every Prime Number
from 2 to 1000.*

Prime number.	Logarithm.	Prime number.	Logarithm.	Prime number.	Logarithm.	Prime number.	Logarithm.
2	3010300	191	2810334	439	6424645	709	8506462
3	4771213	193	2855573	443	6464037	719	8567289
5	6989700	197	2944662	449	6522463	727	8615344
7	8450980	199	2988531	457	6599162	733	8651040
11	0413927	211	3242825	461	6637009	739	8686444
13	1139434	223	3483049	463	6655810	743	8709888
17	2304489	227	3560259	467	6693169	751	8756399
19	2787536	229	3598355	479	6803355	757	8790959
23	3617278	233	3673559	487	6875290	761	8813847
29	4623980	239	3783979	491	6910815	769	8859263
31	4913617	241	3820170	499	6981005	773	8881795
37	5682017	251	3996737	503	7015680	787	8959747
41	6127839	257	4099331	509	7067178	797	9014583
43	6334685	263	4199557	521	7168377	809	9079485
47	6720979	269	4297523	523	7185017	811	9090209
53	7242759	271	4329693	541	7331973	821	9143432
59	7708520	277	4424798	547	7379873	823	9153998
61	7853298	281	4487063	557	7458552	827	9175055
67	8260748	283	4517864	563	7505084	829	9185545
71	8512583	293	4668676	569	7551123	839	9237620
73	8633229	307	4871384	571	7566361	853	9309490
79	8976271	311	4927604	577	7611758	857	9329808
83	9190781	313	4955443	587	7686381	859	9339932
89	9493900	317	5010593	593	7730547	863	9360108
97	9867717	331	5198280	599	7774268	877	9429996
101	0043214	337	5276299	601	7788745	881	9449759
103	0128372	347	5403295	607	7831887	883	9459607
107	0293838	349	5428254	613	7874605	887	9479236
109	0374265	353	5477747	617	7902852	907	9576073
113	0530784	359	5550944	619	7916906	911	9595184
127	1038037	367	5646661	631	8000294	919	9633155
131	1172713	373	5717088	641	8068580	929	9680157
137	1367206	379	5786392	643	8082110	937	9717396
139	1430148	383	5831988	647	8109043	941	9735896
149	1731863	389	5899496	653	8149132	947	9763500
151	1789769	397	5987905	659	8188854	953	9790929
157	1958997	401	6031444	661	8202015	967	9854265
163	2121876	409	6117233	673	8280151	971	9872192
167	2227165	419	6222140	677	8305887	977	9898946
173	2380461	421	6242821	683	8344207	983	9925535
179	2528530	431	6344773	691	8394780	991	9960737
181	2576786	433	6364879	701	8457180	997	9986952

Prime numbers are those which are not divisible by any other number, or which cannot be resolved into factors; thus 233 is a prime number, because it cannot be divided by any number without leaving a remainder, while 234 is not a prime number, it being divisible by 2 and other numbers. The logarithms of any number which is not a prime number may be readily found by adding together the logarithms of the several prime factors by the multiplication of which the number is produced. Thus the number 234 is produced by the multiplication of 2, 3, 3 and 13 (all prime numbers,) and the logarithms of those numbers being taken from the table and added together, the sum will be the logarithm of 234. For example—

$$\begin{array}{rcl}
 \text{Log of } 2 & = & 0.3010300 \\
 \text{,, } 3 & = & 0.4771213 \\
 \text{,, } 3 & = & 0.4771213 \\
 \text{,, } 13 & = & 1.1139434 \\
 \hline
 \therefore \text{Log of } 234 & = & 2.3692160 \\
 \hline
 \end{array}$$

Again, the number 578 is composed of the prime factors 2, 17, and 17; then

$$\begin{array}{rcl}
 \text{Log of } 2 & = & 0.3010300 \\
 \text{,, } 17 & = & 1.2304489 \\
 \text{,, } 17 & = & 1.2304489 \\
 \hline
 \therefore \text{Log of } 578 & = & 2.7619278 \\
 \hline
 \end{array}$$

In this manner we are enabled by the foregoing table to find the logarithm (true to at least 6 figures) of any number which may be given, whether prime or otherwise; for if prime its logarithm will be found at once in the table, but if not prime its logarithm will then be found by taking the sum of the logarithms of its prime factors, as explained above.

Table by the aid of which the number answering to any logarithm can be found to six places.

		I	IO	IOO	IOOO	IOOOO	IOOOOO
1	0000000	0413927	043214	04341	0434	043	04
2	3010300	0791812	086002	08677	0869	087	09
3	4771213	1139434	128372	13009	1303	130	13
4	6020600	1461280	170333	17337	1737	174	17
5	6989700	1760913	211893	21661	2171	217	22
6	7781513	2041200	253059	25980	2605	261	26
7	8450980	2304489	293838	30295	3039	304	30
8	9030900	2552725	334238	34605	3473	347	35
9	9542425	2787536	374265	38912	3907	391	39

In the above table the arguments are natural numbers, and the resultants their logarithms. The first figures of the arguments are found in the top horizontal line, and the final or unit's figure of the same in the extreme left-hand column; the logarithm is found at the place of intersection, that is, on the same line with the final figure, and in the same column as the other figures of the natural number. In the five last columns only the final *significant* figures of the mantissa of the logarithms will be found in the table; as many cyphers must be added to the left of the figures given as are necessary to make up seven figures. Thus at the top of the fifth column we have 100, and on the fourth line we have 4, then the figures found at the place of intersection are 17337, to which adding two cyphers on the left hand to make up the seven figures, we have .0017337, which is the mantissa of the logarithm of 1004.

The manner of using the table is as follows:—Having given a logarithm of which it is desired to know the corresponding number, look among the resultants in the table for the next less number to the mantissa of the given logarithm, and write down the natural number corresponding with the logarithm taken from the table, subtract this logarithm from the mantissa given, and again look among the resultants in the table for the next less number to the remainder, noting the number among the arguments answering to it; then subtract the resultant from the remainder, and look again for the next less resultant to this remainder, and thus proceed until the given logarithm has been exhausted, that is, until no remainder is left, each time noting the natural numbers cor-

responding to the logarithms taken from the table. These numbers being then multiplied together, the product will be the natural number corresponding to the logarithm originally given. These numbers have been so arranged that their multiplication may be very readily performed.

EXAMPLE.—Of what number is 3.3574202 the logarithm?

Given logarithm . . . = .3574202

Next less log in table . . = .3010300 = log of 2

1st remainder = 563902

Next less logarithm . . . = 413927 = log of 11

2nd remainder = 149975

Next less logarithm . . . = 128372 = log of 103

3rd remainder = 21603

Next less logarithm . . . = 17337 = log of 1004

4th remainder = 4266

Next less logarithm . . . = 3907 = log of 10009

5th remainder = 359

Next less logarithm . . . = 347 = log of 100008

6th remainder = 12

Nearest logarithm . . . = 13 = log of 1000003

Then $2 \times 11 \times 103 = 2266$, which has to be next multiplied by 1004, or by 1000 and by 4, thus

$$2266000 = 2266 \times 1000$$

$$9064 = 2266 \times 4$$

$$\underline{\underline{2275064}}$$

This again has to be multiplied by 10009,

$$22750640000$$

$$20475576$$

$$\underline{\underline{22771115576}}$$

This has again to be multiplied by 100008, but we need not retain more than 8 figures, and the remainder to the right may be cut off, and any figures in the multiplication by 8 which would fall under any of the figures so cut off may be omitted; to know how many figures thus to omit, point off as many figures from the right as there are figures before the number by which you are about to multiply, and perform the multiplication only upon the remaining figures, taking care, however, to carry to the multiplication of the first number whatever would have been carried from that of the last figure cut off. Thus, in the example, there being *five* figures before 8, the number by which we are going to multiply, we point off the *five* right hand figures, and only multiply 227 by 8; we add in, however, 6 carried from the multiplication of the 7 cut off

$$\begin{array}{r}
 227,71115 \\
 1822 \\
 \hline
 22,772937 \\
 68 \\
 \hline
 22773005 \\
 \hline
 \hline
 \end{array}$$

The last multiplication is by 1000003, and the answer is true to seven places, the real number being 2277·3. In the example above, as the figures to be multiplied by 1000003 are not affected by the addition of 1822, this need not have been performed until afterwards, as below

$$\begin{array}{r}
 227,71115 \\
 1822 \\
 68 \\
 \hline
 22773005 \\
 \hline
 \hline
 \end{array}$$

What is the number corresponding to the logarithm 4.8551071?

8551071	$7 \times 102 = 714000$
8450980 = log of 7	2142
<hr/>	<hr/>
100091	71,61,4200
86002 = log of 102	14323
<hr/>	2865
14089	643
13009 = log of 1003	<hr/>
<hr/>	71632031
1080	<hr/>
869 = log of 10002	
<hr/>	
211	
174 = log of 100004	
<hr/>	
37 = log of 1000009	
<hr/>	

The number is 71632.

What is the number whose logarithm is 2.6103833?

6103833	101
6020600 = log of 4	4
<hr/>	<hr/>
83233	404000
43214 = log of 101	3636
<hr/>	<hr/>
40019	40,7,6,3600
38312 = log of 1009	8153
<hr/>	2038
1107	204
869 = log of 10002	<hr/>
<hr/>	40773995
238	<hr/>
217 = log of 100005	
<hr/>	
21 = log of 1000005	
<hr/>	

The answer is 407.74.

What is the number whose logarithm is 3.7797587?

7797587	1003
7791518 = log of 6	6
<hr/>	<hr/>
16074	60 18.0000
13009 = log of 1003	42126
<hr/>	<hr/>
3065	361
3039 = log of 10007	<hr/>
<hr/>	60222487
26 = log of 1000000	<hr/>
<hr/>	

The number required is 6022.248.

MATHEMATICAL TABLES

FOR FACILITATING

ASTRONOMICAL, NAUTICAL,
TRIGONOMETRICAL, AND LOGARITHMIC

CALCULATIONS.

By HENRY LAW,

CIVIL ENGINEER.

LONDON.

JOHN WEALE, 59, HIGH HOLBORN.

1859.

LONDON:
BRADBURY AND EVANS, PRINTERS, WHITEFRIARS.

PREFACE.

THE present little work, while complete within itself, is intended also to form a companion or supplemental volume to three others of Mr. Weale's Rudimentary Series; namely, to the Rudiments of Nautical Astronomy, the Rudiments of Navigation, and the volume on Logarithms. In order to the attainment of the first object, such an explanation has been prefixed to the Tables as is sufficient for showing the manner in which they are to be used, and the purposes for which they are to be employed; and such examples of their application have been added as will, it is hoped, remove all difficulty in their employment.

The Tables of the Logarithms of Numbers, and of Logarithmic sines, tangents, &c., have been reprinted from the third edition of Gregory's *Mathematics for Practical Men*; and the Table of Proportional Parts, first given in that work, has been arranged in a new and more convenient way in the present Tables.

Tables I. to V. will be found of considerable service for general purposes of calculation, in addition to their application with Tables VI. to XVIII. to the important purposes of Navigation and Nautical Astronomy.

The remaining Tables will be found of constant use in all mathematical investigations involving trigonometrical expressions; these are principally compiled from Hutton's *Mathematical Tables*.

In the preparation of the Tables and in their progress through the press, every care has been taken by careful and repeated reading to insure accuracy, an object which it is confidently hoped has been successfully attained.

H. L.

OLD WINDSOR 18th June, 1850.

CONTENTS.

	PAGE
Explanation and use of the Tables	1
TABLE I. Logarithms of Numbers from 1 to 10000	35
II. Logarithms of Numbers from 1 to 100	61
III. Signs of Trigonometrical Quantities	61
IV. Logarithmic Sines of Small Arcs	62
V. Logarithmic Sines, Tangents, &c.	66
VI. Meridional Parts	126
VII. Length of a degree of Longitude in each Parallel of Latitude	134
VIII. Dip of Horizon, corrected for Refraction	135
IX. Dip of Horizon, at various distances from it	135
X. Reduction of the Moon's Equatorial Parallax	135
XI. Augmentation of the Moon's Semi-diameter	136
XII. For converting Longitude into Time	136
XIII. For converting Time into Longitude	136
XIV. Parallax in Altitude of the Sun and Planets	137
XV. Refraction of the Sun and Stars	138
XVI. Correction for Table of Refraction	140
XVII. Correction of the Moon's Altitude	141
XVIII. Logarithms for finding the Horary Angle or Apparent Time	152
XIX. Common and Hyperbolic Logarithms	155
XX. Curvature of the Earth and Refraction	155
XXI. Trigonometrical Equivalents	156
XXII. Expressions for Multiple Arcs	157
XXIII. Formulæ relating to two Arcs or Angles	158
XXIV. Trigonometrical Expressions	159
XXV. Formulæ for solving all the cases of a rectilineal Angle, of which three parts are known	160
XXVI. Trigonometrical Formulæ for the Solution of Quadratics and Cubics	161
XXVII. Differential Coefficients	162
XXVIII. Useful Numbers with their Logarithms	163
XXIX. To reduce the Sun's Declination to any Given Meridian, and to any time under that Meridian	165

MATHEMATICAL TABLES.

EXPLANATION AND USE OF THE TABLES.

Tables I. and II.

Logarithms of Numbers.

As a description of the nature and properties of logarithms will be found in the Rudimentary Work on Logarithms, and is not essentially requisite to their mere application to the purposes of calculation, we shall here only explain the method of using the accompanying tables.

By an inspection of Table II., which contains the logarithms of all numbers from 1 to 100, it will be seen that each logarithm consists of two distinct parts, separated by a decimal point; thus, the logarithm of 13 is 1.113943; the number to the left of the decimal point (or 1 in the above example) is called the *index* or *characteristic**, and its value depends *only* upon the *number of digits* in the quantity whose logarithm it is, without any regard to the *value* of that quantity, and it is always 1 less than that number of digits; thus in the example, the characteristic of the logarithm of 13, which contains two digits, is 1, or one less than that number; and it will be seen from the Table, that 1 is the characteristic of all the logarithms from 10 to 99, but that, for numbers below 10, the index is 0, and for 100 is 2, in each case 1 less than the number of digits in the quantity of whose logarithm it is the characteristic. The characteristic, therefore, of the logarithms of all numbers

equal to or greater than	1 and less than	10 is 0.
" "	10	" 100 „ 1.
" "	100	" 1000 „ 2.
" "	1000	" 10000 „ 3.
" "	10000	" 100000 „ 4.
	&c.	&c. &c.

* In order to avoid confusion from the use of the word *index* to signify two things, we shall throughout this work employ the term *characteristic* when speaking of logarithms, and *index* when speaking of roots or powers.

When the quantity is less than unity, the characteristic of its logarithm becomes negative, and its value is determined by the number of cyphers which occur between the decimal point and the first significant figure (the fraction being decimally expressed), and is always 1 greater than such number of cyphers; or it is equal to the difference in the number of figures in the numerator and decimal denominator; thus, the characteristic of the logarithm of

.1 or	$\frac{1}{10}$	is	$\overline{1}^*$
.01	„ $\frac{1}{100}$	„	$\overline{2}$
.001	„ $\frac{1}{1000}$	„	$\overline{3}$
.0001	„ $\frac{1}{10000}$	„	$\overline{4}$
&c.	&c.	&c.	

The *decimal* part of the logarithm, or that lying to the right of the decimal point, is called the *mantissa*, and depends entirely on the *relative* value of the figures composing the quantity whose logarithm it is, and not at all upon the actual *numerical* value of that quantity; thus, in the example already given, the decimal part of the logarithm of 13 is .113943, which is also the decimal part of the logarithm of 1.3, or 130, or 1300, for in each case the 1 and the 3 have the same *relative* value. So that the decimal portion of a logarithm is always the same for the same figures, and is not altered by the addition of any number of cyphers either to the right or to the left hand of those figures, or what is equivalent, by the multiplication or division of the quantity by 10, or any power of 10; it is only the characteristic of the logarithm which alters its value, 1 being *added* to the characteristic for every 10 by which the quantity is *multiplied*, or *subtracted* from it for every 10 by which the quantity is *divided*. Thus,

the logarithm of 745800	being	5.872622
that of 74580	is	4.872622
„ 7458	„	3.872622
„ 745.8	„	2.872622
„ 74.58	„	1.872622
„ 7.458	„	0.872622
„ .7458	„	$\overline{1}$.872622
„ .07458	„	$\overline{2}$.872622
„ .007458	„	$\overline{3}$.872622

* The negative sign (—) is always placed *above* the characteristic, thus $\overline{2}$, instead of before it, in order to avoid its being misunderstood for the sign of subtraction.

It must be borne in mind, that in the logarithm of a fractional quantity, it is only the *characteristic* which has a *negative* value, and that the decimal part of a logarithm is always positive. It is, however, sometimes convenient to have the whole logarithm expressed, negatively, both characteristic and decimal; for which purpose, subtract the last right hand figure in the decimal portion from 10, and all the others from 9, and the result will be what is termed the *arithmetical complement* of the decimal, to which prefix the former characteristic less 1, and the result will be a negative logarithm, equivalent in value to the original logarithm having only a negative characteristic; for example, the logarithm of .07458, as above, is $\bar{2}.872622$, which is equivalent to -1.127378 . It is also frequently convenient to take the *arithmetical complement* of the whole logarithm, and this is obtained by subtracting the right hand figure of the decimal from 10, and all the others from 9, including the characteristic when *positive*, but if *negative* it must be *added* to 9. Thus, the arithmetical complement

of 3.146128 is 6.853872
 „ 2.076276 „ 11.923714
 „ $\bar{5}.322839$ „ 4.677161
 „ $\bar{1}.986772$ „ 10.013228

USE OF THE TABLES.

To find the logarithm of any given number.

If the number is less than 100, its logarithm will be found in Table II., with its proper characteristic prefixed; but if the number contains more than two figures, its logarithm may be found from Table I. as follows:—If there are only three figures in the number, look for that number in the first column of the table, and on the same line in the next column to the right, under 0, will be found the decimal portion of the required logarithm, to which the proper characteristic must be prefixed, according to the rules which we have just explained. If the quantity contains four figures, look for the first three figures in the first column as before, and the four last figures of the logarithm of the required number will be found on the same line with those three figures, and in that column which has at its head the fourth figure of the given number; the two first figures of the logarithm will be found in the second column (headed 0), and which figures being common to all the logarithms inclosed by each pair of horizontal lines, it is

unnecessary to repeat. Where these first figures change their value in the middle of a line, the same is indicated by a break in the horizontal line, thus, $\overline{139379} \mid 0194$, which shows that the two first figures (13) have changed to 14, and the right hand logarithm is therefore 140194.

Examples.

Required the logarithm of 734.

In Table I., on the same line with 734 and under 0, are found 5696, the four last figures of the logarithm, to which the *common* figures 86 and the proper characteristic 2 being prefixed, we obtain 2·865696, the logarithm required.

Find the logarithm of 3476.

Here, on the same line with 347 and under 6, will be found 1080, which, with the two first figures and the characteristic prefixed, is 3·541080, the logarithm required.

The log. of 5·84 is 0·766413

„ 0932 „ $\overline{2}$ ·969416

„ 10·24 „ 1·010300

„ 3708 „ 3·569140

When the quantity whose logarithm is required contains more than four figures, proceed as follows:—Find the logarithm for the first four figures as above, then look in the first column of the Table of Proportional Parts, at the lower part of each page, for the first four figures, and on the same line in the column having at its head the fifth figure will be found the quantity which must be added to the logarithm already taken out, to give the logarithm of the quantity first required. If the first four figures are not found in the first column of the table, then take the line containing the next *less* number to it. If the number whose logarithm is required contains more than five figures, proceed as above to obtain the logarithm of the first five figures, then, on the same line of the Table of Proportional Parts that the number added to the logarithm for the fifth figure was found, and in the column having at its head the sixth figure, will be found a quantity which, divided by 10 (or what is the same, having its right hand figure taken away*), and added to the logarithm already found, will give the logarithm of the first six figures; again, on the same line and in the column having at its head the

* If the figure thus cut off exceeds five, one must be added to the last right hand figure left.

seventh figure, will be found a quantity which, divided by 100 (or having two figures cut off from the right hand), and added, will give the logarithm for seven figures*.

Examples.

Required the logarithms of 11488, 621547, 768654, 7642·179.

Log. of the first four figures from Tab. I.	=	4·059942	}	4
From Table of Proportional Parts on line with 1148 and under 8	=	302		

Logarithm of 11488, as required = 4·060244

Log. of 6215	=	5·793441	}	9
From Table of Proportional Parts, on line with 6160, the next less No. in the table to 6215, and under 4	=	28		
On same line under 7	=	4		

Logarithm of 621547 = 5·793474

Log. of 7686	=	5·885700	}	2
From Table of Proportional Parts on same line with 7686 and under 5 . . .	=	28		
On same line under 4	=	2		

Logarithm of 768654 = 5·885730

Log. of 7642	=	3·883207	}	7 99 513
From Table of Proportional Parts on same line with 7552 and under 1 . . .	=	5		
On same line under 7	=	3		
On same line under 9	=			

Logarithm of 7642·179 = 3·883217

To find the number answering to any given logarithm.

Look in the upper portion of Table I. for the given logarithm, or the next less in value to it that can be found, then

* See remark at page 7, with regard to the number of places to be depended upon.

on the same line, in the first column, will be found the first three figures, and at the head of the column in which the logarithm was found, the fourth figure of the number sought. If the given logarithm is found exactly in the table, the figures thus obtained will be the required number, care being taken to point off one more figure to the left hand than there are units in the characteristic of the given logarithm, cyphers being attached to the right hand of the number, if requisite. If, however, the given logarithm is not found exactly in the table, subtract from it the next less logarithm found, calling the remainder the first difference; then look in the Table of Proportional Parts on the same line with the four figures already obtained from Table I. (or the next less figures which can be found) for this difference, and at the head of the column in which it is found will be the fifth figure of the number sought. If the first difference is not found exactly in the table, look for the next less number to it, which subtract from the first difference for the second difference; then add a cypher to this second difference, and look for it on the same line of the Table of Proportional Parts, as before, and the figure at the head of the column containing the nearest number to it, either greater or less, will be the sixth figure of the number required.

Examples.

Required the number answering to the logarithm 3.241756

Given log. = 3.241756

Next less log. in Table I. = 3.241546 = the log. of 1744 .

210 first dif.

In Table of Prop. Parts }
on same line with the }
next less No. to 1744 }

199 is found in col. 8 .8

110 second dif.

On the same line . . .

99 is found in col. 4 .04

The No. required = 1744.84

In this example the next less logarithm which can be found in Table I. is 3.241546 , the number answering to which, 1744, is the first four figures of the number sought; then subtracting this logarithm from the given logarithm, we obtain for the first difference 210, and looking in the Table of Proportional

Parts on a line with 1740 (the next less number to 1744), for the next less number to 210, we find 199, at the head of the column containing which is 8, the fifth figure required; then, subtracting 199 from 210, we obtain the second difference, 11, and adding a cypher, the nearest number which we find on the same line is 99, at the head of the column containing which is 4, the sixth figure required.

Required the numbers answering to the following logarithms:—3·510009, 2·475771, 5·871624.

The number answering to the logarithm 3·510009 is found at once to be 3236.

Given log. = 2·475771		
Next less log. = 2·475671 = the log. of 299·0		
<hr/>		
100 = 1st dif.		
From Table of Proportional Parts	87	·06
<hr/>		
130 = 2nd dif.		
	130	·009
<hr/>		
No. required =		<u>299·069</u>

Given log. = 5·871624		
Next less log. = 5·871573 = the log. of 744000·		
<hr/>		
51 = 1st dif.		
From Table of Proportional Parts	46	80·
<hr/>		
50		
	52	9·
<hr/>		
The No. required =		<u>744089·</u>

It should be observed here, that the number of figures which may be depended upon in any result obtained by logarithms, will be equal to the number of decimal places in the logarithms employed; thus, in using the tables appended to this work, the results obtained will be accurate to six figures, except towards the end of the tables, in which only five figures should be trusted.

Tables III., IV., and V.

Trigonometrical Tables.

Mathematicians have computed the lengths of the sines, tangents, and secants (assuming unity for the radius) corresponding to arcs from 1 minute of a degree, through all the gradations of magnitude, up to a quadrant, or 90° ; and the results of the computations are arranged for use in tables called *Trigonometrical Tables*. As, however, these quantities have to be carried to several places of decimals in order to obtain sufficiently accurate results, their use in calculations is attended with much labour, and therefore it is usual to employ their logarithms instead; but in this case the assumed radius is taken as 10,000,000,000 instead of unity, since with the latter most of the quantities would be *fractional*, and therefore have *negative* characteristics, the use of which would be inconvenient, and is superseded by taking the radius as above.

Table V. is such a table of the logarithms of the sines, cosines, tangents, cotangents, secants, and cosecants, for every minute from 1 minute to 90 degrees, calculated to a radius of 10,000,000,000 as above. It will be observed that the headings of the columns run along the *tops* of the pages as far as the 45th degree, after which they return along the *bottoms* of the pages in contrary order, as below:—

Sin	D.	Cosec	Tan	D.	Cot	Sec	D.	Cos
Cos	D.	Sec	Cot	D.	Tan	Cosec	D.	Sin

The reason of this will be apparent, if we only consider that the cos, cot, or cosec of an arc is the sin, tan, or sec of the *complement* of that arc. The intermediate columns, headed **D**, contain the differences of the consecutive logarithms in the contiguous columns on either side; it will be seen that the same difference is common to the sin and cosec, the tan and cot, and the sec and cos; since, from Table XXI.,

$$\sin = \frac{1}{\csc}, \text{ or } 1 = \sin \cdot \csc; \tan = \frac{1}{\cot}, \text{ or } 1 = \tan \cdot \cot;$$

$$\sec = \frac{1}{\cos}, \text{ or } 1 = \sec \cdot \cos; \text{ and consequently, } \log \sin + \log$$

$\csc = \log \tan + \log \cot = \log \sec + \log \cos = 2 \log \text{rad} = 20$; therefore as the sin, tan, or sec increases, so must the corresponding cosec, cot, or cos diminish, and their differences

must be equal. The differences of the sines and tangents are not inserted on the two first pages, for the reason explained at page 10.

USE OF TABLE V.

To find the logarithmic sine, tangent, &c., of a given arc.

If the arc contains only degrees and minutes, its sin, tan, &c., will be found simply by inspection, by looking along the top or bottom of the tables for the degrees, and then in the first or last vertical column for the minutes, according as the number of degrees is less or greater than 45° ; and on the same line, in the column having for its title (either at the top or bottom, according as the degrees were found) the name of the trigonometrical quantity required, its log will be found.

If the arc contains seconds as well, the logarithm must be found as above for the degrees and minutes; then take the number in the contiguous column headed D on the same line, multiply it by the number of seconds, and divide by 100 (which is done by cutting off the two last figures); the quotient must then be added to or subtracted from the log already taken out, according as the same would be increased or decreased by an increase in the arc.

Examples.

1. Find the log sin of $37^\circ 47'$.

As the arc is less than 45° , by looking along the top of the table for the degrees, and in the first column for the minutes, we find in the column having at its top the word sin the figures 9.787232, which is the log sin of the arc required.

2. Find the log tan of $75^\circ 34'$.

Here, as the arc is greater than 45° , looking at the bottom of the tables for the degrees, and in the last column for the minutes, we find in the column having tan at the bottom, 10.589431, the tan of $75^\circ 34'$.

3. Find the log sin of $31^\circ 45' 5''$.

The log sin of $31^\circ 45'$ is 9.721162

The No. in col. D is $340 \times 5'' \div 100 = +$ 17

\therefore The log sin of $31^\circ 45' 5'' =$ 9.721179

4. Find the log cos of $25^\circ 1' 47''$.

The log cos of $25^\circ 1'$ is 9.957217

The No. in col. D is $98 \times 47'' \div 100 = -$ 47

\therefore The log cos of $25^\circ 1' 47'' =$ 9.957170

To find the arc corresponding to any given log sin, tan, &c.:
 —Look in Table V. for the given log sin, &c., or the next less log thereto, and on the same line will be found the minutes, and at the top or bottom of the page the degrees, of the arc required; if the log thus found is less than the given log, subtract the former from the latter, add two cyphers to the right of the remainder, and divide it by the number found in the contiguous column headed D; the quotient will be the number of seconds to be added to the degrees and minutes in the arc already obtained.

Examples.

1. Find the arc whose log tan is 10.577537.

Here the arc is found by inspection to be $75^{\circ} 11'$.

2. Find the arc corresponding to the log sin 9.395401.

Given log = 9.395401

Next less log = 9.395166 = log tan $14^{\circ} 23'$

$$\frac{23500}{820} = 29 \text{ seconds;}$$

\therefore 9.395401 is the log tan of $14^{\circ} 23' 29''$.

In the sines and tangents of arcs less than about 5° , the differences between any two successive values are so great (as will be seen by an inspection of column D in the table) that the method above given for finding the intermediate values for seconds will not be sufficiently correct; and the same remark applies to the cosines and tangents of arcs greater than about 85° . It will also be observed, that in the cosines and secants of arcs less than 5° , and in the sines and cosecants of arcs greater than 85° , the differences are too small to enable us to calculate accurately the value of any arc from them.

The first of these difficulties may be removed by the rules given below for determining the values of the sines and tangents of small arcs, and the tangents of large arcs, and conversely the arcs from the sines and tangents. A table has also been given (Table IV.) of the logarithmic sines for every tenth of a minute as far as a degree and a half, and of the cosines for every tenth of a minute from $88^{\circ} 29'$ to the end of the quadrant. The second difficulty, however, could only be got over by extending the tables to more decimal places, but as this would also require all other quantities employed in the same calculations to be taken to an equal number of decimals, much additional trouble would be occasioned; and it is therefore better for determining the value of an arc when near 90° ,

to employ some other function than its sine, as, for instance, its cosine. In order to render this clearer to those who are not familiar with the use of logarithms, we subjoin an example of such a substitution of the cosine for the sine.

For instance, let it be desired from the formula,

$$P_1 : P_2 :: \sin \beta : \sin \delta$$

to determine the value of the angle δ , when $P_1 = 600.1$; $P_2 = 669$; and the angle $\beta = 63^\circ 45'$.

First by multiplying the means and extremes, and dividing both sides by P_1 , we obtain

$$\sin \delta = \frac{P_2 \sin \beta}{P_1} \dots \dots \dots (a.)$$

Then from Table XXI. .

$$\sin \delta = \sqrt{1 - (\cos \delta)^2}$$

$$\therefore \frac{P_2 \sin \beta}{P_1} = \sqrt{1 - (\cos \delta)^2};$$

squaring both sides

$$\left(\frac{P_2 \sin \beta}{P_1} \right)^2 = 1 - (\cos \delta)^2,$$

transposing, and extracting the square root

$$\cos \delta = \sqrt{1 - \left(\frac{P_2 \sin \beta}{P_1} \right)^2} \dots (b.)$$

We have, therefore, two equations, (a) and (b), from either of which we can obtain the value of the angle δ , by substituting the values of the known quantities; but in doing so we shall find that the second equation will give the value of δ much more exactly than the first.

Thus, by substituting the known quantities in equation (a), we have

$$\frac{669 \times \sin 63^\circ 45'}{600.1} = \sin \delta.$$

Whence by logarithms,

$$\text{Log } \sin 63^\circ 45' = 9.952731'$$

$$\text{Log } 669 = 2.825426$$

$$12.778157$$

$$\text{Log } 600.1 = 2.778224$$

$$\text{Log } \sin \delta = 9.999933$$

$$\therefore \delta = 88^\circ 59' 25''.$$

Proceeding in a similar manner with equation (b), we have

$$\sqrt{1 - \left(\frac{669 \times \sin 63^\circ 45'}{600 \cdot 1} \right)^2} = \cos \delta.$$

Whence by logarithms, taking the radius as unity, for the reasons explained at page 15.

$$\begin{array}{rcl} \text{Log sin } 63^\circ 45' & = & 1.952731 \\ \text{Log 669} & = & 2.825426 \end{array}$$

$$\begin{array}{rcl} & & 2.778157 \\ \text{Log 600} \cdot 1 & = & 2.778224 \end{array}$$

$$\begin{array}{rcl} & & 1.999933 \\ & & 2 \end{array}$$

$$\text{Log } .99969 = \underline{\underline{1.999866}}$$

Then $1 - .99969 = .00031$, the log of which $= \bar{4}.491362$,
and $\bar{4}.491362 \div 2 = \bar{2}.245681 = \cos \delta$;

or, restoring the radius of the tables,

$$\cos \delta = 8.245681 = \sin \text{ of the complement of } \delta;$$

therefore, by the rule given below for finding a small arc from its sin, we have

$$\begin{array}{r} 8.245681 \\ 5.314425 \\ \hline 22 \end{array}$$

$$\underline{\underline{3.560128}} = 3631.86 \text{ seconds} = 1^\circ 0' 31''.86;$$

$$\therefore \delta = 88^\circ 59' 28''.14,$$

whence we see that the former value of δ obtained from equation (a) is upwards of three seconds too small.

To find accurately the log sin of an arc less than 5° .

Reduce the arc to seconds, and find the log of that number from Table I., to which add 4.685575 (the log sin of $1''$), and subtract one-third of the decimal portion of the log sec of the arc taken from Table V.; the remainder is the log sin of the arc required.

Examples

Find the log sines of 13' and of 1° 3'.

$$\text{Log } (13' \times 60) = 780'' = 2.892095$$

$$4.685575$$

$$7.577670$$

$$\text{Log sec of } 13' = .000003 \div 3 = .000001$$

$$\text{Log sin of } 13' = 7.577669$$

$$\text{Log } (63' \times 60) = 3780'' = 3.577492$$

$$4.685575$$

$$8.263067$$

$$\text{Log sec of } 1^\circ 3' = .000073 \div 3 = .000024$$

$$\text{Log sin of } 1^\circ 3' = 8.263043$$

To find accurately the log tan of an arc less than 5°.

To the log of the number of seconds in the arc add 4.685575, and two-thirds of the decimal portion of its log sec; the sum is the log tan of the arc required.

Examples.

Find the log tans of 24' and 1° 15'.

$$\text{Log } (24' \times 60) = 1440'' = 3.158363$$

$$4.685575$$

$$\text{Log sec of } 24' = .000011 \times \frac{2}{3} = .000007$$

$$\text{Log tan of } 24' = 7.853945$$

$$\text{Log } (75' \times 60) = 4500'' = 3.653213$$

$$4.685575$$

$$\text{Log sec of } 1^\circ 15' = .000103 \times \frac{2}{3} = .000068$$

$$\text{Log tan of } 1^\circ 15' = 8.338856$$

To find accurately the log tan of an arc greater than about 85°

Add to the log of the number of seconds that the arc is less than 90°, two-thirds of the decimal portion of the log cosec,

and subtract the sum from 15·314425; the remainder will be the log tan required.

Examples.

1. Find the log tan of $89^{\circ} 5' 13''$.

$$\begin{array}{r} 90^{\circ} \quad 0' \quad 0'' \\ 89 \quad 5 \quad 13 \end{array}$$

$$\underline{\underline{0^{\circ} 54' 47'' = 3287 \text{ seconds.}}}$$

$$\text{Constant log} \dots\dots\dots = 15\cdot314425$$

$$\text{Log of } 3287 \dots\dots\dots = 3\cdot516800$$

$$\text{Log cosec of } 89^{\circ} 5' 13'' = \cdot000057 \times \frac{2}{3} = \cdot000038$$

$$\underline{\underline{3\cdot516838}}$$

$$\text{Log tan of } 89^{\circ} 5' 13'' = \underline{\underline{11\cdot797587}}$$

2. Find the log tan of $88^{\circ} 51' 10''$.

$$\begin{array}{r} 90^{\circ} \quad 0' \quad 0'' \\ 88 \quad 51 \quad 10 \end{array}$$

$$\underline{\underline{1^{\circ} 8' 50'' = 4130 \text{ seconds.}}}$$

$$\text{Constant log} \dots\dots\dots = 15\cdot314425$$

$$\text{Log of } 4130 \dots\dots\dots = 3\cdot615950$$

$$\text{Log cosec of } 88^{\circ} 51' 10'' = \cdot000087 \times \frac{2}{3} = \cdot000058$$

$$\underline{\underline{3\cdot616008}}$$

$$\text{Log tan of } 88^{\circ} 51' 10'' = \underline{\underline{11\cdot698417}}$$

To find accurately an arc of not more than 5° from its log sine.

To the given log sin, add 5·314425, and one-third of the decimal portion of the secant of the nearest arc to that whose log sin is given, the sum, rejecting 10 from the characteristic, will be the logarithm of the number of seconds in the arc.

Example.

Required the arc whose log sin is 8·314719.

$$\text{Given log sin} \dots\dots\dots = 8\cdot314719$$

$$\text{Constant log} \dots\dots\dots = 5\cdot314425$$

$$\text{Log sec of nearest arc} = \cdot000093 \div 3 = \cdot000031$$

$$\text{Arc required } 1^{\circ} 10' 58'' = 4258'' = \underline{\underline{3\cdot629175}}$$

To find accurately an arc of not more than 5° from its log tan.

To the given log tan add 5·314425, and from the sum subtract two-thirds of the decimal portion of the log sec of the arc whose log tan is nearest to that given, and the remainder, rejecting 10 from the characteristic, will be the log of the number of seconds in the arc.

Example.

Required the arc whose log tan is 8·231461.

$$\text{Given log tan} \quad . \quad . \quad . \quad . \quad . \quad . \quad = 8\cdot231461$$

$$\text{Constant log} \quad . \quad . \quad . \quad . \quad . \quad . \quad = 5\cdot314425$$

$$13\cdot545886$$

$$\text{Log sec of nearest arc} = \cdot000063 \times \frac{2}{3} = \cdot000042$$

$$\text{Required arc} = 58' 34'' = 3514'' = 13\cdot545844$$

To find accurately an arc greater than 85° from its log tan.

Add to the given log tan two-thirds of the decimal portion of the log cosec of the nearest arc to that whose log tan is given, and subtract the sum from 15·314425; the remainder is the log of the number of seconds that the arc is *less than* 90°.

Example.

Required the arc whose log tan is 11·695900.

$$\text{Constant log} \quad . \quad . \quad . \quad . \quad . \quad . \quad = 15\cdot314425$$

$$\text{Given log tan} \quad . \quad . \quad . \quad . \quad . \quad . \quad = 11\cdot695900$$

$$\text{Log cosec of nearest arc} \cdot000088 \times \frac{2}{3} = \cdot000059$$

$$11\cdot695959$$

$$\text{Required arc} = 1^\circ 9' 14'' = 4154'' = 3\cdot618466$$

In extracting the root or raising the power of any trigonometrical quantity by means of its logarithm, it will always be found most convenient to reduce the assumed radius to unity, by subtracting 10 from the characteristic of the logarithm, which will frequently then become *negative*; it must, however, be borne in mind that the *decimal* part of the logarithm is always *positive*; and therefore, if it is required to multiply a logarithm with a negative characteristic by any number (as the index of a power), first multiply the decimal part of the logarithm, pointing off as many decimal figures in the product

as there were in the logarithm, then multiply the characteristic, and subtract from the product the number (if any) pointed off to the *left* in the first product: the result will be the negative characteristic, and the decimals pointed off in the first product will be the decimal part of the required logarithm. To divide a logarithm with a negative characteristic by any number: if the characteristic is a *multiple* of that number, that is, if it is *divisible* by it without remainder, proceed as in ordinary division; if, not, separate the characteristic from the decimal, and add to the characteristic a number which will make it *divisible*, and prefix to the decimal the same number, then divide both by the given divisor, and the quotients will be the characteristic and decimal of the logarithm required. An example of this alteration of the characteristic is given at page 12.

Although Table V. only purports to give the sines, tangents, &c., of angles less than, or equal to 90° , any of these functions of angles *greater* than 90° may readily be obtained, since any function of an angle greater than 90° is equal to the same function of the *supplement* of that angle; due regard being had to changing the sign, if requisite, according to Table III., which exhibits the value of each trigonometrical line at the commencement of each quadrant, and also the sign with which it is effected in passing through the same. Thus, the *log sin* of $141^\circ 15'$ is 9.796521, the same as the *sin* of its supplement $38^\circ 45'$; the *log sec* of $95^\circ 43'$ is -11.001701 , or the *sec* of $84^\circ 17'$ with its sign changed; the *log cosec* of the same is 10.002165, or the *cosec* of $84^\circ 17'$, the sign remaining the same; and the *log tan* of $173^\circ 4'$ is -9.084947 , or the *tan* of $6^\circ 56'$, with its sign altered.


Table VI.

Meridional Parts.

In nautical charts, drawn according to Mercator's projection of the sphere, the meridional lines are drawn parallel to each other, or equidistant in every latitude, as shown in fig. 1, so that the distance between any two meridians being assumed as true at the equator would be too great in every other latitude; for whereas the length of a degree of latitude really decreases as we approach the poles, here it is represented as though its length were everywhere the same. If, therefore, the parallels of latitude were drawn at equal distances in representing any country situated in a high latitude its form

would become so much distorted from its breadth being thus increased without its length, that the country would hardly be recognised, and very erroneous views would be occasioned of its form and relative extent. Thus, in the latitude of 60° , a degree of longitude is only half what it is at the equator, and therefore all dimensions east and west would be twice as great as they should be, if drawn to the same scale as those north and south. To correct this distortion, therefore, and preserve the true form of the countries, the distance between the parallels of latitude is increased precisely in the same proportion as that between the meridians; so that on a Mercator's chart the relative magnitude of a degree of latitude and longitude is everywhere truly preserved; the parallels of latitude being drawn more and more distant as we leave the equator, as shown in fig. 1.

Fig. 1.



Now, the numbers in the table of meridional parts are nothing more than the distances of the several parallels of latitude from the equator, as shown on a Mercator's chart, expressed in minutes* of longitude at the equator. In using

* It is hardly necessary to state that a minute is the 60th part of a degree, and a second the 60th part of a minute.

the table the degrees of latitude must be sought at the top of the table, and the minutes in the side column, the meridional parts will then be found at their intersection; thus the meridional parts of $27^{\circ} 25'$ are 1712, and of $76^{\circ} 3'$ are 7222.

The great use of this table for nautical purposes is to determine the latitude and longitude of a ship at sea, when the course and distance that she has run are known. By the *course* of a ship is meant the direction in which she sails, estimated by the angle which that direction makes with the meridian. When the course makes the same angle with every meridian crossed, it is termed a *rhumb*, and this course is that usually adopted by navigators, in consequence of the facilities which it affords in ascertaining the position of their vessels.

On a Mercator's chart any rhumb is obviously a straight line, because no other than a straight line would on such a chart cross every meridian at the same angle. Thus, if A and B, figure 1, are any two places between which a vessel sails, then the straight line A B is the rhumb upon which the vessel would sail to preserve the same course or make the same angle with every meridian crossed; A C is the difference of latitude, C B the difference of longitude, and A B the *nautical distance* run. If now we set off from A towards C, a distance A D equal to the actual difference of latitude measured in degrees at the equator, and draw a line D E parallel to the equator, then will the line A E, measured on the equator, be the true nautical distance, and, being multiplied by 60 (the number of nautical miles in a degree), will give the distance run by the ship, and the line D E is termed the *departure* or distance run either to the east or west.

By inspecting the diagram, we see that $A E : \text{rad} :: A D : \cos < A$, or the nautical distance is to radius as the actual difference of latitude is to the cosine of the course; and also $A B : \text{rad} :: B C : \tan < A$, or the meridional difference of latitude is to radius as the difference of longitude is to the tangent of the course.

If we put d for the nautical distance, c for the course, l for the difference of the latitude, λ for the meridional difference of latitude, and L for the difference of longitude, we have, from the above proportions,

$$\begin{aligned} \text{rad} . l &= d \cos c, \\ \text{And rad} . L &= \lambda \tan c. \end{aligned}$$

From which formulæ either two of the four quantities d , c , l , and L being known, the others may be easily found.

For example, a vessel leaving latitude $25^{\circ} 34'$ N. and longitude $61^{\circ} 24'$ W. sails 543 nautical miles on a rhumb line, whose course is N. $42^{\circ} 5'$ E., what latitude and longitude is she then in?

$$\begin{array}{rcl} \text{Log cos } c (= 42^{\circ} 5') & = & 9.870504 \\ \text{Log } d (= 543) & = & 2.734800 \\ & & \hline & & 12.605304 \\ \text{Rad} & = & 10.000000 \\ & & \hline & & 2.605304 = \log \text{ of } 403 = l, \\ & & \hline \end{array}$$

then $403 \div 60 = 6^{\circ} 43' =$ the ship's difference of latitude to the north; therefore, $25^{\circ} 34' + 6^{\circ} 43' = 32^{\circ} 17'$ N. is the latitude she is now in. Again,

$$\begin{array}{rcl} \text{Meridional parts for } 32^{\circ} 17' & = & 2048 \\ \text{,, , , for } 25 \ 34 & = & 1588 \\ & & \hline \text{Meridional difference of latitude} = \lambda & = & 560 \\ \text{Log tan } c (= 42^{\circ} 5') & = & 9.955707 \\ \text{Log } \lambda (= 560) & = & 2.748188 \\ & & \hline \text{Rad} & = & 10.000000 \\ & & \hline & & 2.703895 = \log \text{ of } 505.7 = L, \\ & & \hline \end{array}$$

then $505.7 \div 60 = 8^{\circ} 25' 42'' =$ the ship's difference of longitude to the east; therefore, $61^{\circ} 24' - 8^{\circ} 25' 42'' = 52^{\circ} 58' 28''$ W. is the longitude she is now in.

Example 2.—A vessel sails from latitude $41^{\circ} 20'$ N., and longitude $49^{\circ} 50'$ W., to latitude $64^{\circ} 25'$ N., and longitude $10^{\circ} 13' 6''$ W., what was her course and nautical distance?

$$\begin{array}{rcl} \text{Meridional parts for } 64^{\circ} 25' & = & 5097 \\ \text{,, , , for } 41 \ 20 & = & 2728 \\ & & \hline & & 23 \ 5 \quad 2369 = \lambda = \left\{ \begin{array}{l} \text{meridional} \\ \text{difference} \\ \text{of latitude.} \end{array} \right. \\ & & \hline & & 60 \end{array}$$

$$\text{Difference of lat.} = l = 1385$$

	49° 50' 0"
	10 13 6
	<hr/>
	39 36 54
	60
	<hr/>
Log L (= 2376.9) =	3.376010
Rad =	10.000000
	<hr/>
	13.376010
Log λ (= 2369) . =	3.374565
	<hr/>
	10.001445 = log tan 45° 5' 44" = c
	<hr/>
Log l (= 1385) . =	3.141450
Rad =	10.000000
	<hr/>
	13.141450
Log cos c (= 45° 5' 44") =	9.848757
	<hr/>
	3.292693 = log of 1962 = d.
	<hr/>

Table VII.

Length of a Degree of Longitude on each Parallel of Latitude.


This table requires no explanation; it exhibits the length of a degree of Longitude in nautical miles (each of which equals 6075.6 feet) at every degree of latitude from the Equator to the Poles.

Tables VIII. and IX.

Dip of the Horizon.

The latitude and longitude of a vessel is determined by observations made on the heavenly bodies, which observations consist principally in measuring their altitudes or the angle which they make with the horizon. The altitudes thus taken being compared with certain altitudes given in the "Nautical Almanac," in the manner more fully explained in the "Rudiments of Navigation," enable the observer to determine both his latitude and longitude. It is however requisite to make certain corrections in the observed altitudes in order to obtain the true altitudes

Fig. 2.



If, in fig. 2, $G C D F$ is a section of the earth, and B the place of an observer, then $G E F$ is the *rational horizon*, and $H C I$ the *sensible horizon*. Also, if A is the place of a heavenly body, the angle $A E F$ is its *true altitude*, $A C I$ its *apparent altitude*, and $A B D$ its *observed altitude*.

If the observer had been on the surface of the earth as C, then the *observed* altitude would have coincided with the

apparent altitude, but when raised above the same, as is always the case at sea when the observations are made from the vessel's deck, the horizon *dips*, or becomes depressed, as shown by the line B D, and the *observed* altitude A B D becomes greater than the *apparent* altitude A B K or A C I* by the angle K B D; the magnitude of this angle (termed the *dip of the horizon*) depends upon the height of the observer above the surface of the earth; its values for all heights between 1 and 140 feet are given in Table VIII. The angle found in the second column must be *subtracted* from the *observed* altitude to obtain the *apparent* altitude.

The dip given in Table VIII. supposes that the view of the sea horizon is perfectly unobstructed. Should, however, any object intervene, as a coast, the margin of the sea where it meets the shore must then be taken as the horizon; and in this case the angle to be *subtracted* from the *observed* altitude will be found in Table IX. under the proper height, and on a line with the distance of the object from the observer, which may always be judged of with sufficient precision by an experienced eye. Thus, if the vessel is about 2 miles from the shore and the observer is 20 feet above the surface of the sea, the angle to be subtracted for the dip will be 6 minutes

Table X.


Reduction of the Moon's Horizontal Parallax.

The difference between the *apparent* altitude of a heavenly

* The distance BC of the observer above the earth's surface is so inconsiderable, as compared with BA, the distance of the body, that these two angles may be considered as equal without any appreciable error.

body, or the angle which it makes with the *sensible* horizon, and its *true* altitude, or the angle which it forms with the *rational* horizon, is termed its *parallax*. The parallax of a body is greatest when it is in the horizon, and it decreases as its altitude increases, until, when it attains the zenith, its parallax becomes nothing. Thus in fig. 3 the parallax at C is greater than that at E, and is nothing at the zenith F.

Fig. 3.



The amount of the horizontal parallax depends upon the distance of the body AC and upon the earth's radius AB. The nearer the object, that is the less AC is, the greater is the angle ACB or the parallax. The moon being much nearer to the earth than any other of the heavenly bodies, its parallax is much greater, and as its distance from the earth varies so also does its parallax; the amount of its parallax is given in the "Nautical Almanac" for every day throughout the year. The parallax there given is, however, calculated for the earth's greatest or equatorial radius; and since, from the proximity of the moon, the decrease of the earth's radius in higher latitudes diminishes the parallax to such an extent as to require correction, we have given in Table X. the amount to be *subtracted* from the equatorial parallax to give the true parallax in any given latitude. For example, let the earth's equatorial parallax on any given day, as found in the "Nautical Almanac," be 58 minutes, what will it be for the same day in latitude 52° ? Here under 58', and on a line with 52° , we find $7''2$, which

must be subtracted from 58', giving 57' 52''8 for the moon's parallax in that latitude.

Table XI.

Augmentation of the Moon's Semidiameter.

In making an observation, it is the position of the *center* of the object which is required, but as it would not be easy in practice to judge with sufficient precision of its position, it is usual to measure to the nearest edge (or *limb*, as it is termed) of the object, and to add the angular value of its semidiameter. In the case of the moon, its apparent semidiameter varies considerably according to its distance from the earth, and also from its great proximity its semidiameter is sensibly increased by the parallax; for, as her altitude increases, she approaches nearer to the observer, and the apparent semidiameter becomes greater. The value of her *horizontal* semidiameter for every day is given in the "Nautical Almanac;" and Table XI. shows the augmentation of the same occasioned by an increased altitude. Thus, when the moon's *horizontal* semidiameter is 15' 30'' her *apparent* semidiameter, with an altitude of 51°, will be 15' 42''.

Tables XII. and XIII.

Longitude and Time.

As the sun apparently revolves round the earth once in every twenty-four hours, with an equal rate, it arrives at each meridian at a different time. And it is on this principle that the longitude of a place is determined by the interval of time between the sun's passing the meridian of that place and the meridian of Greenwich. As the whole 360° are equal to an interval of 24 hours, any lesser number of degrees are equal to a proportionate interval of time, and these two tables are for facilitating the conversion of longitude into time, or *vice versâ*. As an example of their use, let it be required to find the interval of time corresponding with a difference of longitude of 43° 18' 10''.

				H.	M.	S.
From 2nd column, Table XII.	40°	=	2	40		
" 1st	"	"	3°	=	12	
" 1st	"	"	10'	=		40
" 1st	"	"	3'	=		12
" 3rd	"	"	10''	=		0.667

The time is therefore . 2 52 52.667

Again, if it were required to know the difference of longitude corresponding with an interval of 4 hours, 31 minutes, and 6 seconds; we have

From 1st column of Table XIII.	4 hours =	60° 0' 0"
„ 2nd „ „ „	30 mins. =	7 30 0
„ 2nd „ „ „	1 min. =	0 15 0
„ 2nd „ „ „	6 secs. =	0 1 30

Which gives for the diff. of longitude	.	67 46 30
--	---	----------

Table XIV.

Parallax in altitude of the Sun and Planets.

The *horizontal* parallax of the sun and planets depends upon their distance from the earth, and is given for every day in the “Nautical Almanac.” The parallax for any altitude is, as already explained, less than when the object is in the horizon; and Table XIV. is intended to give the amount of parallax for any apparent altitude when the amount of the horizontal parallax is known. In using the Table look for the *horizontal* parallax at the head of the Table, and in the column at the head of which it stands, and on the same line with the *apparent* altitude, will be found the parallax required. For example, if the sun's horizontal parallax is 9", what is her parallax with an apparent altitude of 48°? Here, in the column having 9" at its head, and on the same line with 48°, will be found 6", which is the sun's parallax at the time.

Tables XV. and XVI.

Refraction of the Sun and Stars.

There is another correction rendered necessary in order to reduce the *observed* altitude of a heavenly body to its *apparent* altitude; in consequence of the optical property of the atmosphere termed refraction. While the effect of the parallax is to make the object appear lower than its true place, that of refraction is to make its altitude appear greater. The effect of refraction is greatest when the object is in the horizon, and it gradually diminishes until at the zenith it becomes nothing; it is not, however, always constant for the same altitude, but varies with the temperature and density of the atmosphere.

Table XV. gives the refraction for every ten minutes of apparent altitude, calculated for a mean temperature of 50° Fahr., and a mean pressure of 29.6 ins.; and Table XVI. contains the correction requisite to be made for any other temperature and pressure. For example, what is the refraction of any heavenly body whose observed altitude is $31^{\circ} 20'$ when the temperature is 72° , and the barometer 30.35? In this case we first find, from Table XV., the refraction for a mean state of the atmosphere to be $1' 35.5''$, we then find, from Table XVI., that at the temperature of 72° we must *subtract* $5''$, and with the barometer at 30.35, that we must *add* $1''$, after which we have $1' 31.5''$ for the required refraction. It must be observed, that when the temperature is *below* the mean, the correction must be *added*, and when *above*, the mean *subtracted*; also, when the barometer is *below* the mean the correction must be *subtracted*, but when *above* the same it must be *added*. The correction for the thermometer is found in the column having the temperature at its head, while that for the barometer is found in that having the pressure at its foot.

Table XVII.

Correction of the Moon's Altitude.

As already explained, the effect of the refraction is to raise the object, while that of parallax is to depress it; the parallax, however, being always the greater, the *apparent* altitude is always less than the *true* altitude. Table XVII. contains the difference of the refraction and parallax for the moon; which is therefore the correction to be *added* to the *apparent* altitude to obtain her *true* altitude. In using the table, the correction will be found in the column having at its head the moon's horizontal parallax, and opposite to the apparent altitude. Should these not be found exactly in the table, we must take the next less values, and to the number thus found we must add or subtract (as the case may be) a proportional part for the requisite number of minutes or seconds wanting, which are given for the altitudes in the left-hand column, and for the parallax in the right-hand column. For example, let the correction be required when the apparent altitude is $29^{\circ} 37'$, and the moon's horizontal parallax is $56' 24''$. In this case the next less numbers to these in the Table are $29^{\circ} 30'$ and $56'$.

Under 56', and opposite 29° 30', we find	47'	1"
Add proportional parts for parallax 20"		18
" " " " 4"		3.5
		<hr/>
		17 22.5
Subtract prop. parts for altitude 7'		3
		<hr/>
Correction required . . .		17 19.5
		<hr/>

The moon's true altitude therefore equals 29° 54' 19".5.

Ex. 2. What is the moon's true altitude when its apparent altitude is 9° 53', and its horizontal parallax is 58° 20'?

Under 58' and opposite 9° 50' we find .	51'	44"
Add proportional parts for parallax 20"		20
" " " for altitude 3'		2
		<hr/>
Correction	52	6
		<hr/>

Therefore the moon's true altitude equals 10° 45' 6".

Table XVIII.

Logarithms for finding the Hourly Angle or Apparent Time.

The use of this Table is to facilitate the calculation of the Apparent Time at any place, from observations made on the altitude of some known celestial body. The logarithms in the Table are twice the sine of half the arc of longitude corresponding with the number of hours and minutes at which it stands. The manner of performing the calculation by which this logarithm is derived from the observed altitude is fully explained in the "Rudimentary Work on Navigation." The use of the Table is as follows:—having obtained this logarithm, look in the table for it, or for the next less logarithm to it, and take out the time in hours and minutes as found (if the altitude is *decreasing*) at the top and in the left-hand column (but if *increasing*) at the bottom, and in the right-hand column. Then subtract the logarithm taken in the table from the given logarithm, and having added to the right of the difference thus obtained two cyphers, divide it by the nearest number in the contiguous column headed *Diff.*, and the quotient will be the number of seconds to be *added*

to the hours and minutes already obtained, when the altitude is *decreasing*, and to be *subtracted* when *increasing*. For example, what is the apparent time corresponding to the logarithm 9·649321 when the altitude was decreasing?

$$\begin{array}{rcl} \text{Given log} & . & . & . & 9\cdot649321 \\ \text{Next less log in Table} & 9\cdot648913 & = \text{log of 5 H. 35 M.} \\ \hline & & 40800 \div 3516 = 11 \text{ seconds.} \\ & & \hline \end{array}$$

Therefore, the apparent time required is 5 H. 35 M. 11 s.

Ex. 2. What is the apparent time corresponding with the logarithm 9·215630, when the altitude was increasing?

$$\begin{array}{rcl} \text{Given log} & . & . & . & 9\cdot215630 \\ \text{Next less log in Table} & 9\cdot214358 & = 20 \text{ H. 49 M.} \\ \hline & & 127200 \div 7114 = 18 \text{ seconds.} \\ & & \hline \end{array}$$

Therefore, the apparent time is 20 H. 48 M. 42 s.

Table XIX.

Common and Hyperbolic Logarithms.

The object of this Table is to facilitate the conversion of common logarithms into hyperbolic, and *vice versa*. Its use is as follows:—To convert common logarithms into hyperbolic, write the common logarithm, as shown in the first example below, and then take from the second column of the Table the equivalent value of each figure in hyperbolic logarithms, taking care that the latter are each moved as many places to the right as the corresponding numbers in the common logarithm are; the sum of the whole will be the hyperbolic logarithm required.

To convert hyperbolic logarithms into common, proceed in a similar manner, writing the hyperbolic logarithm as in the second example below, and taking its equivalent value in common logarithms from the fourth column of the Table.

Ex. 1. What is the hyperbolic logarithm of 3156?

By reference to Table I. we find the common logarithm of 3156 is 3·499137; then—

Com. Log.	Hyp. Log.	
3 =	6.907755	3
.4 =	.921084	0
.09 =	.207232	7
.009 =	.020723	3
.0001 =	.000230	3
.00003 =	.000069	1
.000007 =	.000016	1
	<hr/> 8.057061	

Ex. 2. What is the common logarithm of the number whose hyperbolic logarithm is 5.160731?

Hyp. Log.	Com. Log.	
5 =	2.171472	4
.1 =	.043429	5
.06 =	.026057	7
.0007 =	.000304	0
.00003 =	.000013	0
.000001 =	.000000	4
	<hr/> 2.241277	

Table XX.

Curvature of the Earth and Refraction.

This Table is of use in Geodesical operations. Practically, a level line on the earth's surface is a line everywhere equally distant from its center. It is obviously, therefore, not a straight line, but is a portion of a circle, having the same radius as the earth. When a level, theodolite, or other instrument has the axis of its telescope so adjusted as to be truly level, the prolongation of that axis is not a level line, but is a tangent to that line, coinciding with it only at the point where the instrument stands, and being *above* it everywhere else. The height of this line above the true level line, if there were no refraction, would be equal to the versine of an arc whose radius equalled that of the earth, and whose length was equal to the distance from the instrument: these heights for various distances up to 30 miles are given in the second column of the Table. The effect, however, of the refraction of the atmosphere is to curve the visual ray passing through the center or axis of the telescope, so that the optical axis is

really a curved line which approximates very nearly to a circle, having a radius seven times greater than that of the earth. The heights in the second column require to be reduced by a seventh part, and the numbers thus obtained are given in the third column. To exemplify its use, let us suppose that an instrument, placed in an elevated position, has its telescope directed to a church tower 3 miles distant, and that when its telescope is perfectly level the horizontal wires are found to cut a point in one of the windows, which, on direct measurement, is found to be 95 feet from the ground, it is required to ascertain the real difference of level of the two spots. Now, on reference to the Table, we find the correction for 3 miles is 5.14, which, being *subtracted* from 95 feet, gives 89.86 feet for the actual height of the instrument above the ground on which the tower stands. In taking a series of consecutive observations, as in the ordinary operation of levelling by *back* and *fore* sights, to ascertain the relative level of two distant places, so long as no great difference in the range or length of the sights occurs, no correction for curvature or refraction need be made, for when the sights are actually equal no error arises in the ultimate result.

Tables XXI., XXII., XXIII., and XXIV.

Trigonometrical Expressions.

These Tables require no particular explanation. Table XXI. contains equivalent expressions for $\sin a$, $\cos a$, $\tan a$, $\cot a$, $\sec a$, $\csc a$, $\text{versin } a$, and will be found of considerable use in reducing formulæ containing trigonometrical expressions. Table XXII contains expressions, the \sin , \cos , \tan , and \cot , of multiple arcs. Table XXIII. contains a variety of formulæ relating to the trigonometrical functions of two angles or arcs. And Table XXIV. contains expressions for the \sin , \cos , \tan , and \cot , in terms of the arc, and for the arc in terms of the \sin and \tan , and also expressions for the powers of the \sin and \cos .

Table XXV.

Fig. 4.



The formulæ given in this Table are intended to enable all the six parts of a plane rectilineal triangle to be determined when any three of those parts were previously known. When either a side or angle is wanted it will only be necessary to make

A or β the side or angle as the case may be, and to insert in the formulæ the proper values of those letters which are known, which will then express the value wanted. For example, in a triangle, two of whose sides are 23 and 35 feet in length, and the angle included between is 51° , what is the length of the third side? In this case we have given B , C and a , and want to find A , we must, therefore, select a formulæ containing only those letters; we find, accordingly, No. 7 gives

$$A = \sqrt{B^2 + C^2 - 2 B \cdot C \cdot \cos a.}$$

We have $B = 23$, $C = 35$, $\cos 51^\circ = .62932$; inserting these values, we have

$$A = \sqrt{23^2 + 35^2 - 2 \times 23 \times 35 \times .62932} = 27.217,$$

which is the length of the side required.

Table XXVI.

The formulæ given in this Table are to facilitate the solution of quadratic and cubic equations, in order to which it is only necessary to substitute for p and q their known values in the formulæ when the value of x will be determined. By way of example, let it be required to find the value of x in the cubic equation $x^3 + 3x - 536 = 0$. We see by reference to the Table that this corresponds with equation (6) in the Table, p being equal to 3, and q to 536. Then, if we substitute these values in the second expression, it becomes—

$$\tan a = \frac{3}{3 \times 536} 2 \sqrt{\frac{3}{3}} = \frac{2}{536}$$

therefore, $a = 0^\circ 12' 36''$, and $\frac{1}{2}a = 0^\circ 6' 18''$;
Then,

$$\tan \beta = \sqrt[3]{\tan (6' 18'')};$$

therefore, $\beta = 7^\circ 1' 5''$, and $2\beta = 14^\circ 2' 10''$,
and,

$$x = 2 \sqrt{\frac{3}{3}} \cdot \cot (14^\circ 2' 10'') = 8,$$

which is the true value of x .

Table XXVII.

This Table contains the differential coefficients of some of the most frequently-occurring functions of u , and will be found to include all the rules for simple differentiation.

Table XXVIII.

This Table contains a variety of constant numbers of frequent use in general calculations; it also contains their logarithms to seven places of decimals, and the arithmetical complements of the same. The latter will be found of use in cases where it is required to divide by the numbers in the Table.

Table XXIX.

To reduce the Sun's Declination to any given Meridian, and to any time under that Meridian.

In the "Nautical Almanac" the sun's declination is given for each day at noon at Greenwich; it is, however, necessary for the purposes of navigation to ascertain its declination at any other meridian, either at noon or at any other time of the day. In either of these cases, having obtained the declination from page II. of the month, in the "Nautical Almanac," the correction to be either added or subtracted therefrom, according to the directions given below, may be found in the following manner.

I. *If the sun's declination is required for some other meridian at noon*, reckon the difference of longitude between that meridian and Greenwich, then look for this difference in the first left-hand column of the table, and on the line on which the same is found, and in the vertical column having at its head the nearest number to the declination already taken from the "Nautical Almanac," will be found the correction required. It will be seen in the "Nautical Almanac," whether the sun's declination is increasing or decreasing; when decreasing, add the correction in east longitude, and subtract it in west longitude; but when the declination is increasing, subtract the correction in east longitude, and add it in west longitude.

Example.

What was the sun's declination at noon, on the 13th of November, 1850, in longitude 175° w.?

Here we find, from the "Nautical Almanac," that the sun's declination at noon at Greenwich was $17^{\circ} 58' 1''$ south, and that it was increasing. We next look in the first column

of the table for the given difference of longitude, viz., 175° , but the nearest number that we find is 170° , which is 5° too small, and we must therefore add together the corrections found in the proper vertical column on both the lines having 5° and 170° in the first column. Thus, in the present instance, in the column having at its head 18° (the nearest to $17^{\circ} 58' 1''$) and on the same line with 5° we find $13''$, and on the same line with 170° we find $7' 22''$; these being added together give $7' 35''$ for the required correction, which, as the sun's declination is increasing and the difference of longitude is westerly, has to be *added* to $17^{\circ} 58' 1''$, making $18^{\circ} 5' 36'$ for the sun's declination at noon in longitude 175° west.

II. *If the sun's declination is required for Greenwich at any other hour than noon*, reckon the interval between that time and noon; then look for this interval in the last right-hand column of the table, and on the same line in which it is found, and in the vertical column having at its head the nearest number to the sun's declination (from the "Nautical Almanac"), will be found the required correction, which, when the sun's declination is increasing, is to be added, if the time is after noon, and subtracted if before noon; but when the declination is decreasing must be subtracted if the time is after noon, and added if before noon.

Examples.

What was the sun's declination at Greenwich on the 4th of July, 1850, at 7 h. 28 m.?

From the "Nautical Almanac" we find the sun's declination at noon to have been $22^{\circ} 54' 58''$ north, and to have been decreasing. Then looking in the last column of the table for the nearest number to 7 h. 28 m., we find 7 h. 20 m., and on the same line in the column headed with 23° (the nearest number to $22^{\circ} 54' 58''$) we find $1' 30''$, and in the same vertical column on the same line with 8 m. we find $2''$, therefore the correction is $1' 32''$, which, as the sun's declination was decreasing, and the time after noon, has to be *subtracted* from $22^{\circ} 54' 58''$, leaving $22^{\circ} 53' 26''$ north for the sun's declination at the hour required.

What was the sun's declination at Greenwich on the 24th of August, 1850, at 20 h. 12 m.?

In this instance the time given, viz., 20 h. 12 m. on the 24th is equivalent to 3 h. 48 m. before noon on the 25th, for which day the sun's declination is found in the "Nautical Almanac" to have been $10^{\circ} 48' 56''$ north, and to have been

decreasing. Looking then in the column of the table having at its head 11° (the nearest to $10^{\circ} 48' 56''$) and on the same line with 3 h. 20 m. we find $2' 56''$, and on the same line with 28 m. we find $25''$; adding these two together, we obtain $3' 21''$ for the correction, which, as the sun's declination is decreasing, and the time before noon, must be *added* to $10^{\circ} 48' 56''$, making $10^{\circ} 52' 17''$ north for the sun's declination at the time required.

III. If the sun's declination is required for some other meridian than Greenwich, at any other hour than noon, we must first make the necessary correction for the difference of longitude in the manner already explained, and then the correction for time according to rule II.

Examples.

What was the sun's declination on the 17th of May, 1850, at 5 h. 40 m., in longitude 128° E.?

Sun's declination (increasing) at Greenwich,	19° 18' 38" N
at noon	
Subtract correction for 120° 4' 46"	0 5 5
Subtract correction for 8° 0 19	
	<hr/>
	19 13 33
Add correction for 5 h. 20 m. 3' 11"	
Add correction for 0 h. 20 m. 0 12	0 3 23
	<hr/>
Sun's declination at the time and place required	19 16 56 N.

What was the sun's declination on the 3rd of June, 1850, at 17 h. 20 m., in longitude 79° w.?

17 h. 20 m. on the 3rd, is equivalent to 6 h. 40 m. on the 4th

Sun's declination (increasing) at Greenwich,	22° 25' 47" N
at noon	
Add correction for 70°.	1' 41"
Add correction for 9°.	0 12
	<hr/> 22 27 40
Subtract correction for 6 h. 40 m.	0 2 24
	<hr/> 22 25 16 N.
Sun's declination at the time and place required	<hr/> 22 25 16 N.
	<hr/> c 3

When the sun is near either of the equinoxes its declination may be less than the correction, in which case, when the correction is subtractive, the declination must be subtracted from it, and the remainder will be the sun's declination of a *contrary name* to that which it was before.

Example.

What was the sun's declination at noon on the 23rd of September, 1850, in longitude 164° E.?

The sun's declination (increasing) at noon,	}	$0^{\circ} \quad 1' \quad 57''$ s.
at Greenwich		
Subtract correction for 160° at noon $10' \quad 25''$	}	$0 \quad 10 \quad 41$
Subtract correction for 4° $0 \quad 16$		
Sun's declination at the place required		<u><u>$0 \quad 8 \quad 44$ N.</u></u>

No. 100 L. 000.]			LOGARITHMS OF NUMBERS.								[No. 109 L. 040.	
N.	0	1	2	3	4	5	6	7	8	9	N.	
100	000000	0434	0868	1301	1734	2166	2598	3029	3461	3891	100	
1	4321	4751	5181	5609	6038	6466	6894	7321	7748	8174	1	
2	8600	9026	9451	9876	0300	0724	1147	1570	1993	2415	2	
3	012837	3259	3680	4100	4521	4940	5360	5779	6197	6616	3	
4	7033	7451	7868	8284	8700	9116	9532	9947	0361	0775	4	
5	021189	1603	2016	2428	2841	3252	3664	4075	4486	4896	5	
6	5306	5715	6125	6533	6942	7350	7757	8164	8571	8978	6	
7	9384	9789	0195	0600	1004	1408	1812	2216	2619	3021	7	
8	033424	3826	4227	4628	5029	5430	5830	6230	6629	7028	8	
9	7426	7825	8223	8620	9017	9414	9811	0207	0602	0998	9	

PROPORTIONAL PARTS.	N.	1	2	3	4	5	6	7	8	9
	1000	43'4	86'8	130'2	173'6	217'0	260'4	303'8	347'2	390'6
	1002	43'3	86'6	129'9	173'2	216'5	259'8	303'1	346'4	389'7
	1004	43'2	86'4	129'6	172'8	216'0	259'2	302'4	345'6	388'8
	1006	43'1	86'2	129'3	172'4	215'5	258'6	301'7	344'8	387'9
	1009	43'0	86'0	129'0	172'0	215'0	258'0	301'0	344'0	387'0
	1011	42'9	85'8	128'7	171'6	214'5	257'4	300'3	343'2	386'1
	1014	42'8	85'6	128'4	171'2	214'0	256'8	299'6	342'4	385'2
	1016	42'7	85'4	128'1	170'8	213'5	256'2	298'9	341'6	384'3
	1018	42'6	85'2	127'8	170'4	213'0	255'6	298'2	340'8	383'4
	1020	42'5	85'0	127'5	170'0	212'5	255'0	297'5	340'0	382'5
	1023	42'4	84'8	127'2	169'6	212'0	254'4	296'8	339'2	381'6
	1026	42'3	84'6	126'9	169'2	211'5	253'8	296'1	338'4	380'7
	1028	42'2	84'4	126'6	168'8	211'0	253'2	295'4	337'6	379'8
	1030	42'1	84'2	126'3	168'4	210'5	252'6	294'7	336'8	378'9
	1033	42'0	84'0	126'0	168'0	210'0	252'0	294'0	336'0	378'0
	1035	41'9	83'8	125'7	167'6	209'5	251'4	293'3	335'2	377'1
	1038	41'8	83'6	125'4	167'2	209'0	250'8	292'6	334'4	376'2
	1040	41'7	83'4	125'1	166'8	208'5	250'2	291'9	333'6	375'3
	1043	41'6	83'2	124'8	166'4	208'0	249'6	291'2	332'8	374'4
1045	41'5	83'0	124'5	166'0	207'5	249'0	290'5	332'0	373'5	
1048	41'4	82'8	124'2	165'6	207'0	248'4	289'8	331'2	372'6	
1050	41'3	82'6	123'9	165'2	206'5	247'8	289'1	330'4	371'7	
1053	41'2	82'4	123'6	164'8	206'0	247'2	288'4	329'6	370'8	
1055	41'1	82'2	123'3	164'4	205'5	246'6	287'7	328'8	369'9	
1058	41'0	82'0	123'0	164'0	205'0	246'0	287'0	328'0	369'0	
1060	40'9	81'8	122'7	163'6	204'5	245'4	286'3	327'2	368'1	
1063	40'8	81'6	122'4	163'2	204'0	244'8	285'6	326'4	367'2	
1066	40'7	81'4	122'1	162'8	203'5	244'2	284'9	325'6	366'3	
1068	40'6	81'2	121'8	162'4	203'0	243'6	284'2	324'8	365'4	
1071	40'5	81'0	121'5	162'0	202'5	243'0	283'5	324'0	364'5	
1074	40'4	80'8	121'2	161'6	202'0	242'4	282'8	323'2	363'6	
1076	40'3	80'6	120'9	161'2	201'5	241'8	282'1	322'4	362'7	
1079	40'2	80'4	120'6	160'8	201'0	241'2	281'4	321'6	361'8	
1082	40'1	80'2	120'3	160'4	200'5	240'6	280'7	320'8	360'9	
1084	40'0	80'0	120'0	160'0	200'0	240'0	280'0	320'0	360'0	
1087	39'9	79'8	119'7	159'6	199'5	239'4	279'3	319'2	359'1	
1090	39'8	79'6	119'4	159'2	199'0	238'8	278'6	318'4	358'2	
1093	39'7	79'4	119'1	158'8	198'5	238'2	277'9	317'6	357'3	
1095	39'6	79'2	118'8	158'4	198'0	237'6	277'2	316'8	356'4	
1098	39'5	79'0	118'5	158'0	197'5	237'0	276'5	316'0	355'5	

No. 110 L 041.]			LOGARITHMS OF NUMBERS.								[No. 119 L. 078.	
N.	0	1	2	3	4	5	6	7	8	9	N.	
110	041393	1787	2182	2576	2969	3362	3755	4148	4540	4932	110	
1	5323	5714	6105	6495	6885	7275	7664	8053	8442	8830	1	
2	9218	9606	9993	0380	0766	1153	1538	1924	2309	2694	2	
3	053078	3463	3846	4230	4613	4996	5378	5760	6142	6524	3	
4	6905	7286	7666	8046	8426	8805	9185	9563	9942	0320	4	
5	060698	1075	1452	1829	2206	2582	2958	3333	3709	4083	5	
6	4458	4832	5206	5580	5953	6326	6699	7071	7443	7815	6	
7	8186	8557	8928	9298	9668	0038	0407	0776	1145	1514	7	
8	071882	2250	2617	2985	3352	3718	4085	4451	4816	5182	8	
9	5547	5912	6276	6640	7004	7368	7731	8094	8457	8819	9	
PROPORTIONAL PARTS.												
	N.	1	2	3	4	5	6	7	8	9		
	1101	39'4	78'8	118'2	157'6	197'0	236'4	275'8	315'2	354'6		
	1104	39'3	78'6	117'9	157'2	196'5	235'8	275'1	314'4	353'7		
	1106	39'2	78'4	117'6	156'8	196'0	235'2	274'4	313'6	352'8		
	1109	39'1	78'2	117'3	156'4	195'5	234'6	273'7	312'8	351'9		
	1112	39'0	78'0	117'0	156'0	195'0	234'0	273'0	312'0	351'0		
	1115	38'9	77'8	116'7	155'6	194'5	233'4	272'3	311'2	350'1		
	1118	38'8	77'6	116'4	155'2	194'0	232'8	271'6	310'4	349'2		
	1121	38'7	77'4	116'1	154'8	193'5	232'2	270'9	309'6	348'3		
	1124	38'6	77'2	115'8	154'4	193'0	231'6	270'2	308'8	347'4		
	1127	38'5	77'0	115'5	154'0	192'5	231'0	269'5	308'0	346'5		
	1129	38'4	76'8	115'2	153'6	192'0	230'4	268'8	307'2	345'6		
	1132	38'3	76'6	114'9	153'2	191'5	229'8	268'1	306'4	344'7		
	1135	38'2	76'4	114'6	152'8	191'0	229'2	267'4	305'6	343'8		
	1138	38'1	76'2	114'3	152'4	190'5	228'6	266'7	304'8	342'9		
	1141	38'0	76'0	114'0	152'0	190'0	228'0	266'0	304'0	342'0		
	1144	37'9	75'8	113'7	151'6	189'5	227'4	265'3	303'2	341'1		
	1148	37'8	75'6	113'4	151'2	189'0	226'8	264'6	302'4	340'2		
	1151	37'7	75'4	113'1	150'8	188'5	226'2	263'9	301'6	339'3		
	1154	37'6	75'2	112'8	150'4	188'0	225'6	263'2	300'8	338'4		
	1157	37'5	75'0	112'5	150'0	187'5	225'0	262'5	300'0	337'5		
	1160	37'4	74'8	112'2	149'6	187'0	224'4	261'8	299'2	336'6		
	1163	37'3	74'6	111'9	149'2	186'5	223'8	261'1	298'4	335'7		
	1166	37'2	74'4	111'6	148'8	186'0	223'2	260'4	297'6	334'8		
	1169	37'1	74'2	111'3	148'4	185'5	222'6	259'7	296'8	333'9		
	1172	37'0	74'0	111'0	148'0	185'0	222'0	259'0	296'0	333'0		
	1175	36'9	73'8	110'7	147'6	184'5	221'4	258'3	295'2	332'1		
	1178	36'8	73'6	110'4	147'2	184'0	220'8	257'6	294'4	331'2		
	1182	36'7	73'4	110'1	146'8	183'5	220'2	256'9	293'6	330'3		
	1185	36'6	73'2	109'8	146'4	183'0	219'6	256'2	292'8	329'4		
	1188	36'5	73'0	109'5	146'0	182'5	219'0	255'7	292'0	328'5		
	1192	36'4	72'8	109'2	145'6	182'0	218'4	254'8	291'2	327'6		
	1195	36'3	72'6	108'9	145'2	181'5	217'8	254'1	290'4	326'7		
	1198	36'2	72'4	108'6	144'8	181'0	217'2	253'4	289'6	325'8		
	1202	36'1	72'2	108'3	144'4	180'5	216'6	252'7	288'8	324'9		
	1205	36'0	72'0	108'0	144'0	180'0	216'0	252'0	288'0	324'0		
	1208	35'9	71'8	107'7	143'6	179'5	215'4	251'3	287'2	323'1		
	1212	35'8	71'6	107'4	143'2	179'0	214'8	250'6	286'4	322'2		
	1215	35'7	71'4	107'1	142'8	178'5	214'2	249'9	285'6	321'3		
	1218	35'6	71'2	106'8	142'4	178'0	213'6	249'2	284'8	320'4		

No. 120 L. 079.] LOGARITHMS OF NUMBERS. [No. 134 L. 130											
N.	0	1	2	3	4	5	6	7	8	9	N.
120	079181	9543	9904	0266	0626	0987	1347	1707	2067	2426	120
1	082785	3144	3503	3861	4219	4576	4934	5291	5647	6004	1
2	6360	6716	7071	7426	7781	8136	8490	8845	9198	9552	2
3	9905	0258	0611	0963	1315	1667	2018	2370	2721	3071	3
4	093422	3772	4122	4471	4820	5169	5518	5866	6215	6562	4
5	6910	7257	7604	7951	8298	8644	8990	9335	9681	0026	5
6	100371	0715	1059	1403	1747	2091	2434	2777	3119	3462	6
7	3804	4146	4487	4828	5169	5510	5851	6191	6531	6871	7
8	7210	7549	7888	8227	8565	8903	9241	9579	9916	0253	8
9	110590	0926	1263	1599	1934	2270	2605	2940	3275	3609	9
130	3943	4277	4611	4944	5278	5611	5943	6276	6608	6940	130
1	7271	7603	7934	8265	8595	8926	9256	9586	9915	0245	1
2	120574	0903	1231	1560	1888	2216	2544	2871	3198	3525	2
3	3852	4178	4504	4830	5156	5481	5806	6131	6456	6781	3
4	7105	7429	7753	8076	8399	8722	9045	9368	9690	0012	4
PROPORTIONAL PARTS.	N.	1	2	3	4	5	6	7	8	9	
	1222	35'5	71'0	106'5	142'0	177'5	213'0	248'5	284'0	319'5	
	1225	35'4	70'8	106'2	141'6	177'0	212'4	247'8	283'2	318'6	
	1228	35'3	70'6	105'9	141'2	176'5	211'8	247'1	282'4	317'7	
	1231	35'2	70'4	105'6	140'8	176'0	211'2	246'4	281'6	316'8	
	1235	35'1	70'2	105'3	140'4	175'5	210'6	245'7	280'8	315'9	
	1239	35'0	70'0	105'0	140'0	175'0	210'0	245'0	280'0	315'0	
	1243	34'9	69'8	104'7	139'6	174'5	209'4	244'3	279'2	314'1	
	1247	34'8	69'6	104'4	139'2	174'0	208'8	243'6	278'4	313'2	
	1250	34'7	69'4	104'1	138'8	173'5	208'2	242'9	277'6	312'3	
	1253	34'6	69'2	103'8	138'4	173'0	207'6	242'2	276'8	311'4	
	1257	34'5	69'0	103'5	138'0	172'5	207'0	241'5	276'0	310'5	
	1261	34'4	68'8	103'2	137'6	172'0	206'4	240'8	275'2	309'6	
	1264	34'3	68'6	102'9	137'2	171'5	205'8	240'1	274'4	308'7	
	1268	34'2	68'4	102'6	136'8	171'0	205'2	239'4	273'6	307'8	
	1272	34'1	68'2	102'3	136'4	170'5	204'6	238'7	272'8	306'9	
	1276	34'0	68'0	102'0	136'0	170'0	204'0	238'0	272'0	306'0	
	1279	33'9	67'8	101'7	135'6	169'5	203'4	237'3	271'2	305'1	
	1283	33'8	67'6	101'4	135'2	169'0	202'8	236'6	270'4	304'2	
	1287	33'7	67'4	101'1	134'8	168'5	202'2	235'9	269'6	303'3	
	1291	33'6	67'2	100'8	134'4	168'0	201'6	235'2	268'8	302'4	
	1295	33'5	67'0	100'5	134'0	167'5	201'0	234'5	268'0	301'5	
	1298	33'4	66'8	100'2	133'6	167'0	200'4	233'8	267'2	300'6	
	1302	33'3	66'6	99'9	133'2	166'5	199'8	233'1	266'4	299'7	
	1306	33'2	66'4	99'6	132'8	166'0	199'2	232'4	265'6	298'8	
	1310	33'1	66'2	99'3	132'4	165'5	198'6	231'7	264'8	297'9	
	1314	33'0	66'0	99'0	132'0	165'0	198'0	231'0	264'0	297'0	
	1318	32'9	65'8	98'7	131'6	164'5	197'4	230'3	263'2	296'1	
	1322	32'8	65'6	98'4	131'2	164'0	196'8	229'6	262'4	295'2	
	1326	32'7	65'4	98'1	130'8	163'5	196'2	228'9	261'6	294'3	
	1330	32'6	65'2	97'8	130'4	163'0	195'6	228'2	260'8	293'4	
	1334	32'5	65'0	97'5	130'0	162'5	195'0	227'5	260'0	292'5	
	1338	32'4	64'8	97'2	129'6	162'0	194'4	226'8	259'2	291'6	
	1343	32'3	64'6	96'9	129'2	161'5	193'8	226'1	258'4	290'7	
	1347	32'2	64'4	96'6	128'8	161'0	193'2	225'4	257'6	289'8	

No. 135 L. 130.]			LOGARITHMS OF NUMBERS.								[No. 149 L. 175.		
N.	0	1	2	3	4	5	6	7	8	9	N.		
135	130334	0655	0977	1298	1619	1939	2260	2580	2900	3219	135		
6	3539	3858	4177	4496	4814	5133	5451	5769	6086	6403	6		
7	6721	7037	7354	7671	7987	8303	8618	8934	9249	9564	7		
8	9879	0194	0508	0822	1136	1450	1763	2076	2389	2702	8		
9	143015	3327	3639	3951	4263	4574	4885	5196	5507	5818	9		
140	6128	6438	6748	7058	7367	7676	7985	8294	8603	8911	140		
1	9219	9527	9835	0142	0449	0756	1063	1370	1676	1982	1		
2	152288	2594	2900	3205	3510	3815	4120	4424	4728	5032	2		
3	5336	5640	5943	6246	6549	6852	7154	7457	7759	8061	3		
4	8362	8664	8965	9266	9567	9868	0168	0469	0769	1068	4		
5	161368	1667	1967	2266	2564	2863	3161	3460	3758	4055	5		
6	4353	4650	4947	5244	5541	5838	6134	6430	6726	7022	6		
7	7317	7613	7908	8203	8497	8792	9086	9380	9674	9968	7		
8	170262	0555	0848	1141	1434	1726	2019	2311	2603	2895	8		
9	3186	3478	3769	4060	4351	4641	4932	5222	5512	5802	9		
PROPORTIONAL PARTS.													
	N.	1	2	3	4	5	6	7	8	9			
	1351	32'1	64'2	96'3	128'4	160'5	192'6	224'7	256'8	288'9			
	1355	32'0	64'0	96'0	128'0	160'0	192'0	224'0	256'0	288'0			
	1359	31'9	63'8	95'7	127'6	159'5	191'4	223'3	255'2	287'1			
	1364	31'8	63'6	95'4	127'2	159'0	190'8	222'6	254'4	286'2			
	1368	31'7	63'4	95'1	126'8	158'5	190'2	221'9	253'6	285'3			
	1372	31'6	63'2	94'8	126'4	158'0	189'6	221'2	252'8	284'4			
	1376	31'5	63'0	94'5	126'0	157'5	189'0	220'5	252'0	283'5			
	1381	31'4	62'8	94'2	125'6	157'0	188'4	219'8	251'2	282'6			
	1385	31'3	62'6	93'9	125'2	156'5	187'8	219'1	250'4	281'7			
	1390	31'2	62'4	93'6	124'8	156'0	187'2	218'4	249'6	280'8			
	1394	31'1	62'2	93'3	124'4	155'5	186'6	217'7	248'8	279'9			
	1398	31'0	62'0	93'0	124'0	155'0	186'0	217'0	248'0	279'0			
	1403	30'9	61'8	92'7	123'6	154'5	185'4	216'3	247'2	278'1			
	1408	30'8	61'6	92'4	123'2	154'0	184'8	215'6	246'4	277'2			
	1412	30'7	61'4	92'1	122'8	153'5	184'2	214'9	245'6	276'3			
	1417	30'6	61'2	91'8	122'4	153'0	183'6	214'2	244'8	275'4			
	1422	30'5	61'0	91'5	122'0	152'5	183'0	213'5	244'0	274'5			
	1426	30'4	60'8	91'2	121'6	152'0	182'4	212'8	243'2	273'6			
	1431	30'3	60'6	90'9	121'2	151'5	181'8	212'1	242'4	272'7			
	1436	30'2	60'4	90'6	120'8	151'0	181'2	211'4	241'6	271'8			
	1441	30'1	60'2	90'3	120'4	150'5	180'6	210'7	240'8	270'9			
	1446	30'0	60'0	90'0	120'0	150'0	180'0	210'0	240'0	270'0			
	1450	29'9	59'8	89'7	119'6	149'5	179'4	209'3	239'2	269'1			
	1455	29'8	59'6	89'4	119'2	149'0	178'8	208'6	238'4	268'2			
	1460	29'7	59'4	89'1	118'8	148'5	178'2	207'9	237'6	267'3			
	1465	29'6	59'2	88'8	118'4	148'0	177'6	207'2	236'8	266'4			
	1470	29'5	59'0	88'5	118'0	147'5	177'0	206'5	236'0	265'5			
	1475	29'4	58'8	88'2	117'6	147'0	176'4	205'8	235'2	264'6			
	1480	29'3	58'6	87'9	117'2	146'5	175'8	205'1	234'4	263'7			
	1485	29'2	58'4	87'6	116'8	146'0	175'2	204'4	233'6	262'8			
	1490	29'1	58'2	87'3	116'4	145'5	174'6	203'7	232'8	261'9			
	1495	29'0	58'0	87'0	116'0	145'0	174'0	203'0	232'0	261'0			
	1500	28'9	57'8	86'7	115'6	144'5	173'4	202'3	231'2	260'1			
	1505	28'8	57'6	86'4	115'2	144'0	172'8	201'6	230'4	259'2			
	1511	28'7	57'4	86'1	114'8	143'5	172'2	200'9	229'6	258'3			
	1516	28'6	57'2	85'8	114'4	143'0	171'6	200'2	228'8	257'4			

No. 150 L. 176.] LOGARITHMS OF NUMBERS. [No. 169 L. 230.											
N.	0	1	2	3	4	5	6	7	8	9	N.
150	176091	6381	6670	6959	7248	7536	7825	8113	8401	8689	150
1	8977	9264	9552	9839	0126	0413	0699	0986	1272	1558	1
2	181844	2129	2415	2700	2985	3270	3555	3839	4123	4407	2
3	4691	4975	5259	5542	5825	6108	6391	6674	6956	7239	3
4	7521	7803	8084	8366	8647	8928	9209	9490	9771	0051	4
5	190332	0612	0892	1171	1451	1730	2010	2289	2567	2846	5
6	3125	3403	3681	3959	4237	4514	4792	5069	5346	5623	6
7	5900	6176	6453	6729	7005	7281	7556	7832	8107	8382	7
8	8657	8932	9206	9481	9755	0029	0303	0577	0850	1124	8
9	201397	1670	1943	2216	2488	2761	3033	3305	3577	3848	9
160	4120	4391	4663	4934	5204	5475	5746	6016	6286	6556	160
1	6826	7096	7365	7634	7904	8173	8441	8710	8979	9247	1
2	9515	9783	0051	0319	0586	0853	1121	1388	1654	1921	2
3	212188	2454	2720	2986	3252	3518	3783	4049	4314	4579	3
4	4844	5109	5373	5638	5902	6166	6430	6694	6957	7221	4
5	7484	7747	8010	8273	8536	8798	9060	9323	9585	9846	5
6	220108	0370	0631	0892	1153	1414	1675	1936	2196	2456	6
7	2716	2976	3236	3496	3755	4015	4274	4533	4792	5051	7
8	5309	5568	5826	6084	6342	6600	6858	7115	7372	7630	8
9	7887	8144	8400	8657	8913	9170	9426	9682	9938	0193	9
PROPORTIONAL PARTS.											
N.	1	2	3	4	5	6	7	8	9		
1521	28.5	57.0	85.5	114.0	142.5	171.0	199.5	228.0	256.5		
1527	28.4	56.8	85.2	113.6	142.0	170.4	198.8	227.2	255.6		
1532	28.3	56.6	84.9	113.2	141.5	169.8	198.1	226.4	254.7		
1537	28.2	56.4	84.6	112.8	141.0	169.2	197.4	225.6	253.8		
1543	28.1	56.2	84.3	112.4	140.5	168.6	196.7	224.8	252.9		
1548	28.0	56.0	84.0	112.0	140.0	168.0	196.0	224.0	252.0		
1554	27.9	55.8	83.7	111.6	139.5	167.4	195.3	223.2	251.1		
1559	27.8	55.6	83.4	111.2	139.0	166.8	194.6	222.4	250.2		
1565	27.7	55.4	83.1	110.8	138.5	166.2	193.9	221.6	249.3		
1570	27.6	55.2	82.8	110.4	138.0	165.6	193.2	220.8	248.4		
1576	27.5	55.0	82.5	110.0	137.5	165.0	192.5	220.0	247.5		
1582	27.4	54.8	82.2	109.6	137.0	164.4	191.8	219.2	246.6		
1587	27.3	54.6	81.9	109.2	136.5	163.8	191.1	218.4	245.7		
1593	27.2	54.4	81.6	108.8	136.0	163.2	190.4	217.6	244.8		
1599	27.1	54.2	81.3	108.4	135.5	162.6	189.7	216.8	243.9		
1605	27.0	54.0	81.0	108.0	135.0	162.0	189.0	216.0	243.0		
1611	26.9	53.8	80.7	107.6	134.5	161.4	188.3	215.2	242.1		
1617	26.8	53.6	80.4	107.2	134.0	160.8	187.6	214.4	241.2		
1623	26.7	53.4	80.1	106.8	133.5	160.2	186.9	213.6	240.3		
1629	26.6	53.2	79.8	106.4	133.0	159.6	186.2	212.8	239.4		
1635	26.5	53.0	79.5	106.0	132.5	159.0	185.5	212.0	238.5		
1641	26.4	52.8	79.2	105.6	132.0	158.4	184.8	211.2	237.6		
1648	26.3	52.6	78.9	105.2	131.5	157.8	184.1	210.4	236.7		
1654	26.2	52.4	78.6	104.8	131.0	157.2	183.4	209.6	235.8		
1660	26.1	52.2	78.3	104.4	130.5	156.6	182.7	208.8	234.9		
1667	26.0	52.0	78.0	104.0	130.0	156.0	182.0	208.0	234.0		
1673	25.9	51.8	77.7	103.6	129.5	155.4	181.3	207.2	233.1		
1680	25.8	51.6	77.4	103.2	129.0	154.8	180.6	206.4	232.2		
1686	25.7	51.4	77.1	102.8	128.5	154.2	179.9	205.6	231.3		
1693	25.6	51.2	76.8	102.4	128.0	153.6	179.2	204.8	230.4		
1699	25.5	51.0	76.5	102.0	127.5	153.0	178.5	204.0	229.5		

No. 170 L. 230.] LOGARITHMS OF NUMBERS. [No. 189 L. 278.											
N.	0	1	2	3	4	5	6	7	8	9	N.
170	230449	0704	0960	1215	1470	1724	1979	2234	2488	2742	170
1	2996	3250	3504	3757	4011	4264	4517	4770	5023	5276	1
2	5528	5781	6033	6285	6537	6789	7041	7292	7544	7795	2
3	8046	8297	8548	8799	9049	9299	9550	9800	0050	0300	3
4	240549	0799	1048	1297	1546	1795	2044	2293	2541	2790	4
5	3038	3286	3534	3782	4030	4277	4525	4772	5019	5266	5
6	5513	5759	6006	6252	6499	6745	6991	7237	7482	7728	6
7	7973	8219	8464	8709	8954	9198	9443	9687	9932	0176	7
8	250420	0664	0908	1151	1395	1638	1881	2125	2368	2610	8
9	2853	3096	3338	3580	3822	4064	4306	4548	4790	5031	9
180	5273	5514	5755	5996	6237	6477	6718	6958	7198	7439	180
1	7679	7918	8158	8398	8637	8877	9116	9355	9594	9833	1
2	260071	0310	0548	0787	1025	1263	1501	1739	1976	2214	2
3	2451	2688	2925	3162	3399	3636	3873	4109	4346	4582	3
4	4818	5054	5290	5525	5761	5996	6232	6467	6702	6937	4
5	7172	7406	7641	7875	8110	8344	8578	8812	9046	9279	5
6	9513	9746	9980	0213	0446	0679	0912	1144	1377	1609	6
7	271842	2074	2306	2538	2770	3001	3233	3464	3696	3927	7
8	4158	4389	4620	4850	5081	5311	5542	5772	6002	6232	8
9	6462	6692	6921	7151	7380	7609	7838	8067	8296	8525	9
PROPORTIONAL PARTS.	N.	1	2	3	4	5	6	7	8	9	
	1706	25'4	50'8	76'2	101'6	127'0	152'4	177'8	203'2	228'6	
	1713	25'3	50'6	75'9	101'2	126'5	151'8	177'1	202'4	227'7	
	1719	25'2	50'4	75'6	100'8	126'0	151'2	176'4	201'6	226'8	
	1726	25'1	50'2	75'3	100'4	125'5	150'6	175'7	200'8	225'9	
	1733	25'0	50'0	75'0	100'0	125'0	150'0	175'0	200'0	225'0	
	1740	24'9	49'8	74'7	99'6	124'5	149'4	174'3	199'2	224'1	
	1747	24'8	49'6	74'4	99'2	124'0	148'8	173'6	198'4	223'2	
	1754	24'7	49'4	74'1	98'8	123'5	148'2	172'9	197'6	222'3	
	1761	24'6	49'2	73'8	98'4	123'0	147'6	172'2	196'8	221'4	
	1769	24'5	49'0	73'5	98'0	122'5	147'0	171'5	196'0	220'5	
	1776	24'4	48'8	73'2	97'6	122'0	146'4	170'8	195'2	219'6	
	1783	24'3	48'6	72'9	97'2	121'5	145'8	170'1	194'4	218'7	
	1790	24'2	48'4	72'6	96'8	121'0	145'2	169'4	193'6	217'8	
	1798	24'1	48'2	72'3	96'4	120'5	144'6	168'7	192'8	216'9	
	1805	24'0	48'0	72'0	96'0	120'0	144'0	168'0	192'0	216'0	
	1813	23'9	47'8	71'7	95'6	119'5	143'4	167'3	191'2	215'1	
	1820	23'8	47'6	71'4	95'2	119'0	142'8	166'6	190'4	214'2	
	1828	23'7	47'4	71'1	94'8	118'5	142'2	165'9	189'6	213'3	
	1836	23'6	47'2	70'8	94'4	118'0	141'6	165'2	188'8	212'4	
	1844	23'5	47'0	70'5	94'0	117'5	141'0	164'5	188'0	211'5	
	1852	23'4	46'8	70'2	93'6	117'0	140'4	163'8	187'2	210'6	
	1859	23'3	46'6	69'9	93'2	116'5	139'8	163'1	186'4	209'7	
	1867	23'2	46'4	69'6	92'8	116'0	139'2	162'4	185'6	208'8	
	1876	23'1	46'2	69'3	92'4	115'5	138'6	161'7	184'8	207'9	
	1884	23'0	46'0	69'0	92'0	115'0	138'0	161'0	184'0	207'0	
	1892	22'9	45'8	68'7	91'6	114'5	137'4	160'3	183'2	206'1	
	1900	22'8	45'6	68'4	91'2	114'0	136'8	159'6	182'4	205'2	
	1908	22'7	45'4	68'1	90'8	113'5	136'2	158'9	181'6	204'3	
	1917	22'6	45'2	67'8	90'4	113'0	135'6	158'2	180'8	203'4	

No. 190 L. 278.] LOGARITHMS OF NUMBERS. [No. 214 L. 332.]

N.	0	1	2	3	4	5	6	7	8	9	N.
190	278754	8982	9211	9439	9667	9895	0123	0351	0578	0806	190
1	281033	1261	1488	1715	1942	2169	2396	2622	2849	3075	1
2	3301	3527	3753	3979	4205	4431	4656	4882	5107	5332	2
3	5557	5782	6007	6232	6456	6681	6905	7130	7354	7578	3
4	7802	8026	8249	8473	8696	8920	9143	9366	9589	9812	4
5	290035	0257	0480	0702	0925	1147	1369	1591	1813	2034	5
6	2256	2478	2699	2920	3141	3363	3584	3804	4025	4246	6
7	4466	4687	4907	5127	5347	5567	5787	6007	6226	6446	7
8	6665	6884	7104	7323	7542	7761	7979	8198	8416	8635	8
9	8853	9071	9289	9507	9725	9943	0161	0378	0595	0813	9
200	301030	1247	1464	1681	1898	2114	2331	2547	2764	2980	200
1	3196	3412	3628	3844	4059	4275	4491	4706	4921	5136	1
2	5351	5566	5781	5996	6211	6425	6639	6854	7068	7282	2
3	7496	7710	7924	8137	8351	8564	8778	8991	9204	9417	3
4	9630	9843	0056	0268	0481	0693	0906	1118	1330	1542	4
5	311754	1966	2177	2389	2600	2812	3023	3234	3445	3656	5
6	3867	4078	4289	4499	4710	4920	5130	5340	5551	5760	6
7	5970	6180	6390	6599	6809	7018	7227	7436	7646	7854	7
8	8063	8272	8481	8689	8898	9106	9314	9522	9730	9938	8
9	320146	0354	0562	0769	0977	1184	1391	1598	1805	2012	9
210	2219	2426	2633	2839	3046	3252	3458	3665	3871	4077	210
1	4282	4488	4694	4899	5105	5310	5516	5721	5926	6131	1
2	6336	6541	6745	6950	7155	7359	7563	7767	7972	8176	2
3	8380	8583	8787	8991	9194	9398	9601	9805	0008	0211	3
4	330414	0617	0819	1022	1225	1427	1630	1832	2034	2236	4

PROPORTIONAL PARTS.

N.	1	2	3	4	5	6	7	8	9
1925	22.5	45.0	67.5	90.0	112.5	135.0	157.5	180.0	202.5
1934	22.4	44.8	67.2	89.6	112.0	134.4	156.8	179.2	201.6
1943	22.3	44.6	66.9	89.2	111.5	133.8	156.1	178.4	200.7
1952	22.2	44.4	66.6	88.8	111.0	133.2	155.4	177.6	199.8
1961	22.1	44.2	66.3	88.4	110.5	132.6	154.7	176.8	198.9
1969	22.0	44.0	66.0	88.0	110.0	132.0	154.0	176.0	198.0
1978	21.9	43.8	65.7	87.6	109.5	131.4	153.3	175.2	197.1
1987	21.8	43.6	65.4	87.2	109.0	130.8	152.6	174.4	196.2
1996	21.7	43.4	65.1	86.8	108.5	130.2	151.9	173.6	195.3
2005	21.6	43.2	64.8	86.4	108.0	129.6	151.2	172.8	194.4
2015	21.5	43.0	64.5	86.0	107.5	129.0	150.5	172.0	193.5
2024	21.4	42.8	64.2	85.6	107.0	128.4	149.8	171.2	192.6
2034	21.3	42.6	63.9	85.2	106.5	127.8	149.1	170.4	191.7
2043	21.2	42.4	63.6	84.8	106.0	127.2	148.4	169.6	190.8
2053	21.1	42.2	63.3	84.4	105.5	126.6	147.7	168.8	189.9
2063	21.0	42.0	63.0	84.0	105.0	126.0	147.0	168.0	189.0
2073	20.9	41.8	62.7	83.6	104.5	125.4	146.3	167.2	188.1
2082	20.8	41.6	62.4	83.2	104.0	124.8	145.6	166.4	187.2
2092	20.7	41.4	62.1	82.8	103.5	124.2	144.9	165.6	186.3
2103	20.6	41.2	61.8	82.4	103.0	123.6	144.2	164.8	185.4
2113	20.5	40.0	61.5	82.0	102.5	123.0	143.5	164.0	184.5
2123	20.4	40.8	61.2	81.6	102.0	122.4	142.8	163.2	183.6
2134	20.3	40.6	60.9	81.2	101.5	121.8	142.1	162.4	182.7
2144	20.2	40.4	60.6	80.8	101.0	121.2	141.4	161.6	181.8

o. 215 L. 332.]

LOGARITHMS OF NUMBERS.

[No. 239 L. 380.]

	0	1	2	3	4	5	6	7	8	9	N.
5	332438	2640	2842	3044	3246	3447	3649	3850	4051	4253	215
6	4454	4655	4856	5057	5257	5458	5658	5859	6059	6260	6
7	6460	6660	6860	7060	7260	7459	7659	7858	8058	8257	7
8	8456	8656	8855	9054	9253	9451	9650	9849	0047	0246	8
9	340444	0642	0841	1039	1237	1435	1632	1830	2028	2225	9
0	2423	2620	2817	3014	3212	3409	3606	3802	3999	4196	220
1	4392	4589	4785	4981	5178	5374	5570	5766	5962	6157	1
2	6353	6549	6744	6939	7135	7330	7525	7720	7915	8110	2
3	8305	8500	8694	8889	9083	9278	9472	9666	9860	0054	3
4	350248	0442	0636	0829	1023	1216	1410	1603	1796	1989	4
5	2183	2375	2568	2761	2954	3147	3339	3532	3724	3916	5
6	4108	4301	4493	4685	4876	5068	5260	5452	5643	5834	6
7	6026	6217	6408	6599	6790	6981	7172	7363	7554	7744	7
8	7935	8125	8316	8506	8696	8886	9076	9266	9456	9646	8
9	9825	0025	0215	0404	0593	0783	0972	1161	1350	1539	9
0	361728	1917	2105	2294	2482	2671	2859	3048	3236	3424	230
1	3612	3800	3988	4176	4363	4551	4739	4926	5113	5301	1
2	5488	5675	5862	6049	6236	6423	6610	6796	6983	7169	2
3	7356	7542	7729	7915	8101	8287	8473	8659	8845	9030	3
4	9216	9401	9587	9772	9958	0143	0328	0513	0698	0883	4
5	371068	1253	1437	1622	1806	1991	2175	2360	2544	2728	5
6	2912	3096	3280	3464	3647	3831	4015	4198	4382	4565	6
7	4748	4932	5115	5298	5481	5664	5846	6029	6212	6394	7
8	6577	6759	6942	7124	7306	7488	7670	7852	8034	8216	8
9	8398	8580	8761	8943	9124	9306	9487	9668	9849	0030	9

PROPORTIONAL PARTS.

N.	1	2	3	4	5	6	7	8	9
2155	20'1	40'2	60'3	80'4	100'5	120'6	140'7	160'8	180'9
2166	20'0	40'0	60'0	80'0	100'0	120'0	140'0	160'0	180'0
2176	19'9	39'8	59'7	79'6	99'5	119'4	139'3	159'2	179'1
2187	19'8	39'6	59'4	79'2	99'0	118'8	138'6	158'4	178'2
2198	19'7	39'4	59'1	78'8	98'5	118'2	137'9	157'6	177'3
2210	19'6	39'2	58'8	78'4	98'0	117'6	137'2	156'8	176'4
2221	19'5	39'0	58'5	78'0	97'5	117'0	136'5	156'0	175'5
2232	19'4	38'8	58'2	77'6	97'0	116'4	135'8	155'2	174'6
2244	19'3	38'6	57'9	77'2	96'5	115'8	135'1	154'4	173'7
2256	19'2	38'4	57'6	76'8	96'0	115'2	134'4	153'6	172'8
2267	19'1	38'2	57'3	76'4	95'5	114'6	133'7	152'8	171'9
2279	19'0	38'0	57'0	76'0	95'0	114'0	133'0	152'0	171'0
2291	18'9	37'8	56'7	75'6	94'5	113'4	132'3	151'2	170'1
2303	18'8	37'6	56'4	75'2	94'0	112'8	131'6	150'4	169'2
2316	18'7	37'4	56'1	74'8	93'5	112'2	130'9	149'6	168'3
2328	18'6	37'2	55'8	74'4	93'0	111'6	130'2	148'8	167'4
2341	18'5	37'0	55'5	74'0	92'5	111'0	129'5	148'0	166'5
2353	18'4	36'8	55'2	73'6	92'0	110'4	128'8	147'2	165'6
2366	18'3	36'6	54'9	73'2	91'5	109'8	128'1	146'4	164'7
2379	18'2	36'4	54'6	72'8	91'0	109'2	127'4	145'6	163'8
2392	18'1	36'2	54'3	72'4	90'5	108'6	126'7	144'8	162'9
2406	18'0	36'0	54'0	72'0	90'0	108'0	126'0	144'0	162'0
2419	17'9	35'8	53'7	71'6	89'5	107'4	125'3	143'2	161'1

No. 240 L. 380.]				LOGARITHMS OF NUMBERS.								[No. 269 L. 431.	
N.	0	1	2	3	4	5	6	7	8	9	N.		
240	380211	0392	0573	0754	0934	1115	1296	1476	1656	1837	240		
1	2017	2197	2377	2557	2737	2917	3097	3277	3456	3636	1		
2	3815	3995	4174	4353	4533	4712	4891	5070	5249	5428	2		
3	5606	5785	5964	6142	6321	6499	6677	6856	7034	7212	3		
4	7390	7568	7746	7924	8101	8279	8456	8634	8811	8989	4		
5	9166	9343	9520	9698	9875	0051	0228	0405	0582	0759	5		
6	390935	1112	1288	1464	1641	1817	1993	2169	2345	2521	6		
7	2697	2873	3048	3224	3400	3575	3751	3926	4101	4277	7		
8	4452	4627	4802	4977	5152	5326	5501	5676	5850	6025	8		
9	6199	6374	6548	6722	6896	7071	7245	7419	7592	7766	9		
250	7940	8114	8287	8461	8634	8808	8981	9154	9328	9501	250		
1	9674	9847	0020	0192	0365	0538	0711	0883	1056	1228	1		
2	401401	1573	1745	1917	2089	2261	2433	2605	2777	2949	2		
3	3121	3292	3464	3635	3807	3978	4149	4320	4492	4663	3		
4	4834	5005	5176	5346	5517	5688	5858	6029	6199	6370	4		
5	6540	6710	6881	7051	7221	7391	7561	7731	7901	8070	5		
6	8240	8410	8579	8749	8918	9087	9257	9426	9595	9764	6		
7	9933	0102	0271	0440	0609	0777	0946	1114	1283	1451	7		
8	411620	1788	1956	2124	2293	2461	2629	2796	2964	3132	8		
9	3300	3467	3635	3803	3970	4137	4305	4472	4639	4806	9		
260	4973	5140	5307	5474	5641	5808	5974	6141	6308	6474	260		
1	6641	6807	6973	7139	7306	7472	7638	7804	7970	8135	1		
2	8301	8467	8633	8798	8964	9129	9295	9460	9625	9791	2		
3	9956	0121	0286	0451	0616	0781	0945	1110	1275	1439	3		
4	421604	1768	1933	2097	2261	2426	2590	2754	2918	3082	4		
5	3246	3410	3574	3737	3901	4065	4228	4392	4555	4718	5		
6	4882	5045	5208	5371	5534	5697	5860	6023	6186	6349	6		
7	6511	6674	6836	6999	7161	7324	7486	7648	7811	7973	7		
8	8135	8297	8459	8621	8783	8944	9106	9268	9429	9591	8		
9	9752	9914	0075	0236	0396	0559	0720	0881	1042	1203	9		
PROPORTIONAL PARTS.	N.	1	2	3	4	5	6	7	8	9			
	2433	17.8	35.6	53.4	71.2	89.0	106.8	124.6	142.4	160.2			
	2446	17.7	35.4	53.1	70.8	88.5	106.2	123.9	141.6	159.3			
	2460	17.6	35.2	52.8	70.4	88.0	105.6	123.2	140.8	158.4			
	2474	17.5	35.0	52.5	70.0	87.5	105.0	122.5	140.0	157.5			
	2488	17.4	34.8	52.2	69.6	87.0	104.4	121.8	139.2	156.6			
	2503	17.3	34.6	51.9	69.2	86.5	103.8	121.1	138.4	155.7			
	2517	17.2	34.4	51.6	68.8	86.0	103.2	120.4	137.6	154.8			
	2532	17.1	34.2	51.3	68.4	85.5	102.6	119.7	136.8	153.9			
	2547	17.0	34.0	51.0	68.0	85.0	102.0	119.0	136.0	153.0			
	2562	16.9	33.8	50.7	67.6	84.5	101.4	118.3	135.2	152.1			
	2577	16.8	33.6	50.4	67.2	84.0	100.8	117.6	134.4	151.2			
	2592	16.7	33.4	50.1	66.8	83.5	100.2	116.9	133.6	150.3			
	2608	16.6	33.2	49.8	66.4	83.0	99.6	116.2	132.8	149.4			
	2624	16.5	33.0	49.5	66.0	82.5	99.0	115.5	132.0	148.5			
	2640	16.4	32.8	49.2	65.6	82.0	98.4	114.8	131.2	147.6			
	2656	16.3	32.6	48.9	65.2	81.5	97.8	114.1	130.4	146.7			
	2672	16.2	32.4	48.5	64.8	81.0	97.2	113.4	129.6	145.8			
	2689	16.1	32.2	48.3	64.4	80.5	96.6	112.7	128.8	144.9			

No. 270 L. 431.] LOGARITHMS OF NUMBERS. [No. 299 L. 476.

N.	0	1	2	3	4	5	6	7	8	9	N.
270	431364	1525	1685	1846	2007	2167	2328	2488	2649	2809	270
1	2969	3130	3290	3450	3610	3770	3930	4090	4249	4409	1
2	4569	4729	4888	5048	5207	5367	5526	5685	5844	6004	2
3	6163	6322	6481	6640	6799	6957	7116	7275	7433	7592	3
4	7751	7909	8067	8226	8384	8542	8701	8859	9017	9175	4
5	9333	9491	9648	9806	9964	0122	0279	0437	0594	0752	5
6	440909	1066	1224	1381	1538	1695	1852	2009	2166	2323	6
7	2480	2637	2793	2950	3106	3263	3419	3576	3732	3889	7
8	4045	4201	4357	4513	4669	4825	4981	5137	5293	5449	8
9	5604	5760	5915	6071	6226	6382	6537	6692	6848	7003	9
280	7158	7313	7468	7623	7778	7933	8088	8242	8397	8552	280
1	8706	8861	9015	9170	9324	9478	9633	9787	9941	0095	1
2	450249	0403	0557	0711	0865	1018	1172	1326	1479	1633	2
3	1786	1940	2093	2247	2400	2553	2706	2859	3012	3165	3
4	3318	3471	3624	3777	3930	4082	4235	4387	4540	4692	4
5	4845	4997	5150	5302	5454	5606	5758	5910	6062	6214	5
6	6366	6518	6670	6821	6973	7125	7276	7428	7579	7731	6
7	7882	8033	8184	8336	8487	8638	8789	8940	9091	9242	7
8	9392	9543	9694	9845	9995	0146	0296	0447	0597	0748	8
9	460898	1048	1198	1348	1499	1649	1799	1948	2098	2248	9
290	2398	2548	2697	2847	2997	3146	3296	3445	3594	3744	290
1	3893	4042	4191	4340	4490	4639	4788	4936	5085	5234	1
2	5383	5532	5680	5829	5977	6126	6274	6423	6571	6719	2
3	6868	7016	7164	7312	7460	7608	7756	7904	8052	8200	3
4	8347	8495	8643	8790	8938	9085	9233	9380	9527	9675	4
5	9822	9969	0116	0263	0410	0557	0704	0851	0998	1145	5
6	471292	1438	1585	1732	1878	2025	2171	2318	2464	2610	6
7	2756	2903	3049	3195	3341	3487	3633	3779	3925	4071	7
8	4216	4362	4508	4653	4799	4944	5090	5235	5381	5526	8
9	5671	5816	5962	6107	6252	6397	6542	6687	6832	6976	9

PROPORTIONAL PARTS.

N.	1	2	3	4	5	6	7	8	9
2705	16.0	32.0	48.0	64.0	80.0	96.0	112.0	128.0	144.0
2722	15.9	31.8	47.7	63.6	79.5	95.4	111.3	127.2	143.1
2740	15.8	31.6	47.4	63.2	79.0	94.8	110.6	126.4	142.2
2757	15.7	31.4	47.1	62.8	78.5	94.2	109.9	125.6	141.3
2775	15.6	31.2	46.8	62.4	78.0	93.6	109.2	124.8	140.4
2792	15.5	31.0	46.5	62.0	77.5	93.0	108.5	124.0	139.5
2810	15.4	30.8	46.2	61.6	77.0	92.4	107.8	123.2	138.6
2833	15.3	30.6	45.9	61.2	76.5	91.8	107.1	122.4	137.7
2847	15.2	30.4	45.6	60.8	76.0	91.2	106.4	121.6	136.8
2866	15.1	30.2	45.3	60.4	75.5	90.6	105.7	120.8	135.9
2885	15.0	30.0	45.0	60.0	75.0	90.0	105.0	120.0	135.0
2904	14.9	29.8	44.7	59.6	74.5	89.4	104.3	119.2	134.1
2924	14.8	29.6	44.4	59.2	74.0	88.8	103.6	118.4	133.2
2944	14.7	29.4	44.1	58.8	73.5	88.2	102.9	117.6	132.3
2964	14.6	29.2	43.8	58.4	73.0	87.6	102.2	116.8	131.4
2984	14.5	29.0	43.5	58.0	72.5	87.0	101.5	116.0	130.5
3005	14.4	28.8	43.2	57.6	72.0	86.4	100.8	115.2	129.6
3026	14.3	28.6	42.9	57.2	71.5	85.8	100.1	114.4	128.7
3047	14.2	28.4	42.6	56.8	71.0	85.2	99.4	113.6	127.8
3069	14.1	28.2	42.3	56.4	70.5	84.6	98.7	112.8	126.9
3091	14.0	28.0	42.0	56.0	70.0	84.0	98.0	112.0	126.0

No. 300 L. 477.]			LOGARITHMS OF NUMBERS.										[No. 339 L. 531.									
N.	0	1	2	3	4	5	6	7	8	9	N.	0	1	2	3	4	5	6	7	8	9	N.
300	477121	7266	7411	7555	7700	7844	7989	8133	8278	8422	300	477121	7266	7411	7555	7700	7844	7989	8133	8278	8422	300
1	8566	8711	8855	8999	9143	9287	9431	9575	9719	9863	1	8566	8711	8855	8999	9143	9287	9431	9575	9719	9863	1
2	480007	0151	0294	0438	0582	0725	0869	1012	1156	1299	2	480007	0151	0294	0438	0582	0725	0869	1012	1156	1299	2
3	1443	1586	1729	1872	2016	2159	2302	2445	2588	2731	3	1443	1586	1729	1872	2016	2159	2302	2445	2588	2731	3
4	2874	3016	3159	3302	3445	3587	3730	3872	4015	4157	4	2874	3016	3159	3302	3445	3587	3730	3872	4015	4157	4
5	4300	4442	4585	4727	4869	5011	5153	5295	5437	5579	5	4300	4442	4585	4727	4869	5011	5153	5295	5437	5579	5
6	5721	5863	6005	6147	6289	6430	6572	6714	6855	6997	6	5721	5863	6005	6147	6289	6430	6572	6714	6855	6997	6
7	7138	7280	7421	7563	7704	7845	7986	8127	8269	8410	7	7138	7280	7421	7563	7704	7845	7986	8127	8269	8410	7
8	8551	8692	8833	8974	9114	9255	9396	9537	9677	9818	8	8551	8692	8833	8974	9114	9255	9396	9537	9677	9818	8
9	9958	0099	0239	0380	0520	0661	0801	0941	1081	1222	9	9958	0099	0239	0380	0520	0661	0801	0941	1081	1222	9
310	491362	1502	1642	1782	1922	2062	2201	2341	2481	2621	310	491362	1502	1642	1782	1922	2062	2201	2341	2481	2621	310
1	2760	2900	3040	3179	3319	3458	3597	3737	3876	4015	1	2760	2900	3040	3179	3319	3458	3597	3737	3876	4015	1
2	4155	4294	4433	4572	4711	4850	4989	5128	5267	5406	2	4155	4294	4433	4572	4711	4850	4989	5128	5267	5406	2
3	5544	5683	5822	5960	6099	6238	6376	6515	6653	6791	3	5544	5683	5822	5960	6099	6238	6376	6515	6653	6791	3
4	6930	7068	7206	7344	7483	7621	7759	7897	8035	8173	4	6930	7068	7206	7344	7483	7621	7759	7897	8035	8173	4
5	8311	8448	8586	8724	8862	8999	9137	9275	9412	9550	5	8311	8448	8586	8724	8862	8999	9137	9275	9412	9550	5
6	9687	9824	9962	0099	0236	0374	0511	0648	0785	0922	6	9687	9824	9962	0099	0236	0374	0511	0648	0785	0922	6
7	501059	1196	1333	1470	1607	1744	1880	2017	2154	2291	7	501059	1196	1333	1470	1607	1744	1880	2017	2154	2291	7
8	2427	2564	2700	2837	2973	3109	3246	3382	3518	3655	8	2427	2564	2700	2837	2973	3109	3246	3382	3518	3655	8
9	3791	3927	4063	4199	4335	4471	4607	4743	4878	5014	9	3791	3927	4063	4199	4335	4471	4607	4743	4878	5014	9
320	5150	5286	5421	5557	5693	5828	5964	6099	6234	6370	320	5150	5286	5421	5557	5693	5828	5964	6099	6234	6370	320
1	6505	6640	6776	6911	7046	7181	7316	7451	7586	7721	1	6505	6640	6776	6911	7046	7181	7316	7451	7586	7721	1
2	7856	7991	8126	8260	8395	8530	8664	8799	8934	9068	2	7856	7991	8126	8260	8395	8530	8664	8799	8934	9068	2
3	9203	9337	9471	9606	9740	9874	0009	0143	0277	0411	3	9203	9337	9471	9606	9740	9874	0009	0143	0277	0411	3
4	510545	0679	0813	0947	1081	1215	1349	1482	1616	1750	4	510545	0679	0813	0947	1081	1215	1349	1482	1616	1750	4
5	1883	2017	2151	2284	2418	2551	2684	2818	2951	3084	5	1883	2017	2151	2284	2418	2551	2684	2818	2951	3084	5
6	3218	3351	3484	3617	3750	3883	4016	4149	4282	4415	6	3218	3351	3484	3617	3750	3883	4016	4149	4282	4415	6
7	4548	4681	4813	4946	5079	5211	5344	5476	5609	5741	7	4548	4681	4813	4946	5079	5211	5344	5476	5609	5741	7
8	5874	6006	6139	6271	6403	6535	6668	6800	6932	7064	8	5874	6006	6139	6271	6403	6535	6668	6800	6932	7064	8
9	7196	7328	7460	7592	7724	7855	7987	8119	8251	8382	9	7196	7328	7460	7592	7724	7855	7987	8119	8251	8382	9
330	8514	8646	8777	8909	9040	9171	9303	9434	9566	9697	330	8514	8646	8777	8909	9040	9171	9303	9434	9566	9697	330
1	9828	9959	0090	0221	0353	0485	0615	0745	0876	1007	1	9828	9959	0090	0221	0353	0485	0615	0745	0876	1007	1
2	521138	1269	1400	1530	1661	1792	1922	2053	2183	2314	2	521138	1269	1400	1530	1661	1792	1922	2053	2183	2314	2
3	2444	2575	2705	2835	2966	3096	3226	3356	3486	3616	3	2444	2575	2705	2835	2966	3096	3226	3356	3486	3616	3
4	3746	3876	4006	4136	4266	4396	4526	4656	4785	4915	4	3746	3876	4006	4136	4266	4396	4526	4656	4785	4915	4
5	5045	5174	5304	5434	5563	5693	5822	5951	6081	6210	5	5045	5174	5304	5434	5563	5693	5822	5951	6081	6210	5
6	6339	6469	6598	6727	6856	6985	7114	7243	7372	7501	6	6339	6469	6598	6727	6856	6985	7114	7243	7372	7501	6
7	7630	7759	7888	8016	8145	8274	8402	8531	8660	8788	7	7630	7759	7888	8016	8145	8274	8402	8531	8660	8788	7
8	8917	9045	9174	9302	9430	9559	9687	9815	9943	0072	8	8917	9045	9174	9302	9430	9559	9687	9815	9943	0072	8
9	530200	0328	0456	0584	0712	0840	0968	1096	1223	1351	9	530200	0328	0456	0584	0712	0840	0968	1096	1223	1351	9
PROPORTIONAL PARTS.	N.	1	2	3	4	5	6	7	8	9												
	3113	13'9	27'8	41'7	55'6	69'5	83'4	97'3	111'2	125'1												
	3135	13'8	27'6	41'4	55'2	69'0	82'8	96'6	110'4	124'2												
	3158	13'7	27'4	41'1	54'8	68'5	82'2	95'9	109'6	123'3												
	3181	13'6	27'2	40'8	54'4	68'0	81'6	95'2	108'8	122'4												
	3205	13'5	27'0	40'5	54'0	67'5	81'0	94'5	108'0	121'5												
	3228	13'4	26'8	40'2	53'6	67'0	80'4	93'8	107'2	120'6												
	3253	13'3	26'6	39'9	53'2	66'5	79'8	93'1	106'4	119'7												
	3277	13'2	26'4	39'6	52'8	66'0	79'2	92'4	105'6	118'8												
	3302	13'1	26'2	39'3	52'4	65'5	78'6	91'7	104'8	117'9												
	3327	13'0	26'0	39'0	52'0	65'0	78'0	91'0	104'0	117'0												
	3353	12'9	25'8	38'7	51'6	64'5	77'4	90'3	103'2	116'1												

No. 340 L. 531.]

LOGARITHMS OF NUMBERS.

[No. 379 L. 579.]

N.	0	1	2	3	4	5	6	7	8	9	N.
340	531479	1607	1734	1862	1990	2117	2245	2372	2500	2627	340
1	2754	2882	3009	3136	3264	3391	3518	3645	3772	3899	1
2	4026	4153	4280	4407	4534	4661	4787	4914	5041	5167	2
3	5294	5421	5547	5674	5800	5927	6053	6179	6306	6432	3
4	6558	6685	6811	6937	7063	7189	7315	7441	7567	7693	4
5	7819	7945	8071	8197	8322	8448	8574	8699	8825	8951	5
6	9076	9202	9327	9452	9578	9703	9829	9954	0079	0204	6
7	540329	0455	0580	0705	0830	0955	1080	1205	1330	1454	7
8	1579	1704	1829	1953	2078	2203	2327	2452	2576	2701	8
9	2825	2950	3074	3199	3323	3447	3571	3696	3820	3944	9
350	4068	4192	4316	4440	4564	4688	4812	4936	5060	5183	350
1	5307	5431	5555	5678	5802	5925	6049	6172	6296	6419	1
2	6543	6666	6789	6913	7036	7159	7282	7405	7529	7652	2
3	7775	7898	8021	8144	8267	8389	8512	8635	8758	8881	3
4	9003	9126	9249	9371	9494	9616	9739	9861	9984	0106	4
5	550228	0351	0473	0595	0717	0840	0962	1084	1206	1328	5
6	1450	1572	1694	1816	1938	2060	2181	2303	2425	2547	6
7	2668	2790	2911	3033	3155	3276	3398	3519	3640	3762	7
8	3883	4004	4126	4247	4368	4489	4610	4731	4852	4973	8
9	5094	5215	5336	5457	5578	5699	5820	5940	6061	6182	9
360	6303	6423	6544	6664	6785	6905	7026	7146	7267	7387	360
1	7507	7627	7748	7868	7988	8108	8228	8349	8469	8589	1
2	8709	8829	8948	9068	9188	9308	9428	9548	9667	9787	2
3	9907	0026	0146	0265	0385	0504	0624	0743	0863	0982	3
4	561101	1221	1340	1459	1578	1698	1817	1936	2055	2174	4
5	2293	2412	2531	2650	2769	2887	3006	3125	3244	3362	5
6	3481	3600	3718	3837	3955	4074	4192	4311	4429	4548	6
7	4666	4784	4903	5021	5139	5257	5376	5494	5612	5730	7
8	5848	5966	6084	6202	6320	6437	6555	6673	6791	6909	8
9	7026	7144	7262	7379	7497	7614	7732	7849	7967	8084	9
370	8202	8319	8436	8554	8671	8788	8905	9023	9140	9257	370
1	9374	9491	9608	9725	9842	9959	0076	0193	0309	0426	1
2	570543	0660	0776	0893	1010	1126	1243	1359	1476	1592	2
3	1709	1825	1942	2058	2174	2291	2407	2523	2639	2755	3
4	2872	2988	3104	3220	3336	3452	3568	3684	3800	3915	4
5	4031	4147	4263	4379	4494	4610	4726	4841	4957	5072	5
6	5188	5303	5419	5534	5650	5765	5880	5996	6111	6226	6
7	6341	6457	6572	6687	6802	6917	7032	7147	7262	7377	7
8	7492	7607	7722	7836	7951	8066	8181	8295	8410	8525	8
9	8639	8754	8868	8983	9097	9212	9326	9441	9555	9669	9

PROPORTIONAL PARTS.

N.	1	2	3	4	5	6	7	8	9
3379	12.8	25.6	38.4	51.2	64.0	76.8	89.6	102.4	115.2
3406	12.7	25.4	38.1	50.8	63.5	76.2	88.9	101.6	114.3
3433	12.6	25.2	37.8	50.4	63.0	75.6	88.2	100.8	113.4
3460	12.5	25.0	37.5	50.0	62.5	75.0	87.5	100.0	112.5
3488	12.4	24.8	37.2	49.6	62.0	74.4	86.8	99.2	111.6
3516	12.3	24.6	36.9	49.2	61.5	73.8	86.1	98.4	110.7
3545	12.2	24.4	36.6	48.8	61.0	73.2	85.4	97.6	109.8
3574	12.1	24.2	36.3	48.4	60.5	72.6	84.7	96.8	108.9
3604	12.0	24.0	36.0	48.0	60.0	72.0	84.0	96.0	108.0
3634	11.9	23.8	35.7	47.6	59.5	71.4	83.3	95.2	107.1

No. 380 L. 579.] LOGARITHMS OF NUMBERS. [No. 414 L. 617.]

N.	0	1	2	3	4	5	6	7	8	9	N.
380	579784	9898	0012	0126	0241	0355	0469	0583	0697	0811	380
1	580925	1039	1153	1267	1381	1495	1608	1722	1836	1950	1
2	2063	2177	2291	2404	2518	2631	2745	2858	2972	3085	2
3	3199	3312	3426	3539	3652	3765	3879	3992	4105	4218	3
4	4331	4444	4557	4670	4783	4896	5009	5122	5235	5348	4
5	5461	5574	5686	5799	5912	6024	6137	6250	6362	6475	5
6	6587	6700	6812	6925	7037	7149	7262	7374	7486	7599	6
7	7711	7823	7935	8047	8160	8272	8384	8496	8608	8720	7
8	8832	8944	9056	9167	9279	9391	9503	9615	9726	9838	8
9	9950	0061	0173	0284	0396	0507	0619	0730	0842	0953	9
390	591065	1176	1287	1399	1510	1621	1732	1843	1955	2066	390
1	2177	2288	2399	2510	2621	2732	2843	2954	3064	3175	1
2	3286	3397	3508	3618	3729	3840	3950	4061	4171	4282	2
3	4393	4503	4614	4724	4834	4945	5055	5165	5276	5386	3
4	5496	5606	5717	5827	5937	6047	6157	6267	6377	6487	4
5	6597	6707	6817	6927	7037	7146	7256	7366	7476	7586	5
6	7695	7805	7914	8024	8134	8243	8353	8462	8572	8681	6
7	8791	8900	9009	9119	9228	9337	9446	9556	9665	9774	7
8	9883	9992	0101	0210	0319	0428	0537	0646	0755	0864	8
9	600973	1082	1191	1299	1408	1517	1625	1734	1843	1951	9
400	2060	2169	2277	2386	2494	2603	2711	2819	2928	3036	400
1	3144	3253	3361	3469	3577	3686	3794	3902	4010	4118	1
2	4226	4334	4442	4550	4658	4766	4874	4982	5089	5197	2
3	5305	5413	5521	5628	5736	5844	5951	6059	6166	6274	3
4	6381	6489	6596	6704	6811	6919	7026	7133	7241	7348	4
5	7455	7562	7669	7777	7884	7991	8098	8205	8312	8419	5
6	8526	8633	8740	8847	8954	9061	9167	9274	9381	9488	6
7	9594	9701	9808	9914	0021	0128	0234	0341	0447	0554	7
8	610660	0767	0873	0979	1086	1192	1298	1405	1511	1617	8
9	1723	1829	1936	2042	2148	2254	2360	2466	2572	2678	9
10	2784	2890	2996	3102	3207	3313	3419	3525	3630	3736	410
1	3842	3947	4053	4159	4264	4370	4475	4581	4686	4792	1
2	4897	5003	5108	5213	5319	5424	5529	5634	5740	5845	2
3	5950	6055	6160	6265	6370	6476	6581	6686	6790	6895	3
4	7000	7105	7210	7315	7420	7525	7629	7734	7839	7943	4

PROPORTIONAL PARTS.

N.	1	2	3	4	5	6	7	8	9
3665	11.8	23.6	35.4	47.2	59.0	70.8	82.6	94.4	106.2
3696	11.7	23.4	35.1	46.8	58.5	70.2	81.9	93.6	105.3
3727	11.6	23.2	34.8	46.4	58.0	69.6	81.2	92.8	104.4
3760	11.5	23.0	34.5	46.0	57.5	69.0	80.5	92.0	103.5
3792	11.4	22.8	34.2	45.6	57.0	68.4	79.8	91.2	102.6
3826	11.3	22.6	33.9	45.2	56.5	67.8	79.1	90.4	101.7
3860	11.2	22.4	33.6	44.8	56.0	67.2	78.4	89.6	100.8
3895	11.1	22.2	33.3	44.4	55.5	66.6	77.7	88.8	99.9
3930	11.0	22.0	33.0	44.0	55.0	66.0	77.0	88.0	99.0
3966	10.9	21.8	32.7	43.6	54.5	65.4	76.3	87.2	98.1
4002	10.8	21.6	32.4	43.2	54.0	64.8	75.6	86.4	97.2
4039	10.7	21.4	32.1	42.8	53.5	64.2	74.9	85.6	96.3
4077	10.6	21.2	31.8	42.4	53.0	63.6	74.2	84.8	95.4
4116	10.5	21.0	31.5	42.0	52.5	63.0	73.5	84.0	94.5

No. 415 L. 618.]

LOGARITHMS OF NUMBERS.

[No. 459 L. 662.]

N.	0	1	2	3	4	5	6	7	8	9	N.
415	618048	8153	8257	8362	8466	8571	8676	8780	8884	8989	415
6	9093	9198	9302	9406	9511	9615	9719	9824	9928	0032	6
7	620136	0240	0344	0448	0552	0656	0760	0864	0968	1072	7
8	1176	1280	1384	1488	1592	1695	1799	1903	2007	2110	8
9	2214	2318	2421	2525	2628	2732	2835	2939	3042	3146	9
420	3249	3353	3456	3559	3663	3766	3869	3973	4076	4179	420
1	4282	4385	4488	4591	4695	4798	4901	5004	5107	5210	1
2	5312	5415	5518	5621	5724	5827	5929	6032	6135	6238	2
3	6340	6443	6546	6648	6751	6853	6956	7058	7161	7263	3
4	7366	7468	7571	7673	7775	7878	7980	8082	8185	8287	4
5	8389	8491	8593	8695	8797	8900	9002	9104	9206	9308	5
6	9410	9512	9613	9715	9817	9919	0021	0123	0224	0326	6
7	630428	0530	0631	0733	0835	0936	1038	1139	1241	1342	7
8	1444	1545	1647	1748	1849	1951	2052	2153	2255	2356	8
9	2457	2559	2660	2761	2862	2963	3064	3165	3266	3367	9
430	3468	3569	3670	3771	3872	3973	4074	4175	4276	4376	430
1	4477	4578	4679	4779	4880	4981	5081	5182	5283	5383	1
2	5484	5584	5685	5785	5886	5986	6087	6187	6287	6388	2
3	6488	6588	6688	6789	6889	6989	7089	7189	7290	7390	3
4	7490	7590	7690	7790	7890	7990	8090	8190	8290	8389	4
5	8489	8589	8689	8789	8888	8988	9088	9188	9287	9387	5
6	9486	9586	9686	9785	9885	9984	0084	0183	0283	0382	6
7	640481	0581	0680	0779	0879	0978	1077	1177	1276	1375	7
8	1474	1573	1672	1771	1871	1970	2069	2168	2267	2306	8
9	2465	2563	2662	2761	2860	2959	3058	3156	3255	3354	9
440	3453	3551	3650	3749	3847	3946	4044	4143	4242	4340	440
1	4439	4537	4636	4734	4832	4931	5029	5127	5226	5324	1
2	5422	5521	5619	5717	5815	5913	6011	6110	6208	6306	2
3	6404	6502	6600	6698	6796	6894	6992	7089	7187	7285	3
4	7383	7481	7579	7676	7774	7872	7969	8067	8165	8262	4
5	8360	8458	8555	8653	8750	8848	8945	9043	9140	9237	5
6	9335	9432	9530	9627	9724	9821	9919	0016	0113	0210	6
7	650308	0405	0502	0599	0696	0793	0890	0987	1084	1181	7
8	1278	1375	1472	1569	1666	1762	1859	1956	2053	2150	8
9	2246	2343	2440	2536	2633	2730	2826	2923	3019	3116	9
450	3213	3309	3405	3502	3598	3695	3791	3888	3984	4080	450
1	4177	4273	4369	4465	4562	4658	4754	4850	4946	5042	1
2	5138	5235	5331	5427	5523	5619	5715	5810	5906	6002	2
3	6098	6194	6290	6386	6482	6577	6673	6769	6864	6960	3
4	7056	7152	7247	7343	7438	7534	7629	7725	7820	7916	4
5	8011	8107	8202	8298	8393	8488	8584	8679	8774	8870	5
6	8965	9060	9155	9250	9346	9441	9536	9631	9726	9821	6
7	9916	0011	0106	0201	0296	0391	0486	0581	0676	0771	7
8	660865	0960	1055	1150	1245	1339	1434	1529	1623	1718	8
9	1813	1907	2002	2096	2191	2286	2380	2475	2569	2663	9
PROPORTIONAL PARTS.	N.	1	2	3	4	5	6	7	8	9	
	4155	10'4	20'8	31'2	41'6	52'0	62'4	72'8	83'2	93'6	
	4196	10'3	20'6	30'9	41'2	51'5	61'8	72'1	82'4	92'7	
	4237	10'2	20'4	30'6	40'8	51'0	61'2	71'4	81'6	91'8	
	4278	10'1	20'2	30'3	40'4	50'5	60'6	70'7	80'8	90'9	
	4321	10'0	20'0	30'0	40'0	50'0	60'0	70'0	80'0	90'0	
	4364	9'9	19'8	29'7	39'6	49'5	59'4	69'3	79'2	89'1	

No. 460 L. 662.]

LOGARITHMS OF NUMBERS.

[No. 499 L. 698.]

N.	0	1	2	3	4	5	6	7	8	9	N.
460	662758	2852	2947	3041	3135	3230	3324	3418	3512	3607	460
1	3701	3795	3889	3983	4078	4172	4266	4360	4454	4548	1
2	4642	4736	4830	4924	5018	5112	5206	5299	5393	5487	2
3	5581	5675	5769	5862	5956	6050	6143	6237	6331	6424	3
4	6518	6612	6705	6799	6892	6986	7079	7173	7266	7360	4
5	7453	7546	7640	7733	7826	7920	8013	8106	8199	8293	5
6	8386	8479	8572	8665	8759	8852	8945	9038	9131	9224	6
7	9317	9410	9503	9596	9689	9782	9875	9967	0060	0153	7
8	670246	0339	0431	0524	0617	0710	0802	0895	0988	1080	8
9	1173	1265	1358	1451	1543	1636	1728	1821	1913	2005	9
470	2098	2190	2283	2375	2467	2560	2652	2744	2836	2929	470
1	3021	3113	3205	3297	3390	3482	3574	3666	3758	3850	1
2	3942	4034	4126	4218	4310	4402	4494	4586	4677	4769	2
3	4861	4953	5045	5137	5228	5320	5412	5503	5595	5687	3
4	5778	5870	5962	6053	6145	6236	6328	6419	6511	6602	4
5	6694	6785	6876	6968	7059	7151	7242	7333	7424	7516	5
6	7607	7698	7789	7881	7972	8063	8154	8245	8336	8427	6
7	8518	8609	8700	8791	8882	8973	9064	9155	9246	9337	7
8	9428	9519	9610	9700	9791	9882	9973	0063	0154	0245	8
9	680336	0426	0517	0607	0698	0789	0879	0970	1060	1151	9
480	1241	1332	1422	1513	1603	1693	1784	1874	1964	2055	480
1	2145	2235	2326	2416	2506	2596	2686	2777	2867	2957	1
2	3047	3137	3227	3317	3407	3497	3587	3677	3767	3857	2
3	3947	4037	4127	4217	4307	4396	4486	4576	4666	4756	3
4	4845	4935	5025	5114	5204	5294	5383	5473	5563	5652	4
5	5742	5831	5921	6010	6100	6189	6279	6368	6458	6547	5
6	6636	6726	6815	6904	6994	7083	7172	7261	7351	7440	6
7	7529	7618	7707	7796	7886	7975	8064	8153	8242	8331	7
8	8420	8509	8598	8687	8776	8865	8953	9042	9131	9220	8
9	9309	9398	9486	9575	9664	9753	9841	9930	0019	0107	9
490	690196	0285	0373	0462	0550	0639	0728	0816	0905	0993	490
1	1081	1170	1258	1347	1435	1524	1612	1700	1789	1877	1
2	1965	2053	2142	2230	2318	2406	2494	2583	2671	2759	2
3	2847	2935	3023	3111	3199	3287	3375	3463	3551	3639	3
4	3727	3815	3903	3991	4078	4166	4254	4342	4430	4517	4
5	4605	4693	4781	4868	4956	5044	5131	5219	5307	5394	5
6	5482	5569	5657	5744	5832	5919	6007	6094	6182	6269	6
7	6356	6444	6531	6618	6706	6793	6880	6968	7055	7142	7
8	7229	7317	7404	7491	7578	7665	7752	7839	7926	8014	8
9	8100	8188	8275	8362	8449	8535	8622	8709	8796	8883	9

PROPORTIONAL PARTS.

N.	1	2	3	4	5	6	7	8	9
4410	9.8	19.6	29.4	39.2	49.0	58.8	68.6	78.4	88.2
4454	9.7	19.4	29.1	38.8	48.5	58.2	67.9	77.6	87.3
4500	9.6	19.2	28.8	38.4	48.0	57.6	67.2	76.8	86.4
4547	9.5	19.0	28.5	38.0	47.5	57.0	66.5	76.0	85.5
4595	9.4	18.8	28.2	37.6	47.0	56.4	65.8	75.2	84.6
4644	9.3	18.6	27.9	37.2	46.5	55.8	65.1	74.4	83.7
4695	9.2	18.4	27.6	36.8	46.0	55.2	64.4	73.6	82.8
4746	9.1	18.2	27.3	36.4	45.5	54.6	63.7	72.8	81.9
4798	9.0	18.0	27.0	36.0	45.0	54.0	63.0	72.0	81.0
4852	8.9	17.8	26.7	35.6	44.5	53.4	62.3	71.2	80.1
4907	8.8	17.6	26.4	35.2	44.0	52.8	61.6	70.4	79.2

No. 500 L. 698.]		LOGARITHMS OF NUMBERS.									[No. 544 L. 736.	
N.	0	1	2	3	4	5	6	7	8	9	N.	
500	698970	9057	9144	9231	9317	9404	9491	9578	9664	9751	500	
1	9838	9924	0011	0098	0184	0271	0358	0444	0531	0617	1	
2	700704	0790	0877	0963	1050	1136	1222	1309	1395	1482	2	
3	1568	1654	1741	1827	1913	1999	2086	2172	2258	2344	3	
4	2431	2517	2603	2689	2775	2861	2947	3033	3119	3205	4	
5	3291	3377	3463	3549	3635	3721	3807	3893	3979	4065	5	
6	4151	4236	4322	4408	4494	4579	4665	4751	4837	4922	6	
7	5008	5094	5179	5265	5350	5436	5522	5607	5693	5778	7	
8	5864	5949	6035	6120	6206	6291	6376	6462	6547	6632	8	
9	6718	6803	6888	6974	7059	7144	7229	7315	7400	7485	9	
510	7570	7655	7740	7826	7911	7996	8081	8166	8251	8336	510	
1	8421	8506	8591	8676	8761	8846	8931	9015	9100	9185	1	
2	9270	9355	9440	9524	9609	9694	9779	9863	9948	0033	2	
3	710117	0202	0287	0371	0456	0540	0625	0710	0794	0879	3	
4	0963	1048	1132	1217	1301	1385	1470	1554	1639	1723	4	
5	1807	1892	1976	2060	2144	2229	2313	2397	2481	2566	5	
6	2650	2734	2818	2902	2986	3070	3154	3238	3323	3407	6	
7	3491	3575	3659	3742	3826	3910	3994	4078	4162	4246	7	
8	4330	4414	4497	4581	4665	4749	4833	4916	5000	5084	8	
9	5167	5251	5335	5418	5502	5586	5669	5753	5836	5920	9	
520	6003	6087	6170	6254	6337	6421	6504	6588	6671	6754	520	
1	6838	6921	7004	7088	7171	7254	7338	7421	7504	7587	1	
2	7671	7754	7837	7920	8003	8086	8169	8253	8336	8419	2	
3	8502	8585	8668	8751	8834	8917	9000	9083	9165	9248	3	
4	9331	9414	9497	9580	9663	9745	9828	9911	9994	0077	4	
5	720159	0242	0325	0407	0490	0573	0655	0738	0821	0903	5	
6	0986	1068	1151	1233	1316	1398	1481	1563	1646	1728	6	
7	1811	1893	1975	2058	2140	2222	2305	2387	2469	2552	7	
8	2634	2716	2798	2881	2963	3045	3127	3209	3291	3374	8	
9	3456	3538	3620	3702	3784	3866	3948	4030	4112	4194	9	
530	4276	4358	4440	4522	4604	4685	4767	4849	4931	5013	530	
1	5095	5176	5258	5340	5422	5503	5585	5667	5748	5830	1	
2	5912	5993	6075	6156	6238	6320	6401	6483	6564	6646	2	
3	6727	6809	6890	6972	7053	7134	7216	7297	7379	7460	3	
4	7541	7623	7704	7785	7866	7948	8029	8110	8191	8273	4	
5	8354	8435	8516	8597	8678	8759	8841	8922	9003	9084	5	
6	9165	9246	9327	9408	9489	9570	9651	9732	9813	9893	6	
7	9974	0055	0136	0217	0298	0378	0459	0540	0621	0702	7	
8	730782	0863	0944	1024	1105	1186	1266	1347	1428	1508	8	
9	1589	1669	1750	1830	1911	1991	2072	2152	2233	2313	9	
540	2394	2474	2555	2635	2715	2796	2876	2956	3037	3117	540	
1	3197	3278	3358	3438	3518	3598	3679	3759	3839	3919	1	
2	3999	4079	4160	4240	4320	4400	4480	4560	4640	4720	2	
3	4800	4880	4960	5040	5120	5199	5279	5359	5439	5519	3	
4	5599	5679	5759	5838	5918	5998	6078	6157	6237	6317	4	

PROP. PARTS.	N.	1	2	3	4	5	6	7	8	9
	4963	8.7	17.4	26.1	34.8	43.5	52.2	60.9	69.6	78.3
	5020	8.6	17.2	25.8	34.4	43.0	51.6	60.2	68.8	77.4
	5079	8.5	17.0	25.5	34.0	42.5	51.0	59.5	68.0	76.5
	5139	8.4	16.8	25.2	33.6	42.0	50.4	58.8	67.2	75.6

No. 545 L. 736.]

LOGARITHMS OF NUMBERS.

[No. 584 L. 767.]

N.	0	1	2	3	4	5	6	7	8	9	N.
545	736397	6476	6556	6635	6715	6795	6874	6954	7034	7113	545
6	7193	7272	7552	7431	7511	7590	7670	7749	7829	7908	6
7	7987	8067	8146	8225	8305	8384	8463	8543	8622	8701	7
8	8781	8860	8959	9018	9097	9177	9256	9335	9414	9493	8
9	9572	9651	9731	9810	9889	9968	0047	0126	0205	0284	9
550	740363	0442	0521	0600	0678	0757	0836	0915	0994	1073	550
1	1152	1230	1309	1388	1467	1546	1624	1703	1782	1860	1
2	1939	2018	2096	2175	2254	2332	2411	2489	2568	2647	2
3	2725	2804	2882	2961	3039	3118	3196	3275	3353	3431	3
4	3510	3588	3667	3745	3823	3902	3980	4058	4136	4215	4
5	4293	4371	4449	4528	4606	4684	4762	4840	4919	4997	5
6	5075	5153	5231	5309	5387	5465	5543	5621	5699	5777	6
7	5855	5933	6011	6089	6167	6245	6323	6401	6479	6556	7
8	6634	6712	6790	6868	6945	7023	7101	7179	7256	7334	8
9	7412	7489	7567	7645	7722	7800	7878	7955	8033	8110	9
560	8188	8266	8343	8421	8498	8576	8653	8731	8808	8885	560
1	8963	9040	9118	9195	9272	9350	9427	9504	9582	9659	1
2	9736	9814	9891	9968	0045	0123	0200	0277	0354	0431	2
3	750508	0586	0663	0740	0817	0894	0971	1048	1125	1202	3
4	1279	1356	1433	1510	1587	1664	1741	1818	1895	1972	4
5	2048	2125	2202	2279	2356	2433	2509	2586	2663	2740	5
6	2816	2893	2970	3047	3123	3200	3277	3353	3430	3506	6
7	3583	3660	3736	3813	3889	3966	4042	4119	4195	4272	7
8	4348	4425	4501	4578	4654	4730	4807	4883	4960	5036	8
9	5112	5189	5265	5341	5417	5494	5570	5646	5722	5799	9
570	5875	5951	6027	6103	6180	6256	6332	6408	6484	6560	570
1	6636	6712	6788	6864	6940	7016	7092	7168	7244	7320	1
2	7396	7472	7548	7624	7700	7775	7851	7927	8003	8079	2
3	8155	8230	8306	8382	8458	8533	8609	8685	8761	8836	3
4	8912	8988	9063	9139	9214	9290	9366	9441	9517	9592	4
5	9668	9743	9819	9894	9970	0045	0121	0196	0272	0347	5
6	760422	0498	0573	0649	0724	0799	0875	0950	1025	1101	6
7	1176	1251	1326	1402	1477	1552	1627	1702	1778	1853	7
8	1928	2003	2078	2153	2228	2303	2378	2453	2529	2604	8
9	2679	2754	2829	2904	2978	3053	3128	3203	3278	3353	9
580	3428	3503	3578	3653	3727	3802	3877	3952	4027	4101	580
1	4176	4251	4326	4400	4475	4550	4624	4699	4774	4848	1
2	4923	4998	5072	5147	5221	5296	5370	5445	5520	5594	2
3	5669	5743	5818	5892	5966	6041	6115	6190	6264	6338	3
4	6413	6487	6562	6636	6710	6785	6859	6933	7007	7082	4

PROPORTIONAL PARTS.

N.	1	2	3	4	5	6	7	8	9
5201	8.3	16.6	24.9	33.2	41.5	49.8	58.1	66.4	74.7
5264	8.2	16.4	24.6	32.8	41.0	49.2	57.4	65.6	73.8
5328	8.1	16.2	24.3	32.4	40.5	48.6	56.7	64.8	72.9
5394	8.0	16.0	24.0	32.0	40.0	48.0	56.0	64.0	72.0
5462	7.9	15.8	23.7	31.6	39.5	47.4	55.3	63.2	71.1
5532	7.8	15.6	23.4	31.2	39.0	46.8	54.6	62.4	70.2
5603	7.7	15.4	23.1	30.8	38.5	46.2	53.9	61.6	69.3
5677	7.6	15.2	22.8	30.4	38.0	45.6	53.2	60.8	68.4
5752	7.5	15.0	22.5	30.0	37.5	45.0	52.5	60.0	67.5
5829	7.4	14.8	22.2	29.6	37.0	44.4	51.8	59.2	66.6

No. 585 L. 767.]

LOGARITHMS OF NUMBERS.

[No. 629 L. 799.]

N.	0	1	2	3	4	5	6	7	8	9	N.
585	767156	7230	7304	7379	7453	7527	7601	7675	7749	7823	585
6	7898	7972	8046	8120	8194	8268	8342	8416	8490	8564	6
7	8638	8712	8786	8860	8934	9008	9082	9156	9230	9303	7
8	9377	9451	9525	9599	9673	9746	9820	9894	9968	0042	8
9	770115	0189	0263	0336	0410	0484	0557	0631	0705	0778	9
590	0852	0926	0999	1073	1146	1220	1293	1367	1440	1514	590
1	1587	1661	1734	1808	1881	1955	2028	2102	2175	2248	1
2	2322	2395	2468	2542	2615	2688	2762	2835	2908	2981	2
3	3055	3128	3201	3274	3348	3421	3494	3567	3640	3713	3
4	3786	3860	3933	4006	4079	4152	4225	4298	4371	4444	4
5	4517	4590	4663	4736	4809	4882	4955	5028	5100	5173	5
6	5246	5319	5392	5465	5538	5610	5683	5756	5829	5902	6
7	5974	6047	6120	6193	6265	6338	6411	6483	6556	6629	7
8	6701	6774	6846	6919	6992	7064	7137	7209	7282	7354	8
9	7427	7499	7572	7644	7717	7789	7862	7934	8006	8079	9
600	8151	8224	8296	8368	8441	8513	8585	8658	8730	8802	600
1	8874	8947	9019	9091	9163	9236	9308	9380	9452	9524	1
2	9596	9669	9741	9813	9885	9957	0029	0101	0173	9245	2
3	780317	0389	0461	0533	0605	0677	0749	0821	0893	0965	3
4	1037	1109	1181	1253	1324	1396	1468	1540	1612	1684	4
5	1755	1827	1899	1971	2042	2114	2186	2258	2329	2401	5
6	2473	2544	2616	2688	2759	2831	2902	2974	3046	3117	6
7	3189	3260	3332	3403	3475	3546	3618	3689	3761	3832	7
8	3904	3975	4046	4118	4189	4261	4332	4403	4475	4546	8
9	4617	4689	4760	4831	4902	4974	5045	5116	5187	5259	9
610	5330	5401	5472	5543	5615	5686	5757	5828	5899	5970	610
1	6041	6112	6183	6254	6325	6396	6467	6538	6609	6680	1
2	6751	6822	6893	6964	7035	7106	7177	7248	7319	7390	2
3	7460	7531	7602	7673	7744	7815	7885	7956	8027	8098	3
4	8168	8239	8310	8381	8451	8522	8593	8663	8734	8804	4
5	8875	8946	9016	9087	9157	9228	9299	9369	9440	9510	5
6	9581	9651	9722	9792	9863	9933	0004	0074	0144	0215	6
7	790285	0356	0426	0496	0567	0637	0707	0778	0848	0918	7
8	0988	1059	1129	1199	1269	1340	1410	1480	1550	1620	8
9	1691	1761	1831	1901	1971	2041	2111	2181	2252	2322	9
620	2392	2462	2532	2602	2672	2742	2812	2882	2952	3022	620
1	3092	3162	3231	3301	3371	3441	3511	3581	3651	3721	1
2	3790	3860	3930	4000	4070	4139	4209	4279	4349	4418	2
3	4488	4558	4627	4697	4767	4836	4906	4976	5045	5115	3
4	5185	5254	5324	5393	5463	5532	5602	5672	5741	5811	4
5	5880	5949	6019	6088	6158	6227	6297	6366	6436	6505	5
6	6574	6644	6713	6782	6852	6921	6990	7060	7129	7198	6
7	7268	7337	7406	7475	7545	7614	7683	7752	7821	7890	7
8	7960	8029	8098	8167	8236	8305	8374	8443	8513	8582	8
9	8651	8720	8789	8858	8927	8996	9065	9134	9203	9272	9

PROP. PARTS.

N.	1.	2	3	4	5	6	7	8	9
5908	7.3	14.6	21.9	29.2	36.5	43.8	51.1	58.4	65.7
5990	7.2	14.4	21.6	28.8	36.0	43.2	50.4	57.6	64.8
6074	7.1	14.2	21.3	28.4	35.5	42.6	49.7	56.8	63.9
6160	7.0	14.0	21.0	28.0	35.0	42.0	49.0	56.0	63.0
6248	6.9	13.8	20.7	27.6	34.5	41.4	48.3	55.2	62.1

No. 630 L. 799.]

LOGARITHMS OF NUMBERS.

[No. 674 L. 829.]

N.	0	1	2	3	4	5	6	7	8	9	N.
630	799341	9409	9478	9547	9616	9685	9754	9823	9892	9961	630
1	800029	0098	0167	0236	0305	0373	0442	0511	0580	0648	1
2	0717	0786	0854	0923	0992	1061	1129	1198	1266	1335	2
3	1404	1472	1541	1609	1678	1747	1815	1884	1952	2021	3
4	2089	2158	2226	2295	2363	2432	2500	2568	2637	2705	4
5	2774	2842	2910	2979	3047	3116	3184	3252	3321	3389	5
6	3457	3525	3594	3662	3730	3798	3867	3935	4003	4071	6
7	4139	4208	4276	4344	4412	4480	4548	4616	4685	4753	7
8	4821	4889	4957	5025	5093	5161	5229	5297	5365	5433	8
9	5501	5569	5637	5705	5773	5841	5908	5976	6044	6112	9
640	806180	6248	6316	6384	6451	6519	6587	6655	6723	6790	640
1	6858	6926	6994	7061	7129	7197	7264	7332	7400	7467	1
2	7535	7603	7670	7738	7806	7873	7941	8008	8076	8143	2
3	8211	8279	8346	8414	8481	8549	8616	8684	8751	8818	3
4	8886	8953	9021	9088	9156	9223	9290	9358	9425	9492	4
5	9560	9627	9694	9762	9829	9896	9964	0031	0098	0165	5
6	810233	0300	0367	0434	0501	0569	0636	0703	0770	0837	6
7	0904	0971	1039	1106	1173	1240	1307	1374	1441	1508	7
8	1575	1642	1709	1776	1843	1910	1977	2044	2111	2178	8
9	2245	2312	2379	2445	2512	2579	2646	2713	2780	2847	9
650	2913	2980	3047	3114	3181	3247	3314	3381	3448	3514	650
1	3581	3648	3714	3781	3848	3914	3981	4048	4114	4181	1
2	4248	4314	4381	4447	4514	4581	4647	4714	4780	4847	2
3	4913	4980	5046	5113	5179	5246	5312	5378	5445	5511	3
4	5578	5644	5711	5777	5843	5910	5976	6042	6109	6175	4
5	6241	6308	6374	6440	6506	6573	6639	6705	6771	6838	5
6	6904	6970	7036	7102	7169	7235	7301	7367	7433	7499	6
7	7565	7631	7698	7764	7830	7896	7962	8028	8094	8160	7
8	8226	8292	8358	8424	8490	8556	8622	8688	8754	8820	8
9	8885	8951	9017	9083	9149	9215	9281	9346	9412	9478	9
660	9544	9610	9676	9741	9807	9873	9939	0004	0070	0136	660
1	820201	0267	0333	0399	0464	0530	0595	0661	0727	0792	1
2	0858	0924	0989	1055	1120	1186	1251	1317	1382	1448	2
3	1514	1579	1645	1710	1775	1841	1906	1972	2037	2103	3
4	2168	2233	2299	2364	2430	2495	2560	2626	2691	2756	4
5	2822	2887	2952	3018	3083	3148	3213	3279	3344	3409	5
6	3474	3539	3605	3670	3735	3800	3865	3930	3996	4061	6
7	4126	4191	4256	4321	4386	4451	4516	4581	4646	4711	7
8	4776	4841	4906	4971	5036	5101	5166	5231	5296	5361	8
9	5426	5491	5556	5621	5686	5751	5815	5880	5945	6010	9
670	6075	6140	6204	6269	6334	6399	6464	6528	6593	6658	670
1	6723	6787	6852	6917	6981	7046	7111	7175	7240	7305	1
2	7369	7434	7499	7563	7628	7692	7757	7821	7886	7951	2
3	8015	8080	8144	8209	8273	8338	8402	8467	8531	8595	3
4	8660	8724	8789	8853	8918	8982	9046	9111	9175	9239	4
PROP. PARTS.	N.	1	2	3	4	5	6	7	8	9	
	6340	6.8	13.6	20.4	27.2	34.0	40.8	47.6	54.4	61.2	
	6433	6.7	13.4	20.1	26.8	33.5	40.2	46.9	53.6	60.3	
	6530	6.6	13.2	19.8	26.4	33.0	39.6	46.2	52.8	59.4	
	6630	6.5	13.0	19.5	26.0	32.5	39.0	45.5	52.0	58.5	
	6733	6.4	12.8	19.2	25.6	32.0	38.4	44.8	51.2	57.6	

No. 675 L. 829.]

LOGARITHMS OF NUMBERS.

[No. 719 L. 857.]

N.	0	1	2	3	4	5	6	7	8	9	N.
675	829304	9368	9432	9497	9561	9625	9690	9754	9818	9882	675
6	9947	0011	0075	0139	0204	0268	0332	0396	0460	0525	6
7	830589	0653	0717	0781	0845	0909	0973	1037	1102	1166	7
8	1230	1294	1358	1422	1486	1550	1614	1678	1742	1806	8
9	1870	1934	1998	2062	2126	2189	2253	2317	2381	2445	9
680	2509	2573	2637	2700	2764	2828	2892	2956	3020	3083	680
1	3147	3211	3275	3338	3402	3466	3530	3593	3657	3721	1
2	3784	3848	3912	3975	4039	4103	4166	4230	4294	4357	2
3	4421	4484	4548	4611	4675	4739	4802	4866	4929	4993	3
4	5056	5120	5183	5247	5310	5373	5437	5500	5564	5627	4
5	5691	5754	5817	5881	5944	6007	6071	6134	6197	6261	5
6	6324	6387	6451	6514	6577	6641	6704	6767	6830	6894	6
7	6957	7020	7083	7146	7210	7273	7336	7399	7462	7525	7
8	7588	7652	7715	7778	7841	7904	7967	8030	8093	8156	8
9	8219	8282	8345	8408	8471	8534	8597	8660	8723	8786	9
690	8849	8912	8975	9038	9101	9164	9227	9289	9352	9415	690
1	9478	9541	9604	9667	9729	9792	9855	9918	9981	0043	1
2	840106	0169	0232	0294	0357	0420	0482	0545	0608	0671	2
3	0733	0796	0859	0921	0984	1046	1109	1172	1234	1297	3
4	1359	1422	1485	1547	1610	1672	1735	1797	1860	1922	4
5	1985	2047	2110	2172	2235	2297	2360	2422	2484	2547	5
6	2609	2672	2734	2796	2859	2921	2983	3046	3108	3170	6
7	3233	3295	3357	3420	3482	3544	3606	3669	3731	3793	7
8	3855	3918	3980	4042	4104	4166	4229	4291	4353	4415	8
9	4477	4539	4601	4664	4726	4788	4850	4912	4974	5036	9
700	5098	5160	5222	5284	5346	5408	5470	5532	5594	5656	700
1	5718	5780	5842	5904	5966	6028	6090	6151	6213	6275	1
2	6337	6399	6461	6523	6585	6646	6708	6770	6832	6894	2
3	6955	7017	7079	7141	7202	7264	7326	7388	7449	7511	3
4	7573	7634	7696	7758	7819	7881	7943	8004	8066	8127	4
5	8189	8251	8312	8374	8435	8497	8559	8620	8682	8743	5
6	8805	8866	8928	8989	9051	9112	9174	9235	9297	9358	6
7	9419	9481	9542	9604	9665	9726	9788	9849	9911	9972	7
8	850033	0095	0156	0217	0279	0340	0401	0462	0524	0585	8
9	0646	0707	0769	0830	0891	0952	1014	1075	1136	1197	9
710	1258	1320	1381	1442	1503	1564	1625	1686	1747	1809	710
1	1870	1931	1992	2053	2114	2175	2236	2297	2358	2419	1
2	2480	2541	2602	2663	2724	2785	2846	2907	2968	3029	2
3	3090	3150	3211	3272	3333	3394	3455	3516	3577	3637	3
4	3698	3759	3820	3881	3941	4002	4063	4124	4185	4245	4
5	4306	4367	4428	4488	4549	4610	4670	4731	4792	4852	5
6	4913	4974	5034	5095	5156	5216	5277	5337	5398	5459	6
7	5519	5580	5640	5701	5761	5822	5882	5943	6003	6064	7
8	6124	6185	6245	6306	6366	6427	6487	6548	6608	6668	8
9	6729	6789	6850	6910	6970	7031	7091	7152	7212	7272	9
PROP. PARTS.	N.	1	2	3	4	5	6	7	8	9	
	6839	6.3	12.6	18.9	25.2	31.5	37.8	44.1	50.4	56.7	
	6948	6.2	12.4	18.6	24.8	31.0	37.2	43.4	49.6	55.8	
	7061	6.1	12.2	18.3	24.4	30.5	36.6	42.7	48.8	54.9	
	7178	6.0	12.0	18.0	24.0	30.0	36.0	42.0	48.0	54.0	

No. 720 L. 857.]			LOGARITHMS OF NUMBERS.								[No. 764 L. 883.	
N.	0	1	2	3	4	5	6	7	8	9	N.	
720	857332	7393	7453	7513	7574	7634	7694	7755	7815	7875	720	
1	7935	7995	8056	8116	8176	8236	8297	8357	8417	8477	1	
2	8537	8597	8657	8718	8778	8838	8898	8958	9018	9078	2	
3	9138	9198	9258	9318	9379	9439	9499	9559	9619	9679	3	
4	9739	9799	9859	9918	9978	0038	0098	0158	0218	0278	4	
5	860338	0398	0458	0518	0578	0637	0697	0757	0817	0877	5	
6	0937	1996	1056	1116	1176	1231	1295	1355	1415	1475	6	
7	1534	1594	1654	1714	1773	1833	1893	1952	2012	2072	7	
8	2131	2191	2251	2310	2370	2430	2489	2543	2608	2668	8	
9	2728	2787	2847	2906	2966	3025	3085	3144	3204	3263	9	
730	3323	3382	3442	3501	3561	3620	3680	3739	3799	3858	730	
1	3917	3977	4036	4096	4155	4214	4274	4333	4392	4452	1	
2	4511	4570	4630	4689	4748	4808	4867	4926	4985	5045	2	
3	5104	5163	5222	5282	5341	5400	5459	5519	5578	5637	3	
4	5696	5755	5814	5874	5933	5992	6051	6110	6169	6228	4	
5	6287	6346	6405	6465	6524	6583	6642	6701	6760	6819	5	
6	6878	6937	6996	7055	7114	7173	7232	7291	7350	7409	6	
7	7467	7526	7585	7644	7703	7762	7821	7880	7939	7998	7	
8	8056	8115	8174	8233	8292	8350	8409	8468	8527	8586	8	
9	8644	8703	8762	8821	8879	8938	8997	9056	9114	9173	9	
740	9232	9290	9349	9408	9466	9525	9584	9642	9701	9760	740	
1	9818	9877	9935	9994	0053	0111	0170	0228	0287	0345	1	
2	870404	0462	0521	0579	0638	0696	0755	0813	0872	0930	2	
3	0989	1047	1106	1164	1223	1281	1339	1398	1456	1515	3	
4	1573	1631	1690	1748	1806	1865	1923	1981	2040	2098	4	
5	2156	2215	2273	2331	2389	2448	2506	2564	2622	2681	5	
6	2739	2797	2855	2913	2972	3030	3088	3146	3204	3262	6	
7	3321	3379	3437	3495	3553	3611	3669	3727	3785	3844	7	
8	3902	3960	4018	4076	4134	4192	4250	4308	4366	4424	8	
9	4482	4540	4598	4656	4714	4772	4830	4888	4945	5003	9	
750	5061	5119	5177	5235	5293	5351	5409	5466	5524	5582	750	
1	5640	5698	5756	5813	5871	5929	5987	6045	6102	6160	1	
2	6218	6276	6333	6391	6449	6507	6564	6622	6680	6737	2	
3	6795	6853	6910	6968	7026	7083	7141	7199	7256	7314	3	
4	7371	7429	7487	7544	7602	7659	7717	7774	7832	7889	4	
5	7947	8004	8062	8119	8177	8234	8292	8349	8407	8464	5	
6	8522	8579	8637	8694	8752	8809	8866	8924	8981	9039	6	
7	9096	9153	9211	9268	9325	9383	9440	9497	9555	9612	7	
8	9669	9726	9784	9841	9898	9956	0013	0070	0127	0185	8	
9	880242	0299	0356	0413	0471	0528	0585	0642	0699	0756	9	
760	0814	0871	0928	0985	1042	1099	1156	1213	1271	1328	760	
1	1385	1442	1499	1556	1613	1670	1727	1784	1841	1898	1	
2	1955	2012	2069	2126	2183	2240	2297	2354	2411	2468	2	
3	2525	2581	2638	2695	2752	2809	2866	2923	2980	3037	3	
4	3093	3150	3207	3264	3321	3377	3434	3491	3548	3605	4	
PROP. PARTS.	N.	1	2	3	4	5	6	7	8	9		
	7299	5'9	11'8	17'7	23'6	29'5	35'4	41'3	47'2	53'1		
	7423	5'8	11'6	17'4	23'2	29'0	34'8	40'6	46'4	52'2		
	7552	5'7	11'4	17'1	22'8	28'5	34'2	39'9	45'6	51'3		

No. 765 L. 883.]

LOGARITHMS OF NUMBERS.

[No. 809 L. 908.]

N.	0	1	2	3	4	5	6	7	8	9	N.
765	883661	3718	3775	3832	3888	3945	4002	4059	4115	4172	765
6	4229	4285	4342	4399	4455	4512	4569	4625	4682	4739	6
7	4795	4852	4909	4965	5022	5078	5135	5192	5248	5305	7
8	5361	5418	5474	5531	5587	5644	5700	5757	5813	5870	8
9	5926	5983	6039	6096	6152	6209	6265	6321	6378	6434	9
770	6491	6547	6604	6660	6716	6773	6829	6885	6942	6998	770
1	7054	7111	7167	7223	7280	7336	7392	7449	7505	7561	1
2	7617	7674	7730	7786	7842	7898	7955	8011	8067	8123	2
3	8179	8236	8292	8348	8404	8460	8516	8573	8629	8685	3
4	8741	8797	8853	8909	8965	9021	9077	9134	9190	9246	4
5	9302	9358	9414	9470	9526	9582	9638	9694	9750	9806	5
6	9862	9918	9974	0030	0086	0141	0197	0253	0309	0365	6
7	890421	0477	0533	0589	0645	0700	0756	0812	0868	0924	7
8	0980	1035	1091	1147	1203	1259	1314	1370	1426	1482	8
9	1537	1593	1649	1705	1760	1816	1872	1928	1983	2039	9
780	2095	2150	2206	2262	2317	2373	2429	2484	2540	2595	780
1	2651	2707	2762	2818	2873	2929	2985	3040	3096	3151	1
2	3207	3262	3318	3373	3429	3484	3540	3595	3651	3706	2
3	3762	3817	3873	3928	3984	4039	4094	4150	4205	4261	3
4	4316	4371	4427	4482	4538	4593	4648	4704	4759	4814	4
5	4870	4925	4980	5036	5091	5146	5201	5257	5312	5367	5
6	5423	5478	5533	5588	5644	5699	5754	5809	5864	5920	6
7	5975	6030	6085	6140	6195	6251	6306	6361	6416	6471	7
8	6526	6581	6636	6692	6747	6802	6857	6912	6967	7022	8
9	7077	7132	7187	7242	7297	7352	7407	7462	7517	7572	9
790	7627	7682	7737	7792	7847	7902	7957	8012	8067	8122	790
1	8176	8231	8286	8341	8396	8451	8506	8561	8615	8670	1
2	8725	8780	8835	8890	8944	8999	9054	9109	9164	9218	2
3	9273	9328	9383	9437	9492	9547	9602	9656	9711	9766	3
4	9821	9875	9930	9985	0039	0094	0149	0203	0258	0312	4
5	900367	0422	0476	0531	0586	0640	0695	0749	0804	0859	5
6	0913	0968	1022	1077	1131	1186	1240	1295	1349	1404	6
7	1458	1513	1567	1622	1676	1731	1785	1840	1894	1948	7
8	2003	2057	2112	2166	2221	2275	2329	2384	2438	2492	8
9	2547	2601	2655	2710	2764	2818	2873	2927	2981	3036	9
800	3090	3144	3199	3253	3307	3361	3416	3470	3524	3578	800
1	3633	3687	3741	3795	3849	3904	3958	4012	4066	4120	1
2	4174	4229	4283	4337	4391	4445	4499	4553	4607	4661	2
3	4716	4770	4824	4878	4932	4986	5040	5094	5148	5202	3
4	5256	5310	5364	5418	5472	5526	5580	5634	5688	5742	4
5	5796	5850	5904	5958	6012	6066	6119	6173	6227	6281	5
6	6335	6389	6443	6497	6551	6604	6658	6712	6766	6820	6
7	6874	6927	6981	7035	7089	7143	7196	7250	7304	7358	7
8	7411	7465	7519	7573	7626	7680	7734	7787	7841	7895	8
9	7949	8002	8056	8109	8163	8217	8270	8324	8378	8431	9

PROP. PARTS.	N.	1	2	3	4	5	6	7	8	9
	7686	5.6	11.2	16.8	22.4	28.0	33.6	39.2	44.8	50.4
	7825	5.5	11.0	16.5	22.0	27.5	33.0	38.5	44.0	49.5
	7968	5.4	10.8	16.2	21.6	27.0	32.4	37.8	43.2	48.6

[No. 810 L. 908.]

LOGARITHMS OF NUMBERS.

[No. 854 L. 931.]

N.	0	1	2	3	4	5	6	7	8	9	N.
810	908485	8539	8592	8646	8699	8753	8807	8860	8914	8967	810
1	9021	9074	9128	9181	9235	9289	9342	9396	9449	9503	1
2	9556	9609	9663	9716	9770	9823	9877	9930	9984	0037	2
3	910091	0144	0197	0251	0304	0358	0411	0464	0518	0571	3
4	0624	0678	0731	0784	0838	0891	0944	0998	1051	1104	4
5	1158	1211	1264	1317	1371	1424	1477	1530	1584	1637	5
6	1690	1743	1797	1850	1903	1956	2009	2063	2116	2169	6
7	2222	2275	2328	2381	2435	2488	2541	2594	2647	2700	7
8	2753	2806	2859	2913	2966	3019	3072	3125	3178	3231	8
9	3284	3337	3390	3443	3496	3549	3602	3655	3708	3761	9
820	3814	3867	3920	3973	4026	4079	4132	4184	4237	4290	820
1	4343	4396	4449	4502	4555	4608	4660	4713	4766	4819	1
2	4872	4925	4977	5030	5083	5136	5189	5241	5294	5347	2
3	5400	5453	5505	5558	5611	5664	5716	5769	5822	5875	3
4	5927	5980	6033	6085	6138	6191	6243	6296	6349	6401	4
5	6454	6507	6559	6612	6664	6717	6770	6822	6875	6927	5
6	6980	7033	7085	7138	7190	7243	7295	7348	7400	7453	6
7	7506	7558	7611	7663	7716	7768	7820	7873	7925	7978	7
8	8030	8083	8135	8188	8240	8293	8345	8397	8450	8502	8
9	8555	8607	8659	8712	8764	8816	8869	8921	8973	9026	9
830	9078	9130	9183	9235	9287	9340	9392	9444	9496	9549	830
1	9601	9653	9706	9758	9810	9862	9914	9967	0019	0071	1
2	920123	0176	0228	0280	0332	0384	0436	0489	0541	0593	2
3	0645	0697	0749	0801	0853	0906	0958	1010	1062	1114	3
4	1166	1218	1270	1322	1374	1426	1478	1530	1582	1634	4
5	1686	1738	1790	1842	1894	1946	1998	2050	2102	2154	5
6	2206	2258	2310	2362	2414	2466	2518	2570	2622	2674	6
7	2725	2777	2829	2881	2933	2985	3037	3089	3140	3192	7
8	3244	3296	3348	3399	3451	3503	3555	3607	3658	3710	8
9	3762	3814	3865	3917	3969	4021	4072	4124	4176	4228	9
840	4279	4331	4383	4434	4486	4538	4589	4641	4693	4744	840
1	4796	4848	4899	4951	5003	5054	5106	5157	5209	5261	1
2	5312	5364	5415	5467	5518	5570	5621	5673	5725	5776	2
3	5828	5879	5931	5982	6034	6085	6137	6188	6239	6291	3
4	6342	6394	6445	6497	6548	6600	6651	6702	6754	6805	4
5	6857	6908	6959	7011	7062	7114	7165	7216	7268	7319	5
6	7370	7422	7473	7524	7576	7627	7678	7730	7781	7832	6
7	7883	7935	7986	8037	8088	8140	8191	8242	8293	8345	7
8	8396	8447	8498	8549	8601	8652	8703	8754	8805	8857	8
9	8908	8959	9010	9061	9112	9163	9215	9266	9317	9368	9
850	9419	9470	9521	9572	9623	9674	9725	9776	9827	9879	850
1	9930	9981	0032	0083	0134	0185	0236	0287	0338	0389	1
2	930440	0491	0542	0592	0643	0694	0745	0796	0847	0898	2
3	0949	1000	1051	1102	1153	1203	1254	1305	1356	1407	3
4	1458	1509	1560	1610	1661	1712	1763	1814	1864	1915	4

PROP. PARTS.	N.	1	2	3	4	5	6	7	8	9
	8117	5'3	10'6	15'9	21'2	26'5	31'8	37'1	42'4	47'7
	8271	5'2	10'4	15'6	20'8	26'0	31'2	36'4	41'6	46'8
	8432	5'1	10'2	15'3	20'4	25'5	30'6	35'7	40'8	45'9

No. 855 L. 931.] LOGARITHMS OF NUMBERS. [No. 899 L. 954											
N.	0	1	2	3	4	5	6	7	8	9	N.
855	931966	2017	2068	2118	2169	2220	2271	2322	2372	2423	855
6	2474	2524	2575	2626	2677	2727	2778	2829	2879	2930	6
7	2981	3031	3082	3133	3183	3234	3285	3335	3386	3437	7
8	3487	3538	3589	3639	3690	3740	3791	3841	3892	3943	8
9	3993	4044	4094	4145	4195	4246	4296	4347	4397	4448	9
860	4498	4549	4599	4650	4700	4751	4801	4852	4902	4953	860
1	5003	5054	5104	5154	5205	5255	5306	5356	5406	5457	1
2	5507	5558	5608	5658	5709	5759	5809	5860	5910	5960	2
3	6011	6061	6111	6162	6212	6262	6313	6363	6413	6463	3
4	6514	6564	6614	6665	6715	6765	6815	6865	6916	6966	4
5	7016	7066	7116	7167	7217	7267	7317	7367	7418	7468	5
6	7518	7568	7618	7668	7718	7769	7819	7869	7919	7969	6
7	8019	8069	8119	8169	8219	8269	8319	8370	8420	8470	7
8	8520	8570	8620	8670	8720	8770	8820	8870	8920	8970	8
9	9020	9070	9120	9170	9220	9270	9319	9369	9419	9469	9
870	9519	9569	9619	9669	9719	9769	9819	9869	9918	9968	870
1	940018	0068	0118	0168	0218	0267	0317	0367	0417	0467	1
2	0516	0566	0616	0666	0716	0765	0815	0865	0915	0964	2
3	1014	1064	1114	1163	1213	1263	1313	1362	1412	1462	3
4	1511	1561	1611	1660	1710	1760	1809	1859	1909	1958	4
5	2008	2058	2107	2157	2207	2256	2306	2355	2405	2455	5
6	2504	2554	2603	2653	2702	2752	2801	2851	2901	2950	6
7	3000	3049	3099	3148	3198	3247	3297	3346	3396	3445	7
8	3495	3544	3593	3643	3692	3742	3791	3841	3890	3939	8
9	3989	4038	4088	4137	4186	4236	4285	4335	4384	4433	9
880	4483	4532	4581	4631	4680	4729	4779	4828	4877	4927	880
1	4976	5025	5074	5124	5173	5222	5272	5321	5370	5419	1
2	5469	5518	5567	5616	5665	5715	5764	5813	5862	5912	2
3	5961	6010	6059	6108	6157	6207	6256	6305	6354	6403	3
4	6452	6501	6551	6600	6649	6698	6747	6796	6845	6894	4
5	6943	6992	7041	7090	7139	7189	7238	7287	7336	7385	5
6	7434	7483	7532	7581	7630	7679	7728	7777	7826	7875	6
7	7924	7973	8022	8070	8119	8168	8217	8266	8315	8364	7
8	8413	8462	8511	8560	8608	8657	8706	8755	8804	8853	8
9	8902	8951	8999	9048	9097	9146	9195	9244	9292	9341	9
890	9390	9439	9488	9536	9585	9634	9683	9731	9780	9829	890
1	9878	9926	9975	0024	0073	0121	0170	0219	0267	0316	1
2	950365	0414	0462	0511	0560	0608	0657	0706	0754	0803	2
3	0851	0900	0949	0997	1046	1095	1143	1192	1240	1289	3
4	1338	1386	1435	1483	1532	1580	1629	1677	1726	1775	4
5	1823	1872	1920	1969	2017	2066	2114	2163	2211	2259	5
6	2308	2356	2405	2453	2502	2550	2599	2647	2696	2744	6
7	2792	2841	2889	2938	2986	3034	3083	3131	3180	3228	7
8	3276	3325	3373	3421	3470	3518	3566	3615	3663	3711	8
9	3760	3808	3856	3905	3953	4001	4049	4098	4146	4194	9
PROP. PARTS.	N.	1	2	3	4	5	6	7	8	9	
	8599	5°	10°	15°	20°	25°	30°	35°	40°	45°	
	8773	4°9	9°8	14°7	19°6	24°5	29°4	34°3	39°2	44°1	
	8954	4°8	9°6	14°4	19°2	24°0	28°8	33°6	38°4	43°2	

No. 900 L. 954.]

LOGARITHMS OF NUMBERS.

[No. 944 L. 975.]

N.	0	1	2	3	4	5	6	7	8	9	N.
900	954243	4291	4339	4387	4435	4484	4532	4580	4628	4677	900
1	4725	4773	4821	4869	4918	4966	5014	5062	5110	5158	1
2	5207	5255	5303	5352	5399	5447	5495	5543	5592	5640	2
3	5688	5736	5784	5832	5880	5928	5976	6024	6072	6120	3
4	6168	6216	6265	6313	6361	6409	6457	6505	6553	6601	4
5	6649	6697	6745	6793	6840	6888	6936	6984	7032	7080	5
6	7128	7176	7224	7272	7320	7368	7416	7464	7512	7559	6
7	7607	7655	7703	7751	7799	7847	7894	7942	7990	8038	7
8	8086	8134	8181	8229	8277	8325	8373	8421	8468	8516	8
9	8564	8612	8659	8707	8755	8803	8850	8898	8946	8994	9
910	9041	9089	9137	9185	9232	9280	9328	9375	9423	9471	910
1	9518	9566	9614	9661	9709	9757	9804	9852	9900	9947	1
2	9995	0042	0090	0138	0185	0233	0281	0328	0376	0423	2
3	960471	0518	0566	0613	0661	0709	0756	0804	0851	0899	3
4	0946	0994	1041	1089	1136	1184	1231	1279	1326	1374	4
5	1421	1469	1516	1563	1611	1658	1706	1753	1801	1848	5
6	1895	1943	1990	2038	2085	2132	2180	2227	2275	2322	6
7	2369	2417	2464	2511	2559	2606	2653	2701	2748	2795	7
8	2843	2890	2937	2985	3032	3079	3126	3174	3221	3268	8
9	3316	3363	3410	3457	3504	3552	3599	3646	3693	3741	9
920	3788	3835	3882	3929	3977	4024	4071	4118	4165	4212	920
1	4260	4307	4354	4401	4448	4495	4542	4590	4637	4684	1
2	4731	4778	4825	4872	4919	4966	5013	5060	5108	5155	2
3	5202	5249	5296	5343	5390	5437	5484	5531	5578	5625	3
4	5672	5719	5766	5813	5860	5907	5954	6001	6048	6095	4
5	6142	6189	6236	6283	6329	6376	6423	6470	6517	6564	5
6	6611	6658	6705	6752	6799	6845	6892	6939	6986	7033	6
7	7080	7127	7173	7220	7267	7314	7361	7408	7454	7501	7
8	7548	7595	7642	7688	7735	7782	7829	7875	7922	7969	8
9	8016	8062	8109	8156	8203	8249	8296	8343	8389	8436	9
930	8483	8530	8576	8623	8670	8716	8763	8810	8856	8903	930
1	8950	8996	9043	9090	9136	9183	9229	9276	9323	9369	1
2	9416	9463	9509	9556	9602	9649	9695	9742	9789	9835	2
3	9882	9928	9975	0021	0068	0114	0161	0207	0254	0300	3
4	970347	0393	0440	0486	0533	0579	0626	0672	0719	0765	4
5	0812	0858	0904	0951	0997	1044	1090	1137	1183	1229	5
6	1276	1322	1369	1415	1461	1508	1554	1601	1647	1693	6
7	1740	1786	1832	1879	1925	1971	2018	2064	2110	2157	7
8	2203	2249	2295	2342	2388	2434	2481	2527	2573	2619	8
9	2666	2712	2758	2804	2851	2897	2943	2989	3035	3082	9
940	3128	3174	3220	3266	3313	3359	3405	3451	3497	3543	940
1	3590	3636	3682	3728	3774	3820	3866	3913	3959	4005	1
2	4051	4097	4143	4189	4235	4281	4327	4374	4420	4466	2
3	4512	4558	4604	4650	4696	4742	4788	4834	4880	4926	3
4	4972	5018	5064	5110	5156	5202	5248	5294	5340	5386	4

PROP. PARTS.	N.	1	2	3	4	5	6	7	8	9
	9143	4.7	9.4	14.1	18.8	23.5	28.2	32.9	37.6	42.3
	9339	4.6	9.2	13.8	18.4	23.0	27.6	32.2	36.8	41.4
	9544	4.5	9.0	13.5	18.0	22.5	27.0	31.5	36.0	40.5

No. 945 L. 975.]			LOGARITHMS OF NUMBERS.								[No. 989 L. 995.	
N.	0	1	2	3	4	5	6	7	8	9	N:	
945	975432	5478	5524	5570	5616	5662	5707	5753	5799	5845	945	
6	5891	5937	5983	6029	6075	6121	6167	6212	6258	6304	6	
7	6350	6396	6442	6488	6533	6579	6625	6671	6717	6763	7	
8	6808	6854	6900	6946	6992	7037	7083	7129	7175	7220	8	
9	7266	7312	7358	7403	7449	7495	7541	7586	7632	7678	9	
950	7724	7769	7815	7861	7906	7952	7998	8043	8089	8135	950	
1	8181	8226	8272	8317	8363	8409	8454	8500	8546	8591	1	
2	8637	8683	8728	8774	8819	8865	8911	8956	9002	9047	2	
3	9093	9138	9184	9230	9275	9321	9366	9412	9457	9503	3	
4	9548	9594	9639	9685	9730	9776	9821	9867	9912	9958	4	
5	980003	0049	0094	0140	0185	0231	0276	0322	0367	0412	5	
6	0458	0503	0549	0594	0640	0685	0730	0776	0821	0867	6	
7	0912	0957	1003	1048	1093	1139	1184	1229	1275	1320	7	
8	1366	1411	1456	1501	1547	1592	1637	1683	1728	1773	8	
9	1819	1864	1909	1954	2000	2045	2090	2135	2181	2226	9	
960	2271	2316	2362	2407	2452	2497	2543	2588	2633	2678	960	
1	2723	2769	2814	2859	2904	2949	2994	3040	3085	3130	1	
2	3175	3220	3265	3310	3356	3401	3446	3491	3536	3581	2	
3	3626	3671	3716	3762	3807	3852	3897	3942	3987	4032	3	
4	4077	4122	4167	4212	4257	4302	4347	4392	4437	4482	4	
5	4527	4572	4617	4662	4707	4752	4797	4842	4887	4932	5	
6	4977	5022	5067	5112	5157	5202	5247	5292	5337	5382	6	
7	5426	5471	5516	5561	5606	5651	5696	5741	5786	5830	7	
8	5875	5920	5965	6010	6055	6100	6144	6189	6234	6279	8	
9	6324	6369	6413	6458	6503	6548	6593	6637	6682	6727	9	
970	6772	6817	6861	6906	6951	6996	7040	7085	7130	7175	970	
1	7219	7264	7309	7353	7398	7443	7488	7532	7577	7622	1	
2	7666	7711	7756	7800	7845	7890	7934	7979	8024	8068	2	
3	8113	8157	8202	8247	8291	8336	8381	8425	8470	8514	3	
4	8559	8604	8648	8693	8737	8782	8826	8871	8916	8960	4	
5	9005	9049	9094	9138	9183	9227	9272	9316	9361	9405	5	
6	9450	9494	9539	9583	9628	9672	9717	9761	9806	9850	6	
7	9895	9939	9983	0028	0072	0117	0161	0206	0250	0294	7	
8	990339	0383	0428	0472	0516	0561	0605	0650	0694	0738	8	
9	0783	0827	0871	0916	0960	1004	1049	1093	1137	1182	9	
980	1226	1270	1315	1359	1403	1448	1492	1536	1580	1625	980	
1	1669	1713	1758	1802	1846	1890	1935	1979	2023	2067	1	
2	2111	2156	2200	2244	2288	2333	2377	2421	2465	2509	2	
3	2554	2598	2642	2686	2730	2774	2819	2863	2907	2951	3	
4	2995	3039	3083	3127	3172	3216	3260	3304	3348	3392	4	
5	3436	3480	3524	3568	3613	3657	3701	3745	3789	3833	5	
6	3877	3921	3965	4009	4053	4097	4141	4185	4229	4273	6	
7	4317	4361	4405	4449	4493	4537	4581	4625	4669	4713	7	
8	4757	4801	4845	4889	4933	4977	5021	5065	5108	5152	8	
9	5196	5240	5284	5328	5372	5416	5460	5504	5547	5591	9	
PROP. PARTS.	N.	1	2	3	4	5	6	7	8	9		
	9759	44	8.8	13.2	17.6	22.0	26.4	30.8	35.2	39.6		
	9983	4.3	8.6	12.9	17.2	21.5	25.8	30.1	34.4	38.7		

No: 990 L. 995:]			LOGARITHMS OF NUMBERS.								[No. 999 L. 999.	
N.	o	1	2	3	4	5	6	7	8	9	N.	
990	995635	5679	5723	5767	5811	5854	5898	5942	5986	6030	990	
1	6074	6117	6161	6205	6249	6293	6337	6380	6424	6468	1	
2	6512	6555	6599	6643	6687	6731	6774	6818	6862	6906	2	
3	6949	6993	7037	7080	7124	7168	7212	7255	7299	7343	3	
4	7386	7430	7474	7517	7561	7605	7648	7692	7736	7779	4	
5	7823	7867	7910	7954	7998	8041	8085	8129	8172	8216	5	
6	8259	8303	8347	8390	8434	8477	8521	8564	8608	8652	6	
7	8695	8739	8782	8826	8869	8913	8956	9000	9043	9087	7	
8	9130	9174	9218	9261	9305	9348	9392	9435	9479	9522	8	
9	9565	9609	9652	9696	9739	9783	9826	9870	9913	9957	9	

TABLE II.—LOGARITHMS OF NUMBERS FROM 1 TO 100.

N.	Log.	N.	Log.	N.	Log.	N.	Log.	N.	Log.
1	0.000000	21	1.322219	41	1.612784	61	1.785330	81	1.908485
2	0.301030	22	1.342423	42	1.623249	62	1.792392	82	1.913874
3	0.477121	23	1.361728	43	1.633468	63	1.799341	83	1.919078
4	0.602060	24	1.380211	44	1.643453	64	1.806180	84	1.924279
5	0.698970	25	1.397940	45	1.653213	65	1.812913	85	1.929419
6	0.778151	26	1.414973	46	1.662758	66	1.819544	86	1.934498
7	0.845098	27	1.431364	47	1.672098	67	1.826075	87	1.939519
8	0.903090	28	1.447158	48	1.681241	68	1.832509	88	1.944483
9	0.954243	29	1.462398	49	1.690196	69	1.838849	89	1.949390
10	1.000000	30	1.477121	50	1.698970	70	1.845098	90	1.954243
11	1.041393	31	1.491362	51	1.707572	71	1.851258	91	1.959041
12	1.079181	32	1.505150	52	1.716003	72	1.857332	92	1.963788
13	1.113943	33	1.518514	53	1.724276	73	1.863323	93	1.968483
14	1.146128	34	1.531479	54	1.732394	74	1.869232	94	1.973128
15	1.176091	35	1.544068	55	1.740363	75	1.875061	95	1.977724
16	1.204120	36	1.556302	56	1.748188	76	1.880814	96	1.982271
17	1.230449	37	1.568202	57	1.755875	77	1.886491	97	1.986772
18	1.255273	38	1.579784	58	1.763428	78	1.892095	98	1.991226
19	1.278754	39	1.591065	59	1.770852	79	1.897627	99	1.995635
20	1.301030	40	1.602060	60	1.777815	80	1.903090	100	2.000000

TABLE III.

	Value at 0°.	Sign in 1st Quad.	Value at 90°.	Sign in 2nd Quad.	Value at 180°.	Sign in 3rd Quad.	Value at 270°.	Sign in 4th Quad.	Value at 360°.
Sin	O	+	R	+	O	—	R	—	O
Tan	O	+	∞	—	O	+	∞	—	O
Sec	R	+	∞	—	R	—	∞	+	R
Versin	O	+	R	+	2 R	+	R	+	O
Cos	R	+	O	—	R	—	O	+	R
Cot	∞	+	O	—	∞	+	O	—	∞
Cosec..	∞	+	R	+	∞	—	R	—	∞

R signifies equal to rad; ∞ signifies infinite; O signifies evanescent.

TABLE IV.—LOGARITHMIC SINES.

	'0	'1	'2	'3	'4	'5	
0		5463726	5764756	5940847	6065786	6162696	89 59
1	6463726	6505119	6542907	6577669	6609854	6639817	58
2	764756	785945	806149	825454	843937	861666	57
3	940847	955088	968876	982240	995205	7007794	56
4	7065786	7076510	7086975	7097194	7107179	116938	55
5	162696	171296	179729	188002	196120	204089	54
6	241877	249056	256118	263066	269906	276639	53
7	308824	314984	321058	327049	332958	338787	52
8	366816	372211	377540	382804	388005	393145	89 51
9	7417968	7422767	7427513	7432208	7436853	7441449	50
10	463725	468047	472326	476563	480759	484915	49
11	505118	509048	512943	516804	520630	524423	48
12	542906	546511	550085	553630	557147	560635	47
13	577668	580996	584299	587577	590830	594059	46
14	609853	612944	616013	619061	622087	625093	45
15	639816	642702	645568	648416	651245	654056	44
16	667845	670550	673239	675912	678568	681208	43
17	694173	696720	699253	701770	704273	706762	89 42
18	7718997	7721403	7723795	7726175	7728542	7730896	41
19	742477	744757	747025	749281	751525	753758	40
20	764754	766920	769075	771220	773354	775477	39
21	785943	788006	790059	792103	794137	796162	38
22	806146	808115	810076	812028	813971	815905	37
23	825451	827335	829211	831079	832939	834791	36
24	843934	845740	847538	849329	851112	852888	35
25	861662	863336	865123	866843	868556	870262	34
26	878695	880362	882023	883678	885326	886968	89 33
27	7895085	7896691	7898291	7899884	7901472	7903054	32
28	910879	912428	913970	915508	917039	918566	31
29	926119	927614	929104	930589	932068	933543	30
30	940842	942287	943727	945163	946594	948020	29
31	955082	956481	957875	959264	960650	962031	28
32	968870	970225	971576	972922	974265	975603	27
33	982233	983547	984857	986164	987466	988764	26
34	995198	996473	997745	999013	8000277	8001538	25
35	8007787	8009026	8010261	8011493	012722	013947	89 24
36	8020021	8021225	8022427	8023625	8024819	8026011	23
37	031919	033092	034261	035426	036589	037749	22
38	043501	044642	045781	046916	048048	049178	21
39	054781	055893	057003	058109	059213	060314	20
40	065776	066861	067942	069021	070098	071171	19
41	076500	077558	078613	079666	080716	081764	18
42	086965	087997	089028	090056	091081	092104	17
43	097183	098192	099198	100203	101204	102204	16
44	107167	108153	109136	110118	111097	112074	15
45	116926	117890	118852	119812	120769	121725	89 14
	'0	'9	'8	'7	'6	'5	

Log. Cosines.

TABLE IV.—LOGARITHMIC SINES.

	•6	•7	•8	•9	1•0	
0 0	6•241877	6•308824	6•366816	6•417969	6•463726	89 59
1	667846	694175	718999	742480	764756	58
2	878699	895090	910884	926124	940847	57
3	7•020028	7•031928	7•043510	7•054791	7•065786	56
4	126484	135824	144967	153922	162696	55
5	211914	219601	227154	234578	241877	54
6	283270	289801	296235	302575	308824	53
7	344539	350217	355820	361353	366816	52
8	398224	403245	408208	413116	417968	89 51
0 9	7•445998	7•450497	7•454952	7•459361	7•463725	50
10	489031	493109	497149	501152	505118	49
11	528183	531911	535607	539272	542906	48
12	564096	567529	570935	574315	577668	47
13	597264	600445	603604	606740	609853	46
14	628078	631042	633986	636911	639816	45
15	656849	659624	662382	665122	667844	44
16	683832	686441	689034	691611	694173	43
17	709237	711697	714144	716577	718997	89 42
0 18	7•733237	7•735566	7•737882	7•740186	7•742477	41
19	755980	758190	760389	762577	764754	40
20	777591	779694	781787	783870	785943	39
21	798177	800183	802180	804167	806146	38
22	817831	819749	821658	823558	825451	37
23	836635	838471	840300	842120	843934	36
24	854657	856419	858174	859922	861662	35
25	871962	873655	875342	877022	878695	34
26	888603	890233	891856	893474	895085	89 33
0 27	7•904630	7•906201	7•907766	7•909326	7•910879	32
28	920087	921603	923113	924619	926119	31
29	935012	936477	937937	939392	940842	30
30	949442	950859	952271	953679	955082	29
31	963407	964779	966147	967511	968870	28
32	976937	978267	979593	980915	982233	27
33	990058	991349	992636	993919	995198	26
34	8•002795	8•004048	8•005298	8•006544	8•007787	25
35	015168	016386	017601	018813	020021	89 24
0 36	8•027199	8•028384	8•029566	8•030744	8•031919	23
37	038905	040059	041209	042356	043501	22
38	050304	051428	052549	053666	054781	21
39	061412	062507	063599	064689	065776	20
40	072242	073310	074376	075439	076500	19
41	082809	083851	084892	085929	086965	18
42	093125	094143	095159	096172	097183	17
43	103201	104196	105188	106179	107167	16
44	113049	114021	114992	115960	116926	15
45	122678	123629	124579	125526	126471	89 14
	•4	•3	•2	•1	•0	

Log. Cosines.

TABLE IV.—LOGARITHMIC SINES.

	'0	'1	'2	'3	'4	'5	
0 45	8.116926	8.117890	8.118852	8.119812	8.120769	8.121725	89 14
46	126471	127414	128355	129294	130231	131166	13
47	135810	136733	137654	138574	139491	140406	12
48	144953	145857	146759	147659	148557	149453	11
49	153907	154793	155676	156558	157438	158316	10
50	162681	163548	164414	165279	166141	167002	9
51	171280	172131	172980	173827	174673	175517	8
52	179713	180547	181380	182211	183041	183868	7
53	187985	188803	189620	190436	191250	192062	89 6
0 54	8.196102	8.196905	8.197707	8.198508	8.199307	8.200104	5
55	204070	204859	205646	206432	207217	208000	4
56	211895	212670	213443	214215	214986	215755	3
57	219581	220342	221102	221861	222618	223374	2
58	227134	227882	228628	229374	230118	230861	1
59	234557	235292	236026	236759	237491	238221	89 0
I 0	241855	242578	243300	244021	244741	245459	59
1	249033	249744	250455	251164	251871	252578	58
2	256094	256794	257492	258190	258887	259582	89 57
I 3	8.263042	8.263731	8.264419	8.265105	8.265791	8.266475	56
4	269881	270559	271236	271912	272587	273260	55
5	276614	277281	277948	278613	279278	279941	54
6	283243	283901	284557	285213	285867	286521	53
7	289773	290421	291068	291713	292358	293002	52
8	296207	296845	297482	298118	298754	299388	51
9	302546	303174	303803	304430	305056	305681	50
10	308794	309414	310033	310651	311268	311885	49
11	314954	315565	316175	316784	317393	318001	89 48
I 12	8.321027	8.321629	8.322231	8.322832	8.323433	8.324032	47
13	327016	327611	328204	328797	329389	329980	46
14	332924	333511	334096	334681	335265	335848	45
15	338753	339331	339909	340486	341063	341638	44
16	344504	345075	345645	346215	346784	347352	43
17	350181	350744	351307	351869	352430	352991	42
18	355783	356340	356895	357450	358004	358558	41
19	361315	361864	362413	362961	363508	364054	40
20	366777	367319	367861	368402	368943	369482	88 39
I 21	8.372171	8.372707	8.373242	8.373776	8.374310	8.374843	38
22	377499	378028	378557	379084	379612	380138	37
23	382762	383285	383807	384329	384850	385370	36
24	387962	388479	388995	389510	390025	390539	35
25	393101	393611	394121	394631	395139	395647	34
26	398179	398684	399188	399691	400194	400696	33
27	403199	403698	404196	404694	405191	405687	32
28	408161	408654	409147	409639	410130	410621	31
29	413068	413555	414042	414529	415015	415500	30
30	417919	418401	418883	419364	419844	420324	88 29
	1'0	'9	'8	'7	'6	'5	

Log. Cosines.

0 Deg.

TABLE V.—LOG. SINES, ETC.

90 Deg.

°	Sine	Cosec.	Tang.	Cotang.	Sec.	D.	Cosine	
					10'00			
0	0.000000	Infinite.	0.000000	Infinite.	0000		10.000000	60
1	6'463726	13'536274	6'463726	13'536274	0000	0	0000	59
2	764756	235244	764756	235244	0000	0	0000	58
3	940847	059153	940847	059153	0000	0	0000	57
4	7'065786	12'934214	7'065786	12'934214	0000	0	0000	56
5	162696	837304	162696	837304	0000	0	0000	55
6	241877	758123	241877	758122	0001	0	9'999999	54
7	308824	691176	308825	691175	0001	1	9999	53
8	366816	633184	366817	633183	0001	1	9999	89 52
9	7'417968	12'582032	7'417970	12'582030	0001	1	9'999999	51
10	463725	536275	463727	536273	0002	1	9998	50
11	505118	494882	505120	494880	0002	1	9998	49
12	542906	457094	542909	457091	0003	1	9997	48
13	577668	422332	577672	422328	0003	1	9997	47
14	609853	390147	609857	390143	0004	1	9996	46
15	639816	360184	639820	360180	0004	1	9996	45
16	667845	332155	667849	332151	0005	1	9995	44
17	694173	305827	694179	305821	0005	1	9995	89 43
18	7'718997	12'281003	7'719003	12'280997	0006	1	9'999994	42
19	742477	257523	742484	257516	0007	1	9993	41
20	764754	235246	764761	235239	0007	1	9993	40
21	785943	214057	785951	214049	0008	1	9992	39
22	806146	193854	806155	193845	0009	1	9991	38
23	825451	174549	825460	174540	0010	1	9990	37
24	843934	156066	843944	156056	0011	2	9989	36
25	861662	138338	861674	138326	0011	2	9989	35
26	878695	121305	878708	121292	0012	2	9988	89 34
27	7'895085	12'104915	7'895099	12'104901	0013	2	9'999987	33
28	910879	089121	910894	089106	0014	2	9986	32
29	926119	073881	926134	073866	0015	2	9985	31
30	940842	059158	940858	059142	0017	2	9983	30
31	955082	044918	955100	044900	0018	2	9982	29
32	968870	031130	968889	031111	0019	2	9981	28
33	982233	017767	982253	017747	0020	2	9980	27
34	995198	004802	995219	004781	0021	2	9979	26
35	8'007787	11'992213	8'007809	11'992191	0023	2	9977	89 25
36	8'020021	11'979979	8'020045	11'979955	0024	2	9'999976	24
37	031919	968081	031945	968055	0025	2	9975	23
38	043501	956499	043527	956473	0027	2	9973	22
39	054781	945219	054809	945191	0028	2	9972	21
40	065776	934224	065806	934194	0029	2	9971	20
41	076500	923500	076531	923469	0031	2	9969	19
42	086965	913035	086997	913003	0032	2	9968	18
43	097183	902817	097217	902783	0034	2	9966	17
44	107167	892833	107202	892798	0036	2	9964	16
45	116926	883074	116963	883037	0037	3	9963	89 15
	Cosine	Secant	Cotang.	Tang.	Cos.	D.	Sine	°

90 Deg.

89½ Deg.

0 $\frac{1}{2}$ Deg.		TABLE V.—LOG. SINES, ETC.					1 $\frac{1}{2}$ Deg.	
°	Sine	Cosec.	Tang.	Cotang.	Sec.	D.	Cosine	
					10.00			
0 45	8.116926	11.883074	8.116963	11.883037	0037		9.999963	15
46	126471	873529	126510	873490	0039	3	9961	14
47	135810	864190	135851	864149	0041	3	9959	13
48	144953	855047	144996	855004	0042	3	9958	12
49	153907	846093	153952	846048	0044	3	9956	11
50	162681	837319	162727	837273	0046	3	9954	10
51	171280	828720	171328	828672	0048	3	9952	9
52	179713	820287	179763	820237	0050	3	9950	8
53	187985	812015	188036	811964	0052	3	9948	89 7
0 54	8.196102	11.803898	8.196156	11.803844	0054	3	9.999946	6
55	204070	795930	204126	795874	0056	3	0044	5
56	211895	788105	211953	788047	0058	3	9942	4
57	219581	780419	219641	780359	0060	4	9940	3
58	227134	772866	227195	772805	0062	4	9938	2
59	234557	765443	234621	765379	0064	4	9936	1
1 0	241855	758145	241921	758079	0066	4	9934	89 0
1	249033	750967	249102	750898	0068	4	9932	59
2	256094	743906	256165	743835	0071	4	9929	88 58
1 3	8.263042	11.736958	8.263115	11.736885	0073	4	9.999927	57
4	269881	730119	269956	730044	0075	4	9925	56
5	276614	723386	276691	723309	0078	4	9922	55
6	283243	716757	283323	716677	0080	4	9920	54
7	289773	710227	289856	710144	0082	4	9918	53
8	296207	703793	296292	703708	0085	4	9915	52
9	302546	697454	302634	697366	0087	4	9913	51
10	308794	691206	308884	691116	0090	4	9910	50
11	314954	685046	315046	684954	0093	4	9907	88 49
1 12	8.321027	11.678973	8.321122	11.678878	0095	4	9.999905	48
13	327016	672984	327114	672886	0098	4	9902	47
14	332924	667076	333025	666975	0101	5	9899	46
15	338753	661247	338856	661144	0103	5	9897	45
16	344504	655496	344610	655390	0106	5	9894	44
17	350181	649819	350289	649711	0109	5	9891	43
18	355783	644217	355895	644105	0112	5	9888	42
19	361315	638685	361430	638570	0115	5	9885	41
20	366777	633223	366895	633105	0118	5	9882	88 40
1 21	8.372171	11.627829	8.372292	11.627708	0121	5	9.999879	39
22	377499	622501	377622	622378	0124	5	9876	38
23	382762	617238	382889	617111	0127	5	9873	37
24	387962	612038	388092	611908	0130	5	9870	36
25	393101	606899	393234	606766	0133	5	9867	35
26	398179	601821	398315	601685	0136	5	9864	34
27	403199	596801	403338	596662	0139	5	9861	33
28	408161	591839	408304	591696	0142	5	9858	32
29	413068	586932	413213	586787	0146	5	9854	31
30	417919	582081	418068	581932	0149	5	9851	88 30
	Cosine	Secant	Cotang.	Tang.	Cos.	D.	Sine	°
89 $\frac{1}{2}$ Deg.							88 $\frac{1}{2}$ Deg.	

1½ Deg.

TABLE V.—LOG. SINES, ETC.

2¼ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		8°		11°	8°		11°	10°00		9°99	
1	30	417919	7996	582081	418068	8002	581932	0149	6	9851	30
	31	422717	7909	577283	422869	7914	577131	0152	6	9848	29
	32	427462	7823	572538	427618	7828	572382	0156	6	9844	28
	33	432156	7740	567844	432315	7745	567685	0159	6	9841	27
	34	436800	7657	563200	436962	7663	563038	0162	6	9838	26
	35	441394	7577	558606	441560	7583	558440	0166	6	9834	25
	36	445941	7499	554059	446110	7505	553890	0169	6	9831	24
	37	450440	7422	549560	450613	7428	549387	0173	6	9827	23
	38	454893	7346	545107	455070	7352	544930	0177	6	9823	88 22
1	39	459301	7273	540699	459481	7279	540519	0180	6	9820	21
	40	463665	7200	536335	463849	7206	536151	0184	6	9816	20
	41	467985	7129	532015	468172	7135	531828	0188	6	9812	19
	42	472263	7060	527737	472454	7066	527546	0191	6	9809	18
	43	476498	6991	523502	476693	6998	523307	0195	6	9805	17
	44	480693	6924	519307	480892	6931	519108	0199	6	9801	16
	45	484848	6859	515152	485050	6865	514950	0203	7	9797	15
	46	488963	6794	511037	489170	6801	510830	0207	7	9793	14
	47	493040	6731	506966	493256	6738	506750	0210	7	9790	88 13
1	48	497078	6669	502922	497293	6676	502707	0214	7	9786	12
	49	501080	6608	498920	501298	6615	498702	0218	7	9782	11
	50	505045	6548	494955	505267	6555	494733	0222	7	9778	10
	51	508974	6489	491026	509200	6496	490800	0226	7	9774	9
	52	512867	6432	487133	513098	6439	486902	0231	7	9769	8
	53	516726	6375	483274	516961	6382	483039	0235	7	9765	7
	54	520551	6319	479449	520790	6326	479210	0239	7	9761	6
	55	524343	6264	475657	524586	6272	475414	0243	7	9757	5
	56	528102	6211	471898	528349	6218	471651	0247	7	9753	88 4
1	57	531828	6158	468172	532080	6165	467920	0252	7	9748	3
	58	535523	6106	464477	535770	6113	464221	0256	7	9744	2
	59	539186	6055	460814	539447	6062	460553	0260	7	9740	1
2	0	542819	6004	457181	543084	6012	456916	0265	7	9735	88 0
	1	546422	5955	453578	546691	5962	453309	0269	7	9731	59
	2	549995	5906	450005	550268	5914	449732	0274	7	9726	58
	3	553539	5858	446461	553817	5866	446183	0278	8	9722	57
	4	557054	5811	442946	557336	5819	442664	0283	8	9717	56
	5	560540	5765	439460	560828	5773	439172	0287	8	9713	87 55
2	6	563999	5719	436001	564291	5727	435709	0292	8	9708	54
	7	567431	5674	432569	567727	5682	432273	0296	8	9704	53
	8	570836	5630	429164	571137	5638	428863	0301	8	9699	52
	9	574214	5587	425786	574520	5595	425480	0306	8	9694	51
	10	577566	5544	422434	577877	5552	422123	0311	8	9689	50
	11	580892	5502	419108	581208	5510	418792	0315	8	9685	49
	12	584193	5460	415807	584514	5468	415486	0320	8	9680	48
	13	587469	5419	412531	587795	5427	412205	0325	8	9675	47
	14	590721	5379	409279	591051	5387	408949	0330	8	9670	46
	15	593948		406052	594283		405717	0335		9665	87 45
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

88½ Deg.

87¼ Deg.

2½ Deg.

TABLE V.—LOG. SINES, ETC.

3 Deg.

°	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Co.	
	8°		11°	8°		11°	10°00		9°99	
2 15	593948	5339	406052	594283	5347	405717	0335	8	9665	45
16	597152	5300	402848	597492	5308	402508	0340	8	9660	44
17	600332	5261	399668	600677	5270	399323	0345	8	9655	43
18	603489	5223	396511	603839	5232	396161	0350	8	9650	42
19	606623	5186	393377	606978	5194	393022	0355	8	9645	41
20	609734	5149	390266	610094	5158	389906	0360	9	9640	40
21	612823	5112	387177	613189	5121	386811	0365	9	9635	39
22	615891	5076	384109	616262	5085	383738	0371	9	9629	38
23	618937	5041	381063	619313	5050	380687	0376	9	9624	87 37
2 24	621962	5006	378038	622343	5015	377657	0381	9	9619	36
25	624965	4972	375035	625352	4981	374648	0386	9	9614	35
26	627948	4938	372052	628340	4947	371660	0392	9	9608	34
27	630911	4904	369089	631308	4913	368692	0397	9	9603	33
28	633854	4871	366146	634256	4880	365744	0403	9	9597	32
29	636776	4839	363224	637184	4848	362816	0408	9	9592	31
30	639680	4806	360320	640093	4816	359907	0414	9	9586	30
31	642563	4775	357437	642982	4784	357018	0419	9	9581	29
32	645428	4743	354572	645853	4753	354147	0425	9	9575	87 28
2 33	648274	4712	351726	648704	4722	351296	0430	9	9570	27
34	651102	4682	348898	651537	4691	348463	0436	9	9564	26
35	653911	4652	346089	654352	4661	345648	0442	10	9558	25
36	656702	4622	343298	657149	4631	342851	0447	10	9553	24
37	659475	4592	340525	659928	4602	340072	0453	10	9547	23
38	662230	4563	337770	662689	4573	337311	0459	10	9541	22
39	664968	4535	335032	665433	4544	334567	0465	10	9535	21
40	667689	4506	332311	668160	4517	331840	0471	10	9529	20
41	670393	4479	329607	670870	4488	329130	0476	10	9524	87 19
2 42	673080	4451	326920	673563	4461	326437	0482	10	9518	18
43	675751	4424	324249	676239	4434	323761	0488	10	9512	17
44	678405	4397	321595	678900	4407	321100	0494	10	9506	16
45	681043	4370	318957	681544	4380	318456	0500	10	9500	15
46	683665	4344	316335	684172	4354	315828	0507	10	9493	14
47	686272	4318	313728	686784	4328	313216	0513	10	9487	13
48	688863	4292	311137	689381	4303	310619	0519	10	9481	12
49	691438	4267	308562	691963	4277	308037	0525	10	9475	11
50	693998	4242	306002	694529	4252	305471	0531	10	9469	87 10
2 51	696543	4217	303457	697081	4228	302919	0537	11	9463	9
52	699073	4192	300927	699617	4203	300383	0544	11	9456	8
53	701589	4168	298411	702139	4179	297861	0550	11	9450	7
54	704090	4144	295910	704646	4155	295354	0557	11	9443	6
55	706577	4121	293423	707140	4132	292860	0563	11	9437	5
56	709049	4097	290951	709618	4108	290382	0569	11	9431	4
57	711507	4074	288493	712083	4085	287917	0576	11	9424	3
58	713952	4051	286048	714534	4062	285466	0582	11	9418	2
59	716383	4029	283617	716972	4040	283028	0589	11	9411	1
60	718800		281200	719396		280604	0596		9404	87 0
	Co.	D.	Sec.	Cot.	D.	Tang.	Co.	D.	Sine	

87½ Deg.

87 Deg.

3 Deg.

TABLE V.—LOG. SINES, ETC.

8½ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		8°		11°	8°		11°	10°00		9°99	
3	0	718800	4006	281200	719396	4017	280604	0596	11	9404	87 0
	1	721204	3984	278796	721806	3995	278194	0602	11	9398	59
	2	723595	3962	276405	724204	3974	275796	0609	11	9391	58
	3	725972	3941	274028	726588	3952	273412	0616	11	9384	57
	4	728337	3919	271663	728959	3930	271041	0622	11	9378	56
	5	730688	3898	269312	731317	3909	268683	0629	11	9371	55
	6	733027	3877	266973	733663	3889	266337	0636	12	9364	54
	7	735354	3857	264646	735996	3868	264004	0643	12	9357	53
	8	737667	3836	262333	738317	3848	261683	0650	12	9350	86 52
3	9	739969	3816	260031	740626	3827	259374	0657	12	9343	51
	10	742259	3796	257741	742922	3807	257078	0664	12	9336	50
	11	744536	3776	255464	745207	3787	254793	0671	12	9329	49
	12	746802	3756	253198	747479	3768	252521	0678	12	9322	48
	13	749055	3737	250945	749740	3749	250260	0685	12	9315	47
	14	751297	3717	248703	751989	3729	248011	0692	12	9308	46
	15	753528	3698	246472	754227	3710	245773	0699	12	9301	45
	16	755747	3678	244253	756453	3692	243547	0706	12	9294	44
	17	757955	3661	242045	758668	3673	241332	0714	12	9286	86 43
3	18	760151	3642	239849	760872	3655	239128	0721	12	9279	42
	19	762337	3624	237663	763065	3636	236935	0728	12	9272	41
	20	764511	3606	235489	765246	3618	234754	0735	12	9265	40
	21	766675	3588	233325	767417	3600	232583	0743	12	9257	39
	22	768828	3570	231172	769578	3583	230422	0750	13	9250	38
	23	770970	3553	229030	771727	3565	228273	0758	13	9242	37
	24	773101	3535	226899	773866	3548	226134	0765	13	9235	36
	25	775223	3518	224777	775995	3531	224005	0773	13	9227	35
	26	777333	3501	222667	778114	3514	221886	0780	13	9220	86 34
3	27	779434	3484	220566	780222	3497	219778	0788	13	9212	33
	28	781524	3467	218476	782320	3480	217680	0795	13	9205	32
	29	783605	3451	216395	784408	3464	215592	0803	13	9197	31
	30	785675	3434	214325	786486	3447	213514	0811	13	9189	30
	31	787736	3418	212264	788554	3431	211446	0819	13	9181	29
	32	789787	3402	210213	790613	3415	209387	0826	13	9174	28
	33	791828	3386	208172	792662	3399	207338	0834	13	9166	27
	34	793859	3370	206141	794701	3383	205299	0842	13	9158	26
	35	795881	3354	204119	796731	3368	203269	0850	13	9150	86 25
3	36	797894	3339	202106	798752	3352	201248	0858	13	9142	24
	37	799897	3323	200103	800763	3337	199237	0866	13	9134	23
	38	801892	3308	198108	802765	3322	197235	0874	13	9126	22
	39	803876	3293	196124	804758	3307	195242	0882	13	9118	21
	40	805852	3278	194148	806742	3292	193258	0890	13	9110	20
	41	807819	3263	192181	808717	3277	191283	0898	13	9102	19
	42	809777	3249	190223	810683	3262	189317	0906	14	9094	18
	43	811726	3234	188274	812641	3248	187359	0914	14	9086	17
	44	813667	3219	186333	814589	3233	185411	0923	14	9077	16
	45	815599		184401	816529		183471	0931	14	9069	86 15
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

87 Deg.

86½ Deg.

84 Deg.		TABLE V.—LOG. SINES, ETC.								44 Deg	
°		Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		8°		11°	8°		11°	10'00		9'99	
3	45	815599	3205	184401	816529	3219	183471	0931	14	9069	15
	46	817522	3191	182478	818461	3205	181539	0939	14	9061	14
	47	819436	3177	180564	820384	3191	179616	0947	14	9053	13
	48	821343	3163	178657	822298	3177	177702	0956	14	9044	12
	49	823240	3149	176760	824205	3163	175795	0964	14	9036	11
	50	825130	3135	174870	826103	3150	173897	0973	14	9027	10
	51	827011	3122	172989	827992	3136	172008	0981	14	9019	9
	52	828884	3108	171116	829874	3123	170126	0990	14	9010	8
	53	830749	3095	169251	831748	3108	168252	0998	14	9002	86 7
3	54	832607	3082	167393	833613	3096	166387	1007	14	8993	6
	55	834456	3069	165544	835471	3083	164529	1016	14	8984	5
	56	836297	3056	163703	837321	3070	162679	1024	14	8976	4
	57	838130	3043	161870	839163	3057	160837	1033	15	8967	3
	58	839956	3030	160044	840998	3045	159002	1042	15	8958	2
	59	841774	3017	158226	842825	3032	157175	1050	15	8950	1
4	0	843585	3005	156415	844644	3019	155356	1059	15	8941	86 0
	1	845387	2992	154613	846455	3007	153545	1068	15	8932	59
	2	847183	2980	152817	848260	2995	151740	1077	15	8923	58
4	3	848971	2967	151029	850057	2982	149943	1086	15	8914	57
	4	850751	2955	149249	851846	2970	148154	1095	15	8905	56
	5	852525	2943	147475	853628	2958	146372	1104	15	8896	55
	6	854291	2931	145709	855403	2946	144597	1113	15	8887	54
	7	856049	2919	143951	857171	2935	142829	1122	15	8878	53
	8	857801	2908	142199	858932	2923	141068	1131	15	8869	52
	9	859546	2896	140454	860686	2911	139314	1140	15	8860	51
	10	861283	2884	138717	862433	2900	137567	1149	15	8851	50
	11	863014	2873	136986	864173	2888	135827	1159	15	8841	85 49
4	12	864738	2861	135262	865906	2877	134094	1168	15	8832	48
	13	866455	2850	133545	867632	2866	132368	1177	16	8823	47
	14	868165	2839	131835	869351	2854	130649	1187	16	8813	46
	15	869868	2828	130132	871064	2843	128936	1196	16	8804	45
	16	871565	2817	128435	872770	2832	127230	1205	16	8795	44
	17	873255	2806	126745	874469	2821	125531	1215	16	8785	43
	18	874938	2795	125062	876162	2811	123838	1224	16	8776	42
	19	876615	2783	123385	877849	2800	122151	1234	16	8766	41
	20	878285	2773	121715	879529	2789	120471	1243	16	8757	85 40
4	21	879949	2763	120051	881202	2779	118798	1253	16	8747	39
	22	881607	2752	118393	882869	2768	117131	1262	16	8738	38
	23	883258	2742	116742	884530	2758	115470	1272	16	8728	37
	24	884903	2731	115097	886185	2747	113815	1282	16	8718	36
	25	886542	2721	113458	887833	2737	112167	1292	16	8708	35
	26	888174	2711	111826	889476	2727	110524	1301	16	8699	34
	27	889801	2700	110199	891112	2717	108888	1311	16	8689	33
	28	891421	2690	108575	892742	2707	107258	1321	16	8679	32
	29	893035	2680	106965	894366	2697	105634	1331	17	8669	31
	30	894643		105357	895984		104016	1341		8659	85 30
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°
864 Deg.										854 Deg.	

4½ Deg.

TABLE V.—LOG. SINES, ETC.

5½ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		8°		11°	8°		11°	10'00		9'99	
4	30	894643	2670	105357	895984	2687	104016	1341	17	8659	30
	31	896246	2660	103754	897596	2677	102404	1351	17	8649	29
	32	897842	2651	102158	899203	2667	100797	1361	17	8639	28
	33	899432	2641	100568	900803	2658	999197	1371	17	8629	27
	34	901017	2631	998983	902398	2648	997602	1381	17	8619	26
	35	902596	2622	997404	903987	2638	996013	1391	17	8609	25
	36	904169	2612	995831	905570	2629	994430	1401	17	8599	24
	37	905736	2603	994264	907147	2620	992853	1411	17	8589	23
	38	907297	2593	992703	908719	2610	991281	1422	17	8578	85 22
4	39	908853	2584	991147	910285	2601	989715	1432	17	8568	21
	40	910404	2575	989596	911846	2592	988154	1442	17	8558	20
	41	911949	2566	988051	913401	2583	986599	1452	17	8548	19
	42	913488	2556	986512	914951	2574	985049	1463	17	8537	18
	43	915022	2547	984978	916495	2565	983505	1473	17	8527	17
	44	916550	2538	983450	918034	2556	981966	1484	18	8516	16
	45	918073	2529	981927	919568	2547	980432	1494	18	8506	15
	46	919591	2520	980409	921096	2538	978904	1505	18	8495	14
	47	921103	2512	978897	922619	2530	977381	1515	18	8485	85 13
4	48	922610	2503	977390	924136	2521	975864	1526	18	8474	12
	49	924112	2494	975888	925649	2512	974351	1536	18	8464	11
	50	925609	2486	974391	927156	2503	972844	1547	18	8453	10
	51	927100	2477	972900	928658	2495	971342	1558	18	8442	9
	52	928587	2469	971413	930155	2486	969845	1569	18	8431	8
	53	930068	2460	969932	931647	2478	968353	1579	18	8421	7
	54	931544	2452	968456	933134	2470	966866	1590	18	8410	6
	55	933015	2443	966985	934616	2461	965384	1601	18	8399	5
	56	934481	2435	965519	936093	2453	963907	1612	18	8388	85 4
4	57	935942	2427	964058	937565	2445	962435	1623	18	8377	3
	58	937398	2419	962602	939032	2437	960968	1634	18	8366	2
	59	938850	2411	961150	940494	2430	959506	1645	18	8355	1
5	0	940296	2403	959704	941952	2421	958048	1656	19	8344	8 0
	1	941738	2394	958262	943404	2413	956596	1667	19	8333	59
	2	943174	2387	956826	944852	2405	955148	1678	19	8322	58
	3	944606	2379	955394	946295	2397	953705	1689	19	8311	57
	4	946034	2371	953966	947734	2390	952266	1700	19	8300	56
	5	947456	2363	952544	949168	2382	950832	1711	19	8289	84 55
5	6	948874	2355	951126	950597	2374	949403	1723	19	8277	54
	7	950287	2348	949713	952021	2366	947979	1734	19	8266	53
	8	951696	2340	948304	953441	2358	946559	1745	19	8255	52
	9	953100	2332	946900	954856	2351	945144	1757	19	8243	51
	10	954499	2325	945501	956267	2344	943733	1768	19	8232	50
	11	955894	2317	944106	957674	2335	942326	1780	19	8220	49
	12	957284	2310	942716	959075	2329	940925	1791	19	8209	48
	13	958670	2302	941330	960473	2321	939527	1803	19	8197	47
	14	960052	2295	939948	961866	2314	938134	1814	19	8186	46
	15	961429		938571	963255		936745	1826	19	8174	84 45
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

85½ Deg.

84½ Deg.

5½ Deg.

TABLE V.—LOG. SINES, ETC.

6 Deg.

°	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
	8°		11°	8°		11°	10°00		9°99	
5 15	961429	2288	038571	963255	2307	036745	1826		8174	45
16	962801	2280	037199	964639	2300	035361	1837	19	8163	44
17	964170	2273	035830	966019	2293	033981	1849	19	8151	43
18	965534	2266	034466	967394	2286	032606	1861	19	8139	42
19	966893	2259	033107	968766	2279	031234	1872	20	8128	41
20	968249	2252	031751	970133	2271	029867	1884	20	8116	40
21	969600	2245	030400	971496	2265	028504	1896	20	8104	39
22	970947	2238	029053	972855	2257	027145	1908	20	8092	38
23	972289	2231	027711	974209	2251	025791	1920	20	8080	37
5 24	973628	2224	026372	975560	2244	024440	1932	20	8068	36
25	974962	2217	025038	976906	2237	023094	1944	20	8056	35
26	976293	2210	023707	978248	2230	021752	1956	20	8044	34
27	977619	2203	022381	979586	2223	020414	1968	20	8032	33
28	978941	2197	021059	980921	2217	019079	1980	20	8020	32
29	980259	2190	019741	982251	2210	017749	1992	20	8008	31
30	981573	2183	018427	983577	2204	016423	2004	20	7996	30
31	982883	2177	017117	984899	2197	015101	2016	20	7984	29
32	984189	2170	015811	986217	2191	013783	2028	20	7972	28
5 33	985491	2163	014509	987532	2184	012468	2041	20	7959	27
34	986789	2157	013211	988842	2178	011158	2053	20	7947	26
35	988083	2150	011917	990149	2171	009851	2065	21	7935	25
36	989374	2144	010626	991451	2165	008549	2078	21	7922	24
37	990660	2138	009340	992750	2158	007250	2090	21	7910	23
38	991943	2131	008057	994045	2152	005955	2103	21	7897	22
39	993222	2125	006778	995337	2146	004663	2115	21	7885	21
40	994497	2119	005503	996624	2140	003376	2128	21	7872	20
41	995768	2112	004232	997908	2134	002092	2140	21	7860	19
5 42	997036	2106	002964	999188	2127	000812	2153	21	7847	18
43	998299	2100	001701	000465	2121	999535	2165	21	7835	17
44	999560	2094	000440	001738	2115	998262	2178	21	7822	16
45	000816	2088	999184	003007	2109	996993	2191	21	7809	15
46	002069	2082	997931	004272	2103	995728	2203	21	7797	14
47	003318	2076	996682	005534	2097	994466	2216	21	7784	13
48	004563	2070	995437	006792	2091	993208	2229	21	7771	12
49	005805	2064	994195	008047	2085	991953	2242	21	7758	11
50	007044	2058	992956	009298	2080	990702	2255	21	7745	10
5 51	008278	2052	991722	010546	2074	989454	2268	21	7732	9
52	009510	2046	990490	011790	2068	988210	2281	21	7719	8
53	010737	2040	989263	013031	2062	986969	2294	21	7706	7
54	011962	2034	988038	014268	2056	985732	2307	22	7693	6
55	013182	2029	986818	015502	2051	984498	2320	22	7680	5
56	014400	2023	985600	016732	2045	983268	2333	22	7667	4
57	015613	2017	984387	017959	2040	982041	2346	22	7654	3
58	016824	2012	983176	019183	2033	980817	2359	22	7641	2
59	018031	2006	981969	020403	2028	979597	2372	22	7628	1
60	019235		980765	021620		978380	2386	22	7614	0
	Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

84½ Deg.

84 Deg.

6 Deg.

TABLE V.—LOG. SINES, ETC.

6½ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Coa.	
		9°		10°	9°		10°	10°00		9°99	
6	0	019235	2000	980765	021620	2023	978380	2386	22	7614	60
	1	020435	1995	979565	022834	2017	977166	2399	22	7601	59
	2	021632	1989	978368	024044	2011	975956	2412	22	7588	58
	3	022825	1984	977175	025251	2006	974749	2426	22	7574	57
	4	024016	1978	975984	026455	2000	973545	2439	22	7561	56
	5	025203	1973	974797	027655	1995	972345	2453	22	7547	55
	6	026386	1967	973614	028852	1990	971148	2466	23	7534	54
	7	027567	1962	972433	030046	1985	969954	2480	23	7520	53
	8	028744	1957	971256	031237	1979	968763	2493	23	7507	83 52
6	9	029918	1951	970082	032425	1974	967575	2507	23	7493	51
	10	031089	1946	968911	033609	1969	966391	2520	23	7480	50
	11	032257	1941	967743	034791	1964	965209	2534	23	7466	49
	12	033421	1936	966579	035969	1958	964031	2548	23	7452	48
	13	034582	1930	965418	037144	1953	962856	2561	23	7439	47
	14	035741	1925	964259	038316	1948	961684	2575	23	7425	46
	15	036896	1920	963104	039485	1943	960515	2589	23	7411	45
	16	038048	1915	961952	040651	1938	959349	2603	23	7397	44
	17	039197	1910	960803	041813	1933	958187	2617	23	7383	83 43
6	18	040342	1905	959658	042973	1928	957027	2631	23	7369	42
	19	041485	1899	958515	044130	1923	955870	2645	23	7355	41
	20	042625	1895	957375	045284	1918	954716	2659	23	7341	40
	21	043762	1889	956238	046434	1913	953566	2673	23	7327	39
	22	044895	1884	955105	047582	1908	952418	2687	24	7313	38
	23	046026	1879	953974	048727	1903	951273	2701	24	7299	37
	24	047154	1875	952846	049869	1898	950131	2715	24	7285	36
	25	048279	1870	951721	051008	1893	948992	2729	24	7271	35
	26	049400	1865	950600	052144	1889	947856	2743	24	7257	83 34
6	27	050519	1860	949481	053277	1884	946723	2758	24	7242	33
	28	051635	1855	948365	054407	1879	945593	2772	24	7228	32
	29	052749	1850	947251	055535	1874	944465	2786	24	7214	31
	30	053859	1845	946141	056659	1870	943341	2801	24	7199	30
	31	054966	1841	945034	057781	1865	942219	2815	24	7185	29
	32	056071	1836	943929	058900	1860	941100	2830	24	7170	28
	33	057172	1831	942828	060016	1855	939984	2844	24	7156	27
	34	058271	1827	941729	061130	1851	938870	2859	24	7141	26
	35	059367	1822	940633	062240	1846	937760	2873	24	7127	83 25
6	36	060460	1817	939540	063348	1842	936652	2888	24	7112	24
	37	061551	1813	938449	064453	1837	935547	2902	24	7098	23
	38	062639	1808	937361	065556	1833	934444	2917	24	7083	22
	39	063724	1804	936276	066655	1828	933345	2932	25	7068	21
	40	064806	1799	935194	067752	1824	932248	2947	25	7053	20
	41	065885	1794	934115	068846	1819	931154	2961	25	7039	19
	42	066962	1790	933038	069938	1815	930062	2976	25	7024	18
	43	068036	1786	931964	071027	1810	928973	2991	25	7009	17
	44	069107	1781	930893	072113	1806	927887	3006	25	6994	16
	45	070176		929824	073197		926803	3021	25	6979	83 15
		Coa.	D.	Sec.	Cot.	D.	Tang.	Coa.	D.	Sine	°

84 Deg.

84½ Deg.

64 Deg.		TABLE V.—LOG. SINES, ETC.								74 Deg.	
°	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.		
	9'		10'	9'		10'	10'00		9'99		
6 45	070176	1777	929824	073197	1802	926803	3021	25	6979	15	
46	071242	1772	928758	074278	1797	925722	3036	25	6964	14	
47	072306	1768	927694	075356	1793	924644	3051	25	6949	13	
48	073366	1763	926634	076432	1789	923568	3066	25	6934	12	
49	074424	1759	925576	077505	1784	922495	3081	25	6919	11	
50	075480	1755	924520	078576	1780	921424	3096	25	6904	10	
51	076533	1750	923467	079644	1776	920356	3111	25	6889	9	
52	077583	1746	922417	080710	1772	919290	3126	25	6874	8	
53	078631	1742	921369	081773	1767	918227	3142	25	6858	83	7
6 54	079676	1738	920324	082833	1763	917167	3157	25	6843	6	
55	080719	1733	919281	083891	1759	916109	3172	25	6828	5	
56	081759	1729	918241	084947	1755	915053	3188	26	6812	4	
57	082797	1725	917203	086000	1751	914000	3203	26	6797	3	
58	083832	1721	916168	087050	1747	912950	3218	26	6782	2	
59	084864	1717	915136	088098	1743	911902	3234	26	6766	1	
7 0	085894	1713	914106	089144	1738	910856	3249	26	6751	83	0
1	086922	1709	913078	090187	1735	909813	3265	26	6735	59	
2	087947	1704	912053	091228	1731	908772	3280	26	6720	82	58
7 3	088970	1700	911030	092266	1727	907734	3296	26	6704	57	
4	089990	1696	910010	093302	1722	906698	3312	26	6688	56	
5	091008	1692	908992	094336	1719	905664	3327	26	6673	55	
6	092024	1688	907976	095367	1715	904633	3343	26	6657	54	
7	093037	1684	906963	096395	1711	903605	3359	26	6641	53	
8	094047	1680	905953	097422	1707	902578	3375	26	6625	52	
9	095056	1676	904944	098446	1703	901554	3390	26	6610	51	
10	096062	1673	903938	099468	1699	900532	3406	26	6594	50	
11	097065	1668	902935	100487	1695	899513	3422	27	6578	82	49
7 12	098066	1665	901934	101504	1691	898496	3438	27	6562	48	
13	099065	1661	900935	102519	1687	897481	3454	27	6546	47	
14	100062	1657	899938	103532	1684	896468	3470	27	6530	46	
15	101056	1653	898944	104542	1680	895458	3486	27	6514	45	
16	102048	1649	897952	105550	1676	894450	3502	27	6498	44	
17	103037	1645	896963	106556	1672	893444	3518	27	6482	43	
18	104025	1642	895975	107559	1669	892441	3535	27	6465	42	
19	105010	1638	894990	108560	1665	891440	3551	27	6449	41	
20	105992	1634	894008	109559	1661	890441	3567	27	6433	82	40
7 21	106973	1630	893027	110556	1658	889444	3583	27	6417	39	
22	107951	1627	892049	111551	1654	888449	3600	27	6400	38	
23	108927	1623	891073	112543	1650	887457	3616	27	6384	37	
24	109901	1619	890099	113533	1647	886467	3632	27	6368	36	
25	110873	1616	889127	114521	1643	885479	3649	27	6351	35	
26	111842	1612	888158	115507	1639	884493	3665	27	6335	34	
27	112809	1608	887191	116491	1636	883509	3682	27	6318	33	
28	113774	1605	886226	117472	1632	882528	3698	28	6302	32	
29	114737	1601	885263	118452	1629	881548	3715	28	6285	31	
30	115698		884302	119429		880571	3731	28	6269	82	30
	Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°	'

88½ Deg.

82½ Deg.

7½ Deg.

TABLE V.—LOG. SINES, ETC.

8½ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'		10'	9'		10'	10'00		9'99	
7	30	115698	1597	884302	119429	1625	880571	3731	28	6269	30
	31	116656	1594	883344	120404	1622	879596	3748	28	6252	29
	32	117613	1590	882387	121377	1618	878623	3765	28	6235	28
	33	118567	1587	881433	122348	1615	877652	3781	28	6219	27
	34	119519	1583	880481	123317	1611	876683	3798	28	6202	26
	35	120469	1580	879531	124284	1608	875716	3815	28	6185	25
	36	121417	1576	878583	125249	1604	874751	3832	28	6168	24
	37	122362	1573	877638	126211	1601	873789	3849	28	6151	23
	38	123306	1569	876694	127172	1597	872828	3866	28	6134	82 22
7	39	124248	1566	875752	128130	1594	871870	3883	28	6117	21
	40	125187	1562	874813	129087	1591	870913	3900	28	6100	20
	41	126125	1559	873875	130041	1587	869959	3917	29	6083	19
	42	127060	1556	872940	130994	1584	869006	3934	29	6066	18
	43	127993	1552	872007	131944	1581	868056	3951	29	6049	17
	44	128925	1549	871075	132893	1577	867107	3968	29	6032	16
	45	129854	1545	870146	133839	1574	866161	3985	29	6015	15
	46	130781	1542	869219	134784	1571	865216	4002	29	5998	14
	47	131706	1539	868294	135726	1567	864274	4020	29	5980	82 13
7	48	132630	1535	867370	136667	1564	863333	4037	29	5963	12
	49	133551	1532	866449	137605	1561	862395	4054	29	5946	11
	50	134470	1529	865530	138542	1558	861458	4072	29	5928	10
	51	135387	1525	864613	139476	1555	860524	4089	29	5911	9
	52	136303	1522	863697	140409	1551	859591	4106	29	5894	8
	53	137216	1519	862784	141340	1548	858660	4124	29	5876	7
	54	138128	1516	861872	142269	1545	857731	4141	29	5859	6
	55	139037	1512	860963	143196	1542	856804	4159	29	5841	5
	56	139944	1509	860056	144121	1539	855879	4177	29	5823	82 4
7	57	140850	1506	859150	145044	1535	854956	4194	29	5806	3
	58	141754	1503	858246	145966	1532	854034	4212	29	5788	2
	59	142655	1500	857345	146885	1529	853115	4229	29	5771	82 1
8	0	143555	1496	856445	147803	1526	852197	4247	29	5753	0
	1	144453	1493	855547	148718	1523	851282	4265	30	5735	59
	2	145349	1490	854651	149632	1520	850368	4283	30	5717	58
	3	146243	1487	853757	150544	1517	849456	4301	30	5699	57
	4	147136	1484	852864	151454	1514	848546	4319	30	5681	56
	5	148026	1481	851974	152363	1511	847637	4336	30	5664	81 55
8	6	148915	1478	851085	153269	1508	846731	4354	30	5646	54
	7	149802	1475	850198	154174	1505	845826	4372	30	5628	53
	8	150686	1472	849314	155077	1502	844923	4390	30	5610	52
	9	151569	1469	848431	155978	1499	844022	4409	30	5591	51
	10	152451	1466	847549	156877	1496	843123	4427	30	5573	50
	11	153330	1463	846670	157775	1493	842225	4445	30	5555	49
	12	154208	1460	845792	158671	1490	841329	4463	30	5537	48
	13	155083	1457	844917	159565	1487	840435	4481	30	5519	47
	14	155957	1454	844043	160457	1484	839543	4499	30	5501	46
	15	156830		843170	161347		838653	4518	31	5482	81 45
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

82½ Deg.

81½ Deg.

8 $\frac{1}{4}$ Deg.

TABLE V.—LOG SINES, ETC.

9 Deg

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cor.	
		9'		10'	9'		10'	10'00		9'99	
8	15	156830	1451	843170	161347	1481	838653	4518	31	5482	4
	16	157700	1448	842300	162236	1479	837764	4536	31	5464	4
	17	158569	1445	841431	163123	1476	836877	4554	31	5446	4
	18	159435	1442	840565	164008	1473	835992	4573	31	5427	4
	19	160301	1439	839699	164892	1470	835108	4591	31	5409	4
	20	161164	1436	838836	165774	1467	834226	4610	31	5390	4
	21	162025	1433	837975	166654	1464	833346	4628	31	5372	3
	22	162885	1430	837115	167532	1461	832468	4647	31	5353	3
	23	163743	1427	836257	168409	1458	831591	4666	31	5334	81 3
8	24	164600	1424	835400	189284	1455	830716	4684	31	5316	3
	25	165454	1422	834546	170157	1453	829843	4703	31	5297	3
	26	166307	1419	833693	171029	1450	828971	4722	31	5278	3
	27	167159	1416	832841	171899	1447	828101	4740	31	5260	3
	28	168008	1413	831992	172767	1444	827233	4759	32	5241	3
	29	168856	1410	831144	173634	1442	826366	4778	32	5222	3
	30	169702	1407	830298	174499	1439	825501	4797	32	5203	3
	31	170547	1405	829453	175362	1436	824638	4816	32	5184	2
	32	171389	1402	828611	176224	1433	823776	4835	32	5165	81 2
8	33	172230	1399	827770	177084	1431	822916	4854	32	5146	2
	34	173070	1396	826930	177942	1428	822058	4873	32	5127	2
	35	173908	1394	826092	178799	1425	821201	4892	32	5108	2
	36	174744	1391	825256	179655	1423	820345	4911	32	5089	2
	37	175578	1388	824422	180508	1420	819492	4930	32	5070	2
	38	176411	1386	823589	181360	1417	818640	4949	32	5051	2
	39	177242	1383	822758	182211	1415	817789	4968	32	5032	2
	40	178072	1380	821928	183059	1412	816941	4987	32	5013	2
	41	178900	1377	821100	183907	1409	816093	5007	32	4993	81 1
8	42	179726	1374	820274	184752	1407	815248	5026	32	4974	1
	43	180551	1372	819449	185597	1404	814403	5045	32	4955	1
	44	181374	1369	818626	186439	1402	813561	5065	32	4935	1
	45	182196	1366	817804	187280	1399	812720	5084	32	4916	1
	46	183016	1364	816984	188120	1396	811880	5104	33	4896	1
	47	183834	1361	816166	188958	1393	811042	5123	33	4877	1
	48	184651	1359	815349	189794	1391	810206	5143	33	4857	1
	49	185466	1356	814534	190629	1389	809371	5162	33	4838	1
	50	186280	1353	813720	191462	1386	808538	5182	33	4818	81 0
8	51	187092	1351	812908	192294	1384	807706	5202	33	4798	9
	52	187903	1348	812097	193124	1381	806876	5221	33	4779	8
	53	188712	1346	811288	193953	1379	806047	5241	33	4759	7
	54	189519	1343	810481	194780	1376	805220	5261	33	4739	6
	55	190325	1341	809675	195606	1374	804394	5281	33	4719	5
	56	191130	1338	808870	196430	1371	803570	5300	33	4700	4
	57	191933	1336	808067	197253	1369	802747	5320	33	4680	3
	58	192734	1333	807266	198074	1366	801926	5340	33	4660	2
	59	193534	1330	806466	198894	1364	801106	5360	33	4640	1
	60	194332		805668	199713		800287	5380	33	4620	81 0
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

81 $\frac{3}{4}$ Deg.

81 Deg.

9 Deg.

TABLE V.—LOG. SINES, ETC.

9½ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'		10'	9'		10'	10'00		9'99	
9	0	194332		805668	199713	1361	800287	5380		4620	60
	1	195129	1328	804871	200529	1359	799471	5400	33	4600	59
	2	195925	1326	804075	201345	1356	798655	5420	33	4580	58
	3	196719	1323	803281	202159	1354	797841	5440	33	4560	57
	4	197511	1321	802489	202971	1352	797029	5460	34	4540	56
	5	198302	1318	801698	203782	1349	796218	5481	34	4519	55
	6	199091	1316	800909	204592	1347	795408	5501	34	4499	54
	7	199879	1313	800121	205400	1347	794600	5521	34	4479	53
	8	200666	1311	799334	206207	1345	793793	5541	34	4459	52
			1308			1342			34		
9	9	201451	1306	798549	207013	1340	792987	5562	34	4438	51
	10	202234	1304	797766	207817	1338	792183	5582	34	4418	50
	11	203017	1301	796983	208619	1335	791381	5603	34	4397	49
	12	203797	1299	796203	209420	1333	790580	5623	34	4377	48
	13	204577	1296	795423	210220	1331	789780	5643	34	4357	47
	14	205354	1294	794646	211018	1328	788982	5664	34	4336	46
	15	206131	1292	793869	211815	1326	788185	5684	34	4316	45
	16	206906	1289	793094	212611	1324	787389	5705	34	4295	44
	17	207679	1287	792321	213405	1321	786595	5726	34	4274	43
									35		
9	18	208452	1285	791548	214198	1319	785802	5746	35	4254	42
	19	209222	1282	790778	214989	1317	785011	5767	35	4233	41
	20	209992	1280	790008	215780	1315	784220	5788	35	4212	40
	21	210760	1278	789240	216568	1312	783432	5809	35	4191	39
	22	211526	1275	788474	217356	1310	782644	5829	35	4171	38
	23	212291	1273	787709	218142	1308	781858	5850	35	4150	37
	24	213055	1271	786945	218926	1305	781074	5871	35	4129	36
	25	213818	1268	786182	219710	1303	780290	5892	35	4108	35
	26	214579	1266	785421	220492	1301	779508	5913	35	4087	34
									35		
9	27	215338	1264	784662	221272	1299	778728	5934	35	4066	33
	28	216097	1261	783903	222052	1297	777948	5955	35	4045	32
	29	216854	1259	783146	222830	1294	777170	5976	35	4024	31
	30	217609	1257	782391	223606	1292	776394	5997	35	4003	30
	31	218363	1255	781637	224382	1290	775618	6019	35	3981	29
	32	219116	1253	780884	225156	1288	774844	6040	35	3960	28
	33	219868	1250	780132	225929	1286	774071	6061	35	3939	27
	34	220618	1248	779382	226700	1284	773300	6082	35	3918	26
	35	221367	1246	778633	227471	1281	772529	6104	35	3896	25
									36		
9	36	222115	1244	777885	228239	1279	771761	6125	36	3875	24
	37	222861	1242	777139	229007	1277	770993	6146	36	3854	23
	38	223606	1239	776394	229773	1275	770227	6168	36	3832	22
	39	224349	1237	775651	230539	1273	769461	6189	36	3811	21
	40	225092	1235	774908	231302	1271	768698	6211	36	3789	20
	41	225833	1233	774167	232065	1269	767935	6232	36	3768	19
	42	226573	1231	773427	232826	1267	767174	6254	36	3746	18
	43	227311	1228	772689	233586	1265	766414	6275	36	3725	17
	44	228048	1226	771952	234345	1262	765655	6297	36	3703	16
	45	228784		771216	235103		764897	6319	36	3681	15
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	'

81 Deg.

80½ Deg.

9 $\frac{1}{4}$ Deg.		TABLE V.—LOG. SINES, ETC.								10 $\frac{1}{4}$ Deg.	
°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Coa.	
		9'		10'	9'		10'	10'00		9'99	
9	45	228784	1224	771216	235103	1260	764897	6319	36	3681	15
	46	229518	1222	770482	235859	1258	764141	6340	36	3660	14
	47	230252	1220	769748	236614	1256	763386	6362	36	3638	13
	48	230984	1218	769016	237368	1254	762632	6384	36	3616	12
	49	231714	1216	768286	238120	1252	761880	6406	37	3594	11
	50	232444	1214	767556	238872	1250	761128	6428	37	3572	10
	51	233172	1212	766828	239622	1248	760378	6450	37	3550	9
	52	233899	1209	766101	240371	1246	759629	6472	37	3528	8
	53	234625	1207	765375	241118	1244	758882	6494	37	3506	80 7
9	54	235349	1205	764651	241865	1242	758135	6516	37	3484	6
	55	236073	1203	763927	242610	1240	757390	6538	37	3462	5
	56	236795	1201	763205	243354	1238	756646	6560	37	3440	4
	57	237515	1199	762485	244097	1236	755903	6582	37	3418	3
	58	238235	1197	761765	244839	1234	755161	6604	37	3396	2
	59	238953	1195	761047	245579	1232	754421	6626	37	3374	1
10	0	239670	1193	760330	246319	1230	753681	6649	37	3351	80 0
	1	240386	1191	759614	247057	1228	752943	6671	37	3329	59
	2	241101	1189	758899	247794	1226	752206	6693	37	3307	79 58
10	3	241814	1187	758186	248530	1224	751470	6715	37	3285	57
	4	242526	1185	757474	249264	1222	750736	6738	37	3262	56
	5	243237	1183	756763	249998	1220	750002	6760	37	3240	55
	6	243947	1181	756053	250730	1218	749270	6783	38	3217	54
	7	244656	1179	755344	251461	1217	748539	6805	38	3195	53
	8	245363	1177	754637	252191	1215	747809	6828	38	3172	52
	9	246069	1175	753931	252920	1213	747080	6851	38	3149	51
	10	246775	1173	753225	253648	1211	746352	6873	38	3127	50
	11	247478	1171	752522	254374	1209	745626	6896	38	3104	79 49
10	12	248181	1169	751819	255100	1207	744900	6919	38	3081	48
	13	248883	1167	751117	255824	1205	744176	6941	38	3059	47
	14	249583	1165	750417	256547	1203	743453	6964	38	3036	46
	15	250282	1163	749718	257269	1201	742731	6987	38	3013	45
	16	250980	1161	749020	257990	1200	742010	7010	38	2990	44
	17	251677	1159	748323	258710	1198	741290	7033	38	2967	43
	18	252373	1158	747627	259429	1196	740571	7056	38	2944	42
	19	253067	1156	746933	260146	1194	739854	7079	38	2921	41
	20	253761	1154	746239	260863	1192	739137	7102	38	2898	79 40
10	21	254453	1152	745547	261578	1190	738422	7125	38	2875	39
	22	255144	1150	744856	262292	1189	737708	7148	38	2852	38
	23	255834	1148	744166	263005	1187	736995	7171	39	2829	37
	24	256523	1146	743477	263717	1185	736283	7194	39	2806	36
	25	257211	1144	742789	264428	1183	735572	7217	39	2783	35
	26	257898	1142	742102	265138	1181	734862	7241	39	2759	34
	27	258583	1141	741417	265847	1179	734153	7264	39	2736	33
	28	259268	1139	740732	266555	1178	733445	7287	39	2713	32
	29	259951	1137	740049	267261	1176	732739	7310	39	2690	31
	30	260633		739367	267967		732033	7334	39	2666	79 30
		Coa.	D.	Sec.	Cot.	D.	Tang.	Coa.	D.	Sine	°

80 $\frac{1}{4}$ Deg.79 $\frac{1}{4}$ Deg.

10½ Deg.		TABLE V.—LOG. SINES, ETC.								11½ Deg.	
°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cor.	
		9'		10'	9'		10'	10'00		9'99	
10	30	260633	1135	739367	267967	1174	732033	7334	39	2666	30
	31	261314	1133	738686	268671	1172	731329	7357	39	2643	29
	32	261994	1131	738006	269375	1170	730625	7381	39	2619	28
	33	262673	1130	737327	270077	1169	729923	7404	39	2596	27
	34	263351	1128	736649	270779	1167	729221	7428	39	2572	26
	35	264027	1126	735973	271479	1165	728521	7451	39	2549	25
	36	264703	1124	735297	272178	1164	727822	7475	39	2525	24
	37	265377	1122	734623	272876	1162	727124	7499	39	2501	23
	38	266051	1120	733949	273573	1160	726427	7522	40	2478	79 22
10	39	266723	1119	733277	274269	1158	725731	7546	40	2454	21
	40	267395	1117	732605	274964	1157	725036	7570	40	2430	20
	41	268065	1115	731935	275658	1155	724342	7594	40	2406	19
	42	268734	1113	731266	276351	1153	723649	7618	40	2382	18
	43	269402	1111	730598	277043	1151	722957	7641	40	2359	17
	44	270069	1110	729931	277734	1150	722266	7665	40	2335	16
	45	270735	1108	729265	278424	1148	721576	7689	40	2311	15
	46	271400	1106	728600	279113	1147	720887	7713	40	2287	14
	47	272064	1105	727936	279801	1145	720199	7737	40	2263	79 13
10	48	272726	1103	727274	280488	1143	719512	7761	40	2239	12
	49	273388	1101	726612	281174	1141	718826	7786	40	2214	11
	50	274049	1099	725951	281858	1140	718142	7810	40	2190	10
	51	274708	1098	725292	282542	1138	717458	7834	40	2166	9
	52	275367	1096	724633	283225	1136	716775	7858	40	2142	8
	53	276024	1094	723976	283907	1135	716093	7883	41	2117	7
	54	276681	1092	723319	284588	1133	715412	7907	41	2093	6
	55	277337	1091	722663	285268	1131	714732	7931	41	2069	5
	56	277991	1089	722009	285947	1130	714053	7956	41	2044	79 4
10	57	278644	1087	721356	286624	1128	713376	7980	41	2020	3
	58	279297	1086	720703	287301	1126	712699	8004	41	1996	2
	59	279948	1084	720052	287977	1125	712023	8029	41	1971	1
11	0	280599	1082	719401	288652	1123	711348	8053	41	1947	79 0

11½ Deg.

TABLE V.—LOG. SINES, ETC.

12 Deg.

°		Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Co.	
		9'		10'	9'		10'	10'00		9'99	
11	15	290236	1058	709764	298662	1100	701338	8426	42	1574	4'
	16	290870	1056	709130	299322	1098	700678	8451	42	1549	4'
	17	291504	1054	708496	299980	1096	700020	8476	42	1524	4'
	18	292137	1053	707863	300638	1095	699362	8502	42	1498	4'
	19	292768	1051	707232	301295	1093	698705	8527	42	1473	4'
	20	293399	1050	706601	301951	1092	698049	8552	42	1448	4'
	21	294029	1048	705971	302607	1090	697393	8578	42	1422	3'
	22	294658	1046	705342	303261	1089	696739	8603	42	1397	3'
	23	295286	1045	704714	303914	1087	696086	8628	42	1372	78 3'
11	24	295913	1043	704087	304567	1086	695433	8654	43	1346	3'
	25	296539	1042	703461	305218	1084	694782	8679	43	1321	3'
	26	297164	1040	702836	305869	1083	694131	8705	43	1295	34
	27	297788	1039	702212	306519	1081	693481	8730	43	1270	3'
	28	298412	1037	701588	307168	1080	692832	8756	43	1244	32
	29	299034	1036	700966	307815	1078	692185	8782	43	1218	31
	30	299655	1034	700345	308463	1077	691537	8807	43	1193	30
	31	300276	1032	699724	309109	1075	690891	8833	43	1167	29
	32	300895	1031	699105	309754	1074	690246	8859	43	1141	78 28
11	33	301514	1029	698486	310398	1073	689602	8885	43	1115	27
	34	302132	1028	697868	311042	1071	688958	8910	43	1090	26
	35	302748	1026	697252	311685	1070	688315	8936	43	1064	25
	36	303364	1025	696636	312327	1068	687673	8962	43	1038	24
	37	303979	1023	696021	312967	1067	687033	8988	43	1012	23
	38	304593	1022	695407	313608	1065	686392	9014	43	0986	22
	39	305207	1020	694793	314247	1064	685753	9040	43	0960	21
	40	305819	1019	694181	314885	1062	685115	9066	43	0934	20
	41	306430	1017	693570	315523	1061	684477	9092	44	0908	78 19
11	42	307041	1016	692959	316159	1060	683841	9118	44	0882	18
	43	307650	1014	692350	316795	1058	683205	9145	44	0855	17
	44	308259	1013	691741	317430	1057	682570	9171	44	0829	16
	45	308867	1011	691133	318064	1055	681936	9197	44	0803	15
	46	309474	1010	690526	318697	1054	681303	9223	44	0777	14
	47	310080	1008	689920	319329	1053	680671	9250	44	0750	13
	48	310685	1007	689315	319961	1051	680039	9276	44	0724	12
	49	311289	1005	688711	320592	1050	679408	9303	44	0697	11
	50	311893	1004	688107	321222	1048	678778	9329	44	0671	78 10
11	51	312495	1003	687505	321851	1047	678149	9356	44	0644	9
	52	313097	1001	686903	322479	1045	677521	9382	44	0618	8
	53	313698	1000	686302	323106	1044	676894	9409	44	0591	7
	54	314297	998	685703	323733	1043	676267	9435	44	0565	6
	55	314897	997	685103	324358	1041	675642	9462	44	0538	5
	56	315495	996	684505	324983	1040	675017	9489	44	0511	4
	57	316092	994	683908	325607	1039	674393	9515	45	0485	3
	58	316689	993	683311	326231	1037	673769	9542	45	0458	2
	59	317284	991	682716	326853	1036	673147	9569	45	0431	1
	60	317879		682121	327475		672525	9596	45	0404	78 0
		Coa.	D.	Sec.	Cot.	D.	Tang.	Coa.	D.	Sine	°

78½ Deg.

78 Deg.

12 Deg.		TABLE V.—LOG. SINES, ETC.								12½ Deg.	
°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'3		10'6	9'		10'	10'0		9'9	
12	0	17879		82121	327474		672526	09596		90404	60
	1	18473	990	81527	328095	1035	671905	09622	45	90378	59
	2	19066	988	80934	328715	1033	671285	09649	45	90351	58
	3	19658	987	80344	329334	1032	670666	09676	45	90324	57
	4	20249	986	79751	329953	1030	670047	09703	45	90297	56
	5	20840	984	79160	330570	1029	669430	09730	45	90270	55
	6	21430	983	78570	331187	1028	668813	09757	45	90243	54
	7	22019	982	77981	331803	1026	668197	09785	45	90215	53
	8	22607	980	77393	332418	1025	667582	09812	45	90188	77 52
	9	23194	979	76806	333033	1024	666967	09839	45	90161	51
12	10	23780	977	76220	333646	1023	666354	09866	45	90134	50
	11	24366	976	75634	334259	1021	665741	09893	45	90107	49
	12	24950	975	75050	334871	1020	665129	09921	46	90079	48
	13	25534	973	74466	335482	1019	664518	09948	46	90052	47
	14	26117	972	73883	336093	1017	663907	09975	46	90025	46
	15	26700	970	73300	336702	1016	663298	10003	46	89997	45
	16	27281	969	72719	337311	1015	662689	10030	46	89970	44
	17	27862	968	72138	337919	1013	662081	10058	46	89942	77 43
	18	28442	966	71558	338527	1012	661473	10085	46	89915	42
12	19	29021	965	70979	339133	1011	660867	10113	46	89887	41
	20	29599	964	70401	339739	1010	660261	10140	46	89860	40
	21	30176	962	69824	340344	1008	659656	10168	46	89832	39
	22	30753	961	69247	340948	1007	659052	10196	46	89804	38
	23	31329	960	68671	341552	1006	658448	10223	46	89777	37
	24	31903	958	68097	342155	1004	657845	10251	46	89749	36
	25	32478	957	67522	342757	1003	657243	10279	47	89721	35
	26	33051	956	66949	343358	1002	656642	10307	47	89693	77 34
	27	33624	954	66376	343958	1000	656042	10335	47	89665	33
12	28	34195	953	65805	344558	999	655442	10363	47	89637	32
	29	34766	952	65234	345157	998	654843	10391	47	89609	31
	30	35337	950	64663	345755	997	654245	10418	47	89582	30
	31	35906	949	64094	346353	996	653647	10447	47	89553	29
	32	36475	948	63525	346949	994	653051	10475	47	89525	28
	33	37043	946	62957	347545	993	652455	10503	47	89497	27
	34	37610	945	62390	348141	992	651859	10531	47	89469	26
	35	38176	944	61824	348735	991	651265	10559	47	89441	77 25
	36	38742	943	61258	349329	990	650671	10587	47	89413	24
12	37	39306	941	60694	349922	988	650078	10616	47	89384	23
	38	39871	940	60129	350514	987	649486	10644	47	89356	22
	39	40434	939	59566	351106	986	648894	10672	47	89328	21
	40	40996	937	59004	351697	985	648303	10700	47	89300	20
	41	41558	936	58442	352287	983	647713	10729	47	89271	19
	42	42119	935	57881	352876	982	647124	10757	47	89243	18
	43	42679	934	57321	353465	981	646535	10786	47	89214	17
	44	43239	932	56761	354053	980	645947	10814	47	89186	16
	45	43797	931	56203	354640	979	645360	10842	47	89157	77 15
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

78 Deg.

77½ Deg.

12½ Deg.

TABLE V.—LOG. SINES, ETC.

13½ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'		10'	9'		10'	10'01		9'98	
12	45	343797	930	656203	354640	977	645360	0843	47	9157	15
	46	344355	929	655645	355227	976	644773	0872	48	9128	14
	47	344912	927	655088	355813	975	644187	0900	48	9100	13
	48	345469	926	654531	356398	974	643602	0929	48	9071	12
	49	346024	925	653976	356982	973	643018	0958	48	9042	11
	50	346579	924	653421	357566	971	642434	0986	48	9014	10
	51	347134	922	652866	358149	970	641851	1015	48	8985	9
	52	347687	921	652313	358731	969	641269	1044	48	8956	8
	53	348240	920	651760	359313	968	640687	1073	48	8927	77 7
12	54	348792	919	651208	359893	967	640107	1102	48	8898	6
	55	349343	917	650657	360474	966	639526	1131	48	8869	5
	56	349893	916	650107	361053	965	638947	1160	48	8840	4
	57	350443	915	649557	361632	963	638368	1189	49	8811	3
	58	350992	914	649008	362210	962	637790	1218	49	8782	2
	59	351540	913	648460	362787	961	637213	1247	49	8753	1
13	0	352088	911	647912	363364	960	636636	1276	49	8724	77 0
	1	352635	910	647365	363940	959	636060	1305	49	8695	59
	2	353181	909	646819	364515	958	635485	1334	49	8666	76 58
13	3	353726	908	646274	365090	957	634910	1364	49	8636	57
	4	354271	907	645729	365664	955	634336	1393	49	8607	56
	5	354815	905	645185	366237	954	633763	1422	49	8578	55
	6	355358	904	644642	366810	953	633190	1452	49	8548	54
	7	355901	903	644099	367382	952	632618	1481	49	8519	53
	8	356443	902	643557	367953	951	632047	1511	49	8489	52
	9	356984	901	643016	368524	950	631476	1540	49	8460	51
	10	357524	899	642476	369094	949	630906	1570	49	8430	50
	11	358064	898	641936	369663	948	630337	1599	49	8401	76 49
13	12	358603	897	641397	370232	946	629768	1629	49	8371	48
	13	359141	896	640859	370799	945	629201	1658	49	8342	47
	14	359678	895	640322	371367	944	628633	1688	49	8312	46
	15	360215	893	639785	371933	943	628067	1718	50	8282	45
	16	360752	892	639248	372499	942	627501	1748	50	8252	44
	17	361287	891	638713	373064	941	626936	1777	50	8223	43
	18	361822	890	638178	373629	940	626371	1807	50	8193	42
	19	362356	889	637644	374193	939	625807	1837	50	8163	41
	20	362889	888	637111	374756	938	625244	1867	50	8133	76 40
13	21	363422	887	636578	375319	937	624681	1897	50	8103	39
	22	363954	885	636046	375881	935	624119	1927	50	8073	38
	23	364485	884	635515	376442	934	623558	1957	50	8043	37
	24	365016	883	634984	377003	933	622997	1987	50	8013	36
	25	365546	882	634454	377563	932	622437	2017	50	7983	35
	26	366075	881	633925	378122	931	621878	2047	50	7953	34
	27	366604	880	633396	378681	930	621319	2078	50	7922	33
	28	367131	879	632869	379239	929	620761	2108	50	7892	32
	29	367659	877	632341	379797	928	620203	2138	50	7862	31
	30	368185		631815	380354		619646	2168	50	7832	76 30
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

77½ Deg.

76½ Deg.

13½ Deg.		TABLE V.—LOG. SINES, ETC.										14½ Deg.	
°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.			
		9'		10'	9'		10'	10'01		9'98			
13	30	368185	876	631815	380354	927	619646	2168	51	7832	30		
	31	368711	875	631289	380910	926	619090	2199	51	7801	29		
	32	369236	874	630764	381466	925	618534	2229	51	7771	28		
	33	369761	873	630239	382020	924	617980	2260	51	7740	27		
	34	370285	872	629715	382575	923	617425	2290	51	7710	26		
	35	370808	871	629192	383129	922	616871	2321	51	7679	25		
	36	371330	870	628670	383682	921	616318	2351	51	7649	24		
	37	371852	869	628148	384234	920	615766	2382	51	7618	23		
	38	372373	867	627627	384786	919	615214	2412	51	7588	76 22		
13	39	372894	866	627106	385337	918	614663	2443	51	7557	21		
	40	373414	865	626586	385888	917	614112	2474	51	7526	20		
	41	373933	864	626067	386438	915	613562	2504	51	7496	19		
	42	374452	863	625548	386987	914	613013	2535	51	7465	18		
	43	374970	862	625030	387536	913	612464	2566	51	7434	17		
	44	375487	861	624513	388084	912	611916	2597	52	7403	16		
	45	376003	860	623997	388631	911	611369	2628	52	7372	15		
	46	376519	859	623481	389178	910	610822	2659	52	7341	14		
	47	377035	858	622965	389724	909	610276	2690	52	7310	76 13		
13	48	377549	857	622451	390270	908	609730	2721	52	7279	12		
	49	378063	856	621937	390815	907	609185	2752	52	7248	11		
	50	378577	854	621423	391360	906	608640	2783	52	7217	10		
	51	379089	853	620911	391903	905	608097	2814	52	7186	9		
	52	379601	852	620399	392447	904	607553	2845	52	7155	8		
	53	380113	851	619887	392989	903	607011	2876	52	7124	7		
	54	380624	850	619376	393531	902	606469	2908	52	7092	6		
	55	381134	849	618866	394073	901	605927	2939	52	7061	5		
	56	381643	848	618357	394614	900	605386	2970	52	7030	76 4		
13	57	382152	847	617848	395154	899	604846	3002	52	6998	3		
	58	382661	846	617339	395694	898	604306	3033	52	6967	2		
	59	383168	845	616832	396233	897	603767	3064	52	6936	1		
14	0	383675	844	616325	396771	896	603229	3096	52	6904	76 0		
	1	384182	843	615818	397309	896	602691	3127	53	6873	59		
	2	384687	842	615313	397846	895	602154	3159	53	6841	58		
	3	385192	841	614808	398383	894	601617	3191	53	6809	57		
	4	385697	840	614303	398919	893	601081	3222	53	6778	56		
	5	386201	839	613799	399455	892	600545	3254	53	6746	75 55		
14	6	386704	838	613296	399990	891	600010	3286	53	6714	54		
	7	387207	837	612793	400524	890	599476	3317	53	6683	53		
	8	387709	836	612291	401058	889	598942	3349	53	6651	52		
	9	388210	835	611790	401591	888	598409	3381	53	6619	51		
	10	388711	834	611289	402124	887	597876	3413	53	6587	50		
	11	389211	833	610789	402656	886	597344	3445	53	6555	49		
	12	389711	832	610289	403187	885	596813	3477	53	6523	48		
	13	390210	831	609790	403718	884	596282	3509	53	6491	47		
	14	390708	830	609292	404249	883	595751	3541	53	6459	46		
	15	391206		608794	404778		595222	3573	53	6427	75 45		
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine			

76½ Deg.

75½ Deg.

14½ Deg.

TABLE V.—LOG. SINES, ETC.

15 Deg.

°	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
	9'		10'	9'		10'	10'01		9'98	
14 15	391206	828	608794	404778	882	595222	3573	53	6427	45
16	391703	827	608297	405308	881	594692	3605	53	6395	44
17	392199	826	607801	405836	880	594164	3637	54	6363	43
18	392695	825	607305	406364	879	593636	3669	54	6331	42
19	393191	824	606809	406892	878	593108	3701	54	6299	41
20	393685	823	606315	407419	877	592581	3734	54	6266	40
21	394179	822	605821	407945	876	592055	3766	54	6234	39
22	394673	821	605327	408471	875	591529	3798	54	6202	38
23	395166	820	604834	408997	874	591003	3831	54	6169	75 37
14 24	395658	819	604342	409521	874	590479	3863	54	6137	36
25	396150	818	603850	410045	873	589955	3896	54	6104	35
26	396641	817	603359	410569	872	589431	3928	54	6072	34
27	397132	817	602868	411092	871	588908	3961	54	6039	33
28	397621	816	602379	411615	870	588385	3993	54	6007	32
29	398111	815	601889	412137	869	587863	4026	54	5974	31
30	398600	814	601400	412658	868	587342	4058	54	5942	30
31	399088	813	600912	413179	867	586821	4091	54	5909	29
32	399575	812	600425	413699	866	586301	4124	55	5876	75 28
14 33	400062	811	599938	414219	865	585781	4157	55	5843	27
34	400549	810	599451	414738	864	585262	4189	55	5811	26
35	401035	809	598965	415257	864	584743	4222	55	5778	25
36	401520	808	598480	415775	863	584225	4255	55	5745	24
37	402005	807	597995	416293	862	583707	4288	55	5712	23
38	402489	806	597511	416810	861	583190	4321	55	5679	22
39	402972	805	597028	417326	860	582674	4354	55	5646	21
40	403455	804	596545	417842	859	582158	4387	55	5613	20
41	403938	803	596062	418358	858	581642	4420	55	5580	75 19
14 42	404420	802	595580	418873	857	581127	4453	55	5547	18
43	404901	801	595099	419387	856	580613	4486	55	5514	17
44	405382	800	594618	419901	855	580099	4520	55	5480	16
45	405862	799	594138	420415	855	579585	4553	55	5447	15
46	406341	798	593659	420927	854	579073	4586	56	5414	14
47	406820	797	593180	421440	853	578560	4620	56	5380	13
48	407299	796	592701	421952	852	578048	4653	56	5347	12
49	407777	795	592223	422463	851	577537	4686	56	5314	11
50	408254	794	591746	422974	850	577026	4720	56	5280	75 10
14 51	408731	794	591269	423484	849	576516	4753	56	5247	9
52	409207	793	590793	423993	848	576007	4787	56	5213	8
53	409682	792	590318	424503	848	575497	4820	56	5180	7
54	410157	791	589843	425011	847	574989	4854	56	5146	6
55	410632	790	589368	425519	846	574481	4887	56	5113	5
56	411106	789	588894	426027	845	573973	4921	56	5079	4
57	411579	788	588421	426534	844	573466	4955	56	5045	3
58	412052	787	587948	427041	843	572959	4989	56	5011	2
59	412524	786	587476	427547	843	572453	5022	56	4978	1
60	412996		587004	428052		571948	5056		4944	75 0
	Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	

75½ Deg.

75 Deg.

15 Deg.

TABLE V.—LOG. SINES, ETC.

15½ Deg

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'		10'	9'		10'	10'01		9'98	
15	0	412996	785	587004	428052	842	571948	5056	57	4944	60
	1	413467	784	586533	428557	841	571443	5090	57	4910	59
	2	413938	783	586062	429062	840	570938	5124	57	4876	58
	3	414408	783	585592	429566	839	570434	5158	57	4842	57
	4	414878	782	585122	430070	838	569930	5192	57	4808	56
	5	415347	781	584653	430573	838	569427	5226	57	4774	55
	6	415815	780	584185	431075	837	568925	5260	57	4740	54
	7	416283	779	583717	431577	836	568423	5294	57	4706	53
	8	416751	778	583249	432079	835	567921	5328	57	4672	74 52
15	9	417217	777	582783	432580	834	567420	5363	57	4637	51
	10	417684	776	582316	433080	833	566920	5397	57	4603	50
	11	418150	775	581850	433580	832	566420	5431	57	4569	49
	12	418615	774	581385	434080	832	565920	5465	57	4535	48
	13	419079	773	580921	434579	831	565421	5500	57	4500	47
	14	419544	773	580456	435078	830	564922	5534	57	4466	46
	15	420007	772	579993	435576	829	564424	5568	58	4432	45
	16	420470	771	579530	436073	828	563927	5603	58	4397	44
	17	420933	770	579067	436570	828	563430	5637	58	4363	74 43
15	18	421395	769	578605	437067	827	562933	5672	58	4328	42
	19	421857	768	578143	437563	826	562437	5706	58	4294	41
	20	422318	767	577682	438059	825	561941	5741	58	4259	40
	21	422778	767	577222	438554	824	561446	5776	58	4224	39
	22	423238	766	576762	439048	823	560952	5810	58	4190	38
	23	423697	765	576303	439543	823	560457	5845	58	4155	37
	24	424156	764	575844	440036	822	559964	5880	58	4120	36
	25	424615	763	575385	440529	821	559471	5915	58	4085	35
	26	425073	762	574927	441022	820	558978	5950	58	4050	74 34
15	27	425530	761	574470	441514	819	558486	5985	58	4015	33
	28	425987	760	574013	442006	819	557994	6019	58	3981	32
	29	426443	760	573557	442497	818	557503	6054	58	3946	31
	30	426899	759	573101	442988	817	557012	6089	58	3911	30
	31	427354	758	572646	443479	816	556521	6125	58	3875	29
	32	427809	757	572191	443968	816	556032	6160	58	3840	28
	33	428263	756	571737	444458	815	555542	6195	59	3805	27
	34	428717	755	571283	444947	814	555053	6230	59	3770	26
	35	429170	754	570830	445435	813	554565	6265	59	3735	74 25
15	36	429623	753	570377	445923	812	554077	6300	59	3700	24
	37	430075	752	569925	446411	812	553589	6336	59	3664	23
	38	430527	752	569473	446898	811	553102	6371	59	3629	22
	39	430978	751	569022	447384	810	552616	6406	59	3594	21
	40	431429	750	568571	447870	809	552130	6442	59	3558	20
	41	431879	749	568121	448356	809	551644	6477	59	3523	19
	42	432329	749	567671	448841	808	551159	6513	59	3487	18
	43	432778	748	567222	449326	807	550674	6548	59	3452	17
	44	433226	747	566774	449810	806	550190	6584	59	3416	16
	45	433675	747	566325	450294	806	549706	6619	59	3381	74 15
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

75 Deg.

74½ Deg.

15½ Deg.

TABLE V.—LOG. SINES, ETC.

16½ Deg.

°	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
	9'		10'	9'		10'	10'01		9'98	
15 45	433675	746	566325	450294	806	549706	6619		3381	15
46	434122	745	565878	450777	805	549223	6655	59	3345	14
47	434569	744	565431	451260	804	548740	6691	59	3309	13
48	435016	744	564984	451743	803	548257	6727	59	3273	12
49	435462	743	564538	452225	802	547775	6762	60	3238	11
50	435908	742	564092	452706	802	547294	6798	60	3202	10
51	436353	741	563647	453187	801	546813	6834	60	3166	9
52	436798	740	563202	453668	800	546332	6870	60	3130	8
53	437242	740	562758	454148	799	545852	6906	60	3094	74 7
15 54	437686	739	562314	454628	799	545372	6942	60	3058	6
55	438129	738	561871	455107	798	544893	6978	60	3022	5
56	438572	737	561428	455586	797	544414	7014	60	2986	4
57	439014	736	560986	456064	796	543936	7050	60	2950	3
58	439456	736	560544	456542	796	543458	7086	60	2914	2
59	439897	735	560103	457019	795	542981	7122	60	2878	1
16 0	440338	734	559662	457496	794	542504	7158	60	2842	74 0
1	440778	733	559222	457973	793	542027	7195	60	2805	59
2	441218	732	558782	458449	793	541551	7231	61	2769	73 58
16 3	441658	731	558342	458925	792	541075	7267	61	2733	57
4	442096	731	557904	459400	791	540600	7304	61	2696	56
5	442535	730	557465	459875	790	540125	7340	61	2660	55
6	442973	729	557027	460349	790	539651	7376	61	2624	54
7	443410	728	556590	460823	789	539177	7413	61	2587	53
8	443847	727	556153	461297	788	538703	7449	61	2551	52
9	444284	727	555716	461770	788	538230	7486	61	2514	51
10	444720	726	555280	462242	787	537758	7523	61	2477	50
11	445155	725	554845	462714	786	537286	7559	61	2441	73 49
16 12	445590	724	554410	463186	785	536814	7596	61	2404	48
13	446025	723	553975	463658	785	536342	7633	61	2367	47
14	446459	723	553541	464129	784	535871	7669	61	2331	46
15	446893	722	553107	464599	783	535401	7706	61	2294	45
16	447326	721	552674	465069	783	534931	7743	61	2257	44
17	447759	720	552241	465539	782	534461	7780	62	2220	43
18	448191	720	551809	466008	781	533992	7817	62	2183	42
19	448623	719	551377	466476	780	533524	7854	62	2146	41
20	449054	718	550946	466945	780	533055	7891	62	2109	73 40
16 21	449485	717	550515	467413	779	532587	7928	62	2072	39
22	449915	716	550085	467880	778	532120	7965	62	2035	38
23	450345	716	549655	468347	778	531653	8002	62	1998	37
24	450775	715	549225	468814	777	531186	8039	62	1961	36
25	451204	714	548796	469280	776	530720	8076	62	1924	35
26	451632	713	548368	469746	775	530254	8114	62	1886	34
27	452060	713	547940	470211	775	529789	8151	62	1849	33
28	452488	712	547512	470676	774	529324	8188	62	1812	32
29	452915	711	547085	471141	774	528859	8226	62	1774	31
30	453342		546658	471605	773	528395	8263	62	1737	73 30
	Cos.	D.	Sec.	Cot.	D.	Tang.	Com.	D.	Sine	°

74½ Deg.

73½ Deg.

16½ Deg.		TABLE V.—LOG. SINES, ETC.								17½ Deg.	
°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9°		10°	9°		10°	10°01		9°98	
16	30	453342	710	546658	471605	773	528395	8263	62	1737	30
	31	453768	710	546232	472068	772	527932	8301	63	1699	29
	32	454194	709	545806	472532	771	527468	8338	63	1662	28
	33	454619	708	545381	472995	771	527005	8375	63	1625	27
	34	455044	707	544956	473457	770	526543	8413	63	1587	26
	35	455469	707	544531	473919	769	526081	8451	63	1549	25
	36	455893	706	544107	474381	769	525619	8488	63	1512	24
	37	456316	705	543684	474842	768	525158	8526	63	1474	23
	38	456739	704	543261	475303	767	524697	8564	63	1436	73 22
16	39	457162	704	542838	475763	767	524237	8601	63	1399	21
	40	457584	703	542416	476223	766	523777	8639	63	1361	20
	41	458006	702	541994	476683	765	523317	8677	63	1323	19
	42	458427	701	541573	477142	765	522858	8715	63	1285	18
	43	458848	701	541152	477601	764	522399	8753	63	1247	17
	44	459268	700	540732	478059	763	521941	8791	63	1209	16
	45	459688	699	540312	478517	763	521483	8829	63	1171	15
	46	460108	698	539892	478975	762	521025	8867	63	1133	14
	47	460527	698	539473	479432	761	520568	8905	64	1095	73 13
16	48	460946	697	539054	479889	761	520111	8943	64	1057	12
	49	461364	696	538636	480345	760	519655	8981	64	1019	11
	50	461782	695	538218	480801	759	519199	9019	64	981	10
	51	462199	695	537801	481257	759	518743	9058	64	942	9
	52	462616	694	537384	481712	758	518288	9096	64	904	8
	53	463032	693	536968	482167	757	517833	9134	64	866	7
	54	463448	693	536552	482621	757	517379	9173	64	827	6
	55	463864	692	536136	483075	756	516925	9211	64	789	5
	56	464279	691	535721	483529	755	516471	9250	64	750	73 4
16	57	464694	690	535306	483982	755	516018	9288	64	712	3
	58	465108	690	534892	484435	754	515565	9327	64	673	2
	59	465522	689	534478	484887	753	515113	9365	64	635	1
17	0	465935	688	534065	485339	753	514661	9404	64	596	73 0
	1	466348	688	533652	485791	752	514209	9442	64	558	59
	2	466761	687	533239	486242	751	513758	9481	65	519	58
	3	467173	686	532827	486693	751	513307	9520	65	480	57
	4	467585	685	532415	487143	750	512857	9558	65	442	56
	5	467996	685	532004	487593	749	512407	9597	65	403	72 55
17	6	468407	684	531593	488043	749	511957	9636	65	364	54
	7	468817	683	531183	488492	748	511508	9675	65	325	53
	8	469227	683	530773	488941	747	511059	9714	65	286	52
	9	469637	682	530363	489390	747	510610	9753	65	247	51
	10	470046	681	529954	489838	746	510162	9792	65	208	50
	11	470455	680	529545	490286	746	509714	9831	65	169	49
	12	470863	680	529137	490733	745	509267	9870	65	130	48
	13	471271	679	528729	491180	744	508820	9909	65	091	47
	14	471679	678	528321	491627	744	508373	9948	65	052	46
	15	472086		527914	492073		507927	9988		012	72 45
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	

73½ Deg.

72½ Deg.

17½ Deg.

TABLE V.—LOG SINES, ETC.

18 Deg.

°		Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'4		10'5	9'		10'	10'0		9'9	
17	15	72086	678	27914	492073	743	507927	19988	65	80012	45
	16	72492	677	27508	492519	743	507481	20027	65	79973	44
	17	72898	676	27102	492965	742	507035	20066	66	79934	43
	18	73304	676	26696	493410	741	506590	20105	66	79895	42
	19	73710	675	26290	493854	740	506146	20145	66	79855	41
	20	74115	674	25885	494299	740	505701	20184	66	79816	40
	21	74519	674	25481	494743	740	505257	20224	66	79776	39
	22	74923	673	25077	495186	739	504814	20263	66	79737	38
	23	75327	672	24673	495630	738	504370	20303	66	79697	72 37
17	24	75730	672	24270	496073	737	503927	20342	66	79658	36
	25	76133	671	23867	496515	737	503485	20382	66	79618	35
	26	76536	670	23464	496975	736	503043	20421	66	79579	34
	27	76938	669	23062	497399	736	502601	20461	66	79539	33
	28	77340	669	22660	497841	735	502159	20501	66	79499	32
	29	77741	668	22259	498282	734	501718	20541	66	79459	31
	30	78142	667	21858	498722	734	501278	20580	66	79420	30
	31	78542	667	21458	499163	733	500837	20620	66	79380	29
	32	78942	666	21058	499603	733	500397	20660	66	79340	72 28
17	33	79342	665	20658	500042	732	499958	20700	67	79300	27
	34	79741	665	20259	500481	731	499519	20740	67	79260	26
	35	80140	664	19860	500920	731	499080	20780	67	79220	25
	36	80539	663	19461	501359	730	498641	20820	67	79180	24
	37	80937	663	19063	501797	730	498203	20860	67	79140	23
	38	81334	662	18666	502235	729	497765	20900	67	79100	22
	39	81731	661	18269	502672	728	497328	20941	67	79059	21
	40	82128	661	17872	503109	728	496891	20981	67	79019	20
	41	82525	660	17475	503546	727	496454	21021	67	78979	72 19
17	42	82921	659	17079	503982	727	496018	21061	67	78939	18
	43	83316	659	16684	504418	726	495582	21102	67	78898	17
	44	83712	658	16288	504854	725	495146	21142	67	78858	16
	45	84107	657	15893	505289	725	494711	21183	67	78817	15
	46	84501	657	15499	505724	724	494276	21223	67	78777	14
	47	84895	656	15105	506159	724	493841	21264	67	78736	13
	48	85289	655	14711	506593	723	493407	21304	68	78696	12
	49	85682	655	14318	507027	722	492973	21345	68	78655	11
	50	86075	654	13925	507460	722	492540	21385	68	78615	72 10
17	51	86467	653	13533	507893	721	492107	21426	68	78574	9
	52	86860	653	13140	508326	721	491674	21467	68	78533	8
	53	87251	652	12749	508759	720	491241	21507	68	78493	7
	54	87643	651	12357	509191	719	490809	21548	68	78452	6
	55	88034	651	11966	509622	719	490378	21589	68	78411	5
	56	88424	650	11576	510054	718	489946	21630	68	78370	4
	57	88814	650	11186	510485	718	489515	21671	68	78329	3
	58	89204	649	10796	510916	717	489084	21712	68	78288	2
	59	89593	648	10407	511346	716	488654	21753	68	78247	1
	60	89982		10018	511776		488224	21794	68	78206	72 0
		Cos.	D.	Sec	Cot.	D.	Tang.	Cos.	D.	Sine	°

72½ Deg.

72 Deg.

18 Deg.

TABLE V.—LOG. SINES, ETC.

18½ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'		10'	9'		10'	10'02		9'97	
18	0	489982	648	510018	511776	716	488224	1794	68	8206	60
	1	490371	648	509629	512206	716	487794	1835	68	8165	59
	2	490759	647	509241	512635	715	487365	1876	68	8124	58
	3	491147	646	508853	513064	714	486936	1917	68	8083	57
	4	491535	646	508465	513493	714	486507	1958	69	8042	56
	5	491922	645	508078	513921	713	486079	1999	69	8001	55
	6	492308	644	507692	514349	713	485651	2041	69	7959	54
	7	492695	644	507305	514777	712	485223	2082	69	7918	53
	8	493081	643	506919	515204	712	484796	2123	69	7877	52
18	9	493466	642	506534	515631	711	484369	2165	69	7835	51
	10	493851	642	506149	516057	710	483943	2206	69	7794	50
	11	494236	641	505764	516484	710	483516	2248	69	7752	49
	12	494621	641	505379	516910	709	483090	2289	69	7711	48
	13	495005	640	504995	517335	709	482665	2331	69	7669	47
	14	495388	639	504612	517761	708	482239	2372	69	7628	46
	15	495772	639	504228	518185	708	481815	2414	69	7586	45
	16	496154	638	503846	518610	707	481390	2456	69	7544	44
	17	496537	637	503463	519034	706	480966	2497	70	7503	43
18	18	496919	637	503081	519458	706	480542	2539	70	7461	42
	19	497301	636	502699	519882	705	480118	2581	70	7419	41
	20	497682	636	502318	520305	705	479695	2623	70	7377	40
	21	498064	635	501936	520728	704	479272	2665	70	7335	39
	22	498444	634	501556	521151	703	478849	2707	70	7293	38
	23	498825	634	501175	521573	703	478427	2749	70	7251	37
	24	499204	633	500796	521995	703	478005	2791	70	7209	36
	25	499584	632	500416	522417	702	477583	2833	70	7167	35
	26	499963	632	500037	522838	702	477162	2875	70	7125	34
18	27	500342	631	499658	523259	701	476741	2917	70	7083	33
	28	500721	631	499279	523680	701	476320	2959	70	7041	32
	29	501099	630	498901	524100	700	475900	3001	70	6999	31
	30	501476	629	498524	524520	699	475480	3043	70	6957	30
	31	501854	629	498146	524939	699	475061	3086	70	6914	29
	32	502231	628	497769	525359	698	474641	3128	70	6872	28
	33	502607	628	497393	525778	698	474222	3170	71	6830	27
	34	502984	627	497016	526197	697	473803	3213	71	6787	26
	35	503360	626	496640	526615	697	473385	3255	71	6745	25
18	36	503735	626	496265	527033	696	472967	3298	71	6702	24
	37	504110	625	495890	527451	696	472549	3340	71	6660	23
	38	504485	625	495515	527868	695	472132	3383	71	6617	22
	39	504860	624	495140	528285	695	471715	3426	71	6574	21
	40	505234	623	494766	528702	694	471298	3468	71	6532	20
	41	505608	623	494392	529119	693	470881	3511	71	6489	19
	42	505981	622	494019	529535	693	470465	3554	71	6446	18
	43	506354	622	493646	529950	693	470050	3596	71	6404	17
	44	506727	621	493273	530366	692	469634	3639	71	6361	16
	45	507099		492901	530781		469219	3682	71	6318	15
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

72 Deg.

71½ Deg.

18½ Deg.

TABLE V.—LOG. SINES, ETC.

19½ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'		10'	9'		10'	10'02		9'97	
18	45	507099	620	492901	530781	691	469219	3682	71	6318	15
	46	507471	620	492529	531196	691	468804	3725	71	6275	14
	47	507843	619	492157	531611	690	468389	3768	72	6232	13
	48	508214	619	491786	532025	690	467975	3811	72	6189	12
	49	508585	618	491415	532439	689	467561	3854	72	6146	11
	50	508956	618	491044	532853	689	467147	3897	72	6103	10
	51	509326	617	490674	533266	688	466734	3940	72	6060	9
	52	509696	616	490304	533679	688	466321	3983	72	6017	8
	53	510065	616	489935	534092	687	465908	4026	72	5974	71 7
18	54	510434	615	489566	534504	687	465496	4070	72	5930	6
	55	510803	615	489197	534916	686	465084	4113	72	5887	5
	56	511172	614	488828	535328	686	464672	4156	72	5844	4
	57	511540	613	488460	535739	685	464261	4200	72	5800	3
	58	511907	613	488093	536150	685	463850	4243	72	5757	2
	59	512275	612	487725	536561	684	463439	4286	72	5714	1
19	0	512642	612	487358	536972	684	463028	4330	73	5670	71 c
	1	513009	611	486991	537382	683	462618	4373	73	5627	59
	2	513375	611	486625	537792	683	462208	4417	73	5583	70 58
19	3	513741	610	486259	538202	682	461798	4461	73	5539	57
	4	514107	609	485893	538611	682	461389	4504	73	5496	56
	5	514472	609	485528	539020	681	460980	4548	73	5452	55
	6	514837	608	485163	539429	681	460571	4592	73	5408	54
	7	515202	608	484798	539837	680	460163	4635	73	5365	53
	8	515566	607	484434	540245	680	459755	4679	73	5321	52
	9	515930	607	484070	540653	679	459347	4723	73	5277	51
	10	516294	606	483706	541061	679	458939	4767	73	5233	50
	11	516657	605	483343	541468	678	458532	4811	73	5189	70 49
19	12	517020	605	482980	541875	678	458125	4855	73	5145	48
	13	517382	604	482618	542281	677	457719	4899	73	5101	47
	14	517745	604	482255	542688	677	457312	4943	73	5057	46
	15	518107	603	481893	543094	676	456906	4987	73	5013	45
	16	518468	603	481532	543499	676	456501	5031	74	4969	44
	17	518829	602	481171	543905	675	456095	5075	74	4925	43
	18	519190	601	480810	544310	675	455690	5120	74	4880	42
	19	519551	601	480449	544715	674	455285	5164	74	4836	41
	20	519911	600	480089	545119	674	454881	5208	74	4792	70 40
19	21	520271	600	479729	545524	673	454476	5252	74	4748	39
	22	520631	599	479369	545928	673	454072	5297	74	4703	38
	23	520990	599	479010	546331	672	453669	5341	74	4659	37
	24	521349	598	478651	546735	672	453265	5386	74	4614	36
	25	521707	598	478293	547138	671	452862	5430	74	4570	35
	26	522066	597	477934	547540	671	452460	5475	74	4525	34
	27	522424	596	477576	547943	670	452057	5519	74	4481	33
	28	522781	596	477219	548345	670	451655	5564	74	4436	32
	29	523138	595	476862	548747	669	451253	5609	74	4391	31
	30	523495		476505	549149		450851	5653	74	4347	70 30
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

71½ Deg.

70½ Deg.

19½ Deg.

TABLE V.—LOG. SINES, ETC.

20½ Deg.

°	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Co.	
	9'		10'	9'		10'	10'02		9'97	
19 30	523495	595	476505	549149	669	450851	5653	75	4347	30
31	523852	594	476148	549550	668	450450	5698	75	4302	29
32	524208	594	475792	549951	668	450049	5743	75	4257	28
33	524564	593	475436	550352	667	449648	5788	75	4212	27
34	524920	593	475080	550752	667	449248	5833	75	4167	26
35	525275	592	474725	551152	666	448848	5878	75	4122	25
36	525630	591	474370	551552	666	448448	5923	75	4077	24
37	525984	591	474016	551952	665	448048	5968	75	4032	23
38	526339	590	473661	552351	665	447649	6013	75	3987	70 22
19 39	526693	590	473307	552750	665	447250	6058	75	3942	21
40	527046	589	472954	553149	664	446851	6103	75	3897	20
41	527400	589	472600	553548	664	446452	6148	75	3852	19
42	527753	588	472247	553946	663	446054	6193	75	3807	18
43	528105	588	471895	554344	663	445656	6239	75	3761	17
44	528458	587	471542	554741	662	445259	6284	76	3716	16
45	528810	587	471190	555139	662	444861	6329	76	3671	15
46	529161	586	470839	555536	661	444464	6375	76	3625	14
47	529513	586	470487	555933	661	444067	6420	76	3580	70 13
19 48	529864	585	470136	556329	660	443671	6465	76	3535	12
49	530215	585	469785	556725	660	443275	6511	76	3489	11
50	530565	584	469435	557121	659	442879	6556	76	3444	10
51	530915	584	469085	557517	659	442483	6602	76	3398	9
52	531265	583	468735	557913	659	442087	6648	76	3352	8
53	531614	582	468386	558308	658	441692	6693	76	3307	7
54	531963	582	468037	558702	658	441298	6739	76	3261	6
55	532312	581	467688	559097	657	440903	6785	76	3215	5
56	532661	581	467339	559491	657	440509	6831	76	3169	70 4
19 57	533009	580	466991	559885	656	440115	6876	76	3124	3
58	533357	580	466643	560279	656	439721	6922	76	3078	2
59	533704	579	466296	560673	655	439327	6968	77	3032	1
20 0	534052	578	465948	561066	655	438934	7014	77	2986	70 0
1	534399	577	465601	561459	654	438541	7060	77	2940	59
2	534745	577	465255	561851	654	438149	7106	77	2894	58
3	535092	577	464908	562244	653	437756	7152	77	2848	57
4	535438	576	464562	562636	653	437364	7198	77	2802	56
5	535783	576	464217	563028	653	436972	7245	77	2755	69 55
20 6	536129	575	463871	563419	652	436581	7291	77	2709	54
7	536474	574	463526	563811	652	436189	7337	77	2663	53
8	536818	574	463182	564202	651	435798	7383	77	2617	52
9	537163	573	462837	564592	651	435408	7430	77	2570	51
10	537507	573	462493	564983	650	435017	7476	77	2524	50
11	537851	572	462149	565373	650	434627	7522	77	2478	49
12	538194	572	461806	565763	649	434237	7569	78	2431	48
13	538538	571	461462	566153	649	433847	7615	78	2385	47
14	538880	571	461120	566542	649	433458	7662	78	2338	46
15	539223	571	460777	566932	649	433068	7709	78	2291	69 45
	Co.	D.	Sec.	Cot.	D.	Tang.	Co.	D.	Sine	°

70½ Deg.

69¾ Deg.

20½ Deg.

TABLE V.—LOG. SINES, ETC.

21 Deg.

°	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
	9'		10'	9'		10'	10'02		9'97	
20 15	539223	570	460777	566932	648	433068	7709	78	2291	45
16	539565	570	460435	567320	648	432680	7755	78	2245	44
17	539907	569	460093	567709	647	432291	7802	78	2198	43
18	540249	569	459751	568098	647	431902	7849	78	2151	42
19	540590	568	459410	568486	646	431514	7895	78	2105	41
20	540931	568	459069	568873	646	431127	7942	78	2058	40
21	541272	567	458728	569261	645	430739	7989	78	2011	39
22	541613	567	458387	569648	645	430352	8036	78	1964	38
23	541953	566	458047	570035	645	429965	8083	78	1917	69 37
20 24	542293	566	457707	570422	644	429578	8130	78	1870	36
25	542632	565	457368	570809	644	429191	8177	78	1823	35
26	542971	565	457029	571195	643	428805	8224	78	1776	34
27	543310	564	456690	571581	643	428419	8271	79	1729	33
28	543649	564	456351	571967	642	428033	8318	79	1682	32
29	543987	563	456013	572352	642	427648	8365	79	1635	31
30	544325	563	455675	572738	642	427262	8412	79	1588	30
31	544663	562	455337	573123	641	426877	8460	79	1540	29
32	545000	562	455000	573507	641	426493	8507	79	1493	69 28
20 33	545338	561	454662	573892	640	426108	8554	79	1446	27
34	545674	561	454326	574276	640	425724	8602	79	1398	26
35	546011	560	453989	574660	639	425340	8649	79	1351	25
36	546347	560	453653	575044	639	424956	8697	79	1303	24
37	546683	559	453317	575427	639	424573	8744	79	1256	23
38	547019	559	452981	575810	638	424190	8792	79	1208	22
39	547354	558	452646	576193	638	423807	8839	79	1161	21
40	547689	558	452311	576576	637	423424	8887	79	1113	20
41	548024	557	451976	576958	637	423042	8934	80	1066	69 19
20 42	548359	557	451641	577341	636	422659	8982	80	1018	18
43	548693	556	451307	577723	636	422277	9030	80	0970	17
44	549027	556	450973	578104	636	421896	9078	80	0922	16
45	549360	555	450640	578486	635	421514	9126	80	0874	15
46	549693	555	450307	578867	635	421133	9173	80	0827	14
47	550026	554	449974	579248	634	420752	9221	80	0779	13
48	550359	554	449641	579629	634	420371	9269	80	0731	12
49	550692	553	449308	580009	634	419991	9317	80	0683	11
50	551024	553	448976	580389	633	419611	9365	80	0635	69 10
20 51	551356	552	448644	580769	633	419231	9414	80	0586	9
52	551687	552	448313	581149	632	418851	9462	80	0538	8
53	552018	552	447982	581528	632	418472	9510	80	0490	7
54	552349	551	447651	581907	632	418093	9558	80	0442	6
55	552680	551	447320	582286	631	417714	9606	80	0394	5
56	553010	550	446990	582665	631	417335	9655	81	0345	4
57	553341	550	446659	583043	630	416957	9703	81	0297	3
58	553670	549	446330	583422	630	416578	9751	81	0249	2
59	554000	549	446000	583800	629	416200	9800	81	0200	1
60	554329	549	445671	584177		415823	9848		0152	69 0
	Coa.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

69½ Deg.

69 Deg.

21 Deg.		TABLE V.—LOG. SINES, ETC.										21 $\frac{1}{4}$ Deg.	
°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Coa.			
		9°5		10°4	9°		10°	10°0		9°9			
21	0	54329	548	45671	584177	629	415823	29848	81	70152		60	
	1	54658	548	45342	584555	629	415445	29897	81	70103		59	
	2	54987	547	45013	584932	628	415068	29945	81	70055		58	
	3	55315	547	44685	585309	628	414691	29994	81	70006		57	
	4	55643	546	44357	585686	627	414314	30043	81	69957		56	
	5	55971	546	44029	586062	627	413938	30091	81	69909		55	
	6	56299	545	43701	586439	627	413561	30140	81	69860		54	
	7	56626	545	43374	586815	626	413185	30189	81	69811		53	
	8	56953	544	43047	587190	626	412810	30238	81	69762	68	52	
21	9	57280	544	42720	587566	625	412434	30286	81	69714		51	
	10	57606	543	42394	587941	625	412059	30335	81	69665		50	
	11	57932	543	42068	588316	625	411684	30384	82	69616		49	
	12	58258	543	41742	588691	624	411309	30433	82	69567		48	
	13	58583	542	41417	589066	624	410934	30482	82	69518		47	
	14	58909	542	41091	589440	623	410560	30531	82	69469		46	
	15	59234	541	40766	589814	623	410186	30580	82	69420		45	
	16	59558	541	40442	590188	623	409812	30630	82	69370		44	
	17	59883	540	40117	590562	622	409438	30679	82	69321	68	43	
21	18	60207	540	39793	590935	622	409065	30728	82	69272		42	
	19	60531	539	39469	591308	622	408692	30777	82	69223		41	
	20	60855	539	39145	591681	621	408319	30827	82	69173		40	
	21	61178	538	38822	592054	621	407946	30876	82	69124		39	
	22	61501	538	38499	592426	620	407574	30925	82	69075		38	
	23	61824	537	38176	592798	620	407202	30975	82	69025		37	
	24	62146	537	37854	593171	619	406829	31024	82	68976		36	
	25	62468	536	37532	593542	619	406458	31074	83	68926		35	
	26	62790	536	37210	593914	618	406086	31123	83	68877	68	34	
21	27	63112	536	36888	594285	618	405715	31173	83	68827		33	
	28	63433	535	36567	594656	618	405344	31223	83	68777		32	
	29	63755	535	36245	595027	617	404973	31272	83	68728		31	
	30	64075	534	35925	595398	617	404602	31322	83	68678		30	
	31	64396	534	35604	595768	617	404232	31372	83	68628		29	
	32	64716	533	35284	596138	616	403862	31422	83	68578		28	
	33	65036	533	34964	596508	616	403492	31472	83	68528		27	
	34	65356	532	34644	596878	616	403122	31521	83	68479		26	
	35	65676	532	34324	597247	615	402753	31571	83	68429	68	25	
21	36	65995	531	34005	597616	615	402384	31621	83	68379		24	
	37	66314	531	33686	597985	615	402015	31671	83	68329		23	
	38	66632	531	33368	598354	614	401646	31722	83	68278		22	
	39	66951	530	33049	598722	614	401278	31772	84	68228		21	
	40	67269	530	32731	599091	613	400909	31822	84	68178		20	
	41	67587	529	32413	599459	613	400541	31872	84	68128		19	
	42	67904	529	32096	599827	613	400173	31922	84	68078		18	
	43	68222	528	31778	600194	612	399806	31973	84	68027		17	
	44	68539	528	31461	600562	612	399438	32023	84	67977		16	
	45	68856		31144	600929		399071	32073		67927	68	15	
		Coa.	D.	Sec.	Cot.	D.	Tang.	Coa.	D.	Sine			

69 Deg.

68 $\frac{1}{4}$ Deg.

21½ Deg.

TABLE V.—LOG. SINES, ETC.

22½ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'		10'	9'		10'	10'03		9'96	
21	45	568356	528	431144	600929	611	399071	2073	84	7927	15
	46	569172	527	430828	601296	611	398704	2124	84	7876	14
	47	569488	527	430512	601662	611	398338	2174	84	7826	13
	48	569804	526	430196	602029	610	397971	2225	84	7775	12
	49	570120	526	429880	602395	610	397605	2275	84	7725	11
	50	570435	525	429565	602761	610	397239	2326	84	7674	10
	51	570751	525	429249	603127	609	396873	2376	84	7624	9
	52	571066	524	428934	603493	609	396507	2427	84	7573	8
	53	571380	524	428620	603858	609	396142	2478	85	7522	68 7
21	54	571695	523	428305	604223	608	395777	2529	85	7471	6
	55	572009	523	427991	604588	608	395412	2579	85	7421	5
	56	572323	523	427677	604953	607	395047	2630	85	7370	4
	57	572636	522	427364	605317	607	394683	2681	85	7319	3
	58	572950	522	427050	605682	607	394318	2732	85	7268	2
	59	573263	521	426737	606046	606	393954	2783	85	7217	1
22	0	573575	521	426425	606410	606	393590	2834	85	7166	68 0
	1	573888	520	426112	606773	606	393227	2885	85	7115	59
	2	574200	520	425800	607137	605	392863	2936	85	7064	67 58
22	3	574512	519	425488	607500	605	392500	2987	85	7013	57
	4	574824	519	425176	607863	604	392137	3039	85	6961	56
	5	575136	519	424864	608225	604	391775	3090	85	6910	55
	6	575447	518	424553	608588	604	391412	3141	85	6859	54
	7	575758	518	424242	608950	603	391050	3192	85	6808	53
	8	576069	517	423931	609312	603	390688	3244	86	6756	52
	9	576379	517	423621	609674	603	390326	3295	86	6705	51
	10	576689	516	423311	610036	602	389964	3347	86	6653	50
	11	576999	516	423001	610397	602	389603	3398	86	6602	67 49
22	12	577309	516	422691	610759	602	389241	3450	86	6550	48
	13	577618	515	422382	611120	601	388880	3501	86	6499	47
	14	577927	515	422073	611480	601	388520	3553	86	6447	46
	15	578236	514	421764	611841	601	388159	3605	86	6395	45
	16	578545	514	421455	612201	600	387799	3656	86	6344	44
	17	578853	513	421147	612561	600	387439	3708	86	6292	43
	18	579162	513	420838	612921	600	387079	3760	86	6240	42
	19	579470	513	420530	613281	599	386719	3812	86	6188	41
	20	579777	512	420223	613641	599	386359	3864	86	6136	67 40
22	21	580085	512	419915	614000	598	386000	3915	87	6085	39
	22	580392	511	419608	614359	598	385641	3967	87	6033	38
	23	580699	511	419301	614718	598	385282	4019	87	5981	37
	24	581005	511	418995	615077	597	384923	4072	87	5928	36
	25	581312	510	418688	615435	597	384565	4124	87	5876	35
	26	581618	510	418382	615793	597	384207	4176	87	5824	34
	27	581924	509	418076	616151	596	383849	4228	87	5772	33
	28	582229	509	417771	616509	596	383491	4280	87	5720	32
	29	582535	509	417465	616867	596	383133	4332	87	5668	31
	30	582840		417160	617224	596	382776	4385	87	5615	67 30
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

68½ Deg.

67½ Deg.

22½ Deg.

TABLE V.—LOG. SINES, ETC.

23½ Deg.

°	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
	9'		10'	9'		10'	10'03		9'96	
22 30	582840	508	417160	617224	595	382776	4385	87	5615	30
31	583145	508	416855	617582	595	382418	4437	87	5563	29
32	583449	507	416551	617939	595	382061	4489	87	5511	28
33	583754	507	416246	618295	594	381705	4542	87	5458	27
34	584058	506	415942	618652	594	381348	4594	87	5406	26
35	584361	506	415639	619008	594	380992	4647	88	5353	25
36	584665	506	415335	619364	594	380636	4699	88	5301	24
37	584968	505	415032	619721	593	380279	4752	88	5248	23
38	585272	505	414728	620076	593	379924	4805	88	5195	67 22
22 39	585574	504	414426	620432	592	379568	4857	88	5143	21
40	585877	504	414123	620787	592	379213	4910	88	5090	20
41	586179	503	413821	621142	592	378858	4963	88	5037	19
42	586482	503	413518	621497	591	378503	5016	88	4984	18
43	586783	503	413217	621852	591	378148	5069	88	4931	17
44	587085	502	412915	622207	590	377793	5121	88	4879	16
45	587386	502	412614	622561	590	377439	5174	88	4826	15
46	587688	501	412312	622915	590	377085	5227	88	4773	14
47	587989	501	412011	623269	589	376731	5281	88	4719	67 13
22 48	588289	501	411711	623623	589	376377	5334	89	4666	12
49	588590	500	411410	623976	589	376024	5387	89	4613	11
50	588890	500	411110	624330	588	375670	5440	89	4560	10
51	589190	499	410810	624683	588	375317	5493	89	4507	9
52	589489	499	410511	625036	588	374964	5546	89	4454	8
53	589789	499	410211	625388	587	374612	5600	89	4400	7
54	590088	498	409912	625741	587	374259	5653	89	4347	6
55	590387	498	409613	626093	587	373907	5706	89	4294	5
56	590686	497	409314	626445	586	373555	5760	89	4240	67 4
22 57	590984	497	409016	626797	586	373203	5813	89	4187	3
58	591282	497	408718	627149	586	372851	5867	89	4133	2
59	591580	496	408420	627501	585	372499	5920	89	4080	1
23 0	591878	496	408122	627852	585	372148	5974	89	4026	67 0
1	592176	495	407824	628203	585	371797	6028	89	3972	59
2	592473	495	407527	628554	585	371446	6081	89	3919	58
3	592770	495	407230	628905	584	371095	6135	90	3865	57
4	593067	494	406933	629255	584	370745	6189	90	3811	56
5	593363	494	406637	629606	583	370394	6243	90	3757	66 55
23 6	593659	493	406341	629956	583	370044	6296	90	3704	54
7	593955	493	406045	630306	583	369694	6350	90	3650	53
8	594251	493	405749	630656	583	369344	6404	90	3596	52
9	594547	492	405453	631005	582	368995	6458	90	3542	51
10	594842	492	405158	631355	582	368645	6512	90	3488	50
11	595137	491	404863	631704	582	368296	6566	90	3434	49
12	595432	491	404568	632053	581	367947	6621	90	3379	48
13	595727	491	404273	632401	581	367599	6675	90	3325	47
14	596021	490	403979	632750	581	367250	6729	90	3271	46
15	596315	490	403685	633098	581	366902	6783	90	3217	66 45
	Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

67½ Deg.

66½ Deg.

23 $\frac{1}{4}$ Deg.

TABLE V.—LOG. SINES, ETC.

24 Deg.

°	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
	9'		10'	9'		10'	10'03		9'96	
23 15	596315	490	403685	633098	580	366902	6783	90	3217	45
16	596609	489	403391	633447	580	366553	6837	90	3163	44
17	596903	489	403097	633795	580	366205	6892	91	3108	43
18	597196	489	402804	634143	579	365857	6946	91	3054	42
19	597490	488	402510	634490	579	365510	7001	91	2999	41
20	597783	488	402217	634838	579	365162	7055	91	2945	40
21	598075	487	401925	635185	578	364815	7110	91	2890	39
22	598368	487	401632	635532	578	364468	7164	91	2836	38
23	598660	487	401340	635879	578	364121	7219	91	2781	37
23 24	598952	486	401048	636226	577	363774	7273	91	2727	36
25	599244	486	400756	636572	577	363428	7328	91	2672	35
26	599536	485	400464	636919	577	363081	7383	91	2617	34
27	599827	485	400173	637265	577	362735	7438	91	2562	33
28	600118	485	399882	637611	576	362389	7492	91	2508	32
29	600409	484	399591	637956	576	362044	7547	91	2453	31
30	600700	484	399300	638302	576	361698	7602	92	2398	30
31	600990	484	399010	638647	575	361353	7657	92	2343	29
32	601280	483	398720	638992	575	361008	7712	92	2288	28
23 33	601570	483	398430	639337	575	360663	7767	92	2233	27
34	601860	482	398140	639682	574	360318	7822	92	2178	26
35	602150	482	397850	640027	574	359973	7877	92	2123	25
36	602439	482	397561	640371	574	359629	7933	92	2067	24
37	602728	481	397272	640716	573	359284	7988	92	2012	23
38	603017	481	396983	641060	573	358940	8043	92	1957	22
39	603305	481	396695	641404	573	358596	8098	92	1902	21
40	603594	480	396406	641747	572	358253	8154	92	1846	20
41	603882	480	396118	642091	572	357909	8209	92	1791	19
23 42	604170	479	395830	642434	572	357566	8265	92	1735	18
43	604457	479	395543	642777	572	357223	8320	92	1680	17
44	604745	479	395255	643120	571	356880	8376	92	1624	16
45	605032	478	394968	643463	571	356537	8431	93	1569	15
46	605319	478	394681	643806	571	356194	8487	93	1513	14
47	605606	478	394394	644148	570	355852	8542	93	1458	13
48	605892	477	394108	644490	570	355510	8598	93	1402	12
49	606179	477	393821	644832	570	355168	8654	93	1346	11
50	606465	476	393535	645174	569	354826	8710	93	1290	10
23 51	606751	476	393249	645516	569	354484	8765	93	1235	9
52	607036	476	392964	645857	569	354143	8821	93	1179	8
53	607322	475	392678	646199	569	353801	8877	93	1123	7
54	607607	475	392393	646540	568	353460	8933	93	1067	6
55	607892	474	392108	646881	568	353119	8989	93	1011	5
56	608177	474	391823	647222	568	352778	9045	93	955	4
57	608461	474	391539	647562	567	352438	9101	93	899	3
58	608745	473	391255	647903	567	352097	9157	93	843	2
59	609029	473	390971	648243	567	351757	9214	94	786	1
60	609313	473	390687	648583	567	351417	9270	94	730	0
	Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	

66 $\frac{3}{4}$ Deg.

66 Deg.

F

24 Deg.

TABLE V.—LOG. SINES, ETC.

24½ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Coa.	
		9°6		10°3	9°		10°	10°0		9°9	
24	0	09313	473	90687	648583	566	351417	39270	94	60730	60
	1	09597	472	90403	648923	566	351077	39326	94	60674	59
	2	09880	472	90120	649263	566	350737	39382	94	60618	58
	3	10164	472	89836	649602	566	350398	39439	94	60561	57
	4	10447	471	89553	649942	565	350058	39495	94	60505	56
	5	10729	471	89271	650281	565	349719	39552	94	60448	55
	6	11012	470	88988	650620	565	349380	39608	94	60392	54
	7	11294	470	88706	650959	565	349041	39665	94	60335	53
	8	11576	470	88424	651297	564	348703	39721	94	60279	65 52
	9	11858	469	88142	651636	564	348364	39778	94	60222	51
24	10	12140	469	87860	651974	563	348026	39835	94	60165	50
	11	12421	469	87579	652312	563	347688	39891	94	60109	49
	12	12702	468	87298	652650	563	347350	39948	95	60052	48
	13	12983	468	87017	652988	563	347012	40005	95	59995	47
	14	13264	467	86736	653326	562	346674	40062	95	59938	46
	15	13545	467	86455	653663	562	346337	40118	95	59882	45
	16	13825	467	86175	654000	562	346000	40175	95	59825	44
	17	14105	466	85895	654337	561	345663	40232	95	59768	65 43
24	18	14385	466	85615	654674	561	345326	40289	95	59711	42
	19	14665	466	85335	655011	561	344989	40346	95	59654	41
	20	14944	465	85056	655348	561	344652	40404	95	59596	40
	21	15223	465	84777	655684	560	344316	40461	95	59539	39
	22	15502	465	84498	656020	560	343980	40518	95	59482	38
	23	15781	464	84219	656356	560	343644	40575	95	59425	37
	24	16060	464	83940	656692	559	343308	40632	95	59368	36
	25	16338	464	83662	657028	559	342972	40690	95	59310	35
	26	16616	463	83384	657364	559	342636	40747	96	59253	65 34
24	27	16894	463	83106	657699	559	342301	40805	96	59195	33
	28	17172	462	82828	658034	558	341966	40862	96	59138	32
	29	17450	462	82550	658369	558	341631	40919	96	59081	31
	30	17727	462	82273	658704	558	341296	40977	96	59023	30
	31	18004	461	81996	659039	558	340961	41035	96	58965	29
	32	18281	461	81719	659373	557	340627	41092	96	58908	28
	33	18558	461	81442	659708	557	340292	41150	96	58850	27
	34	18834	460	81166	660042	557	339958	41208	96	58792	26
	35	19110	460	80890	660376	557	339624	41266	96	58734	65 25
24	36	19386	460	80614	660710	556	339290	41323	96	58677	24
	37	19662	459	80338	661043	556	338957	41381	96	58619	23
	38	19938	459	80062	661377	556	338623	41439	96	58561	22
	39	20213	459	79787	661710	555	338290	41497	97	58503	21
	40	20488	458	79512	662043	555	337957	41555	97	58445	20
	41	20763	458	79237	662376	555	337624	41613	97	58387	19
	42	21038	457	78962	662709	554	337291	41671	97	58329	18
	43	21313	457	78687	663042	554	336958	41729	97	58271	17
	44	21587	457	78413	663375	554	336625	41787	97	58213	16
	45	21861	457	78139	663707	554	336293	41846	97	58154	65 15
		Coa.	D.	Sec.	Cot.	D.	Tang.	Coa.	D.	Sine	°

66 Deg.

65½ Deg.

24 $\frac{3}{4}$ Deg.

TABLE V.—LOG. SINES, ETC.

25 $\frac{1}{2}$ Deg.

°	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
	9'		10'	9'		10'	10'04		9'95	
24 45	621861	456	378139	663707	554	336293	1846		8154	15
46	622135	456	377865	664039	553	335961	1904	97	8096	14
47	622409	456	377591	664371	553	335629	1962	97	8038	13
48	622682	456	377318	664703	553	335297	2021	97	7979	12
49	622956	455	377044	665035	553	334965	2079	97	7921	11
50	623229	455	376771	665366	552	334634	2137	97	7863	10
51	623502	455	376498	665697	552	334303	2196	97	7804	9
52	623774	454	376226	666029	552	333971	2254	97	7746	8
53	624047	454	375953	666360	551	333640	2313	98	7687	65 7
24 54	624319	454	375681	666691	551	333309	2372	98	7628	6
55	624591	453	375409	667021	551	332979	2430	98	7570	5
56	624863	453	375137	667352	551	332648	2489	98	7511	4
57	625135	452	374865	667682	550	332318	2548	98	7452	3
58	625406	452	374594	668013	550	331987	2607	98	7393	2
59	625677	452	374323	668343	550	331657	2665	98	7335	1
25 0	625948	451	374052	668672	550	331328	2724	98	7276	65 0
1	626219	451	373781	669002	549	330998	2783	98	7217	59
2	626490	451	373510	669332	549	330668	2842	98	7158	64 58
25 3	626760	450	373240	669661	549	330339	2901	98	7099	57
4	627030	450	372970	669991	548	330009	2960	98	7040	56
5	627300	450	372700	670320	548	329680	3019	98	6981	55
6	627570	449	372430	670649	548	329351	3079	99	6921	54
7	627840	449	372160	670977	548	329023	3138	99	6862	53
8	628109	449	371891	671306	547	328694	3197	99	6803	52
9	628378	448	371622	671634	547	328366	3256	99	6744	51
10	628647	448	371353	671963	547	328037	3316	99	6684	50
11	628916	447	371084	672291	547	327709	3375	99	6625	64 49
25 12	629185	447	370815	672619	546	327381	3434	99	6566	48
13	629453	447	370547	672947	546	327053	3494	99	6506	47
14	629721	446	370279	673274	546	326726	3553	99	6447	46
15	629989	446	370011	673602	546	326398	3613	99	6387	45
16	630257	446	369743	673929	545	326071	3673	99	6327	44
17	630524	446	369476	674257	545	325743	3732	99	6268	43
18	630792	445	369208	674584	545	325416	3792	100	6208	42
19	631059	445	368941	674910	544	325090	3852	100	6148	41
20	631326	445	368674	675237	544	324763	3911	100	6089	64 40
25 21	631593	444	368407	675564	544	324436	3971	100	6029	39
22	631859	444	368141	675890	544	324110	4031	100	5969	38
23	632125	444	367875	676216	543	323784	4091	100	5909	37
24	632392	443	367608	676543	543	323457	4151	100	5849	36
25	632658	443	367342	676869	543	323131	4211	100	5789	35
26	632923	443	367077	677194	543	322806	4271	100	5729	34
27	633189	442	366811	677520	542	322480	4331	100	5669	33
28	633454	442	366546	677846	542	322154	4391	100	5609	32
29	633719	442	366281	678171	542	321829	4452	100	5548	31
30	633984	442	366016	678496	542	321504	4512		5488	64 30
	Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

65 $\frac{1}{4}$ Deg.64 $\frac{1}{2}$ Deg.

25½ Deg.

TABLE V.—LOG. SINES, ETC.

26¼ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'		10'	9'		10'	10'04		9'95	
25	30	633984	441	366016	678496	542	321504	4512	100	5488	30
	31	634249	441	365751	678821	541	321179	4572	101	5428	29
	32	634514	440	365486	679146	541	320854	4632	101	5368	28
	33	634778	440	365222	679471	541	320529	4693	101	5307	27
	34	635042	440	364958	679795	541	320205	4753	101	5247	26
	35	635306	439	364694	680120	540	319880	4814	101	5186	25
	36	635570	439	364430	680444	540	319556	4874	101	5126	24
	37	635834	439	364166	680768	540	319232	4935	101	5065	23
	38	636097	438	363903	681092	540	318908	4995	101	5005	64 22
25	39	636360	438	363640	681416	539	318584	5056	101	4944	21
	40	636623	438	363377	681740	539	318260	5117	101	4883	20
	41	636886	437	363114	682063	539	317937	5177	101	4823	19
	42	637148	437	362852	682387	539	317613	5238	101	4762	18
	43	637411	437	362589	682710	538	317290	5299	101	4701	17
	44	637673	437	362327	683033	538	316967	5360	101	4640	16
	45	637935	436	362065	683356	538	316644	5421	101	4579	15
	46	638197	436	361803	683679	538	316321	5482	102	4518	14
	47	638458	436	361542	684001	537	315999	5543	102	4457	64 13
25	48	638720	435	361280	684324	537	315676	5604	102	4396	12
	49	638981	435	361019	684646	537	315354	5665	102	4335	11
	50	639242	435	360758	684968	537	315032	5726	102	4274	10
	51	639503	434	360497	685290	536	314710	5787	102	4213	9
	52	639764	434	360236	685612	536	314388	5848	102	4152	8
	53	640024	434	359976	685934	536	314066	5910	102	4090	7
	54	640284	433	359716	686255	536	313745	5971	102	4029	6
	55	640544	433	359456	686577	535	313423	6032	102	3968	5
	56	640804	433	359196	686898	535	313102	6094	102	3906	64 4
25	57	641064	432	358936	687219	535	312781	6155	102	3845	3
	58	641324	432	358676	687540	535	312460	6217	102	3783	2
	59	641584	432	358416	687861	534	312139	6278	103	3722	1
26	0	641842	431	358158	688182	534	311818	6340	103	3660	64 0
	1	642101	431	357899	688502	534	311498	6401	103	3599	59
	2	642360	431	357640	688823	534	311177	6463	103	3537	58
	3	642618	430	357382	689143	533	310857	6525	103	3475	57
	4	642877	430	357123	689463	533	310537	6587	103	3413	56
	5	643135	430	356865	689783	533	310217	6648	103	3352	63 55
26	6	643393	430	356607	690103	533	309897	6710	103	3290	54
	7	643650	429	356350	690423	533	309577	6772	103	3228	53
	8	643908	429	356092	690742	532	309258	6834	103	3166	52
	9	644165	429	355835	691062	532	308938	6896	103	3104	51
	10	644423	428	355577	691381	532	308619	6958	103	3042	50
	11	644680	428	355320	691700	531	308300	7020	104	2980	49
	12	644936	428	355064	692019	531	307981	7082	104	2918	48
	13	645193	427	354807	692338	531	307662	7145	104	2855	47
	14	645450	427	354550	692656	531	307344	7207	104	2793	46
	15	645706	427	354294	692975	531	307025	7269	104	2731	63 45
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

64¼ Deg.

63¾ Deg.

26½ Deg.

TABLE V.—LOG SINES, ETC.

27 Deg

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'6		10'3	9'		10'	10'0		9'9	
26	15	45706	427	54294	692975	531	307025	47269	104	52731	45
	16	45962	426	54038	693293	530	306707	47331	104	52669	44
	17	46218	426	53782	693612	530	306388	47394	104	52606	43
	18	46474	426	53526	693930	530	306070	47456	104	52544	42
	19	46729	425	53271	694248	530	305752	47519	104	52481	41
	20	46984	425	53016	694566	529	305434	47581	104	52419	40
	21	47240	425	52760	694883	529	305117	47644	104	52356	39
	22	47494	424	52506	695201	529	304799	47706	104	52294	38
	23	47749	424	52251	695518	529	304482	47769	104	52231	63 37
26	24	48004	424	51996	695836	529	304164	47832	105	52168	36
	25	48258	424	51742	696153	528	303847	47894	105	52106	35
	26	48512	423	51488	696470	528	303530	47957	105	52043	34
	27	48766	423	51234	696787	528	303213	48020	105	51980	33
	28	49020	423	50980	697103	528	302897	48083	105	51917	32
	29	49274	422	50726	697420	527	302580	48146	105	51854	31
	30	49527	422	50473	697736	527	302264	48209	105	51791	30
	31	49781	422	50219	698053	527	301947	48272	105	51728	29
	32	50034	422	49966	698369	527	301631	48335	105	51665	63 28
26	33	50287	421	49713	698685	526	301315	48398	105	51602	27
	34	50539	421	49461	699001	526	300999	48461	105	51539	26
	35	50792	421	49208	699316	526	300684	48524	105	51476	25
	36	51044	420	48956	699632	526	300368	48588	105	51412	24
	37	51297	420	48703	699947	526	300053	48651	106	51349	23
	38	51549	420	48451	700263	525	299737	48714	106	51286	22
	39	51800	419	48200	700578	525	299422	48778	106	51222	21
	40	52052	419	47948	700893	525	299107	48841	106	51159	20
	41	52304	419	47696	701208	524	298792	48904	106	51096	63 19
26	42	52555	418	47445	701523	524	298477	48968	106	51032	18
	43	52806	418	47194	701837	524	298163	49032	106	50968	17
	44	53057	418	46943	702152	524	297848	49095	106	50905	16
	45	53308	418	46692	702466	524	297534	49159	106	50841	15
	46	53558	417	46442	702780	523	297220	49222	106	50778	14
	47	53808	417	46192	703095	523	296905	49286	106	50714	13
	48	54059	417	45941	703409	523	296591	49350	106	50650	12
	49	54309	416	45691	703723	523	296277	49414	106	50586	11
	50	54558	416	45442	704036	522	295964	49478	107	50522	63 10
26	51	54808	416	45192	704350	522	295650	49542	107	50458	9
	52	55058	416	44942	704663	522	295337	49606	107	50394	8
	53	55307	415	44693	704977	522	295023	49670	107	50330	7
	54	55556	415	44444	705290	522	294710	49734	107	50266	6
	55	55805	415	44195	705603	521	294397	49798	107	50202	5
	56	56054	414	43946	705916	521	294084	49862	107	50138	4
	57	56302	414	43698	706228	521	293772	49926	107	50074	3
	58	56551	414	43449	706541	521	293459	49990	107	50010	2
	59	56799	413	43201	706854	521	293146	50055	107	49945	1
	60	57047	413	42953	707166	521	292834	50119	107	49881	63 0
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

63½ Deg.

63 Deg.

27 Deg.

TABLE V.—LOG. SINES, ETC.

27½ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'		10'	9'		10'	10'05		9'94	
27	0	657047	413	342953	707166	520	292834	0119	107	9881	60
	1	657295	413	342705	707478	520	292522	0184	107	9816	59
	2	657542	413	342458	707790	520	292210	0248	107	9752	58
	3	657790	412	342210	708102	520	291898	0312	108	9688	57
	4	658037	412	341963	708414	519	291586	0377	108	9623	56
	5	658284	412	341716	708726	519	291274	0442	108	9558	55
	6	658531	412	341469	709037	519	290963	0506	108	9494	54
	7	658778	411	341222	709349	519	290651	0571	108	9429	53
	8	659025	411	340975	709660	519	290340	0636	108	9364	62 52
27	9	659271	410	340729	709971	518	290029	0700	108	9300	51
	10	659517	410	340483	710282	518	289718	0765	108	9235	50
	11	659763	410	340237	710593	518	289407	0830	108	9170	49
	12	660009	409	339991	710904	518	289096	0895	108	9105	48
	13	660255	409	339745	711215	518	288785	0960	108	9040	47
	14	660501	409	339499	711525	517	288475	1025	108	8975	46
	15	660746	409	339254	711836	517	288164	1090	108	8910	45
	16	660991	408	339009	712146	517	287854	1155	108	8845	44
	17	661236	408	338764	712456	517	287544	1220	109	8780	62 43
27	18	661481	408	338519	712766	516	287234	1285	109	8715	42
	19	661726	407	338274	713076	516	286924	1350	109	8650	41
	20	661970	407	338030	713386	516	286614	1416	109	8584	40
	21	662214	407	337786	713696	516	286304	1481	109	8519	39
	22	662459	407	337541	714005	516	285995	1546	109	8454	38
	23	662703	406	337297	714314	515	285686	1612	109	8388	37
	24	662946	406	337054	714624	515	285376	1677	109	8323	36
	25	663190	406	336810	714933	515	285067	1743	109	8257	35
	26	663433	405	336567	715242	515	284758	1808	109	8192	62 34
27	27	663677	405	336323	715551	514	284449	1874	109	8126	33
	28	663920	405	336080	715860	514	284140	1940	109	8060	32
	29	664163	405	335837	716168	514	283832	2005	110	7995	31
	30	664406	404	335594	716477	514	283523	2071	110	7929	30
	31	664648	404	335352	716785	514	283215	2137	110	7863	29
	32	664891	404	335109	717093	513	282907	2203	110	7797	28
	33	665133	403	334867	717401	513	282599	2269	110	7731	27
	34	665375	403	334625	717709	513	282291	2335	110	7665	26
	35	665617	403	334383	718017	513	281983	2400	110	7600	62 25
27	36	665859	402	334141	718325	513	281675	2467	110	7533	24
	37	666100	402	333900	718633	512	281367	2533	110	7467	23
	38	666342	402	333658	718940	512	281060	2599	110	7401	22
	39	666583	402	333417	719248	512	280752	2665	110	7335	21
	40	666824	401	333176	719555	512	280445	2731	110	7269	20
	41	667065	401	332935	719862	512	280138	2797	110	7203	19
	42	667305	401	332693	720169	511	279831	2864	111	7136	18
	43	667546	401	332454	720476	511	279524	2930	111	7070	17
	44	667786	400	332214	720783	511	279217	2996	111	7004	16
	45	668027	400	331973	721089	511	278911	3063	111	6937	62 15
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

68 Deg.

62½ Deg.

27 $\frac{3}{4}$ Deg.

TABLE V.—LOG. SINES, ETC.

28 $\frac{1}{2}$ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'		10'	9'		10'	10'05		9'94	
27	45	668027	400	331973	721089	511	278911	3063	111	6937	15
	46	668267	400	331733	721396	511	278604	3129	111	6871	14
	47	668506	399	331494	721702	510	278298	3196	111	6804	13
	48	668746	399	331254	722009	510	277991	3262	111	6738	12
	49	668986	399	331014	722315	510	277685	3329	111	6671	11
	50	669225	399	330775	722621	510	277379	3396	111	6604	10
	51	669464	398	330536	722927	510	277073	3462	111	6538	9
	52	669703	398	330297	723232	509	276768	3529	111	6471	8
	53	669942	398	330058	723538	509	276462	3596	111	6404	62 7
27	54	670181	397	329819	723844	509	276156	3663	111	6337	6
	55	670419	397	329581	724149	509	275851	3730	112	6270	5
	56	670658	397	329342	724454	509	275546	3797	112	6203	4
	57	670896	397	329104	724759	508	275241	3864	112	6136	3
	58	671134	396	328866	725065	508	274935	3931	112	6069	2
	59	671372	396	328628	725369	508	274631	3998	112	6002	1
28	0	671609	396	328391	725674	508	274326	4065	112	5935	62 0
	1	671847	395	328153	725979	508	274021	4132	112	5868	59
	2	672084	395	327916	726284	507	273716	4200	112	5800	61 58
28	3	672321	395	327679	726588	507	273412	4267	112	5733	57
	4	672558	395	327442	726892	507	273108	4334	112	5666	56
	5	672795	394	327205	727197	507	272803	4402	112	5598	55
	6	673032	394	326968	727501	507	272499	4469	112	5531	54
	7	673268	394	326732	727805	506	272195	4536	113	5464	53
	8	673505	394	326495	728109	506	271891	4604	113	5396	52
	9	673741	393	326259	728412	506	271588	4672	113	5328	51
	10	673977	393	326023	728716	506	271284	4739	113	5261	50
	11	674213	393	325787	729020	506	270980	4807	113	5193	61 49
28	12	674448	392	325552	729323	505	270677	4875	113	5125	48
	13	674684	392	325316	729626	505	270374	4942	113	5058	47
	14	674919	392	325081	729929	505	270071	5010	113	4990	46
	15	675155	392	324845	730233	505	269767	5078	113	4922	45
	16	675390	391	324610	730535	505	269465	5146	113	4854	44
	17	675624	391	324376	730838	504	269162	5214	113	4786	43
	18	675859	391	324141	731141	504	268859	5282	113	4718	42
	19	676094	391	323906	731444	504	268556	5350	113	4650	41
	20	676328	390	323672	731746	504	268254	5418	114	4582	61 40
28	21	676562	390	323438	732048	504	267952	5486	114	4514	39
	22	676796	390	323204	732351	503	267649	5554	114	4446	38
	23	677030	390	322970	732653	503	267347	5623	114	4377	37
	24	677264	389	322736	732955	503	267045	5691	114	4309	36
	25	677498	389	322502	733257	503	266743	5759	114	4241	35
	26	677731	389	322269	733558	503	266442	5828	114	4172	34
	27	677964	388	322036	733860	502	266140	5896	114	4104	33
	28	678197	388	321803	734162	502	265838	5964	114	4036	32
	29	678430	388	321570	734463	502	265537	6033	114	3967	31
	30	678663	388	321337	734764	502	265236	6101	114	3899	61 30
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

62 $\frac{1}{4}$ Deg.61 $\frac{1}{2}$ Deg.

28½ Deg.

TABLE V.—LOG. SINES, ETC.

29½ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Co.	
		9°		10°	9°		10°	10°05		9°94	
28	30	678663	388	321337	734764	502	265236	6101	114	3899	30
	31	678895	387	321105	735066	502	264934	6170	114	3830	29
	32	679128	387	320872	735367	502	264633	6239	114	3761	28
	33	679360	387	320640	735668	501	264332	6307	115	3693	27
	34	679592	387	320408	735969	501	264031	6376	115	3624	26
	35	679824	387	320176	736269	501	263731	6445	115	3555	25
	36	680056	386	319944	736570	501	263430	6514	115	3486	24
	37	680288	386	319712	736871	501	263129	6583	115	3417	23
	38	680519	385	319481	737171	500	262829	6652	115	3348	61 22
28	39	680750	385	319250	737471	500	262529	6721	115	3279	21
	40	680982	385	319018	737771	500	262229	6790	115	3210	20
	41	681213	385	318787	738071	500	261929	6859	115	3141	19
	42	681443	384	318557	738371	500	261629	6928	115	3072	18
	43	681674	384	318326	738671	499	261329	6997	115	3003	17
	44	681905	384	318095	738971	499	261029	7066	115	2934	16
	45	682135	384	317865	739271	499	260729	7136	115	2864	15
	46	682365	383	317635	739570	499	260430	7205	116	2795	14
	47	682595	383	317405	739870	499	260130	7274	116	2726	61 13
28	48	682825	383	317175	740169	499	259831	7344	116	2656	12
	49	683055	383	316945	740468	498	259532	7413	116	2587	11
	50	683284	382	316716	740767	498	259233	7483	116	2517	10
	51	683514	382	316486	741066	498	258934	7552	116	2448	9
	52	683743	382	316257	741365	498	258635	7622	116	2378	8
	53	683972	382	316028	741664	498	258336	7692	116	2308	7
	54	684201	381	315799	741962	497	258038	7761	116	2239	6
	55	684430	381	315570	742261	497	257739	7831	116	2169	5
	56	684658	381	315342	742559	497	257441	7901	116	2099	61 4
28	57	684887	380	315113	742858	497	257142	7971	116	2029	3
	58	685115	380	314885	743156	497	256844	8041	116	1959	2
	59	685343	380	314657	743454	497	256546	8111	117	1889	1
29	0	685571	380	314429	743752	496	256248	8181	117	1819	61 0
	1	685799	379	314201	744050	496	255950	8251	117	1749	59
	2	686027	379	313973	744348	496	255652	8321	117	1679	58
	3	686254	379	313746	744645	496	255355	8391	117	1609	57
	4	686482	379	313518	744943	496	255057	8461	117	1539	56
	5	686709	378	313291	745240	495	254760	8531	117	1469	60 55
29	6	686936	378	313064	745538	495	254462	8602	117	1398	54
	7	687163	378	312837	745835	495	254165	8672	117	1328	53
	8	687389	378	312611	746132	495	253868	8742	117	1258	52
	9	687616	377	312384	746429	495	253571	8813	117	1187	51
	10	687843	377	312157	746726	495	253274	8883	117	1117	50
	11	688069	377	311931	747023	494	252977	8954	118	1046	49
	12	688295	377	311705	747319	494	252681	9025	118	0975	48
	13	688521	376	311479	747616	494	252384	9095	118	0905	47
	14	688747	376	311253	747913	494	252087	9166	118	0834	46
	15	688972	376	311028	748209	494	251791	9237	118	0763	60 45
		Cos.	D.	Sec.	Cot.	D.	Tang.	Co.	D.	Sine	°

61½ Deg.

60¾ Deg.

29½ Deg.

TABLE V.—LOG. SINES, ETC.

80 Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9°6		10°3	9°		10°	10°0		9°9	
29	15	88972	376	11028	748209	494	251791	59237	118	40763	45
	16	89198	376	10802	748505	493	251495	59307	118	40693	44
	17	89423	375	10577	748801	493	251199	59378	118	40622	43
	18	89648	375	10352	749097	493	250903	59449	118	40551	42
	19	89873	375	10127	749393	493	250607	59520	118	40480	41
	20	90098	375	9902	749689	493	250311	59591	118	40409	40
	21	90323	375	9677	749985	493	250015	59662	118	40338	39
	22	90548	374	9452	750281	492	249719	59733	118	40267	38
	23	90772	374	9228	750576	492	249424	59804	118	40196	60 37
29	24	90996	374	9004	750872	492	249128	59875	119	40125	36
	25	91220	373	8780	751167	492	248833	59946	119	40054	35
	26	91444	373	8556	751462	492	248538	60018	119	39982	34
	27	91668	373	8332	751757	492	248243	60089	119	39911	33
	28	91892	373	8108	752052	491	247948	60160	119	39840	32
	29	92115	372	7885	752347	491	247653	60232	119	39768	31
	30	92339	372	7661	752642	491	247358	60303	119	39697	30
	31	92562	372	7438	752937	491	247063	60375	119	39625	29
	32	92785	371	7215	753231	491	246769	60446	119	39554	60 28
29	33	93008	371	6992	753526	491	246474	60518	119	39482	27
	34	93231	371	6769	753820	490	246180	60590	119	39410	26
	35	93453	371	6547	754115	490	245885	60661	119	39339	25
	36	93676	370	6324	754409	490	245591	60733	120	39267	24
	37	93898	370	6102	754703	490	245297	60805	120	39195	23
	38	94120	370	5880	754997	490	245003	60877	120	39123	22
	39	94342	370	5658	755291	490	244709	60948	120	39052	21
	40	94564	369	5436	755585	489	244415	61020	120	38980	20
	41	94786	369	5214	755878	489	244122	61092	120	38908	60 19
29	42	95007	369	4993	756172	489	243828	61164	120	38836	18
	43	95229	369	4771	756465	489	243535	61237	120	38763	17
	44	95450	368	4550	756759	489	243241	61309	120	38691	16
	45	95671	368	4329	757052	489	242948	61381	120	38619	15
	46	95892	368	4108	757345	488	242655	61453	120	38547	14
	47	96113	368	3887	757638	488	242362	61525	120	38475	13
	48	96334	367	3666	757931	488	242069	61598	121	38402	12
	49	96554	367	3446	758224	488	241776	61670	121	38330	11
	50	96775	367	3225	758517	488	241483	61742	121	38258	60 10
29	51	96995	367	3005	758810	488	241190	61815	121	38185	9
	52	97215	366	2785	759102	487	240898	61887	121	38113	8
	53	97435	366	2565	759395	487	240605	61960	121	38040	7
	54	97654	366	2346	759687	487	240313	62033	121	37967	6
	55	97874	366	2126	759979	487	240021	62105	121	37895	5
	56	98094	366	1906	760272	487	239728	62178	121	37822	4
	57	98313	365	1687	760564	487	239436	62251	121	37749	3
	58	98532	365	1468	760856	486	239144	62324	121	37676	2
	59	98751	365	1249	761148	486	238852	62396	121	37604	1
	60	98970	365	1030	761439	486	238561	62469	121	37531	60 0
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

60½ Deg.

60 Deg.

30 Deg.		TABLE V.—LOG. SINES, ETC.								30 $\frac{3}{4}$ Deg.	
°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'		10'	9'		10'	10'06		9'93	
30	0	698970	364	301030	761439	486	238561	2469	121	7531	60
	1	699189	364	300811	761731	486	238269	2542	122	7458	59
	2	699407	364	300593	762023	486	237977	2615	122	7385	58
	3	699626	364	300374	762314	486	237686	2688	122	7312	57
	4	699844	364	300156	762606	486	237394	2762	122	7238	56
	5	700062	363	299938	762897	485	237103	2835	122	7165	55
	6	700280	363	299720	763188	485	236812	2908	122	7092	54
	7	700498	363	299502	763479	485	236521	2981	122	7019	53
	8	700716	363	299284	763770	485	236230	3054	122	6946	52
			363			485			122		59
30	9	700933	362	299067	764061	485	235939	3128	122	6872	51
	10	701151	362	298849	764352	484	235648	3201	122	6799	50
	11	701368	362	298632	764643	484	235357	3275	122	6725	49
	12	701585	362	298415	764933	484	235067	3348	122	6652	48
	13	701802	362	298198	765224	484	234776	3422	123	6578	47
	14	702019	361	297981	765514	484	234486	3495	123	6505	46
	15	702236	361	297764	765805	484	234195	3569	123	6431	45
	16	702452	361	297548	766095	484	233905	3643	123	6357	44
	17	702669	360	297331	766385	483	233615	3716	123	6284	43
			360			483			123		59
30	18	702885	360	297115	766675	483	233325	3790	123	6210	42
	19	703101	360	296899	766965	483	233035	3864	123	6136	41
	20	703317	360	296683	767255	483	232745	3938	123	6062	40
	21	703533	359	296467	767545	483	232455	4012	123	5988	39
	22	703749	359	296251	767834	483	232166	4086	123	5914	38
	23	703964	359	296036	768124	482	231876	4160	123	5840	37
	24	704179	359	295821	768413	482	231587	4234	124	5766	36
	25	704395	359	295605	768703	482	231297	4308	124	5692	35
	26	704610	358	295390	768992	482	231008	4382	124	5618	34
			358			482			124		59
30	27	704825	358	295175	769281	482	230719	4457	124	5543	33
	28	705040	358	294960	769570	482	230430	4531	124	5469	32
	29	705254	358	294746	769860	481	230140	4605	124	5395	31
	30	705469	357	294531	770148	481	229852	4680	124	5320	30
	31	705683	357	294317	770437	481	229563	4754	124	5246	29
	32	705898	357	294102	770726	481	229274	4829	124	5171	28
	33	706112	357	293888	771015	481	228985	4903	124	5097	27
	34	706326	357	293674	771303	481	228697	4978	124	5022	26
	35	706539	356	293461	771592	481	228408	5052	124	4948	25
			356			481			124		59
30	36	706753	356	293247	771880	480	228120	5127	124	4873	24
	37	706967	356	293033	772168	480	227832	5202	125	4798	23
	38	707180	355	292820	772457	480	227543	5277	125	4723	22
	39	707393	355	292607	772745	480	227255	5351	125	4649	21
	40	707606	355	292394	773033	480	226967	5426	125	4574	20
	41	707819	355	292181	773321	480	226679	5501	125	4499	19
	42	708032	354	291968	773608	480	226392	5576	125	4424	18
	43	708245	354	291755	773896	479	226104	5651	125	4349	17
	44	708458	354	291542	774184	479	225816	5726	125	4274	16
	45	708670	354	291330	774471	479	225529	5801	125	4199	15
											59
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°
60 Deg.										59 $\frac{1}{4}$ Deg.	

30 $\frac{3}{4}$ Deg.		TABLE V.—LOG. SINES, ETC.								31 $\frac{1}{2}$ Deg.	
°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'		10'	9'		10'	10'06		9'93	
30	45	708670		291330	774471		225529	5801		4199	15
	46	708882	354	291118	774759	479	225241	5877	125	4123	14
	47	709094	353	290906	775046	479	224954	5952	125	4048	13
	48	709306	353	290694	775333	479	224667	6027	125	3973	12
	49	709518	353	290482	775621	479	224379	6102	125	3898	11
	50	709730	353	290270	775908	478	224092	6178	126	3822	10
	51	709941	353	290059	776195	478	223805	6253	126	3747	9
	52	710153	352	289847	776482	478	223518	6329	126	3671	8
	53	710364	352	289636	776769	478	223231	6404	126	3596	59 7
30	54	710575	352	289425	777055	478	222945	6480	126	3520	6
	55	710786	351	289214	777342	478	222658	6555	126	3445	5
	56	710997	351	289003	777628	477	222372	6631	126	3369	4
	57	711208	351	288792	777915	477	222085	6707	126	3293	3
	58	711419	351	288581	778201	477	221799	6783	126	3217	2
	59	711629	350	288371	778487	477	221513	6859	126	3141	1
31	0	711839	350	288161	778774	477	221226	6934	126	3066	59 0
	1	712050	350	287950	779060	477	220940	7010	127	2990	59
	2	712260	350	287740	779346	476	220654	7086	127	2914	58 58
31	3	712469	349	287531	779632	476	220368	7162	127	2838	57
	4	712679	349	287321	779918	476	220082	7238	127	2762	56
	5	712889	349	287111	780203	476	219797	7315	127	2685	55
	6	713098	349	286902	780489	476	219511	7391	127	2609	54
	7	713308	349	286692	780775	476	219225	7467	127	2533	53
	8	713517	348	286483	781060	476	218940	7543	127	2457	52
	9	713726	348	286274	781346	475	218654	7620	127	2380	51
	10	713935	348	286065	781631	475	218369	7696	127	2304	50
	11	714144	348	285856	781916	475	218084	7772	127	2228	58 49
31	12	714352	347	285648	782201	475	217799	7849	127	2151	48
	13	714561	347	285439	782486	475	217514	7925	128	2075	47
	14	714769	347	285231	782771	475	217229	8002	128	1998	46
	15	714978	347	285022	783056	475	216944	8079	128	1921	45
	16	715186	347	284814	783341	475	216659	8155	128	1845	44
	17	715394	346	284606	783626	474	216374	8232	128	1768	43
	18	715602	346	284398	783910	474	216090	8309	128	1691	42
	19	715809	346	284191	784195	474	215805	8386	128	1614	41
	20	716017	346	283983	784479	474	215521	8463	128	1537	58 40
31	21	716224	345	283776	784764	474	215236	8540	128	1460	39
	22	716432	345	283568	785048	474	214952	8617	128	1383	38
	23	716639	345	283361	785332	473	214668	8694	128	1306	37
	24	716846	345	283154	785616	473	214384	8771	129	1229	36
	25	717053	345	282947	785900	473	214100	8848	129	1152	35
	26	717259	344	282741	786184	473	213816	8925	129	1075	34
	27	717466	344	282534	786468	473	213532	9002	129	0998	33
	28	717673	344	282327	786752	473	213248	9079	129	0921	32
	29	717879	344	282121	787036	473	212964	9157	129	0843	31
	30	718085	344	281915	787319	473	212681	9234	120	0766	58 30
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°
59 $\frac{1}{4}$ Deg.										58 $\frac{1}{4}$ Deg.	

31½ Deg.

TABLE V.—LOG. SINES, ETC.

32½ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Coa.	
		9'7		10'2	9'		10'	10'0		9'9	
31	30	18085		81915	787319	472	212681	69234	129	30766	30
	31	18291	343	81709	787603	472	212397	69312	129	30688	29
	32	18497	343	81503	787886	472	212114	69389	129	30611	28
	33	18703	343	81297	788170	472	211830	69467	129	30533	27
	34	18909	343	81091	788453	472	211547	69544	129	30456	26
	35	19114	343	80886	788736	472	211264	69622	129	30378	25
	36	19320	342	80680	789019	472	210981	69700	129	30300	24
	37	19525	342	80475	789302	472	210698	69777	130	30223	23
	38	19730	342	80270	789585	471	210415	69855	130	30145	58 22
			342			471			130		
31	39	19935		80065	789868	471	210132	69933	130	30067	21
	40	20140	341	79860	790151	471	209849	70011	130	29989	20
	41	20345	341	79655	790433	471	209567	70089	130	29911	19
	42	20549	341	79451	790716	471	209284	70167	130	29833	18
	43	20754	341	79246	790999	471	209001	70245	130	29755	17
	44	20958	340	79042	791281	471	208719	70323	130	29677	16
	45	21162	340	78838	791563	471	208437	70401	130	29599	15
	46	21366	340	78634	791846	470	208154	70479	130	29521	14
	47	21570	340	78430	792128	470	207872	70558	130	29442	58 13
			340			470			130		
31	48	21774		78226	792410	470	207590	70636	131	29364	12
	49	21978	339	78022	792692	470	207308	70714	131	29286	11
	50	22181	339	77819	792974	470	207026	70793	131	29207	10
	51	22385	339	77615	793256	470	206744	70871	131	29129	9
	52	22588	339	77412	793538	469	206462	70950	131	29050	8
	53	22791	339	77209	793819	469	206181	71028	131	28972	7
	54	22994	338	77006	794101	469	205899	71107	131	28893	6
	55	23197	338	76803	794383	469	205617	71185	131	28815	5
	56	23400	338	76600	794664	469	205336	71264	131	28736	58 4
			338			469			131		
31	57	23603		76397	794945	469	205055	71343	131	28657	3
	58	23805	337	76195	795227	469	204773	71422	131	28578	2
	59	24007	337	75993	795508	468	204492	71501	131	28499	1
32	0	24210		75790	795789	468	204211	71580	131	28420	58 0
	1	24412	337	75588	796070	468	203930	71658	132	28342	59
	2	24614	337	75386	796351	468	203649	71737	132	28263	58
	3	24816	336	75184	796632	468	203368	71817	132	28183	57
	4	25017	336	74983	796913	468	203087	71896	132	28104	56
	5	25219	336	74781	797194	468	202806	71975	132	28025	57 55
			336			468			132		
32	6	25420		74580	797475	468	202525	72054	132	27946	54
	7	25622	335	74378	797755	468	202245	72133	132	27867	53
	8	25823	335	74177	798036	467	201964	72213	132	27787	52
	9	26024	335	73976	798316	467	201684	72292	132	27708	51
	10	26225	335	73775	798596	467	201404	72371	132	27629	50
	11	26426	335	73574	798877	467	201123	72451	132	27549	49
	12	26626	334	73374	799157	467	200843	72530	132	27470	48
	13	26827	334	73173	799437	467	200563	72610	133	27390	47
	14	27027	334	72973	799717	467	200283	72690	133	27310	46
	15	27228	334	72772	799997	467	200003	72769	133	27231	57 45
			334			467			133		
		Coa.	D.	Sec.	Cot.	D.	Tang.	Coa.	D.	Sine	°

58½ Deg.

57½ Deg.

32½ Deg.

TABLE V.—LOG. SINES, ETC.

33 Deg.

°	Sine.	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
	9'		10'	9'		10'	10'07		9'92	
32 15	727228	334	272772	799997	466	200003	2769	133	7231	45
16	727428	333	272572	800277	466	199723	2849	133	7151	44
17	727628	333	272372	800557	466	199443	2929	133	7071	43
18	727828	333	272172	800836	466	199164	3009	133	6991	42
19	728027	333	271973	801116	466	198884	3089	133	6911	41
20	728227	333	271773	801396	466	198604	3169	133	6831	40
21	728427	333	271573	801675	466	198325	3249	133	6751	39
22	728626	332	271374	801955	466	198045	3329	133	6671	38
23	728825	332	271175	802234	465	197766	3409	133	6591	57 37
32 24	729024	332	270976	802513	465	197487	3489	134	6511	36
25	729223	331	270777	802792	465	197208	3569	134	6431	35
26	729422	331	270578	803072	465	196928	3649	134	6351	34
27	729621	331	270379	803351	465	196649	3730	134	6270	33
28	729820	331	270180	803630	465	196370	3810	134	6190	32
29	730018	330	269982	803908	465	196092	3890	134	6110	31
30	730216	330	269784	804187	465	195813	3971	134	6029	30
31	730415	330	269585	804466	464	195534	4051	134	5949	29
32	730613	330	269387	804745	464	195255	4132	134	5868	57 28
32 33	730811	330	269189	805023	464	194977	4212	134	5788	27
34	731009	329	268991	805302	464	194698	4293	134	5707	26
35	731206	329	268794	805580	464	194420	4374	134	5626	25
36	731404	329	268596	805859	464	194141	4455	135	5545	24
37	731602	329	268398	806137	464	193863	4535	135	5465	23
38	731799	329	268201	806415	463	193585	4616	135	5384	22
39	731996	328	268004	806693	463	193307	4697	135	5303	21
40	732193	328	267807	806971	463	193029	4778	135	5222	20
41	732390	328	267610	807249	463	192751	4859	135	5141	57 19
32 42	732587	328	267413	807527	463	192473	4940	135	5060	18
43	732784	328	267216	807805	463	192195	5021	135	4979	17
44	732980	327	267020	808083	463	191917	5103	135	4897	16
45	733177	327	266823	808361	463	191639	5184	135	4816	15
46	733373	327	266627	808638	463	191362	5265	135	4735	14
47	733569	327	266431	808916	462	191084	5346	136	4654	13
48	733765	327	266235	809193	462	190807	5428	136	4572	12
49	733961	326	266039	809471	462	190529	5509	136	4491	11
50	734157	326	265843	809748	462	190252	5591	136	4409	57 10
32 51	734353	326	265647	810025	462	189975	5672	136	4328	9
52	734549	326	265451	810302	462	189698	5754	136	4246	8
53	734744	325	265256	810580	462	189420	5836	136	4164	7
54	734939	325	265061	810857	462	189143	5917	136	4083	6
55	735135	325	264865	811134	461	188866	5999	136	4001	5
56	735330	325	264670	811410	461	188590	6081	136	3919	4
57	735525	325	264475	811687	461	188313	6163	136	3837	3
58	735719	324	264281	811964	461	188036	6245	137	3755	2
59	735914	324	264086	812241	461	187759	6327	137	3673	1
60	736109	324	263891	812517	461	187483	6409	137	3591	57 0
	Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

57½ Deg.

57 Deg.

33 Deg.		TABLE V.—LOG. SINES, ETC.										33 $\frac{1}{2}$ Deg.	
°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.			
		9'7		10'2	9'		10'	10'0		9'9			
33	0	36109		63891	812517	461	187483	76409		23591		60	
	1	36303	324	63697	812794	461	187206	76491	137	23509		59	
	2	36498	324	63502	813070	461	186930	76573	137	23427		58	
	3	36692	324	63308	813347	460	186653	76655	137	23345		57	
	4	36886	323	63114	813623	460	186377	76737	137	23263		56	
	5	37080	323	62920	813899	460	186101	76819	137	23181		55	
	6	37274	323	62726	814175	460	185825	76902	137	23098		54	
	7	37467	323	62533	814452	460	185548	76984	137	23016		53	
	8	37661	322	62339	814728	460	185272	77067	137	22933	56	52	
33	9	37855	322	62145	815004	460	184996	77149		22851		51	
	10	38048	322	61952	815279	460	184721	77232	137	22768		50	
	11	38241	322	61759	815555	459	184445	77314	138	22686		49	
	12	38434	322	61566	815831	459	184169	77397	138	22603		48	
	13	38627	321	61373	816107	459	183893	77480	138	22520		47	
	14	38820	321	61180	816382	459	183618	77562	138	22438		46	
	15	39013	321	60987	816658	459	183342	77645	138	22355		45	
	16	39206	321	60794	816933	459	183067	77728	138	22272		44	
	17	39398	321	60602	817209	459	182791	77811	138	22189	56	43	
33	18	39590	320	60410	817484	459	182516	77894		22106		42	
	19	39783	320	60217	817759	459	182241	77977	138	22023		41	
	20	39975	320	60025	818035	458	181965	78060	138	21940		40	
	21	40167	320	59833	818310	458	181690	78143	138	21857		39	
	22	40359	320	59641	818585	458	181415	78226	139	21774		38	
	23	40550	319	59450	818860	458	181140	78309	139	21691		37	
	24	40742	319	59258	819135	458	180865	78393	139	21607		36	
	25	40934	319	59066	819410	458	180590	78476	139	21524		35	
	26	41125	319	58875	819684	458	180316	78559	139	21441	56	34	
33	27	41316	319	58684	819959	458	180041	78643		21357		33	
	28	41508	318	58492	820234	458	179766	78726	139	21274		32	
	29	41699	318	58301	820508	457	179492	78810	139	21190		31	
	30	41889	318	58111	820783	457	179217	78893	139	21107		30	
	31	42080	318	57920	821057	457	178943	78977	139	21023		29	
	32	42271	318	57729	821332	457	178668	79061	140	20939		28	
	33	42462	317	57538	821606	457	178394	79144	140	20856		27	
	34	42652	317	57348	821880	457	178120	79228	140	20772		26	
	35	42842	317	57158	822154	457	177846	79312	140	20688	56	25	
33	36	43033	317	56967	822429	457	177571	79396		20604		24	
	37	43223	317	56777	822703	457	177297	79480	140	20520		23	
	38	43413	316	56587	822977	456	177023	79564	140	20436		22	
	39	43602	316	56398	823250	456	176750	79648	140	20352		21	
	40	43792	316	56208	823524	456	176476	79732	140	20268		20	
	41	43982	316	56018	823798	456	176202	79816	140	20184		19	
	42	44171	316	55829	824072	456	175928	79901	140	20099		18	
	43	44361	315	55639	824345	456	175655	79985	140	20015		17	
	44	44550	315	55450	824619	456	175381	80069	141	19931		16	
	45	44739	315	55261	824893	456	175107	80154		19846	56	15	
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine			

57 Deg.

56 $\frac{1}{2}$ Deg.

33 $\frac{3}{4}$ Deg.

TABLE V.—LOG. SINES, ETC.

34 $\frac{1}{2}$ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Coa.	
		9'		10'	9'		10'	10'08		9'91	
33	45	744739	315	255261	824893	456	175107	0154	141	9846	15
	46	744928	315	255072	825166	456	174834	0238	141	9762	14
	47	745117	315	254883	825439	455	174561	0323	141	9677	13
	48	745306	314	254694	825713	455	174287	0407	141	9593	12
	49	745494	314	254506	825986	455	174014	0492	141	9508	11
	50	745683	314	254317	826259	455	173741	0576	141	9424	10
	51	745871	314	254129	826532	455	173468	0661	141	9339	9
	52	746059	314	253941	826805	455	173195	0746	141	9254	8
	-53	746248	313	253752	827078	455	172922	0831	141	9169	56 7
33	54	746436	313	253564	827351	455	172649	0915	141	9085	6
	55	746624	313	253376	827624	455	172376	1000	141	9000	5
	56	746812	313	253188	827897	454	172103	1085	142	8915	4
	57	746999	313	253001	828170	454	171830	1170	142	8830	3
	58	747187	312	252813	828442	454	171558	1255	142	8745	2
	59	747374	312	252626	828715	454	171285	1341	142	8659	1
34	0	747562	312	252438	828987	454	171013	1426	142	8574	56 0
	1	747749	312	252251	829260	454	170740	1511	142	8489	59
	2	747936	312	252064	829532	454	170468	1596	142	8404	55 58
34	3	748123	311	251877	829805	454	170196	1682	142	8318	57
	4	748310	311	251690	830077	454	169923	1767	142	8233	56
	5	748497	311	251503	830349	453	169651	1853	142	8147	55
	6	748683	311	251317	830621	453	169379	1938	142	8062	54
	7	748870	311	251130	830893	453	169107	2024	142	7976	53
	8	749056	310	250944	831165	453	168835	2109	143	7891	52
	9	749243	310	250757	831437	453	168563	2195	143	7805	51
	10	749429	310	250571	831709	453	168291	2281	143	7719	50
	11	749615	310	250385	831981	453	168019	2366	143	7634	55 49
34	12	749801	310	250199	832253	453	167747	2452	143	7548	48
	13	749987	309	250013	832525	453	167475	2538	143	7462	47
	14	750172	309	249828	832796	453	167204	2624	143	7376	46
	15	750358	309	249642	833068	452	166932	2710	143	7290	45
	16	750543	309	249457	833339	452	166661	2796	143	7204	44
	17	750729	309	249271	833611	452	166389	2882	144	7118	43
	18	750914	308	249086	833882	452	166118	2968	144	7032	42
	19	751099	308	248901	834154	452	165846	3054	144	6946	41
	20	751284	308	248716	834425	452	165575	3141	144	6859	55 40
34	21	751469	308	248531	834696	452	165304	3227	144	6773	39
	22	751654	308	248346	834967	452	165033	3313	144	6687	38
	23	751839	308	248161	835238	452	164762	3400	144	6600	37
	24	752023	307	247977	835509	452	164491	3486	144	6514	36
	25	752208	307	247792	835780	451	164220	3573	144	6427	35
	26	752392	307	247608	836051	451	163949	3659	144	6341	34
	27	752576	307	247424	836322	451	163678	3746	144	6254	33
	28	752760	307	247240	836593	451	163407	3833	145	6167	32
	29	752944	306	247056	836864	451	163136	3919	145	6081	31
	30	753128		246872	837134	451	162866	4006	145	5994	55 30
		Coa.	D.	Sec.	Cot.	D.	Tang.	Coa.	D.	Sine	°

56 $\frac{1}{2}$ Deg.55 $\frac{1}{2}$ Deg.

84½ Deg.

TABLE V.—LOG. SINES, ETC.

35½ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'		10'	9'		10'	10'08		9'91	
34	30	753128	306	246872	837134	451	162866	4006	145	5994	30
	31	753312	306	246688	837405	451	162595	4093	145	5907	29
	32	753495	306	246505	837675	451	162325	4180	145	5820	28
	33	753679	306	246321	837946	451	162054	4267	145	5733	27
	34	753862	306	246138	838216	451	161784	4354	145	5646	26
	35	754046	305	245954	838487	451	161513	4441	145	5559	25
	36	754229	305	245771	838757	450	161243	4528	145	5472	24
	37	754412	305	245588	839027	450	160973	4615	145	5385	23
	38	754595	305	245405	839297	450	160703	4703	145	5297	55 22
34	39	754778		245222	839568		160432	4790	145	5210	21
	40	754960	304	245040	839838	450	160162	4877	146	5123	20
	41	755143	304	244857	840108	450	159892	4965	146	5035	19
	42	755326	304	244674	840378	450	159622	5052	146	4948	18
	43	755508	304	244492	840647	450	159353	5140	146	4860	17
	44	755690	304	244310	840917	449	159083	5227	146	4773	16
	45	755872	303	244128	841187	449	158813	5315	146	4685	15
	46	756054	303	243946	841457	449	158543	5402	146	4598	14
	47	756236	303	243764	841726	449	158274	5490	146	4510	55 13
34	48	756418		243582	841996		158004	5578		4422	12
	49	756600	303	243400	842266	449	157734	5666	146	4334	11
	50	756782	303	243218	842535	449	157465	5754	146	4246	10
	51	756963	302	243037	842805	449	157195	5842	147	4158	9
	52	757144	302	242856	843074	449	156926	5930	147	4070	8
	53	757326	302	242674	843343	449	156657	6018	147	3982	7
	54	757507	302	242493	843612	449	156388	6106	147	3894	6
	55	757688	301	242312	843882	448	156118	6194	147	3806	5
	56	757869	301	242131	844151	448	155849	6282	147	3718	55 4
34	57	758050		241950	844420		155580	6370		3630	3
	58	758230	301	241770	844689	448	155311	6459	147	3541	2
	59	758411	301	241589	844958	448	155042	6547	147	3453	1
35	0	758591		241409	845227		154773	6635		3365	55 0
	1	758772	301	241228	845496	448	154504	6724	147	3276	59
	2	758952	300	241048	845764	448	154236	6813	147	3187	58
	3	759132	300	240868	846033	448	153967	6901	148	3099	57
	4	759312	300	240688	846302	448	153698	6990	148	3010	56
	5	759492	300	240508	846570	447	153430	7078	148	2922	54 55
35	6	759672		240328	846839		153161	7167		2833	54
	7	759852	299	240148	847107	447	152893	7256	148	2744	53
	8	760031	299	239969	847376	447	152624	7345	148	2655	52
	9	760211	299	239789	847644	447	152356	7434	148	2566	51
	10	760390	299	239610	847913	447	152087	7523	148	2477	50
	11	760569	298	239431	848181	447	151819	7612	148	2388	49
	12	760748	298	239252	848449	447	151551	7701	149	2299	48
	13	760927	298	239073	848717	447	151283	7790	149	2210	47
	14	761106	298	238894	848986	447	151014	7879	149	2121	46
	15	761285	298	238715	849254	447	150746	7969	149	2031	54 45
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

55½ Deg.

54½ Deg.

35½ Deg.

TABLE V.—LOG. SINES, ETC.

36 Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Co.	
		9°		10°	9°		10°	10°		9°	
35	15	61285	298	38715	849254	447	150746	87969		12031	45
	16	61464	298	38536	849522	447	150478	88058	149	11942	44
	17	61642	297	38358	849790	446	150210	88147	149	11853	43
	18	61821	297	38179	850058	446	149942	88237	149	11763	42
	19	61999	297	38001	850325	446	149675	88326	149	11674	41
	20	62177	297	37823	850593	446	149407	88416	149	11584	40
	21	62356	297	37644	850861	446	149139	88505	149	11495	39
	22	62534	296	37466	851129	446	148871	88595	149	11405	38
	23	62712	296	37288	851396	446	148604	88685	150	11315	54 37
35	24	62889	296	37111	851664	446	148336	88774	150	11226	36
	25	63067	296	36933	851931	446	148069	88864	150	11136	35
	26	63245	296	36755	852199	446	147801	88954	150	11046	34
	27	63422	296	36578	852466	446	147534	89044	150	10956	33
	28	63600	295	36400	852733	445	147267	89134	150	10866	32
	29	63777	295	36223	853001	445	146999	89224	150	10776	31
	30	63954	295	36046	853268	445	146732	89314	150	10686	30
	31	64131	295	35869	853535	445	146465	89404	150	10596	29
	32	64308	295	35692	853802	445	146198	89494	150	10506	54 28
35	33	64485	294	35515	854069	445	145931	89585	150	10415	27
	34	64662	294	35338	854336	445	145664	89675	151	10325	26
	35	64838	294	35162	854603	445	145397	89765	151	10235	25
	36	65015	294	34985	854870	445	145130	89856	151	10144	24
	37	65191	294	34809	855137	445	144863	89946	151	10054	23
	38	65367	294	34633	855404	445	144596	90037	151	9963	22
	39	65544	293	34456	855671	444	144329	90127	151	9873	21
	40	65720	293	34280	855938	444	144062	90218	151	9782	20
	41	65896	293	34104	856204	444	143796	90309	151	9691	54 19
35	42	66072	293	33928	856471	444	143529	90399	151	9601	18
	43	66247	293	33753	856737	444	143263	90490	151	9510	17
	44	66423	293	33577	857004	444	142996	90581	151	9419	16
	45	66598	292	33402	857270	444	142730	90672	152	9328	15
	46	66774	292	33226	857537	444	142463	90763	152	9237	14
	47	66949	292	33051	857803	444	142197	90854	152	9146	13
	48	67124	292	32876	858069	444	141931	90945	152	9055	12
	49	67300	292	32700	858336	444	141664	91036	152	8964	11
	50	67475	291	32525	858602	443	141398	91127	152	8873	54 10
35	51	67649	291	32351	858868	443	141132	91219	152	8781	9
	52	67824	291	32176	859134	443	140866	91310	152	8690	8
	53	67999	291	32001	859400	443	140600	91401	152	8599	7
	54	68173	291	31827	859666	443	140334	91493	152	8507	6
	55	68348	290	31652	859932	443	140068	91584	153	8416	5
	56	68522	290	31478	860198	443	139802	91676	153	8324	4
	57	68697	290	31303	860464	443	139536	91767	153	8233	3
	58	68871	290	31129	860730	443	139270	91859	153	8141	2
	59	69045	290	30955	860995	443	139005	91951	153	8049	1
	60	69219	290	30781	861261	443	138739	92042	153	7958	54 0
		Coa.	D.	Sec.	Cot.	D.	Tang.	Coa.	D.	Sine	°

54½ Deg.

54 Deg.

36 Deg.		TABLE V.—LOG. SINES, ETC.								36½ Deg.	
°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9°		10°	9°		10°	10°09		9°0	
36	0	769219	290	230781	861261	443	138739	2042	153	7958	60
	1	769393	289	230607	861527	443	138473	2134	153	7866	59
	2	769566	289	230434	861792	442	138208	2226	153	7774	58
	3	769740	289	230260	862058	442	137942	2318	153	7682	57
	4	769913	289	230087	862323	442	137677	2410	153	7590	56
	5	770087	289	229913	862589	442	137411	2502	153	7498	55
	6	770260	288	229740	862854	442	137146	2594	153	7406	54
	7	770433	288	229567	863119	442	136881	2686	154	7314	53
	8	770606	288	229394	863385	442	136615	2778	154	7222	53 52
36	9	770779	288	229221	863650	442	136350	2871	154	7129	51
	10	770952	288	229048	863915	442	136085	2963	154	7037	50
	11	771125	288	228875	864180	442	135820	3055	154	6945	49
	12	771298	287	228702	864445	442	135555	3148	154	6852	48
	13	771470	287	228530	864710	442	135290	3240	154	6760	47
	14	771643	287	228357	864975	441	135025	3333	154	6667	46
	15	771815	287	228185	865240	441	134760	3425	154	6575	45
	16	771987	287	228013	865505	441	134495	3518	154	6482	44
	17	772159	287	227841	865770	441	134230	3611	155	6389	53 43
36	18	772331	286	227669	866035	441	133965	3704	155	6296	42
	19	772503	286	227497	866300	441	133700	3796	155	6204	41
	20	772675	286	227325	866564	441	133436	3889	155	6111	40
	21	772847	286	227153	866829	441	133171	3982	155	6018	39
	22	773018	286	226982	867094	441	132906	4075	155	5925	38
	23	773190	286	226810	867358	441	132642	4168	155	5832	37
	24	773361	285	226639	867623	441	132377	4261	155	5739	36
	25	773533	285	226467	867887	441	132113	4355	155	5645	35
	26	773704	285	226296	868152	440	131848	4448	155	5552	53 34
36	27	773875	285	226125	868416	440	131584	4541	155	5459	33
	28	774046	285	225954	868680	440	131320	4634	155	5366	32
	29	774217	285	225783	868945	440	131055	4728	156	5272	31
	30	774388	284	225612	869209	440	130791	4821	156	5179	30
	31	774558	284	225442	869473	440	130527	4915	156	5085	29
	32	774729	284	225271	869737	440	130263	5008	156	4992	28
	33	774899	284	225101	870001	440	129999	5102	156	4898	27
	34	775070	284	224930	870265	440	129735	5196	156	4804	26
	35	775240	284	224760	870529	440	129471	5289	156	4711	53 25
36	36	775410	283	224590	870793	440	129207	5383	156	4617	24
	37	775580	283	224420	871057	440	128943	5477	156	4523	23
	38	775750	283	224250	871321	440	128679	5571	157	4429	22
	39	775920	283	224080	871585	440	128415	5665	157	4335	21
	40	776090	283	223910	871849	439	128151	5759	157	4241	20
	41	776259	283	223741	872112	439	127888	5853	157	4147	19
	42	776429	282	223571	872376	439	127624	5947	157	4053	18
	43	776598	282	223402	872640	439	127360	6041	157	3959	17
	44	776768	282	223232	872903	439	127097	6136	157	3864	16
	45	776937	282	223063	873167	439	126833	6230	157	3770	53 15
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°
54 Deg.										53½ Deg.	

36 $\frac{3}{4}$ Deg.

TABLE V.—LOG. SINES, ETC.

87 $\frac{1}{2}$ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Co.	
		9'7		10'2	9'8		10'1	10'		9'	
36	45	76937	282	23063	73167	439	26833	096230	157	903770	15
	46	77106	282	22894	73430	439	26570	096324	157	903676	14
	47	77275	281	22725	73694	439	26306	096419	157	903581	13
	48	77444	281	22556	73957	439	26043	096513	157	903487	12
	49	77613	281	22387	74220	439	25780	096608	157	903392	11
	50	77781	281	22219	74484	439	25516	096702	158	903298	10
	51	77950	281	22050	74747	439	25253	096797	158	903203	9
	52	78119	281	21881	75010	439	24990	096892	158	903108	8
	53	78287	280	21713	75273	438	24727	096986	158	903014	53 7
36	54	78455	280	21545	75536	438	24464	097081	158	902919	6
	55	78624	280	21376	75800	438	24200	097176	158	902824	5
	56	78792	280	21208	76063	438	23937	097271	158	902729	4
	57	78960	280	21040	76326	438	23674	097366	158	902634	3
	58	79128	280	20872	76589	438	23411	097461	159	902539	2
	59	79295	279	20705	76851	438	23149	097556	159	902444	1
37	0	79463	279	20537	77114	438	22886	097651	159	902349	53 0
	1	79631	279	20369	77377	438	22623	097747	159	902253	59
	2	79798	279	20202	77640	438	22360	097842	159	902158	52 58
37	3	79966	279	20034	77903	438	22097	097937	159	902063	57
	4	80133	279	19867	78165	438	21835	098033	159	901967	56
	5	80300	278	19700	78428	438	21572	098128	159	901872	55
	6	80467	278	19533	78691	438	21309	098224	159	901776	54
	7	80634	278	19366	78953	437	21047	098319	159	901681	53
	8	80801	278	19199	79216	437	20784	098415	159	901585	52
	9	80968	278	19032	79478	437	20522	098510	159	901490	51
	10	81134	278	18866	79741	437	20259	098606	160	901394	50
	11	81301	277	18699	80003	437	29997	098702	160	901298	52 49
37	12	81468	277	18532	80265	437	29735	098798	160	901202	48
	13	81634	277	18366	80528	437	19472	098894	160	901106	47
	14	81800	277	18200	80790	437	19210	098990	160	901010	46
	15	81966	277	18034	81052	437	18948	099086	160	900914	45
	16	82132	277	17868	81314	437	18686	099182	160	900818	44
	17	82298	276	17702	81576	437	18424	099278	160	900722	43
	18	82464	276	17536	81839	437	18161	099374	160	900626	42
	19	82630	276	17370	82101	437	17899	099471	160	900529	41
	20	82796	276	17204	82363	436	17637	099567	161	900433	52 40
37	21	82961	276	17039	82625	436	17375	099663	161	900337	39
	22	83127	276	16873	82887	436	17113	099760	161	900240	38
	23	83292	275	16708	83148	436	16852	099856	161	900144	37
	24	83458	275	16542	83410	436	16590	099953	161	900047	36
	25	83623	275	16377	83672	436	16328	100049	161	899951	35
	26	83788	275	16212	83934	436	16066	100146	161	899854	34
	27	83953	275	16047	84196	436	15804	100243	161	899757	33
	28	84118	275	15882	84457	436	15543	100340	161	899660	32
	29	84282	275	15718	84719	436	15281	100436	161	899564	31
	30	84447	274	15553	84980	436	15020	100533	161	899467	52 30
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

58 $\frac{1}{4}$ Deg.52 $\frac{1}{2}$ Deg.

37½ Deg.		TABLE V.—LOG. SINES, ETC.										38½ Deg.	
°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Coa.			
		9'		10'	9'		10'	10'10		9'89			
37	30	784447		215553	884980	436	115020	0533	162	9467		30	
	31	784612	274	215388	885242	436	114758	0630	162	9370		29	
	32	784776	274	215224	885503	436	114497	0727	162	9273		28	
	33	784941	274	215059	885765	436	114235	0824	162	9176		27	
	34	785105	274	214895	886026	436	113974	0922	162	9078		26	
	35	785269	274	214731	886288	436	113712	1019	162	8981		25	
	36	785433	273	214567	886549	436	113451	1116	162	8884		24	
	37	785597	273	214403	886810	435	113190	1213	162	8787		23	
	38	785761	273	214239	887072	435	112928	1311	162	8689	52	22	
			273			435							
37	39	785925		214075	887333	435	112667	1408	162	8592		21	
	40	786089	273	213911	887594	435	112406	1506	163	8494		20	
	41	786252	273	213748	887855	435	112145	1603	163	8397		19	
	42	786416	272	213584	888116	435	111884	1701	163	8299		18	
	43	786579	272	213421	888377	435	111623	1798	163	8202		17	
	44	786742	272	213258	888639	435	111361	1896	163	8104		16	
	45	786906	272	213094	888900	435	111100	1994	163	8006		15	
	46	787069	272	212931	889160	435	110840	2092	163	7908		14	
	47	787232	271	212768	889421	435	110579	2190	163	7810	52	13	
			271			435							
37	48	787395		212605	889682	435	110318	2288	163	7712		12	
	49	787557	271	212443	889943	435	110057	2386	163	7614		11	
	50	787720	271	212280	890204	435	109796	2484	163	7516		10	
	51	787883	271	212117	890465	434	109535	2582	164	7418		9	
	52	788045	271	211955	890725	434	109275	2680	164	7320		8	
	53	788208	271	211792	890986	434	109014	2778	164	7222		7	
	54	788370	271	211630	891247	434	108753	2877	164	7123		6	
	55	788532	270	211468	891507	434	108493	2975	164	7025		5	
	56	788694	270	211306	891768	434	108232	3074	164	6926	52	4	
			270			434							
37	57	788856		211144	892028	434	107972	3172	164	6828		3	
	58	789018	270	210982	892289	434	107711	3271	164	6729		2	
	59	789180	270	210820	892549	434	107451	3369	164	6631		1	
38	0	789342		210658	892810	434	107190	3468	164	6532	52	0	
	1	789504	269	210496	893070	434	106930	3567	165	6433		59	
	2	789665	269	210335	893331	434	106669	3665	165	6335		58	
	3	789827	269	210173	893591	434	106409	3764	165	6236		57	
	4	789988	269	210012	893851	434	106149	3863	165	6137		56	
	5	790149	269	209851	894111	434	105889	3962	165	6038	51	55	
			269			434							
38	6	790310		209690	894371	434	105629	4061	165	5939		54	
	7	790471	268	209529	894632	433	105368	4160	165	5840		53	
	8	790632	268	209368	894892	433	105108	4259	165	5741		52	
	9	790793	268	209207	895152	433	104848	4359	165	5641		51	
	10	790954	268	209046	895412	433	104588	4458	165	5542		50	
	11	791115	268	208885	895672	433	104328	4557	166	5443		49	
	12	791275	267	208725	895932	433	104068	4657	166	5343		48	
	13	791436	267	208564	896192	433	103808	4756	166	5244		47	
	14	791596	267	208404	896452	433	103548	4855	166	5145		46	
	15	791757	267	208243	896712	433	103288	4955	166	5045	51	45	
			267			433							
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine			

52½ Deg.

51½ Deg.

38½ Deg.

TABLE V.—LOG. SINES, ETC.

89 Deg.

°	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
	9'		10'	9'		10'	10'10		9'89	
38 15	791757	267	208243	896712	433	103288	4955	166	5045	45
16	791917	267	208083	896971	433	103029	5055	166	4945	44
17	792077	267	207923	897231	433	102769	5154	166	4846	43
18	792237	266	207763	897491	433	102509	5254	166	4746	42
19	792397	266	207603	897751	433	102249	5354	166	4646	41
20	792557	266	207443	898010	433	101990	5454	166	4546	40
21	792716	266	207284	898270	433	101730	5554	167	4446	39
22	792876	266	207124	898530	433	101470	5654	167	4346	38
23	793035	266	206965	898789	433	101211	5754	167	4246	51 37
38 24	793195	265	206805	899049	432	100951	5854	167	4146	36
25	793354	265	206646	899308	432	100692	5954	167	4046	35
26	793514	265	206486	899568	432	100432	6054	167	3946	34
27	793673	265	206327	899827	432	100173	6154	167	3846	33
28	793832	265	206168	900086	432	999914	6255	167	3745	32
29	793991	265	206009	900346	432	999654	6355	167	3645	31
30	794150	264	205850	900605	432	999395	6456	167	3544	30
31	794308	264	205692	900864	432	999136	6556	168	3444	29
32	794467	264	205533	901124	432	998876	6657	168	3343	51 28
38 33	794626	264	205374	901383	432	998617	6757	168	3243	27
34	794784	264	205216	901642	432	998358	6858	168	3142	26
35	794942	264	205058	901901	432	998099	6959	168	3041	25
36	795101	264	204899	902160	432	997840	7060	168	2940	24
37	795259	263	204741	902419	432	997581	7161	168	2839	23
38	795417	263	204583	902679	432	997321	7261	168	2739	22
39	795575	263	204425	902938	432	997062	7362	168	2638	21
40	795733	263	204267	903197	431	996803	7464	168	2536	20
41	795891	263	204109	903455	431	996545	7565	169	2435	51 19
38 42	796049	263	203951	903714	431	996286	7666	169	2334	18
43	796206	263	203794	903973	431	996027	7767	169	2233	17
44	796364	262	203636	904232	431	995768	7868	169	2132	16
45	796521	262	203479	904491	431	995509	7970	169	2030	15
46	796679	262	203321	904750	431	995250	8071	169	1929	14
47	796836	262	203164	905008	431	994992	8173	169	1827	13
48	796993	262	203007	905267	431	994733	8274	169	1726	12
49	797150	261	202850	905526	431	994474	8376	169	1624	11
50	797307	261	202693	905784	431	994216	8477	170	1523	51 10
38 51	797464	261	202536	906043	431	993957	8579	170	1421	9
52	797621	261	202379	906302	431	993698	8681	170	1319	8
53	797777	261	202223	906560	431	993440	8783	170	1217	7
54	797934	261	202066	906819	431	993181	8885	170	1115	6
55	798091	261	201909	907077	431	992923	8987	170	1013	5
56	798247	261	201753	907336	431	992664	9089	170	0911	4
57	798403	260	201597	907594	431	992406	9191	170	0809	3
58	798560	260	201440	907852	431	992148	9293	170	0707	2
59	798716	260	201284	908111	431	991889	9395	170	0605	1
60	798872	260	201128	908369	430	991631	9497	170	0503	51 0
	Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

51½ Deg.

51 Deg.

9 Deg. TABLE V.—LOG. SINES, ETC. 30 $\frac{3}{4}$ Deg.

	Sine	D.	Cossec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
	9'		10'	9'		10'0	10'1		9'8	
9 0	798872	260	201128	08369	430	91631	09497	170	90503	60
1	799028	260	200972	08628	430	91372	09600	171	90400	59
2	799184	260	200816	08886	430	91114	09702	171	90298	58
3	799339	259	200661	09144	430	90856	09805	171	90195	57
4	799495	259	200505	09402	430	90598	09907	171	90093	56
5	799651	259	200349	09660	430	90340	10010	171	89990	55
6	799806	259	200194	09918	430	90082	10112	171	89888	54
7	799962	259	200038	10177	430	89823	10215	171	89785	53
8	800117	259	199883	10435	430	89565	10318	171	89682	50 52
9	800272	258	199728	10693	430	89307	10421	171	89579	51
10	800427	258	199573	10951	430	89049	10523	171	89477	50
11	800582	258	199418	11209	430	88791	10626	172	89374	49
12	800737	258	199263	11467	430	88533	10729	172	89271	48
13	800892	258	199108	11724	430	88276	10832	172	89168	47
14	801047	258	198953	11982	430	88018	10936	172	89064	46
15	801201	258	198799	12240	430	87760	11039	172	88961	45
16	801356	257	198644	12498	430	87502	11142	172	88858	44
17	801511	257	198489	12756	430	87244	11245	172	88755	50 43
18	801665	257	198335	13014	429	86986	11349	172	88651	42
19	801819	257	198181	13271	429	86729	11452	172	88548	41
20	801973	257	198027	13529	429	86471	11556	172	88444	40
21	802128	257	197872	13787	429	86213	11659	173	88341	39
22	802282	256	197718	14044	429	85956	11763	173	88237	38
23	802436	256	197564	14302	429	85698	11866	173	88134	37
24	802589	256	197411	14560	429	85440	11970	173	88030	36
25	802743	256	197257	14817	429	85183	12074	173	87926	35
26	802897	256	197103	15075	429	84925	12178	173	87822	50 34
27	803050	256	196950	15332	429	84668	12282	173	87718	33
28	803204	256	196796	15590	429	84410	12386	173	87614	32
29	803357	255	196643	15847	429	84153	12490	173	87510	31
30	803511	255	196489	16104	429	83896	12594	173	87406	30
31	803664	255	196336	16362	429	83638	12698	174	87302	29
32	803817	255	196183	16619	429	83381	12802	174	87198	28
33	803970	255	196030	16877	429	83123	12907	174	87093	27
34	804123	255	195877	17134	429	82866	13011	174	86989	26
35	804276	254	195724	17391	429	82609	13115	174	86885	50 25
36	804428	254	195572	17648	429	82352	13220	174	86780	24
37	804581	254	195419	17905	429	82095	13324	174	86676	23
38	804734	254	195266	18163	428	81837	13429	174	86571	22
39	804886	254	195114	18420	428	81580	13534	174	86466	21
40	805039	254	194961	18677	428	81323	13638	174	86362	20
41	805191	254	194809	18934	428	81066	13743	175	86257	19
42	805343	253	194657	19191	428	80809	13848	175	86152	18
43	805495	253	194505	19448	428	80552	13953	175	86047	17
44	805647	253	194353	19705	428	80295	14058	175	85942	16
45	805799	253	194201	19962	428	80038	14163	175	85837	50 15
	Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

1 Deg.

50 $\frac{1}{4}$ Deg.

39½ Deg

TABLE V.—LOG. SINES, ETC.

40½ Deg.

°	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Coa.	
	9'		10'	9'		10'	10' 11		9' 88	
39 45	805799	253	194201	919962	428	080038	4163	175	5837	15
46	805951	253	194049	920219	428	079781	4268	175	5732	14
47	806103	253	193897	920476	428	079524	4373	175	5627	13
48	806254	253	193746	920733	428	079267	4478	175	5522	12
49	806406	252	193594	920990	428	079010	4584	175	5416	11
50	806557	252	193443	921247	428	078753	4689	175	5311	10
51	806709	252	193291	921503	428	078497	4795	176	5205	9
52	806860	252	193140	921760	428	078240	4900	176	5100	8
53	807011	252	192989	922017	428	077983	5006	176	4994	50 7
39 54	807163	252	192837	922274	428	077726	5111	176	4889	6
55	807314	252	192686	922530	428	077470	5217	176	4783	5
56	807465	251	192535	922787	428	077213	5323	176	4677	4
57	807615	251	192385	923044	428	076956	5428	176	4572	3
58	807766	251	192234	923300	428	076700	5534	176	4466	2
59	807917	251	192083	923557	427	076443	5640	176	4360	1
40 0	808067	251	191933	923813	427	076187	5746	177	4254	50 0
1	808218	251	191782	924070	427	075930	5852	177	4148	59
2	808368	251	191632	924327	427	075673	5958	177	4042	49 58
40 3	808519	250	191481	924583	427	075417	6064	177	3936	57
4	808669	250	191331	924840	427	075160	6171	177	3829	56
5	808819	250	191181	925096	427	074904	6277	177	3723	55
6	808969	250	191031	925352	427	074648	6383	177	3617	54
7	809119	250	190881	925609	427	074391	6490	177	3510	53
8	809269	250	190731	925865	427	074135	6596	177	3404	52
9	809419	249	190581	926122	427	073878	6703	177	3297	51
10	809569	249	190431	926378	427	073622	6809	178	3191	50
11	809718	249	190282	926634	427	073366	6916	178	3084	49 49
40 12	809868	249	190132	926890	427	073110	7023	178	2977	48
13	810017	249	189983	927147	427	072853	7129	178	2871	47
14	810167	249	189833	927403	427	072597	7236	178	2764	46
15	810316	248	189684	927659	427	072341	7343	178	2657	45
16	810465	248	189535	927915	427	072085	7450	178	2550	44
17	810614	248	189386	928171	427	071829	7557	178	2443	43
18	810763	248	189237	928427	427	071573	7664	179	2336	42
19	810912	248	189088	928683	427	071317	7771	179	2229	41
20	811061	248	188939	928940	427	071060	7879	179	2121	49 40
40 21	811210	248	188790	929196	427	070804	7986	179	2014	39
22	811358	247	188642	929452	427	070548	8093	179	1907	38
23	811507	247	188493	929708	427	070292	8201	179	1799	37
24	811655	247	188345	929964	426	070036	8308	179	1692	36
25	811804	247	188196	930220	426	069780	8416	179	1584	35
26	811952	247	188048	930475	426	069525	8523	179	1477	34
27	812100	247	187900	930731	426	069269	8631	179	1369	33
28	812248	247	187752	930987	426	069013	8739	179	1261	32
29	812396	246	187604	931243	426	068757	8847	180	1153	31
30	812544	246	187456	931499	426	068501	8954	180	1046	49 30
	Coa.	D.	Sec.	Cot.	D.	Tang.	Coa.	D.	Sine	°

50½ Deg.

49½ Deg.

40½ Deg.

TABLE V.—LOG. SINES, ETC.

41½ Deg.

°	'	Sine.	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'8		10'1	9'		10'	10'1		9'8	
40	30	12544	246	87456	931499	426	068501	18954	180	81046	30
	31	12692	246	87308	931755	426	068245	19062	180	80938	29
	32	12840	246	87160	932010	426	067990	19170	180	80830	28
	33	12988	246	87012	932266	426	067734	19278	180	80722	27
	34	13135	246	86865	932522	426	067478	19387	180	80613	26
	35	13283	246	86717	932778	426	067222	19495	180	80505	25
	36	13430	246	86570	933033	426	066967	19603	180	80397	24
	37	13578	245	86422	933289	426	066711	19711	181	80289	23
	38	13725	245	86275	933545	426	066455	19820	181	80180	22
40	39	13872	245	86128	933800	426	066200	19928	181	80072	21
	40	14019	245	85981	934056	426	065944	20037	181	79963	20
	41	14166	245	85834	934311	426	065689	20145	181	79855	19
	42	14313	245	85687	934567	426	065433	20254	181	79746	18
	43	14460	244	85540	934823	426	065177	20363	181	79637	17
	44	14607	244	85393	935078	426	064922	20471	181	79529	16
	45	14753	244	85247	935333	426	064667	20580	181	79420	15
	46	14900	244	85100	935589	426	064411	20689	181	79311	14
	47	15046	244	84954	935844	426	064156	20798	182	79202	13
40	48	15193	244	84807	936100	426	063900	20907	182	79093	12
	49	15339	244	84661	936355	426	063645	21016	182	78984	11
	50	15485	243	84515	936610	426	063390	21125	182	78875	10
	51	15632	243	84368	936866	425	063134	21234	182	78766	9
	52	15778	243	84222	937121	425	062879	21344	182	78656	8
	53	15924	243	84076	937376	425	062624	21453	182	78547	7
	54	16069	243	83931	937632	425	062368	21562	182	78438	6
	55	16215	243	83785	937887	425	062113	21672	182	78328	5
	56	16361	243	83639	938142	425	061858	21781	183	78219	4
40	57	16507	242	83493	938398	425	061602	21891	183	78109	3
	58	16652	242	83348	938653	425	061347	22001	183	77999	2
	59	16798	242	83202	938908	425	061092	22110	183	77890	1
41	0	16943	242	83057	939163	425	060837	22220	183	77780	0
	1	17088	242	82912	939418	425	060582	22330	183	77670	59
	2	17233	242	82767	939673	425	060327	22440	183	77560	58
	3	17379	242	82621	939928	425	060072	22550	183	77450	57
	4	17524	241	82476	940183	425	059817	22660	183	77340	56
	5	17668	241	82332	940438	425	059562	22770	184	77230	55
41	6	17813	241	82187	940694	425	059306	22880	184	77120	54
	7	17958	241	82042	940949	425	059051	22990	184	77010	53
	8	18103	241	81897	941204	425	058796	23101	184	76899	52
	9	18247	241	81753	941458	425	058542	23211	184	76789	51
	10	18392	241	81608	941714	425	058286	23322	184	76678	50
	11	18536	241	81464	941968	425	058032	23432	184	76568	49
	12	18681	240	81319	942223	425	057777	23543	184	76457	48
	13	18825	240	81175	942478	425	057522	23653	184	76347	47
	14	18969	240	81031	942733	425	057267	23764	185	76236	46
	15	19113	240	80887	942988	425	057012	23875		76125	45
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

49½ Deg.

48½ Deg.

41 $\frac{1}{4}$ Deg.

TABLE V.—LOG. SINES, ETC.

42 Deg.

°	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Coa.	
	9'		10'	9'		10'	10'12		9'87	
41 15	819113	240	180887	942988	425	057012	3875	185	6125	45
16	819257	240	180743	943243	425	056757	3986	185	6014	44
17	819401	240	180599	943498	425	056502	4096	185	5904	43
18	819545	239	180455	943752	425	056248	4207	185	5793	42
19	819689	239	180311	944007	425	055993	4318	185	5682	41
20	819832	239	180168	944262	425	055738	4429	185	5571	40
21	819976	239	180024	944517	425	055483	4541	185	5459	39
22	820120	239	179880	944771	424	055229	4652	185	5348	38
23	820263	239	179737	945026	424	054974	4763	185	5237	48 37
41 24	820406	239	179594	945281	424	054719	4874	186	5126	36
25	820550	238	179450	945535	424	054465	4986	186	5014	35
26	820693	238	179307	945790	424	054210	5097	186	4903	34
27	820836	238	179164	946045	424	053955	5209	186	4791	33
28	820979	238	179021	946299	424	053701	5320	186	4680	32
29	821122	238	178878	946554	424	053446	5432	186	4568	31
30	821265	238	178735	946808	424	053192	5544	186	4456	30
31	821407	238	178593	947063	424	052937	5656	186	4344	29
32	821550	238	178450	947318	424	052682	5768	187	4232	48 28
41 33	821693	237	178307	947572	424	052428	5879	187	4121	27
34	821835	237	178165	947826	424	052174	5991	187	4009	26
35	821977	237	178023	948081	424	051919	6104	187	3896	25
36	822120	237	177880	948336	424	051664	6216	187	3784	24
37	822262	237	177738	948590	424	051410	6328	187	3672	23
38	822404	237	177596	948844	424	051156	6440	187	3560	22
39	822546	237	177454	949099	424	050901	6552	187	3448	21
40	822688	236	177312	949353	424	050647	6665	187	3335	20
41	822830	236	177170	949607	424	050393	6777	187	3223	48 19
41 42	822972	236	177028	949862	424	050138	6890	188	3110	18
43	823114	236	176886	950116	424	049884	7002	188	2998	17
44	823255	236	176745	950370	424	049630	7115	188	2885	16
45	823397	236	176603	950625	424	049375	7228	188	2772	15
46	823539	236	176461	950879	424	049121	7341	188	2659	14
47	823680	235	176320	951133	424	048867	7453	188	2547	13
48	823821	235	176179	951388	424	048612	7566	188	2434	12
49	823963	235	176037	951642	424	048358	7679	188	2321	11
50	824104	235	175896	951896	424	048104	7792	188	2208	48 10
41 51	824245	235	175755	952150	424	047850	7905	189	2095	9
52	824386	235	175614	952405	424	047595	8019	189	1981	8
53	824527	235	175473	952659	424	047341	8132	189	1868	7
54	824668	234	175332	952913	424	047087	8245	189	1755	6
55	824808	234	175192	953167	423	046833	8359	189	1641	5
56	824949	234	175051	953421	423	046579	8472	189	1528	4
57	825090	234	174910	953675	423	046325	8586	189	1414	3
58	825230	234	174770	953929	423	046071	8699	189	1301	2
59	825371	234	174629	954183	423	045817	8813	189	1187	1
60	825511	234	174489	954437	423	045563	8927	189	1073	48 0
	Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

48 $\frac{3}{4}$ Deg.

48 Deg

42 Deg.

TABLE V.—LOG. SINES, ETC.

42½ Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'8		10'1	9'9		10'0	10'1		9'8	
42	0	25511	234	74489	54437	423	45563	28927	190	71073	60
	1	25651	233	74349	54691	423	45309	29040	190	70960	59
	2	25791	233	74209	54945	423	45055	29154	190	70846	58
	3	25931	233	74069	55200	423	44800	29268	190	70732	57
	4	26071	233	73929	55454	423	44546	29382	190	70618	56
	5	26211	233	73789	55707	423	44293	29496	190	70504	55
	6	26351	233	73649	55961	423	44039	29610	190	70390	54
	7	26491	233	73509	56215	423	43785	29724	190	70276	53
	8	26631	233	73369	56469	423	43531	29839	190	70161	47 52
42	9	26770	232	73230	56723	423	43277	29953	191	70047	51
	10	26910	232	73090	56977	423	43023	30067	191	69933	50
	11	27049	232	72951	57231	423	42769	30182	191	69818	49
	12	27189	232	72811	57485	423	42515	30296	191	69704	48
	13	27328	232	72672	57739	423	42261	30411	191	69589	47
	14	27467	232	72533	57993	423	42007	30526	191	69474	46
	15	27606	232	72394	58246	423	41754	30640	191	69360	45
	16	27745	232	72255	58500	423	41500	30755	191	69245	44
	17	27884	231	72116	58754	423	41246	30870	191	69130	47 43
42	18	28023	231	71977	59008	423	40992	30985	192	69015	42
	19	28162	231	71838	59262	423	40738	31100	192	68900	41
	20	28301	231	71699	59516	423	40484	31215	192	68785	40
	21	28439	231	71561	59769	423	40231	31330	192	68670	39
	22	28578	231	71422	60023	423	39977	31445	192	68555	38
	23	28716	231	71284	60277	423	39723	31560	192	68440	37
	24	28855	230	71145	60531	423	39469	31676	192	68324	36
	25	28993	230	71007	60784	423	39216	31791	192	68209	35
	26	29131	230	70869	61038	423	38962	31907	192	68093	47 34
42	27	29269	230	70731	61291	423	38709	32022	193	67978	33
	28	29407	230	70593	61545	423	38455	32138	193	67862	32
	29	29545	230	70455	61799	423	38201	32253	193	67747	31
	30	29683	230	70317	62052	423	37948	32369	193	67631	30
	31	29821	229	70179	62306	423	37694	32485	193	67515	29
	32	29959	229	70041	62560	423	37440	32601	193	67399	28
	33	30097	229	69903	62813	423	37187	32717	193	67283	27
	34	30234	229	69766	63067	423	36933	32833	193	67167	26
	35	30372	229	69628	63320	423	36680	32949	193	67051	47 25
42	36	30509	229	69491	63574	423	36426	33065	194	66935	24
	37	30646	229	69354	63827	423	36173	33181	194	66819	23
	38	30784	229	69216	64081	423	35919	33297	194	66703	22
	39	30921	228	69079	64335	423	35665	33414	194	66586	21
	40	31058	228	68942	64588	422	35412	33530	194	66470	20
	41	31195	228	68805	64842	422	35158	33647	194	66353	19
	42	31332	228	68668	65095	422	34905	33763	194	66237	18
	43	31469	228	68531	65349	422	34651	33880	194	66120	17
	44	31606	228	68394	65602	422	34398	33996	194	66004	16
	45	31742	228	68258	65855	422	34145	34113	195	65887	47 15
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

48 Deg.

47½ Deg.

42 $\frac{3}{4}$ Deg.

TABLE V.—LOG. SINES, ETC.

43 $\frac{1}{4}$ Deg.

°	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Coa.	
	9'8		10'1	9'9		10'0	10'1		9'8	
42 45	31742	228	68258	65855	422	34145	34113	195	65887	15
46	31879	228	68121	66109	422	33891	34230	195	65770	14
47	32015	227	67985	66362	422	33638	34347	195	65653	13
48	32152	227	67848	66616	422	33384	34464	195	65536	12
49	32288	227	67712	66869	422	33131	34581	195	65419	11
50	32425	227	67575	67123	422	32877	34698	195	65302	10
51	32561	227	67439	67376	422	32624	34815	195	65185	9
52	32697	227	67303	67629	422	32371	34932	195	65068	8
53	32833	227	67167	67883	422	32117	35050	195	64950	47 7
42 54	32969	226	67031	68136	422	31864	35167	196	64833	6
55	33105	226	66895	68389	422	31611	35284	196	64716	5
56	33241	226	66759	68643	422	31357	35402	196	64598	4
57	33377	226	66623	68896	422	31104	35519	196	64481	3
58	33512	226	66488	69149	422	30851	35637	196	64363	2
59	33648	226	66352	69403	422	30597	35755	196	64245	1
43 0	33783	226	66217	69656	422	30344	35873	196	64127	47 0
1	33919	225	66081	69909	422	30091	35990	196	64010	59
2	34054	225	65946	70162	422	29838	36108	197	63892	46 58
43 3	34189	225	65811	70416	422	29584	36226	197	63774	57
4	34325	225	65675	70669	422	29331	36344	197	63656	56
5	34460	225	65540	70922	422	29078	36462	197	63538	55
6	34595	225	65405	71175	422	28825	36581	197	63419	54
7	34730	225	65270	71429	422	28571	36699	197	63301	53
8	34865	225	65135	71682	422	28318	36817	197	63183	52
9	34999	224	65001	71935	422	28065	36936	197	63064	51
10	35134	224	64866	72188	422	27812	37054	197	62946	50
11	35269	224	64731	72441	422	27559	37173	198	62827	46 49
43 12	35403	224	64597	72694	422	27306	37291	198	62709	48
13	35538	224	64462	72948	422	27052	37410	198	62590	47
14	35672	224	64328	73201	422	26799	37529	198	62471	46
15	35807	224	64193	73454	422	26546	37647	198	62353	45
16	35941	224	64059	73707	422	26293	37766	198	62234	44
17	36075	223	63925	73960	422	26040	37885	198	62115	43
18	36209	223	63791	74213	422	25787	38004	198	61996	42
19	36343	223	63657	74466	422	25534	38123	198	61877	41
20	36477	223	63523	74719	422	25281	38242	199	61758	46 40
43 21	36611	223	63389	74973	422	25027	38362	199	61638	39
22	36745	223	63255	75226	422	24774	38481	199	61519	38
23	36878	223	63122	75479	422	24521	38600	199	61400	37
24	37012	222	62988	75732	422	24268	38720	199	61280	36
25	37146	222	62854	75985	422	24015	38839	199	61161	35
26	37279	222	62721	76238	422	23762	38959	199	61041	34
27	37412	222	62588	76491	422	23509	39078	199	60922	33
28	37546	222	62454	76744	422	23256	39198	199	60802	32
29	37679	222	62321	76997	422	23003	39318	199	60682	31
30	37812	222	62188	77250	422	22750	39438	200	60562	46 30
	Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

47 $\frac{1}{4}$ Deg.46 $\frac{1}{4}$ Deg.

43½ Deg.		TABLE V.—LOG. SINES, ETC.								44½ Deg.	
	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.		
	9'8		10'1	9'9		10'0	10'1		9'8		
13 30	37812	222	62188	77250	422	22750	39438	200	60562	30	
31	37945	222	62055	77503	422	22497	39558	200	60442	29	
32	38078	221	61922	77756	422	22244	39678	200	60322	28	
33	38211	221	61789	78009	422	21991	39798	200	60202	27	
34	38344	221	61656	78262	422	21738	39918	200	60082	26	
35	38477	221	61523	78515	422	21485	40038	200	59962	25	
36	38610	221	61390	78768	422	21232	40158	200	59842	24	
37	38742	221	61258	79021	422	20979	40279	201	59721	23	
38	38875	221	61125	79274	422	20726	40399	201	59601	46 22	
46 39	39007	221	60993	79527	422	20473	40520	201	59480	21	
40	39140	220	60860	79780	422	20220	40640	201	59360	20	
41	39272	220	60728	80033	422	19967	40761	201	59239	19	
42	39404	220	60596	80286	422	19714	40881	201	59119	18	
43	39536	220	60464	80538	422	19462	41002	201	58998	17	
44	39668	220	60332	80791	421	19209	41123	201	58877	16	
45	39800	220	60200	81044	421	18956	41244	202	58756	15	
46	39932	220	60068	81297	421	18703	41365	202	58635	14	
47	40064	219	59936	81550	421	18450	41486	202	58514	46 13	
43 48	40196	219	59804	81803	421	18197	41607	202	58393	12	
49	40328	219	59672	82056	421	17944	41728	202	58272	11	
50	40459	219	59541	82309	421	17691	41849	202	58151	10	
51	40591	219	59409	82562	421	17438	41971	202	58029	9	
52	40722	219	59278	82814	421	17186	42092	202	57908	8	
53	40854	219	59146	83067	421	16933	42214	202	57786	7	
54	40985	219	59015	83320	421	16680	42335	203	57665	6	
55	41116	218	58884	83573	421	16427	42457	203	57543	5	
56	41247	218	58753	83826	421	16174	42578	203	57422	46 4	
43 57	41378	218	58622	84079	421	15921	42700	203	57300	3	
58	41509	218	58491	84331	421	15669	42822	203	57178	2	
59	41640	218	58360	84584	421	15416	42944	203	57056	1	
44 0	41771	218	58229	84837	421	15163	43066	203	56934	46 0	
1	41902	218	58098	85090	421	14910	43188	203	56812	59	
2	42033	218	57967	85343	421	14657	43310	204	56690	58	
3	42163	217	57837	85596	421	14404	43432	204	56568	57	
4	42294	217	57706	85848	421	14152	43554	204	56446	56	
5	42424	217	57576	86101	421	13899	43677	204	56323	45 55	
44 6	42555	217	57445	86354	421	13646	43799	204	56201	54	
7	42685	217	57315	86607	421	13393	43922	204	56078	53	
8	42815	217	57185	86860	421	13140	44044	204	55956	52	
9	42946	217	57054	87112	421	12888	44167	204	55833	51	
10	43076	217	56924	87365	421	12635	44289	205	55711	50	
11	43206	216	56794	87618	421	12382	44412	205	55588	49	
12	43336	216	56664	87871	421	12129	44535	205	55465	48	
13	43466	216	56534	88123	421	11877	44658	205	55342	47	
14	43595	216	56405	88376	421	11624	44781	205	55219	46	
15	43725		56275	88629	421	11371	44904	205	55096	45 45	
	Cos.	D.	Sec.	Cot.	D	Tang.	Cos.	D.	Sine	°	
46½ Deg.										45½ Deg.	

46½ Deg.

45½ Deg.

44½ Deg.

TABLE V.—LOG. SINES, ETC.

45 Deg.

°	'	Sine	D.	Cosec.	Tang.	D.	Cot.	Sec.	D.	Cos.	
		9'84		10'1			10'0	10'1		9'8	
44	15	3725	216	56275	9'988629	421	11371	44904	205	55096	45
	16	3855	216	56145	9'988882	421	11118	45027	205	54973	44
	17	3984	216	56016	9'989134	421	10866	45150	205	54850	43
	18	4114	215	55886	9'989387	421	10613	45273	206	54727	42
	19	4243	215	55757	9'989640	421	10360	45397	206	54603	41
	20	4372	215	55628	9'989893	421	10107	45520	206	54480	40
	21	4502	215	55498	9'990145	421	09855	45644	206	54356	39
	22	4631	215	55369	9'990398	421	09602	45767	206	54233	38
	23	4760	215	55240	9'990651	421	09349	45891	206	54109	45 37
44	24	4889	215	55111	9'990903	421	09097	46014	206	53986	36
	25	5018	215	54982	9'991156	421	08844	46138	206	53862	35
	26	5147	215	54853	9'991409	421	08591	46262	207	53738	34
	27	5276	214	54724	9'991662	421	08338	46386	207	53614	33
	28	5405	214	54595	9'991914	421	08086	46510	207	53490	32
	29	5533	214	54467	9'992167	421	07833	46634	207	53366	31
	30	5662	214	54338	9'992420	421	07580	46758	207	53242	30
	31	5790	214	54210	9'992672	421	07328	46882	207	53118	29
	32	5919	214	54081	9'992925	421	07075	47006	207	52994	45 28
44	33	6047	214	53953	9'993178	421	06822	47131	207	52869	27
	34	6175	214	53825	9'993430	421	06570	47255	207	52745	26
	35	6304	214	53696	9'993683	421	06317	47380	207	52620	25
	36	6432	213	53568	9'993936	421	06064	47504	208	52496	24
	37	6560	213	53440	9'994189	421	05811	47629	208	52371	23
	38	6688	213	53312	9'994441	421	05559	47753	208	52247	22
	39	6816	213	53184	9'994694	421	05306	47878	208	52122	21
	40	6944	213	53056	9'994947	421	05053	48003	208	51997	20
	41	7071	213	52929	9'995199	421	04801	48128	208	51872	45 19
44	42	7199	213	52801	9'995452	421	04548	48253	208	51747	18
	43	7327	213	52673	9'995705	421	04295	48378	208	51622	17
	44	7454	212	52546	9'995957	421	04043	48503	209	51497	16
	45	7582	212	52418	9'996210	421	03790	48628	209	51372	15
	46	7709	212	52291	9'996463	421	03537	48754	209	51246	14
	47	7836	212	52164	9'996715	421	03285	48879	209	51121	13
	48	7964	212	52036	9'996968	421	03032	49004	209	50996	12
	49	8091	212	51909	9'997221	421	02779	49130	209	50870	11
	50	8218	212	51782	9'997473	421	02527	49255	209	50745	45 10
44	51	8345	212	51655	9'997726	421	02274	49381	209	50619	9
	52	8472	211	51528	9'997979	421	02021	49507	210	50493	8
	53	8599	211	51401	9'998231	421	01769	49632	210	50368	7
	54	8726	211	51274	9'998484	421	01516	49758	210	50242	6
	55	8852	211	51148	9'998737	421	01263	49884	210	50116	5
	56	8979	211	51021	9'998989	421	01011	50010	210	49990	4
	57	9106	211	50894	9'999242	421	00758	50136	210	49864	3
	58	9232	211	50768	9'999495	421	00505	50262	210	49738	2
	59	9359	211	50641	9'999747	421	00253	50389	210	49611	1
	60	9485		50515	10.000000	421	00000	50515		49485	45 0
		Cos.	D.	Sec.	Cot.	D.	Tang.	Cos.	D.	Sine	°

45½ Deg.

45 Deg.

TABLE VI.—MERIDIONAL PARTS.

'	0°	1°	2°	3°	4°	5°	6°	7°	8°	9°	10°	11°	12°	13°	14°	15°	16°	17°	18°	19°	20°	21°	22°	23°	24°	'
0	0	60	120	180	240	300	361	421	482	542	603	664	725	787	848	910	973	1035	1098	1161	1225	1289	1354	1419	1484	0
1	1	61	121	181	241	301	362	422	483	543	604	665	726	788	850	911	974	1036	1099	1163	1227	1290	1355	1420	1485	1
2	2	62	122	182	242	302	363	423	484	544	605	666	727	789	851	912	975	1037	1100	1164	1228	1291	1356	1421	1486	2
3	3	63	123	183	243	303	364	424	485	545	606	667	728	790	852	913	976	1038	1101	1165	1229	1292	1357	1422	1487	3
4	4	64	124	184	244	304	365	425	486	546	607	668	729	791	853	914	977	1039	1102	1166	1230	1293	1358	1423	1488	4
5	5	65	125	185	245	305	366	426	487	547	608	669	730	792	854	915	978	1041	1103	1167	1231	1294	1359	1424	1490	5
6	6	66	126	186	246	306	367	427	488	548	609	670	731	793	855	916	979	1042	1105	1168	1232	1295	1360	1425	1491	6
7	7	67	127	187	247	307	368	428	489	549	610	671	732	794	856	917	980	1043	1106	1169	1233	1297	1361	1426	1492	7
8	8	68	128	188	248	308	369	429	490	550	611	672	733	795	857	918	981	1044	1107	1170	1234	1298	1362	1427	1493	8
9	9	69	129	189	249	309	370	430	491	551	612	673	735	796	858	920	982	1045	1108	1171	1235	1299	1363	1428	1494	9
10	10	70	130	190	250	310	371	431	492	552	613	674	736	797	859	921	983	1046	1109	1172	1236	1300	1364	1430	1495	10
11	11	71	131	191	251	311	372	432	493	553	614	675	737	798	860	922	984	1047	1110	1173	1237	1301	1366	1431	1496	11
12	12	72	132	192	252	312	373	433	494	554	615	676	738	799	861	923	985	1048	1111	1174	1238	1302	1367	1432	1497	12
13	13	73	133	193	253	313	374	434	495	555	616	677	739	800	862	924	986	1049	1112	1175	1239	1303	1368	1433	1498	13
14	14	74	134	194	254	314	375	435	496	556	617	678	740	801	863	925	987	1050	1113	1176	1240	1304	1369	1434	1499	14
15	15	75	135	195	255	315	376	436	497	557	618	679	741	802	864	926	988	1051	1114	1177	1241	1305	1370	1435	1500	15
16	16	76	136	196	256	316	377	437	498	558	619	680	742	803	865	927	989	1052	1115	1178	1242	1306	1371	1436	1501	16
17	17	77	137	197	257	317	378	438	499	559	620	681	743	804	866	928	990	1053	1116	1179	1243	1307	1372	1437	1502	17
18	18	78	138	198	258	318	379	439	500	560	621	682	744	805	867	929	991	1054	1117	1181	1244	1308	1373	1438	1504	18
19	19	79	139	199	259	319	380	440	501	561	622	683	745	806	868	930	993	1055	1118	1182	1245	1310	1374	1439	1505	19
20	20	80	140	200	260	320	381	441	502	562	623	684	746	807	869	931	994	1056	1119	1183	1246	1311	1375	1440	1506	20
21	21	81	141	201	261	321	382	442	503	563	624	685	747	808	870	932	995	1057	1120	1184	1247	1312	1376	1441	1507	21
22	22	82	142	202	262	322	383	443	504	564	625	686	748	809	871	933	996	1058	1121	1185	1248	1313	1377	1442	1508	22
23	23	83	143	203	263	323	384	444	505	565	626	688	749	810	872	934	997	1059	1122	1186	1250	1314	1379	1443	1509	23
24	24	84	144	204	264	324	385	445	506	566	627	689	750	811	873	935	998	1060	1123	1187	1251	1315	1380	1444	1510	24
25	25	85	145	205	265	325	386	446	507	567	628	690	751	812	874	936	999	1061	1125	1188	1252	1316	1381	1445	1511	25
26	26	86	146	206	266	326	387	447	508	568	629	691	752	813	875	937	1000	1062	1126	1189	1253	1317	1382	1446	1512	26
27	27	87	147	207	267	327	388	448	509	569	630	692	753	814	876	938	1001	1064	1127	1190	1254	1318	1383	1447	1513	27
28	28	88	148	208	268	328	389	449	510	570	631	693	754	815	877	939	1002	1065	1128	1191	1255	1319	1384	1448	1514	28
29	29	89	149	209	269	330	390	450	511	572	633	694	755	817	878	941	1003	1066	1129	1192	1256	1320	1385	1449	1515	29

TABLE VI.—MERIDIONAL PARTS.

	0°	1°	2°	3°	4°	5°	6°	7°	8°	9°	10°	11°	12°	13°	14°	15°	16°	17°	18°	19°	20°	21°	22°	23°	24°	
30	30	90	150	210	270	331	391	451	512	573	634	695	756	818	879	942	1004	1067	1130	1193	1257	1321	1386	1451	1517	30
31	31	91	151	211	271	332	392	452	513	574	635	696	757	819	880	943	1005	1068	1131	1194	1258	1322	1387	1452	1518	31
32	32	92	152	212	272	333	393	453	514	575	636	697	758	820	882	944	1006	1069	1132	1195	1259	1324	1388	1453	1519	32
33	33	93	153	213	273	334	394	454	515	576	637	698	759	821	883	945	1007	1070	1133	1196	1260	1325	1389	1454	1520	33
34	34	94	154	214	274	335	395	455	516	577	638	699	760	822	884	946	1008	1071	1134	1198	1261	1326	1390	1455	1521	34
35	35	95	155	215	275	336	396	456	517	578	639	700	761	823	885	947	1009	1072	1135	1199	1262	1327	1391	1457	1522	35
36	36	96	156	216	276	337	397	457	518	579	640	701	762	824	886	948	1010	1073	1136	1200	1264	1328	1392	1458	1523	36
37	37	97	157	217	277	338	398	458	519	580	641	702	763	825	887	949	1011	1074	1137	1201	1265	1329	1393	1459	1524	37
38	38	98	158	218	278	339	399	459	520	581	642	703	764	826	888	950	1012	1075	1138	1202	1266	1330	1394	1460	1525	38
39	39	99	159	219	279	340	400	460	521	582	643	704	765	827	889	951	1013	1076	1139	1203	1267	1331	1395	1461	1526	39
40	40	100	160	220	280	341	401	461	522	583	644	705	766	828	890	952	1014	1077	1140	1204	1268	1332	1397	1462	1528	40
41	41	101	161	221	281	342	402	462	523	584	645	706	767	829	891	953	1015	1078	1141	1205	1269	1333	1398	1463	1529	41
42	42	102	162	222	282	343	403	463	524	585	646	707	768	830	892	954	1016	1079	1142	1206	1270	1334	1399	1464	1530	42
43	43	103	163	223	283	344	404	464	525	586	647	708	769	831	893	955	1018	1080	1144	1207	1271	1335	1400	1465	1531	43
44	44	104	164	224	284	345	405	465	526	587	648	709	770	832	894	956	1019	1081	1145	1208	1272	1336	1401	1467	1532	44
45	45	105	165	225	285	346	406	466	527	588	649	710	771	833	895	957	1020	1082	1146	1209	1273	1338	1402	1468	1533	45
46	46	106	166	226	286	347	407	467	528	589	650	711	772	834	896	958	1021	1084	1147	1210	1274	1339	1403	1469	1535	46
47	47	107	167	227	287	348	408	468	529	590	651	712	773	835	897	959	1022	1085	1148	1211	1275	1340	1405	1470	1536	47
48	48	108	168	228	288	349	409	469	530	591	652	713	774	836	898	960	1023	1086	1149	1212	1276	1341	1406	1471	1537	48
49	49	109	169	229	289	350	410	470	531	592	653	714	775	837	899	961	1024	1087	1150	1213	1277	1342	1407	1472	1538	49
50	50	110	170	230	290	351	411	471	532	593	654	715	777	838	900	962	1025	1088	1151	1215	1278	1343	1408	1473	1539	50
51	51	111	171	231	291	352	412	472	533	594	655	716	778	839	901	963	1026	1089	1152	1216	1280	1344	1409	1474	1540	51
52	52	112	172	232	292	353	413	473	534	595	656	717	779	840	902	964	1027	1090	1153	1217	1281	1345	1410	1475	1541	52
53	53	113	173	233	293	354	414	474	535	596	657	718	780	841	903	965	1028	1091	1154	1218	1282	1346	1411	1476	1542	53
54	54	114	174	234	294	355	415	475	536	597	658	719	781	842	904	966	1029	1092	1155	1219	1283	1347	1412	1477	1543	54
55	55	115	175	235	295	356	416	476	537	598	659	720	782	843	905	968	1030	1093	1156	1220	1284	1348	1413	1478	1544	55
56	56	116	176	236	296	357	417	477	538	599	660	721	783	844	906	969	1031	1094	1157	1221	1285	1349	1414	1480	1545	56
57	57	117	177	237	297	358	418	478	539	600	661	722	784	845	907	970	1032	1095	1158	1222	1286	1350	1415	1481	1546	57
58	58	118	178	238	298	359	419	480	540	601	662	723	785	846	908	971	1033	1096	1159	1223	1287	1351	1416	1482	1547	58
59	59	119	179	239	299	360	420	481	541	602	663	724	786	847	909	972	1034	1097	1160	1224	1288	1352	1418	1483	1548	59

TABLE VI.—MERIDIONAL PARTS.

	25°	26°	27°	28°	29°	30°	31°	32°	33°	34°	35°	36°	37°	38°	39°	40°	41°	42°	43°	44°	45°
0	1550	1616	1684	1751	1819	1888	1958	2028	2100	2171	2244	2318	2393	2468	2545	2623	2702	2782	2863	2946	3030
1	1551	1617	1685	1752	1821	1890	1959	2030	2101	2173	2246	2319	2394	2470	2546	2624	2703	2783	2864	2947	3031
2	1552	1618	1686	1753	1822	1891	1960	2031	2102	2174	2247	2320	2395	2471	2547	2625	2704	2784	2865	2949	3033
3	1553	1620	1687	1755	1823	1892	1962	2032	2103	2175	2248	2322	2396	2472	2548	2626	2705	2785	2866	2950	3034
4	1554	1621	1688	1756	1824	1893	1963	2033	2104	2176	2249	2323	2398	2473	2550	2628	2707	2787	2868	2951	3035
5	1556	1622	1689	1757	1825	1894	1964	2034	2105	2178	2250	2324	2399	2475	2551	2629	2708	2788	2870	2953	3037
6	1557	1623	1690	1758	1826	1895	1965	2035	2107	2179	2252	2325	2400	2476	2553	2631	2710	2790	2871	2954	3038
7	1558	1624	1691	1759	1827	1896	1966	2037	2108	2180	2253	2327	2401	2477	2554	2632	2711	2791	2872	2955	3040
8	1559	1625	1693	1760	1829	1898	1967	2038	2109	2181	2254	2328	2403	2478	2555	2633	2712	2792	2873	2956	3041
9	1560	1626	1694	1761	1830	1899	1969	2039	2110	2182	2255	2329	2404	2480	2557	2634	2714	2794	2875	2958	3043
10	1561	1628	1695	1762	1831	1900	1970	2040	2111	2184	2257	2330	2405	2481	2558	2636	2715	2795	2877	2960	3044
11	1562	1629	1696	1764	1832	1901	1971	2041	2113	2185	2258	2332	2406	2482	2560	2637	2716	2797	2878	2961	3046
12	1563	1630	1697	1765	1833	1902	1972	2042	2114	2186	2259	2333	2408	2484	2562	2638	2717	2798	2880	2963	3047
13	1564	1631	1698	1766	1834	1903	1973	2043	2115	2187	2260	2334	2409	2485	2563	2640	2719	2799	2881	2964	3048
14	1565	1632	1699	1767	1835	1905	1974	2044	2116	2188	2261	2335	2410	2486	2564	2641	2720	2801	2882	2965	3050
15	1567	1633	1700	1768	1837	1906	1976	2045	2117	2190	2263	2337	2411	2487	2565	2642	2721	2802	2884	2967	3051
16	1568	1634	1701	1769	1838	1907	1977	2047	2119	2191	2264	2338	2413	2489	2566	2643	2722	2803	2885	2968	3053
17	1569	1635	1703	1770	1839	1908	1978	2048	2120	2192	2265	2339	2414	2490	2567	2645	2724	2805	2886	2970	3054
18	1570	1637	1704	1772	1840	1909	1979	2050	2121	2193	2266	2340	2415	2491	2568	2646	2725	2806	2888	2971	3055
19	1571	1638	1705	1773	1841	1910	1980	2051	2122	2194	2268	2342	2416	2492	2569	2648	2727	2807	2889	2972	3057
20	1572	1639	1706	1774	1842	1912	1981	2052	2123	2196	2269	2343	2418	2494	2571	2650	2728	2809	2891	2974	3058
21	1573	1640	1707	1775	1843	1913	1982	2053	2125	2197	2270	2344	2419	2495	2572	2651	2729	2810	2892	2975	3060
22	1574	1641	1708	1776	1844	1914	1984	2054	2126	2198	2271	2345	2420	2496	2573	2652	2731	2811	2893	2976	3061
23	1575	1642	1709	1777	1845	1915	1985	2055	2127	2199	2272	2346	2421	2497	2574	2653	2732	2813	2895	2978	3063
24	1577	1643	1711	1778	1847	1916	1986	2057	2128	2200	2274	2348	2423	2499	2576	2654	2733	2814	2896	2979	3064
25	1578	1644	1712	1780	1848	1917	1987	2058	2129	2202	2275	2349	2424	2500	2577	2655	2735	2815	2897	2981	3065
26	1579	1645	1713	1781	1849	1918	1988	2059	2131	2203	2276	2350	2425	2501	2578	2656	2736	2817	2899	2982	3067
27	1580	1647	1714	1782	1850	1920	1990	2060	2132	2204	2277	2351	2427	2503	2580	2658	2737	2818	2900	2983	3068
28	1581	1648	1715	1783	1852	1921	1991	2061	2133	2205	2278	2352	2428	2504	2581	2659	2739	2820	2902	2985	3070
29	1582	1649	1716	1784	1853	1922	1992	2062	2134	2207	2280	2354	2429	2505	2582	2661	2740	2821	2903	2986	3071

TABLE VI.—MERIDIONAL PARTS.

'	45°	26°	27°	28°	29°	30°	31°	32°	33°	34°	35°	36°	37°	38°	39°	40°	41°	42°	43°	44°	45°	'
30	1583	1650	1717	1785	1854	1923	1993	2064	2135	2208	2281	2355	2430	2506	2584	2662	2742	2822	2904	2988	3073	30
31	1584	1651	1718	1786	1855	1924	1994	2065	2137	2209	2282	2356	2432	2508	2585	2663	2743	2824	2906	2990	3075	31
32	1585	1652	1720	1787	1856	1925	1995	2066	2138	2210	2283	2358	2433	2509	2586	2665	2744	2825	2907	2991	3075	32
33	1586	1653	1721	1789	1857	1927	1997	2067	2139	2211	2285	2359	2434	2510	2588	2666	2746	2826	2908	2992	3077	33
34	1588	1654	1722	1790	1858	1928	1998	2069	2140	2213	2286	2360	2435	2512	2589	2667	2747	2828	2910	2993	3078	34
35	1589	1656	1723	1791	1860	1929	1999	2070	2141	2214	2287	2361	2437	2513	2590	2669	2748	2829	2911	2995	3080	35
36	1590	1657	1724	1792	1861	1930	2000	2071	2142	2215	2288	2362	2438	2514	2591	2670	2750	2830	2913	2996	3081	36
37	1591	1658	1725	1793	1862	1931	2001	2072	2144	2216	2290	2364	2440	2515	2592	2671	2751	2832	2914	2998	3083	37
38	1592	1659	1726	1794	1863	1932	2002	2073	2145	2217	2291	2365	2440	2517	2594	2673	2752	2833	2915	2999	3084	38
39	1593	1660	1727	1795	1864	1934	2004	2075	2146	2219	2292	2366	2442	2518	2595	2674	2754	2834	2917	3000	3085	39
40	1594	1661	1729	1797	1865	1935	2005	2076	2147	2220	2293	2368	2443	2519	2597	2675	2755	2836	2918	3002	3087	40
41	1595	1662	1730	1798	1866	1936	2006	2077	2149	2221	2295	2369	2444	2521	2598	2676	2756	2837	2919	3003	3088	41
42	1596	1663	1731	1799	1868	1937	2007	2078	2150	2222	2296	2370	2445	2522	2599	2677	2758	2839	2921	3005	3090	42
43	1599	1664	1732	1800	1869	1938	2008	2079	2151	2224	2297	2371	2447	2523	2601	2679	2759	2840	2922	3006	3091	43
44	1599	1666	1733	1801	1870	1939	2010	2080	2152	2225	2298	2373	2448	2524	2602	2680	2760	2841	2924	3007	3093	44
45	1600	1667	1734	1802	1871	1941	2011	2082	2153	2226	2299	2374	2449	2526	2603	2682	2762	2843	2925	3009	3094	45
46	1601	1668	1735	1803	1872	1942	2012	2083	2155	2227	2301	2375	2451	2527	2604	2683	2763	2844	2926	3010	3095	46
47	1602	1669	1736	1805	1873	1943	2013	2084	2156	2228	2302	2376	2452	2528	2606	2684	2764	2845	2928	3012	3097	47
48	1603	1670	1738	1806	1875	1944	2014	2085	2157	2229	2303	2378	2453	2530	2607	2686	2766	2847	2929	3013	3098	48
49	1604	1671	1739	1807	1876	1945	2015	2086	2158	2231	2304	2379	2454	2531	2608	2687	2767	2848	2931	3014	3100	49
50	1605	1672	1740	1808	1877	1946	2017	2088	2159	2232	2306	2380	2456	2532	2610	2688	2768	2849	2932	3016	3101	50
51	1606	1673	1741	1809	1878	1948	2018	2089	2161	2233	2307	2381	2457	2533	2611	2690	2770	2851	2933	3017	3103	51
52	1608	1675	1742	1810	1879	1949	2019	2090	2162	2235	2308	2383	2458	2535	2612	2691	2771	2852	2935	3019	3104	52
53	1609	1676	1743	1811	1880	1950	2020	2091	2163	2236	2309	2384	2459	2536	2613	2692	2772	2854	2936	3020	3105	53
54	1610	1677	1744	1813	1881	1951	2021	2092	2164	2237	2311	2385	2461	2537	2614	2693	2774	2855	2937	3021	3107	54
55	1611	1678	1746	1814	1883	1952	2022	2094	2165	2238	2312	2386	2462	2538	2615	2694	2775	2856	2939	3023	3108	55
56	1612	1679	1747	1815	1884	1953	2024	2095	2167	2239	2313	2388	2463	2540	2617	2696	2776	2858	2940	3024	3110	56
57	1613	1680	1748	1816	1885	1955	2025	2096	2168	2241	2314	2389	2464	2541	2619	2698	2778	2859	2942	3026	3111	57
58	1614	1681	1749	1817	1886	1956	2026	2097	2169	2242	2316	2390	2466	2542	2620	2699	2779	2860	2943	3027	3113	58
59	1615	1682	1750	1818	1887	1957	2027	2098	2170	2243	2317	2391	2467	2544	2621	2700	2780	2862	2944	3029	3114	59

TABLE VI.—MERIDIONAL PARTS.

	46°	47°	48°	49°	50°	51°	52°	53°	54°	55°	56°	57°	58°	59°	60°	61°	62°	63°	64°	65°	66°
0	3116	3203	3292	3382	3474	3569	3665	3764	3865	3968	4074	4183	4294	4409	4527	4649	4775	4905	5039	5179	5324
1	3117	3204	3293	3384	3476	3570	3667	3765	3866	3970	4076	4184	4296	4411	4529	4651	4777	4907	5042	5184	5326
2	3118	3206	3295	3385	3478	3572	3668	3767	3868	3971	4077	4186	4298	4413	4531	4653	4779	4909	5044	5186	5328
3	3120	3207	3296	3387	3479	3574	3670	3769	3870	3973	4079	4188	4300	4415	4533	4655	4781	4912	5046	5186	5331
4	3121	3209	3298	3388	3481	3575	3672	3770	3871	3975	4081	4190	4302	4417	4535	4657	4784	4914	5049	5188	5333
5	3123	3210	3299	3390	3482	3577	3673	3772	3873	3977	4083	4192	4304	4419	4537	4660	4786	4916	5051	5191	5336
6	3124	3212	3301	3391	3484	3578	3675	3774	3875	3978	4085	4194	4306	4421	4539	4662	4788	4918	5053	5193	5338
7	3126	3213	3302	3393	3485	3580	3677	3775	3877	3980	4086	4195	4308	4423	4541	4664	4790	4920	5055	5195	5341
8	3127	3214	3303	3394	3487	3582	3678	3777	3878	3982	4088	4197	4309	4425	4543	4666	4792	4923	5058	5198	5343
9	3129	3216	3305	3396	3488	3583	3680	3779	3880	3984	4090	4199	4311	4427	4545	4668	4794	4925	5060	5200	5346
10	3130	3217	3306	3397	3490	3585	3681	3780	3882	3985	4092	4201	4313	4429	4547	4670	4796	4927	5062	5203	5348
11	3131	3219	3308	3399	3492	3586	3683	3782	3883	3987	4094	4203	4315	4431	4549	4672	4798	4929	5065	5205	5351
12	3133	3220	3309	3400	3493	3588	3685	3784	3885	3989	4095	4205	4317	4433	4551	4674	4801	4931	5067	5207	5353
13	3134	3222	3312	3402	3495	3590	3686	3785	3887	3991	4097	4207	4319	4434	4553	4676	4803	4934	5069	5210	5356
14	3136	3223	3312	3403	3496	3591	3688	3787	3889	3992	4099	4208	4321	4436	4555	4678	4805	4936	5071	5212	5358
15	3137	3225	3314	3405	3498	3593	3690	3789	3890	3994	4101	4210	4323	4438	4557	4680	4807	4938	5074	5214	5361
16	3139	3226	3316	3407	3499	3594	3691	3790	3892	3996	4103	4212	4325	4440	4559	4682	4809	4940	5076	5217	5363
17	3140	3228	3317	3408	3501	3596	3693	3792	3894	3998	4104	4214	4327	4442	4562	4684	4811	4943	5078	5219	5366
18	3142	3229	3319	3410	3503	3598	3695	3794	3895	3999	4106	4216	4328	4444	4564	4687	4814	4945	5081	5222	5368
19	3143	3231	3320	3411	3504	3599	3696	3795	3897	4001	4108	4218	4330	4446	4566	4689	4816	4947	5083	5224	5371
20	3144	3232	3322	3413	3506	3601	3698	3797	3899	4003	4110	4220	4332	4448	4568	4691	4818	4949	5085	5226	5373
21	3146	3234	3323	3414	3507	3602	3699	3799	3901	4005	4112	4221	4334	4450	4570	4693	4820	4951	5088	5229	5376
22	3147	3235	3325	3416	3509	3604	3701	3800	3902	4006	4113	4223	4336	4452	4572	4695	4822	4954	5090	5231	5378
23	3149	3237	3326	3417	3510	3606	3703	3802	3904	4008	4115	4225	4338	4454	4574	4697	4824	4956	5092	5234	5380
24	3150	3238	3328	3419	3512	3607	3704	3804	3906	4010	4117	4227	4340	4456	4576	4699	4826	4958	5095	5236	5383
25	3152	3240	3329	3420	3514	3609	3706	3806	3907	4012	4119	4229	4342	4458	4578	4701	4829	4960	5097	5238	5385
26	3153	3241	3331	3422	3515	3610	3708	3807	3909	4014	4121	4231	4344	4460	4580	4703	4831	4963	5099	5241	5388
27	3155	3242	3332	3423	3517	3612	3709	3809	3911	4015	4122	4232	4346	4462	4582	4705	4833	4965	5102	5243	5390
28	3156	3244	3334	3425	3518	3614	3711	3811	3913	4017	4124	4234	4347	4464	4584	4707	4835	4967	5104	5246	5393
29	3157	3245	3335	3427	3520	3615	3713	3812	3914	4019	4126	4236	4349	4466	4586	4710	4837	4969	5106	5248	5395

TABLE VI.—MERIDIONAL PARTS.

'	46°	47°	48°	49°	50°	51°	52°	53°	54°	55°	56°	57°	58°	59°	60°	61°	62°	63°	64°	65°	66°	'
30	3159	3247	3337	3428	3521	3617	3714	3814	3916	4021	4128	4238	4351	4468	4588	4712	4839	4972	5108	5250	5398	30
31	3160	3248	3338	3430	3523	3618	3716	3816	3918	4022	4130	4240	4353	4470	4590	4714	4842	4974	5111	5253	5401	31
32	3162	3250	3340	3431	3525	3620	3717	3817	3919	4024	4132	4242	4355	4472	4592	4716	4844	4976	5113	5255	5403	32
33	3163	3251	3341	3433	3526	3622	3719	3819	3921	4026	4133	4244	4357	4474	4594	4718	4846	4978	5115	5258	5406	33
34	3165	3253	3343	3434	3528	3623	3721	3821	3923	4028	4135	4246	4359	4476	4596	4720	4848	4981	5118	5260	5408	34
35	3166	3254	3344	3436	3529	3625	3722	3822	3924	4029	4137	4247	4361	4478	4598	4722	4850	4983	5120	5263	5411	35
36	3168	3256	3346	3437	3531	3626	3724	3824	3926	4031	4139	4249	4363	4480	4600	4724	4852	4985	5122	5265	5413	36
37	3169	3257	3347	3439	3532	3628	3726	3826	3928	4033	4141	4251	4365	4482	4602	4726	4855	4987	5125	5267	5416	37
38	3171	3259	3349	3440	3534	3630	3727	3827	3930	4035	4142	4253	4367	4484	4604	4728	4857	4990	5127	5270	5418	38
39	3172	3260	3350	3442	3536	3631	3729	3829	3932	4037	4144	4255	4369	4486	4606	4731	4859	4992	5129	5272	5421	39
40	3173	3262	3352	3443	3537	3633	3731	3831	3933	4038	4146	4257	4370	4488	4608	4733	4861	4994	5132	5275	5423	40
41	3175	3263	3353	3445	3539	3634	3732	3832	3935	4040	4148	4259	4372	4490	4610	4735	4863	4996	5134	5277	5426	41
42	3176	3265	3355	3447	3540	3636	3734	3834	3937	4042	4150	4260	4374	4492	4612	4737	4865	4999	5136	5280	5428	42
43	3178	3266	3356	3448	3542	3638	3736	3836	3938	4044	4152	4262	4376	4494	4614	4739	4868	5001	5139	5282	5431	43
44	3179	3268	3358	3450	3543	3639	3737	3838	3940	4045	4153	4264	4378	4495	4616	4741	4870	5003	5141	5284	5433	44
45	3181	3269	3359	3451	3545	3641	3739	3839	3942	4047	4155	4266	4380	4497	4618	4743	4872	5005	5143	5287	5436	45
46	3182	3271	3361	3453	3547	3643	3741	3841	3944	4049	4157	4268	4382	4499	4620	4745	4874	5008	5146	5289	5438	46
47	3184	3272	3362	3454	3548	3644	3742	3843	3945	4051	4159	4270	4384	4501	4623	4747	4876	5010	5148	5292	5441	47
48	3185	3274	3364	3456	3550	3646	3744	3844	3947	4052	4160	4272	4386	4503	4625	4750	4879	5012	5151	5294	5443	48
49	3187	3275	3365	3457	3551	3647	3746	3846	3949	4054	4162	4274	4388	4505	4627	4752	4881	5014	5153	5297	5446	49
50	3188	3277	3367	3459	3553	3649	3747	3848	3951	4056	4164	4275	4390	4507	4629	4754	4883	5017	5155	5299	5448	50
51	3190	3278	3368	3460	3555	3651	3749	3849	3952	4058	4166	4277	4392	4509	4631	4756	4885	5019	5158	5301	5451	51
52	3191	3280	3370	3462	3556	3652	3750	3851	3954	4060	4168	4279	4394	4511	4633	4758	4887	5021	5160	5304	5454	52
53	3192	3281	3371	3463	3558	3654	3752	3853	3956	4061	4170	4281	4396	4513	4635	4760	4890	5023	5162	5306	5456	53
54	3194	3283	3373	3465	3559	3655	3753	3854	3958	4063	4172	4283	4398	4515	4637	4762	4892	5026	5165	5309	5459	54
55	3195	3284	3374	3467	3561	3657	3755	3856	3960	4065	4173	4285	4399	4517	4639	4764	4894	5028	5167	5311	5461	55
56	3197	3286	3376	3468	3562	3659	3757	3858	3961	4067	4175	4287	4401	4519	4641	4766	4896	5030	5169	5314	5464	56
57	3198	3287	3378	3470	3564	3660	3758	3859	3963	4069	4177	4289	4403	4521	4643	4769	4898	5033	5172	5316	5466	57
58	3200	3289	3379	3471	3566	3662	3760	3861	3964	4070	4179	4291	4405	4523	4645	4771	4901	5035	5174	5319	5469	58
59	3201	3290	3381	3473	3567	3664	3762	3863	3966	4072	4181	4292	4407	4525	4647	4773	4903	5037	5176	5321	5471	59

TABLE VI.—MERIDIONAL PARTS.

'	67°	68°	69°	70°	71°	72°	73°	74°	75°	76°	77°	78°	79°	80°	81°	82°	83°	84°	85°	'
30	5552	5712	5879	6055	6239	6433	6639	6856	7088	7336	7603	7892	8207	8552	8936	9368	9861	10437	11147	30
31	5554	5715	5882	6058	6242	6437	6642	6860	7092	7341	7608	7897	8212	8557	8943	9376	9870	10447	11157	31
32	5557	5717	5885	6061	6245	6440	6645	6864	7096	7345	7612	7902	8218	8563	8950	9383	9879	10457	11167	32
33	5559	5720	5888	6064	6249	6443	6649	6868	7100	7349	7617	7907	8223	8568	8955	9391	9888	10468	11178	33
34	5562	5723	5891	6067	6252	6447	6653	6871	7104	7353	7622	7912	8229	8574	8961	9399	9897	10479	11189	34
35	5565	5725	5894	6070	6255	6450	6656	6875	7108	7358	7626	7917	8234	8579	8966	9407	9906	10489	11199	35
36	5567	5728	5896	6073	6258	6453	6660	6879	7112	7362	7631	7922	8240	8585	8972	9414	9915	10500	11205	36
37	5570	5731	5899	6076	6261	6457	6663	6883	7116	7366	7636	7927	8245	8590	8978	9422	9924	10510	11215	37
38	5573	5734	5902	6079	6264	6460	6667	6886	7120	7371	7640	7932	8251	8596	8984	9430	9933	10521	11225	38
39	5575	5736	5905	6082	6268	6463	6670	6890	7124	7375	7645	7937	8256	8601	8989	9438	9942	10532	11235	39
40	5578	5739	5908	6085	6271	6467	6674	6894	7128	7379	7650	7942	8262	8607	9005	9445	9951	10542	11245	40
41	5580	5742	5911	6088	6274	6470	6677	6898	7132	7384	7654	7948	8267	8612	9012	9453	9960	10553	11255	41
42	5583	5745	5914	6091	6277	6473	6681	6901	7136	7388	7659	7953	8273	8618	9018	9461	9969	10564	11265	42
43	5586	5747	5917	6094	6280	6477	6685	6905	7140	7392	7664	7958	8279	8623	9025	9469	9978	10575	11275	43
44	5588	5750	5919	6097	6283	6480	6688	6909	7145	7397	7668	7963	8284	8628	9032	9477	9987	10586	11285	44
45	5591	5753	5922	6100	6287	6483	6692	6913	7149	7401	7673	7968	8290	8634	9039	9485	9996	10597	11295	45
46	5594	5756	5925	6103	6290	6487	6695	6917	7153	7406	7678	7973	8295	8639	9046	9493	10005	10608	11305	46
47	5596	5758	5928	6106	6293	6490	6699	6920	7157	7410	7683	7978	8301	8645	9053	9501	10015	10619	11315	47
48	5599	5761	5931	6109	6296	6494	6702	6924	7161	7414	7687	7983	8307	8649	9060	9509	10024	10630	11325	48
49	5602	5764	5934	6112	6299	6497	6706	6928	7165	7419	7692	7989	8312	8659	9067	9517	10033	10641	11335	49
50	5604	5767	5937	6115	6303	6500	6710	6932	7169	7423	7697	7994	8318	8666	9074	9525	10043	10652	11345	50
51	5607	5770	5940	6118	6306	6504	6713	6936	7173	7427	7702	7999	8324	8672	9081	9533	10052	10663	11355	51
52	5610	5772	5943	6121	6309	6507	6717	6940	7177	7432	7706	8004	8329	8680	9088	9541	10061	10674	11365	52
53	5612	5775	5946	6124	6312	6511	6720	6943	7181	7436	7711	8009	8335	8695	9096	9549	10071	10685	11375	53
54	5615	5778	5948	6127	6315	6514	6724	6947	7185	7441	7716	8014	8341	8701	9103	9557	10080	10696	11385	54
55	5617	5781	5951	6130	6319	6517	6728	6951	7189	7445	7721	8020	8347	8707	9110	9565	10089	10708	11395	55
56	5620	5783	5954	6133	6322	6521	6731	6955	7194	7449	7725	8025	8352	8714	9117	9573	10099	10719	11405	56
57	5623	5786	5957	6136	6325	6524	6735	6959	7198	7454	7730	8030	8358	8720	9124	9581	10108	10730	11415	57
58	5625	5789	5960	6140	6328	6528	6738	6963	7202	7458	7735	8035	8364	8726	9131	9589	10118	10742	11425	58
59	5628	5792	5963	6143	6332	6531	6742	6966	7206	7463	7740	8040	8369	8733	9138	9598	10127	10753	11435	59

TABLE VII.—LENGTH OF A DEGREE OF LONGITUDE ON EACH
PARALLEL OF LATITUDE.

Latitude.	Nautical miles.	Latitude.	Nautical miles.	Latitude.	Nautical miles.
0		0		0	
1	59'99	31	51'43	61	29'09
2	59'96	32	50'88	62	28'17
3	59'92	33	50'32	63	27'74
4	59'85	34	49'74	64	26'30
5	59'77	35	49'15	65	25'36
6	59'67	36	48'54	66	24'40
7	59'55	37	47'92	67	23'44
8	59'42	38	47'28	68	22'48
9	59'26	39	46'63	69	21'50
10	59'09	40	45'96	70	20'52
11	58'89	41	45'28	71	19'53
12	58'69	42	44'59	72	18'54
13	58'46	43	43'88	73	17'54
14	58'22	44	43'16	74	16'54
15	57'95	45	42'43	75	15'53
16	57'67	46	41'68	76	14'52
17	57'38	47	40'92	77	13'50
18	57'06	48	40'15	78	12'48
19	56'73	49	39'36	79	11'45
20	56'38	50	38'57	80	10'42
21	56'01	51	37'76	81	9'38
22	55'63	52	36'94	82	8'35
23	55'23	53	36'11	83	7'31
24	54'81	54	35'27	84	6'27
25	54'38	55	34'41	85	5'23
26	53'93	56	33'45	86	4'18
27	53'46	57	32'68	87	3'14
28	52'97	58	31'79	88	2'09
29	52'48	59	30'90	89	1'05
30	51'96	60	30'00	90	0'00

TABLE VIII.
DIP OF HORIZON, CORRECTED
FOR REFRACTION.

Height of eye.	Dip of Horizon.	Height of eye.	Dip of Horizon.
feet.	" "	feet.	" "
1	0 59	41	6 18
2	1 24	42	6 23
3	1 42	43	6 27
4	1 58	44	6 32
5	2 12	45	6 37
6	2 25	47	6 45
7	2 36	48	6 50
8	2 47	50	6 58
9	2 57	53	7 10
10	3 7	56	7 22
11	3 16	59	7 34
12	3 25	62	7 45
13	3 33	65	7 56
14	3 41	68	8 7
15	3 49	71	8 18
16	3 56	74	8 28
17	4 4	77	8 38
18	4 11	80	8 48
19	4 17	83	8 58
20	4 24	86	9 8
21	4 31	89	9 17
22	4 37	90	9 22
23	4 43	92	9 26
24	4 49	95	9 36
25	4 55	98	9 45
26	5 1	100	9 52
27	5 7	101	9 54
28	5 13	104	10 2
29	5 18	107	10 11
30	5 24	110	10 19
31	5 29	113	10 28
32	5 34	116	10 36
33	5 39	119	10 44
34	5 44	122	10 52
35	5 49	125	11 0
36	5 54	128	11 8
37	5 59	131	11 16
38	6 4	134	11 24
39	6 9	137	11 31
40	6 14	140	11 39

TABLE IX.
DIP OF THE HORIZON AT VARIOUS
DISTANCES FROM IT.

Distance in miles.	HEIGHT OF EYE.					
	feet.	feet.	feet.	feet.	feet.	feet.
	5	10	15	20	25	30
0.1	11	22	34	45	56	68
0.2	6	11	17	22	28	34
0.3	4	8	12	15	19	23
1	4	6	9	12	15	17
1.1	3	5	7	9	12	14
1.2	3	4	6	8	10	12
2	2	3	5	6	8	10
2.1	2	3	5	6	7	8
3	2	3	4	5	6	7
3.1	2	3	4	5	6	6
4	2	3	4	4	5	6
5	2	3	4	4	5	5
6	2	3	4	4	5	5

TABLE X.—REDUCTION OF
MOON'S EQUATORIAL PARALLAX.

Lat.	HORIZONTAL PARALLAX.				
	54	56	58	60	62
4	0.1	0.1	0.1	0.1	0.1
8	0.2	0.2	0.2	0.2	0.2
12	0.4	0.5	0.5	0.5	0.5
16	0.8	0.8	0.9	0.9	0.9
20	1.3	1.3	1.4	1.4	1.5
24	1.8	1.9	1.9	2.0	2.0
28	2.4	2.5	2.6	2.6	2.7
32	3.0	3.1	3.3	3.4	3.5
36	3.7	3.9	4.0	4.1	4.3
40	4.5	4.6	4.8	5.0	5.1
44	5.2	5.4	5.6	5.8	6.0
48	6.0	6.2	6.3	6.6	6.8
52	6.7	7.0	7.2	7.4	7.6
56	7.4	7.7	8.0	8.2	8.5
60	8.1	8.4	8.7	9.0	9.3
64	8.7	9.1	9.4	9.7	10.0
68	9.3	9.6	10.0	10.3	10.6
72	9.8	10.1	10.4	10.8	11.2
76	10.2	10.6	10.9	11.3	11.7
80	10.5	10.9	11.2	11.6	12.0

TABLE XI.
AUGMENTATION OF THE MOON'S
SEMIDIAMETER.

Altitude.	HORIZONTAL SEMIDIAMETER.					
	14° 30'	15° 0'	15° 30'	16° 0'	16° 30'	17° 0'
0	"	"	"	"	"	"
0	0	0	0	0	0	0
2	1	1	1	1	1	1
4	1	1	1	1	1	1
6	2	2	2	2	2	2
8	2	2	2	2	3	3
10	2	3	3	3	3	3
12	3	3	3	4	4	4
14	3	4	4	4	4	5
16	4	4	4	5	5	5
18	4	5	5	5	6	6
21	5	5	6	6	6	7
24	6	6	6	7	7	8
27	6	7	7	8	8	9
30	7	7	8	8	9	9
33	7	8	9	9	10	10
36	8	9	9	10	10	11
39	9	9	10	11	11	12
42	9	10	10	11	12	13
45	10	10	11	12	13	13
48	10	11	12	12	13	14
51	11	11	12	13	14	15
54	11	12	13	13	14	15
57	11	12	13	14	15	16
60	12	13	14	14	15	16
63	12	13	14	15	16	17
66	12	13	14	15	16	17
69	13	14	15	16	17	18
72	13	14	15	16	17	18
75	13	14	15	16	17	18
78	13	14	15	16	17	18
81	14	14	15	16	18	19
84	14	15	16	17	18	19
87	14	15	16	17	18	19
90	14	15	16	17	18	19

TABLE XII.
FOR CONVERTING LONGITUDE
INTO TIME.

Long.	Time.	Long.	Time.	Long.	Time.
°	H. M. S.	°	H. M. S.	"	Secs.
1	0 4	30	2 0	1	067
2	0 8	40	2 40	2	133
3	0 12	50	3 20	3	200
4	0 16	60	4 0	4	267
5	0 20	70	4 40	5	333
6	0 24	80	5 20	6	400
7	0 28	90	6 0	7	467
8	0 32	100	6 40	8	533
9	0 36	200	13 20	9	600
10	0 40	300	20 0	10	667
20	1 20				

TABLE XIII.
FOR CONVERTING TIME INTO
LONGITUDE.

Time.	Long.	Time.	Long.	Time.	Long.
H.	°	Min. Sec.	° ' "	Sec.	"
1	15	1	0 15	0.1	1.5
2	30	2	0 30	0.2	3.0
3	45	3	0 45	0.3	4.5
4	60	4	1 0	0.4	6.0
5	75	5	1 15	0.5	7.5
6	90	6	1 30	0.6	9.0
7	105	7	1 45	0.7	10.5
8	120	8	2 0	0.8	12.0
9	135	9	2 15	0.9	13.5
10	150	10	2 30		
11	165	20	5 0		
12	180	30	7 30		
16	240	40	10 0		
20	300	50	12 30		

TABLE XV.—REFRACTION OF THE SUN AND STARS.

App. Alt.	Refraction.	App. Alt.	Refraction.	App. Alt.	Refraction.	App. Alt.	Refraction.	App. Alt.	Refraction.					
0	1	2	3	4	5	6	7	8	9					
46	0	56.2	55	0	40.8	64	0	28.4	73	0	17.8	82	0	8.2
	10	55.8		10	40.5		10	28.2		10	17.6		10	8.1
	20	55.5		20	40.3		20	28.0		20	17.4		20	7.9
	30	55.2		30	40.0		30	27.8		30	17.2		30	7.8
	40	54.9		40	39.8		40	27.6		40	17.0		40	7.6
	50	54.6		50	39.5		50	27.4		50	16.8		50	7.4
47	0	54.3	56	0	39.3	65	0	27.2	74	0	16.7	83	0	7.2
	10	54.0		10	39.0		10	26.9		10	16.5		10	7.0
	20	53.6		20	38.8		20	26.7		20	16.3		20	6.9
	30	53.3		30	38.5		30	26.5		30	16.1		30	6.7
	40	53.0		40	38.3		40	26.3		40	16.0		40	6.5
	50	52.7		50	38.0		50	26.1		50	15.8		50	6.3
48	0	52.4	57	0	37.8	66	0	25.9	75	0	15.6	84	0	6.1
	10	52.1		10	37.6		10	25.7		10	15.4		10	5.9
	20	51.8		20	37.3		20	25.5		20	15.2		20	5.8
	30	51.5		30	37.1		30	25.3		30	15.0		30	5.6
	40	51.2		40	36.9		40	25.1		40	14.8		40	5.5
	50	50.9		50	36.6		50	24.9		50	14.7		50	5.3
49	0	50.6	58	0	36.4	67	0	24.7	76	0	14.5	85	0	5.1
	10	50.4		10	36.2		10	24.5		10	14.3		10	4.9
	20	50.1		20	36.0		20	24.3		20	14.2		20	4.8
	30	49.8		30	35.7		30	24.1		30	14.0		30	4.6
	40	49.5		40	35.5		40	23.9		40	13.8		40	4.5
	50	49.2		50	35.2		50	23.7		50	13.7		50	4.3
50	0	48.9	59	0	35.0	68	0	23.5	77	0	13.5	86	0	4.1
	10	48.6		10	34.8		10	23.4		10	13.4		10	3.9
	20	48.3		20	34.6		20	23.2		20	13.2		20	3.7
	30	48.1		30	34.3		30	23.0		30	13.0		30	3.6
	40	47.8		40	34.1		40	22.8		40	12.8		40	3.4
	50	47.5		50	33.8		50	22.6		50	12.6		50	3.3
51	0	47.2	60	0	33.6	69	0	22.4	78	0	12.4	87	0	3.1
	10	46.9		10	33.4		10	22.2		10	12.2		10	2.9
	20	46.6		20	33.1		20	22.0		20	12.0		20	2.8
	30	46.3		30	32.9		30	21.8		30	11.9		30	2.6
	40	46.1		40	32.7		40	21.6		40	11.7		40	2.4
	50	45.8		50	32.5		50	21.4		50	11.5		50	2.2
52	0	45.6	61	0	32.3	70	0	21.2	79	0	11.3	88	0	2.0
	10	45.2		10	32.0		10	21.0		10	11.2		10	1.9
	20	45.0		20	31.8		20	20.8		20	11.0		20	1.7
	30	44.6		30	31.6		30	20.6		30	10.8		30	1.5
	40	44.4		40	31.4		40	20.4		40	10.7		40	1.3
	50	44.1		50	31.2		50	20.2		50	10.5		50	1.1
53	0	43.9	62	0	31.0	71	0	20.0	80	0	10.3	89	0	1.0
	10	43.6		10	30.8		10	19.8		10	10.1		10	0.9
	20	43.3		20	30.6		20	19.6		20	10.0		20	0.7
	30	43.1		30	30.4		30	19.4		30	9.8		30	0.5
	40	42.8		40	30.2		40	19.2		40	9.6		40	0.3
	50	42.6		50	30.0		50	19.0		50	9.4		50	0.1
54	0	42.3	63	0	29.7	72	0	18.9	81	0	9.2			
	10	42.0		10	29.4		10	18.8		10	9.0			
	20	41.8		20	29.2		20	18.6		20	8.9			
	30	41.5		30	29.0		30	18.4		30	8.7			
	40	41.3		40	28.8		40	18.2		40	8.6			
	50	41.0		50	28.6		50	18.0		50	8.4			

TABLE XVI.—CORRECTION FOR TABLE OF REFRACTION.

Apparent altitude.		HEIGHT OF THE THERMOMETER.															
		20 +	24 +	28 +	32 +	36 +	40 +	44 +	48 +	52 -	56 -	60 -	64 -	68 -	72 -	76 -	80 -
1	0	1 59	1 43	1 25	1 9	53 38	23 8	7 21	36 50	1 3	1 17	1 30	1 43				
10	1 53	1 38	1 21	1 6	50 36	22 7	7 20	34 48	1 0	1 13	1 26	1 38					
20	1 48	1 33	1 17	1 3	48 34	21 7	6 19	32 45	0 57	1 9	1 21	1 33					
30	1 43	1 29	1 14	1 0	46 32	20 7	6 18	31 43	0 54	1 6	1 18	1 29					
40	1 39	1 25	1 11	0 57	44 31	18 6	6 18	30 41	0 52	1 4	1 15	1 25					
50	1 35	1 21	1 8	0 55	42 30	17 6	6 17	28 39	0 50	1 1	1 11	1 21					
2	0 1	31 18	1 5	53 39	29 17	6 5	16 27	37 0	48 0	58 1	8 1	18 1					
20	1 23	1 11	1 0	48 37	26 16	5 5	15 25	35 0	44 0	54 1	3 1	11 1					
40	1 17	1 6	0 55	44 34	24 14	5 5	14 23	32 0	41 0	50 0	58 1	6 1					
3	0 1	11 1	1 0	51 0	41 32	22 13	4 4	13 21	30 0	38 0	46 0	54 1					
20	1 6	0 57	0 47	0 38	29 21	13 4	4 12	20 28	0 35	0 43	0 50	0 57					
40	1 2	0 53	0 44	0 36	28 20	12 4	4 11	18 26	0 33	0 40	0 47	0 53					
4	0 0	58 0	49 0	41 0	33 26	18 11	4 4	10 17	24 0	31 0	37 0	44 0					
20	0 54	0 46	0 39	0 31	24 17	10 3	3 10	16 23	0 30	0 35	0 41	0 46					
40	0 51	0 43	0 37	0 29	23 16	10 3	3 9	15 21	0 28	0 33	0 38	0 43					
5	0 0	48 0	41 0	35 0	28 22	16 9	3 3	9 14	20 0	26 0	31 0	36 0					
30	0 45	0 38	0 32	0 26	20 14	9 3	3 8	13 19	0 24	0 29	0 34	0 38					
6	0 0	41 0	35 0	30 0	24 19	13 8	3 2	7 12	17 0	22 0	26 0	31 0					
30	0 38	0 33	0 28	0 22	17 12	7 2	2 7	11 15	0 20	0 24	0 29	0 33					
7	0 0	36 0	31 0	26 0	21 16	12 7	2 2	6 10	14 0	19 0	23 0	27 0					
30	0 34	0 29	0 24	0 20	15 11	6 2	2 2	6 9	13 0	17 0	21 0	25 0					
8	0 0	32 0	27 0	23 0	19 15	10 6	2 2	5 9	13 0	16 0	20 0	24 0					
9	0 0	28 0	24 0	20 0	16 13	9 5	2 2	5 8	11 0	14 0	18 0	21 0					
10	0 0	26 0	22 0	18 0	15 12	8 5	2 1	4 7	10 0	13 0	16 0	19 0					
11	0 0	23 0	20 0	17 0	14 11	8 5	2 1	4 7	9 0	12 0	15 0	18 0					
12	0 0	21 0	18 0	15 0	13 10	7 4	1 1	4 6	9 0	11 0	13 0	16 0					
13	0 0	20 0	17 0	14 0	12 9	7 4	1 1	3 6	8 0	10 0	12 0	15 0					
14	0 0	18 0	16 0	13 0	11 8	6 4	1 1	3 5	7 0	9 0	11 0	14 0					
15	0 0	17 0	15 0	12 0	10 8	6 3	1 1	3 5	7 0	9 0	11 0	13 0					
16	0 0	16 0	14 0	12 0	9 7	5 3	1 1	3 5	6 0	8 0	10 0	12 0					
17	0 0	15 0	13 0	11 0	9 7	5 3	1 1	3 4	6 0	8 0	9 0	11 0					
18	0 0	14 0	12 0	10 0	8 6	5 3	1 1	2 4	6 0	7 0	9 0	10 0					
19	0 0	13 0	11 0	9 0	8 6	4 3	1 1	2 4	5 0	7 0	8 0	10 0					
20	0 0	13 0	11 0	9 0	7 6	4 2	1 1	2 4	5 0	6 0	8 0	9 0					
22	0 0	11 0	10 0	8 0	7 5	4 2	1 1	2 3	5 0	6 0	7 0	8 0					
24	0 0	10 0	9 0	7 0	6 5	3 2	1 1	2 3	4 0	5 0	6 0	7 0					
26	0 0	9 0	8 0	7 0	6 4	3 2	1 1	2 3	4 0	5 0	6 0	7 0					
28	0 0	9 0	7 0	6 0	5 4	3 2	1 0	1 2	3 0	4 0	5 0	6 0					
30	0 0	8 0	7 0	6 0	5 4	3 2	1 0	1 2	3 0	4 0	5 0	6 0					
35	0 0	7 0	6 0	5 0	4 3	2 1	1 0	1 2	3 0	4 0	5 0	6 0					
40	0 0	6 0	5 0	4 0	3 3	2 1	0 0	1 2	2 0	3 0	4 0	5 0					
45	0 0	5 0	4 0	3 0	3 2	2 1	0 0	1 1	2 0	2 0	3 0	4 0					
50	0 0	4 0	3 0	3 0	2 2	1 1	0 0	1 1	2 0	2 0	2 0	3 0					
55	0 0	3 0	3 0	2 0	2 1	1 1	0 0	1 1	1 0	2 0	2 0	2 0					
60	0 0	3 0	2 0	2 0	2 1	1 1	0 0	0 1	1 0	1 0	2 0	2 0					
65	0 0	2 0	2 0	2 0	1 1	1 0	0 0	0 1	1 0	1 0	1 0	2 0					
70	0 0	2 0	1 0	1 0	1 1	1 0	0 0	0 0	1 0	1 0	1 0	1 0					
80	0 0	1 0	1 0	1 0	0 0	0 0	0 0	0 0	0 0	0 0	1 0	1 0					
Height of		THE BAROMETER.															
— 28.26																	
— 28.56																	
— 28.85																	
— 29.15																	
— 29.45																	
+ 29.75																	
+ 30.05																	
+ 30.35																	
+ 30.64																	
+ 30.93																	

TABLE XVII.—CORRECTION OF THE MOON'S ALTITUDE.

P. P. for Alt.		Moon's App. Alt.	MOON'S HORIZONTAL PARALLAX.										P. P. for Par.									
			54'		55'		56'		57'		58'		59'		60'		61'					
		0	'	"	'	"	'	"	'	"	'	"	'	"	'	"	'	"				
'	"	2	0	35	36	36	36	37	36	38	36	39	36	40	36	41	36	42	36			
	+		10	36	22	37	22	38	22	39	22	40	22	41	22	42	22	43	22	'	"	
1	4		20	37	4	38	4	39	4	40	4	41	4	42	4	43	4	44	4	1	1'0"	
2	7		30	37	44	38	44	39	44	40	44	41	44	42	44	43	44	44	44	2	2'0"	
3	11		40	38	20	39	20	40	20	41	20	42	20	43	20	44	20	45	20	3	3'0"	
4	15		50	38	55	39	55	40	55	41	55	42	55	43	55	44	55	45	55	4	4'0"	
5	18		3	0	39	28	40	27	41	27	42	27	43	27	44	27	45	27	46	27	5	5'0"
6	22		10	39	58	40	58	41	58	42	58	43	58	44	58	45	58	46	58	6	6'0"	
7	26		20	40	26	41	26	42	26	43	25	44	25	45	25	46	25	47	25	7	7'0"	
8	29		30	40	53	41	53	42	53	43	52	44	52	45	52	46	52	47	52	8	8'0"	
9	33		40	41	17	42	17	43	17	44	17	45	17	46	17	47	17	48	17	9	9'0"	
			50	41	42	42	42	43	41	44	41	45	41	46	41	47	41	48	41			
			4	0	42	4	43	4	44	4	45	4	46	4	47	4	48	3	49	3		
'	"		10	42	25	43	24	44	24	45	24	46	24	47	24	48	23	49	23	'	"	
1	2		20	42	45	43	44	44	44	45	44	46	44	47	44	48	44	49	44	1	1'0"	
2	4		30	43	3	44	3	45	3	46	2	47	2	48	2	49	2	50	2	2	2'0"	
3	5		40	43	21	44	21	45	21	46	21	47	21	48	20	49	20	50	20	3	3'0"	
4	7		50	43	38	44	37	45	37	46	37	47	36	48	36	49	36	50	36	4	4'0"	
5	9		5	0	43	53	44	53	45	53	46	53	47	53	48	53	49	52	50	52	5	5'0"
6	11		10	44	9	45	9	46	8	47	8	48	8	49	8	50	8	51	7	6	6'0"	
7	12		20	44	23	45	23	46	23	47	22	48	22	49	21	50	21	51	21	7	7'0"	
8	14		30	44	36	45	36	46	35	47	35	48	35	49	35	50	34	51	34	8	8'0"	
9	16		40	44	49	45	49	46	49	47	48	48	48	49	48	50	48	51	47	9	9'0"	
			50	45	1	46	1	47	1	48	0	49	0	49	59	50	59	51	59			
			6	0	45	12	46	12	47	11	48	11	49	11	50	11	51	10	52	10		
'	"		10	45	23	46	23	47	23	48	22	49	22	50	22	51	21	52	21	'	"	
1	1		20	45	33	46	33	47	33	48	32	49	32	50	31	51	31	52	31	1	1'0"	
2	2		30	45	43	46	43	47	42	48	42	49	42	50	41	51	41	52	41	2	2'0"	
3	3		40	45	53	46	53	47	52	48	52	49	52	50	51	51	50	52	50	3	3'0"	
4	4		50	46	2	47	2	48	1	49	1	50	0	51	0	51	59	52	59	4	4'0"	
5	5		7	0	46	11	47	10	48	10	49	10	50	9	51	9	52	8	53	8	5	5'0"
6	6		10	46	20	47	19	48	19	49	18	50	18	51	17	52	17	53	16	6	6'0"	
7	7		20	46	28	47	27	48	26	49	26	50	26	51	25	52	25	53	24	7	7'0"	
8	8		30	46	34	47	34	48	33	49	33	50	32	51	32	52	31	53	31	8	8'0"	
9	9		40	46	41	47	41	48	40	49	39	50	39	51	38	52	38	53	37	9	9'0"	
			50	46	48	47	47	48	47	49	46	50	46	51	45	52	44	53	44			
			8	0	46	54	47	54	48	53	49	53	50	52	51	52	52	51	53	51		
'	"		10	47	0	47	59	48	59	49	58	50	58	51	57	52	56	53	56	'	"	
1	1		20	47	6	48	5	49	5	50	4	51	3	52	3	53	2	54	2	1	1'0"	
2	1		30	47	12	48	11	49	10	50	9	51	9	52	8	53	7	54	7	2	2'0"	
3	2		40	47	17	48	16	49	16	50	15	51	14	52	14	53	13	54	12	3	3'0"	
4	2		50	47	22	48	21	49	20	50	19	51	19	52	18	53	17	54	17	4	4'0"	
5	3		9	0	47	26	48	25	49	25	50	24	51	23	52	22	53	22	54	21	5	5'0"
6	3		10	47	32	48	31	49	30	50	29	51	29	52	28	53	27	54	26	6	6'0"	
7	4		20	47	35	48	34	49	34	50	33	51	32	52	31	53	31	54	30	7	7'0"	
8	4		30	47	40	48	39	49	38	50	37	51	36	52	35	53	35	54	34	8	8'0"	
9	5		40	47	44	48	43	49	42	50	41	51	41	52	40	53	39	54	38	9	9'0"	
			50	47	48	48	46	49	46	50	45	51	44	52	43	53	42	54	41			

TABLE XVII.—CORRECTION OF THE MOON'S ALTITUDE.

P. P. for Alt.	Moon's App. Alt.	MOON'S HORIZONTAL PARALLAX.									P. P. for Par.
		54'	55'	56'	57'	58'	59'	60'	61'		
	0	47 51	48 50	49 49	50 48	51 47	52 46	53 45	54 44		
+	10	47 54	48 53	49 52	50 52	51 50	52 49	53 49	54 47		
1	0	47 57	48 57	49 55	50 55	51 54	52 52	53 52	54 51	1	1'0
2	0	48 1	49 0	49 59	50 58	51 57	52 56	53 55	54 54	2	2'0
3	1	48 4	49 3	50 2	51 1	52 0	52 59	53 58	54 57	3	2'9
4	1	48 6	49 5	50 4	51 3	52 2	53 1	54 0	54 59	4	3'9
5	1	48 9	49 7	50 6	51 5	52 4	53 3	54 2	55 1	5	4'9
6	1	48 11	49 10	50 8	51 7	52 6	53 5	54 4	55 3	6	5'9
7	1	48 13	49 12	50 11	51 9	52 8	53 7	54 6	55 5	7	6'9
8	2	48 15	49 14	50 13	51 12	52 10	53 9	54 8	55 7	8	7'9
9	2	48 17	49 16	50 14	51 13	52 12	53 11	54 10	55 8	9	8'8
	50	48 19	49 18	50 17	51 15	52 14	53 13	54 11	55 10		
	12	48 21	49 20	50 19	51 17	52 16	53 15	54 13	55 12		
	10	48 23	49 22	50 20	51 19	52 18	53 16	54 15	55 14		
1	0	48 24	49 23	50 22	51 20	52 19	53 17	54 16	55 15	1	1'0
2	0	48 26	49 25	50 23	51 22	52 21	53 19	54 17	55 16	2	2'0
3	0	48 27	49 26	50 24	51 23	52 21	53 20	54 18	55 17	3	2'9
4	0	48 28	49 27	50 25	51 24	52 22	53 21	54 19	55 18	4	3'9
5	1	48 29	49 27	50 26	51 24	52 23	53 21	54 20	55 19	5	4'9
6	1	48 31	49 29	50 28	51 26	52 25	53 23	54 21	55 19	6	5'9
7	1	48 31	49 30	50 28	51 27	52 25	53 24	54 22	55 20	7	6'9
8	1	48 33	49 30	50 29	51 27	52 26	53 24	54 22	55 20	8	7'9
9	1	48 32	49 31	50 29	51 28	52 26	53 24	54 22	55 21	9	8'8
	50	48 33	49 31	50 30	51 28	52 26	53 24	54 23	55 21		
	14	48 34	49 32	50 30	51 29	52 27	53 25	54 23	55 21		
	10	48 34	49 33	50 31	51 29	52 27	53 26	54 24	55 22		
1	0	48 34	49 32	50 31	51 29	52 27	53 25	54 24	55 22	1	1'0
2	0	48 35	49 33	50 31	51 29	52 27	53 25	54 24	55 22	2	1'9
3	0	48 35	49 34	50 32	51 29	52 28	53 26	54 23	55 22	3	2'9
4	0	48 35	49 33	50 31	51 29	52 27	53 25	54 23	55 21	4	3'9
5	0	48 36	49 34	50 31	51 30	52 27	53 25	54 23	55 21	5	4'8
6	0	48 35	49 33	50 31	51 29	52 27	53 25	54 23	55 21	6	5'8
7	0	48 35	49 33	50 31	51 29	52 26	53 24	54 22	55 20	7	6'8
8	0	48 35	49 33	50 31	51 28	52 26	53 24	54 22	55 20	8	7'7
9	0	48 34	49 33	50 30	51 28	52 26	53 24	54 21	55 19	9	8'7
	50	48 34	49 32	50 30	51 27	52 25	53 23	54 20	55 18		
	16	48 34	49 31	50 29	51 26	52 24	53 22	54 20	55 17		
	10	48 33	49 31	50 28	51 26	52 24	53 21	54 19	55 16		
1	0	48 32	49 30	50 27	51 25	52 23	53 20	54 18	55 15	1	1'0
2	0	48 32	49 29	50 26	51 24	52 22	53 19	54 17	55 14	2	1'9
3	0	48 31	49 28	50 26	51 24	52 21	53 18	54 16	55 13	3	2'9
4	0	48 30	49 27	50 25	51 23	52 20	53 17	54 15	55 12	4	3'9
5	1	48 29	49 27	50 24	51 22	52 19	53 16	54 14	55 11	5	4'8
6	1	48 28	49 26	50 24	51 21	52 18	53 15	54 13	55 10	6	5'8
7	1	48 28	49 25	50 23	51 20	52 17	53 14	54 12	55 9	7	6'8
8	1	48 27	49 24	50 22	51 19	52 16	53 13	54 10	55 8	8	7'7
9	1	48 26	49 24	50 21	51 18	52 15	53 12	54 9	55 6	9	8'6
	50	48 26	49 23	50 20	51 17	52 14	53 11	54 8	55 5		

TABLE XVII.—CORRECTION OF THE MOON'S ALTITUDE.

P. P. for Alt.	Moon's App. Alt.	MOON'S HORIZONTAL PARALLAX.										P. P. for Par.
		54'	55'	56'	57'	58'	59'	60'	61'			
		0	1	2	3	4	5	6	7	8		
' "	18	0	48 24	49 21	50 18	51 15	52 12	53 9	54 6	55 3		
		10	48 23	49 20	50 17	51 14	52 11	53 8	54 5	55 2	' "	
1	0	20	48 22	49 19	50 16	51 13	52 10	53 7	54 3	55 0	1 0'9	
2	0	30	48 20	49 17	50 14	51 10	52 7	53 4	54 1	54 58	2 1'9	
3	0	40	48 19	49 16	50 12	51 9	52 6	53 3	53 59	54 56	3 2'8	
4	1	50	48 18	49 15	50 11	51 8	52 4	53 1	53 58	54 55	4 3'8	
5	1	19	0	48 16	49 12	50 9	51 5	52 2	52 59	53 56	5 4'7	
6	1		10	48 15	49 11	50 8	51 4	52 1	52 58	53 54	6 5'7	
7	1		20	48 12	49 9	50 5	51 2	51 59	52 55	53 52	7 6'7	
8	1		30	48 11	49 8	50 4	51 1	51 57	52 54	53 51	8 7'6	
9	1		40	48 9	49 5	50 2	50 58	51 55	52 52	53 48	9 8'5	
		50	48 8	49 4	50 1	50 57	51 54	52 50	53 46	54 43		
	20	0	48 5	49 2	49 58	50 55	51 51	52 47	53 44	54 40		
' "		10	48 3	49 0	49 56	50 53	51 48	52 45	53 42	54 38	' "	
1	0	20	48 2	48 58	49 55	50 51	51 47	52 43	53 40	54 36	1 0'9	
2	0	30	48 0	48 56	49 52	50 48	51 45	52 41	53 37	54 33	2 1'9	
3	1	40	47 58	48 54	49 50	50 46	51 42	52 38	53 34	54 30	3 2'8	
4	1	50	47 56	48 52	49 48	50 44	51 41	52 36	53 32	54 28	4 3'7	
5	1	21	0	47 54	48 50	49 46	50 42	51 38	52 34	53 30	5 4'7	
6	1		10	47 53	48 48	49 44	50 40	51 35	52 32	53 27	6 5'6	
7	2		20	47 50	48 46	49 42	50 37	51 34	52 30	53 25	7 6'6	
8	2		30	47 47	48 43	49 39	50 35	51 31	52 27	53 22	8 7'5	
9	2		40	47 45	48 41	49 36	50 32	51 28	52 24	53 20	9 8'4	
		50	47 44	48 39	49 35	50 31	51 26	52 22	53 18	54 13		
	22	0	47 41	48 37	49 32	50 28	51 24	52 19	53 15	54 11		
' "		10	47 39	48 34	49 30	50 25	51 21	52 16	53 12	54 7	' "	
1	0	20	47 36	48 31	49 27	50 22	51 18	52 13	53 9	54 4	1 0'9	
2	1	30	47 33	48 28	49 24	50 20	51 15	52 11	53 6	54 2	2 1'8	
3	1	40	47 31	48 26	49 21	50 16	51 12	52 6	53 2	53 57	3 2'8	
4	1	50	47 28	48 23	49 19	50 14	51 9	52 5	53 0	53 55	4 3'8	
5	1	23	0	47 26	48 21	49 16	50 11	51 6	52 2	52 57	5 4'7	
6	2		10	47 24	48 19	49 14	50 9	51 4	51 59	52 54	6 5'6	
7	2		20	47 21	48 16	49 11	50 6	51 2	51 56	52 51	7 6'5	
8	2		30	47 18	48 13	49 9	50 3	50 58	51 54	52 48	8 7'4	
9	2		40	47 16	48 10	49 5	50 1	50 55	51 50	52 45	9 8'3	
		50	47 13	48 8	49 2	49 57	50 52	51 47	52 42	53 37		
	24	0	47 10	48 5	49 0	49 54	50 49	51 44	52 39	53 34		
' "		10	47 7	48 2	48 56	49 51	50 46	51 41	52 35	53 30	' "	
1	0	20	47 4	47 59	48 54	49 48	50 43	51 38	52 32	53 27	1 0'9	
2	1	30	47 1	47 56	48 51	49 46	50 41	51 35	52 29	53 23	2 1'8	
3	1	40	46 58	47 53	48 47	49 42	50 37	51 31	52 25	53 20	3 2'7	
4	1	50	46 56	47 50	48 44	49 39	50 33	51 27	52 22	53 17	4 3'6	
5	2	25	0	46 52	47 47	48 41	49 36	50 30	51 24	52 19	5 4'5	
6	2		10	46 49	47 44	48 38	49 32	50 26	51 21	52 15	6 5'4	
7	2		20	46 46	47 40	48 34	49 28	50 22	51 17	52 11	7 6'4	
8	3		30	46 42	47 36	48 30	49 25	50 19	51 13	52 7	8 7'2	
9	3		40	46 39	47 33	48 27	49 22	50 16	51 10	52 4	9 8'2	
		50	46 36	47 30	48 24	49 18	50 12	51 6	52 0	52 54		

TABLE XVII.—CORRECTION OF THE MOON'S ALTITUDE.

P. P. for Alt.		Moon's App. Alt.	MOON'S HORIZONTAL PARALLAX.												P. P. for Par.
			54'	55'	56'	57'	58'	59'	60'	61'					
'	"	0	'	"	'	"	'	"	'	"	'	"	'	"	
1	—	26	0	46 33	47 27	48 21	49 15	50 9	51 3	51 57	52 51				
			10	46 30	47 24	48 18	49 12	50 6	50 59	51 53	52 47	'	"		
1	0		20	46 27	47 20	48 14	49 8	50 2	50 56	51 49	52 43	1	0'9		
2	1		30	46 24	47 17	48 11	49 5	49 59	50 52	51 46	52 39	2	1'8		
3	1		40	46 20	47 13	48 6	49 1	49 54	50 47	51 41	52 35	3	2'7		
4	1		50	46 16	47 10	48 3	48 57	49 50	50 44	51 37	52 31	4	3'5		
5	2	27	0	46 13	47 7	48 0	48 53	49 47	50 40	51 34	52 27	5	4'4		
6	2		10	46 9	47 3	47 56	48 50	49 43	50 36	51 30	52 23	6	5'3		
7	2		20	46 6	47 0	47 53	48 46	49 39	50 33	51 26	52 19	7	6'3		
8	3		30	46 2	46 56	47 48	48 42	49 35	50 28	51 21	52 15	8	7'1		
9	3		40	45 59	46 52	47 45	48 38	49 31	50 24	51 17	52 11	9	8'0		
			50	45 55	46 48	47 41	48 34	49 27	50 20	51 14	52 6				
'	"	28	0	45 52	46 45	47 38	48 31	49 24	50 16	51 10	52 3				
			10	45 49	46 42	47 35	48 28	49 21	50 14	51 7	51 59	'	"		
1	0		20	45 45	46 38	47 30	48 23	49 16	50 9	51 2	51 54	1	0'9		
2	1		30	45 41	46 34	47 27	48 19	49 12	50 5	50 58	51 51	2	1'8		
3	1		40	45 37	46 31	47 23	48 16	49 8	50 1	50 54	51 46	3	2'6		
4	2		50	45 33	46 26	47 19	48 11	49 4	49 56	50 49	51 41	4	3'5		
5	2	29	0	45 29	46 21	47 14	48 6	48 59	49 51	50 44	51 36	5	4'4		
6	2		10	45 25	46 18	47 10	48 2	48 55	49 47	50 39	51 32	6	5'3		
7	3		20	45 22	46 14	47 6	47 58	48 51	49 43	50 36	51 28	7	6'2		
8	3		30	45 17	46 9	47 1	47 54	48 46	49 38	50 30	51 23	8	7'0		
9	4		40	45 13	46 5	46 58	47 50	48 42	49 34	50 26	51 18	9	7'9		
			50	45 9	46 2	46 54	47 46	48 38	49 31	50 22	51 14				
'	"	30	0	45 5	45 57	46 49	47 41	48 33	49 25	50 17	51 9				
			10	45 1	45 53	46 45	47 37	48 28	49 21	50 12	51 4	'	"		
1	0		20	44 58	45 49	46 41	47 33	48 25	49 16	50 8	51 0	1	0'9		
2	1		30	44 53	45 44	46 36	47 28	48 19	49 11	50 3	50 55	2	1'7		
3	1		40	44 49	45 41	46 32	47 24	48 15	49 7	49 59	50 50	3	2'6		
4	2		50	44 44	45 36	46 27	47 18	48 10	49 2	49 53	50 45	4	3'4		
5	2	31	0	44 40	45 31	46 23	47 15	48 6	48 57	49 49	50 40	5	4'3		
6	3		10	44 36	45 27	46 18	47 9	48 1	48 52	49 43	50 35	6	5'2		
7	3		20	44 31	45 23	46 14	47 5	47 56	48 48	49 39	50 30	7	6'1		
8	4		30	44 27	45 19	46 10	47 1	47 52	48 44	49 35	50 26	8	6'8		
9	4		40	44 24	45 15	46 6	46 57	47 48	48 39	49 30	50 21	9	7'7		
			50	44 19	45 10	46 1	46 52	47 43	48 34	49 25	50 16				
'	"	32	0	44 14	45 5	45 56	46 47	47 38	48 29	49 20	50 11				
			10	44 10	45 1	45 51	46 42	47 33	48 23	49 14	50 5	'	"		
1	0		20	44 6	44 56	45 47	46 38	47 29	48 19	49 10	50 0	1	0'8		
2	1		30	44 0	44 51	45 42	46 33	47 23	48 14	49 4	49 55	2	1'7		
3	1		40	43 57	44 47	45 37	46 28	47 19	48 9	49 0	49 50	3	2'5		
4	2		50	43 51	44 42	45 32	46 22	47 13	48 3	48 54	49 45	4	3'3		
5	2	33	0	43 47	44 38	45 28	46 18	47 8	47 59	48 49	49 40	5	4'2		
6	3		10	43 43	44 33	45 24	46 14	47 4	47 54	48 44	49 35	6	5'0		
7	3		20	43 39	44 29	45 19	46 9	47 0	47 49	48 40	49 30	7	5'9		
8	4		30	43 34	44 24	45 14	46 4	46 54	47 44	48 34	49 24	8	6'7		
9	4		40	43 29	44 20	45 10	45 59	46 49	47 39	48 29	49 19	9	7'5		
			50	43 25	44 14	45 4	45 54	46 44	47 34	48 23	49 13				

TABLE XVII.—CORRECTION OF THE MOON'S ALTITUDE.

P. P. for Alt.		Moon's App. Alt.	MOON'S HORIZONTAL PARALLAX.										P. P. for Par.
			54'	55'	56'	57'	58'	59'	60'	61'			
'	"	34	0	43 20	44 10	45 0	45 50	46 39	47 29	48 18	49 8		
			10	43 15	44 5	44 54	45 44	46 33	47 23	48 12	49 2	' "	
1	1		20	43 10	44 0	44 49	45 39	46 28	47 18	48 8	48 57	1 0.8	
2	1		30	43 5	43 55	44 44	45 34	46 23	47 12	48 2	48 51	2 1.6	
3	2		40	43 1	43 50	44 40	45 29	46 18	47 8	47 57	48 46	3 2.4	
4	2		50	42 55	43 45	44 34	45 23	46 13	47 2	47 51	48 40	4 3.3	
5	3	35	0	42 51	43 40	44 29	45 18	46 8	46 57	47 46	48 35	5 4.1	
6	3		10	42 45	43 35	44 24	45 13	46 2	46 51	47 40	48 29	6 5.0	
7	4		20	42 41	43 30	44 19	45 8	45 57	46 46	47 35	48 24	7 5.8	
8	4		30	42 36	43 25	44 13	45 2	45 51	46 40	47 29	48 18	8 6.5	
9	5		40	42 31	43 20	44 9	45 58	45 46	46 35	47 24	48 13	9 7.4	
			50	42 26	43 14	44 3	45 52	45 40	46 29	47 17	48 6		
'	"	36	0	42 21	43 9	43 58	44 47	45 35	46 24	47 12	48 1		
			10	42 15	43 4	43 53	44 41	45 29	46 18	47 6	47 55	' "	
1	1		20	42 11	42 59	43 48	44 36	45 24	46 13	47 1	47 49	1 0.8	
2	1		30	42 6	42 54	43 42	44 30	45 18	46 7	46 55	47 43	2 1.6	
3	2		40	42 1	42 49	43 37	44 25	45 13	46 1	46 50	47 38	3 2.4	
4	2		50	41 55	42 43	43 31	44 19	45 7	45 55	46 43	47 31	4 3.2	
5	3	37	0	41 51	42 39	43 26	44 14	45 2	45 50	46 38	47 26	5 4.0	
6	3		10	41 45	42 33	43 21	44 8	44 56	45 44	46 32	47 20	6 4.8	
7	4		20	41 40	42 28	43 16	44 3	44 51	45 39	46 27	47 14	7 5.6	
8	4		30	41 34	42 22	43 10	43 57	44 45	45 33	46 20	47 7	8 6.4	
9	5		40	41 30	42 17	43 5	43 52	44 40	45 27	46 14	47 2	9 7.2	
			50	41 24	42 11	42 59	43 46	44 34	45 21	46 8	46 56		
'	"	38	0	41 19	42 6	42 54	43 41	44 28	45 15	46 3	46 51		
			10	41 14	42 0	42 48	43 35	44 22	45 9	45 56	46 44	' "	
1	1		20	41 8	41 54	42 42	43 29	44 16	45 3	45 50	46 37	1 0.8	
2	1		30	41 2	41 48	42 36	43 23	44 9	44 56	45 44	46 30	2 1.6	
3	2		40	40 57	41 43	42 30	43 18	44 4	44 51	45 38	46 25	3 2.3	
4	2		50	40 51	41 37	42 24	43 11	43 58	44 45	45 31	46 18	4 3.1	
5	3	39	0	40 46	41 32	42 19	43 6	43 52	44 39	45 26	46 13	5 3.9	
6	3		10	40 40	41 26	42 13	42 59	43 46	44 33	45 19	46 5	6 4.7	
7	4		20	40 35	41 21	42 8	42 54	43 41	44 27	45 14	46 0	7 5.5	
8	4		30	40 29	41 15	42 2	42 48	43 34	44 21	45 7	45 53	8 6.2	
9	5		40	40 24	41 10	41 57	42 43	43 29	44 15	45 1	45 48	9 7.0	
			50	40 18	41 4	41 50	42 36	43 22	44 9	44 54	45 30		
'	"	40	0	40 13	40 59	41 45	42 31	43 17	44 3	44 49	45 35		
			10	40 7	40 53	41 38	42 25	43 10	43 56	44 42	45 28	' "	
1	1		20	40 1	40 47	41 32	42 18	43 4	43 49	44 35	45 21	1 0.8	
2	1		30	39 55	40 40	41 26	42 11	42 57	43 43	44 28	45 14	2 1.5	
3	2		40	39 49	40 35	41 21	42 6	42 51	43 37	44 23	45 8	3 2.3	
4	2		50	39 44	40 29	41 14	42 0	42 45	43 30	44 16	45 1	4 3.0	
5	3	41	0	39 38	40 24	41 9	41 54	42 39	43 25	44 10	44 55	5 3.8	
6	4		10	39 32	40 17	41 3	41 48	42 33	43 18	44 3	44 48	6 4.5	
7	4		20	39 27	40 12	40 57	41 42	42 27	43 12	43 57	44 42	7 5.3	
8	5		30	39 21	40 5	40 50	41 35	42 20	43 5	43 50	44 35	8 6.0	
9	5		40	39 15	40 0	40 45	41 30	42 15	42 59	43 44	44 29	9 6.8	
			50	39 9	39 54	40 39	41 23	42 8	42 53	43 38	44 22		

TABLE XVII.—CORRECTION OF THE MOON'S ALTITUDE.

P. P. for Alt.		Moon's App. Alt.	MOON'S HORIZONTAL PARALLAX.										P. P. for Par.
			54'	55'	56'	57'	58'	59'	60'	61'			
'	"	0	' "	' "	' "	' "	' "	' "	' "	' "	' "		
'	"	42	0	39 3	39 47	40 32	41 17	42 1	42 46	43 30	44 15		
—		10		38 56	39 41	40 26	41 10	41 54	42 39	43 23	44 8	' "	
1	1	20		38 51	39 36	40 20	41 4	41 49	42 33	43 17	44 1	1 0'7	
2	1	30		38 45	39 29	40 13	40 57	41 42	42 26	43 10	43 54	2 1'5	
3	2	40		38 40	39 25	40 8	40 52	41 36	42 20	43 4	43 48	3 2'2	
4	3	50		38 33	39 17	40 1	40 45	41 29	42 13	42 57	43 41	4 2'9	
5	3	43	0	38 27	39 11	39 56	40 39	41 23	42 7	42 51	43 35	5 3'6	
6	4	20		38 21	39 5	39 48	40 32	41 16	42 0	42 44	43 27	6 4'4	
7	5	20		38 15	38 59	39 42	40 26	41 9	41 53	42 36	43 20	7 5'1	
8	5	30		38 8	38 52	39 35	40 19	41 2	41 46	42 29	43 13	8 5'8	
9	6	40		38 3	38 46	39 30	40 13	40 57	41 40	42 23	43 7	9 6'6	
		50		37 56	38 39	39 23	40 6	40 49	41 33	42 16	42 59		
'	"	44	0	37 50	38 34	39 17	40 0	40 43	41 26	42 10	42 53		
1	1	10		37 44	38 27	39 10	39 53	40 36	41 19	42 2	42 46	' "	
2	1	20		37 38	38 20	39 4	39 46	40 29	41 12	41 55	42 38	1 0'7	
3	2	30		37 31	38 14	38 56	39 40	40 22	41 5	41 48	42 31	2 1'4	
4	3	40		37 26	38 8	38 51	39 33	40 16	40 59	41 41	42 24	3 2'1	
5	3	50		37 18	38 1	38 44	39 26	40 9	40 51	41 34	42 17	4 2'8	
6	4	45	0	37 13	37 55	38 38	39 21	40 3	40 45	41 28	42 10	5 3'5	
7	5	10		37 7	37 49	38 31	39 14	39 56	40 39	41 21	42 3	6 4'2	
8	5	20		37 0	37 42	38 24	39 6	39 48	40 31	41 13	41 55	7 4'9	
9	6	30		36 53	37 35	38 17	38 59	39 41	40 23	41 5	41 48	8 5'6	
		40		36 47	37 29	38 11	38 53	39 35	40 17	40 59	41 41	9 6'3	
		50		36 40	37 22	38 4	38 46	39 28	40 10	40 51	41 33		
'	"	46	0	36 35	37 17	37 58	38 40	39 21	40 3	40 45	41 26		
1	1	10		36 28	37 9	37 51	38 33	39 14	39 56	40 37	41 19	' "	
2	1	20		36 21	37 3	37 44	38 26	39 7	39 48	40 30	41 11	1 0'7	
3	2	30		36 14	36 56	37 37	38 18	38 59	39 41	40 22	41 3	2 1'4	
4	3	40		36 9	36 49	37 31	38 12	38 53	39 34	40 15	40 57	3 2'0	
5	4	50		36 1	36 43	37 24	38 5	38 46	39 27	40 8	40 49	4 2'7	
6	4	47	0	35 56	36 37	37 17	37 58	38 40	39 20	40 1	40 42	5 3'4	
7	5	10		35 49	36 29	37 10	37 51	38 32	39 13	39 53	40 34	6 4'1	
8	5	20		35 42	36 23	37 3	37 44	38 25	39 5	39 46	40 26	7 4'8	
9	6	30		35 35	36 16	36 56	37 37	38 17	38 58	39 38	40 19	8 5'5	
		40		35 29	36 9	36 50	37 30	38 11	38 51	39 32	40 12	9 6'2	
		50		35 22	36 2	36 42	37 22	38 3	38 44	39 24	40 4		
'	"	48	0	35 16	35 56	36 36	37 16	37 57	38 37	39 17	39 57	' "	
1	1	10		35 9	35 49	36 29	37 9	37 49	38 29	39 9	39 49	' "	
2	1	20		35 2	35 42	36 22	37 1	37 42	38 21	39 1	39 41	1 0'6	
3	2	30		34 55	35 34	36 15	36 54	37 34	38 13	38 54	39 33	2 1'3	
4	3	40		34 49	35 28	36 8	36 47	37 28	38 7	38 47	39 24	3 1'9	
5	4	50		34 42	35 21	36 1	36 40	37 20	37 59	38 39	39 18	4 2'6	
6	4	49	0	34 35	35 14	35 53	36 33	37 12	37 52	38 31	39 10	5 3'2	
7	5	10		34 28	35 7	35 46	36 25	37 4	37 44	38 23	39 2	6 3'9	
8	6	20		34 21	35 0	35 39	36 18	36 58	37 37	38 16	38 55	7 4'6	
9	6	30		34 14	34 53	35 32	36 11	36 50	37 29	38 8	38 47	8 5'2	
		40		34 7	34 46	35 26	36 4	36 43	37 22	38 1	38 40	9 5'9	
		50		34 1	34 40	35 18	35 57	36 36	37 15	37 53	38 32		

TABLE XVII.—CORRECTION OF THE MOON'S ALTITUDE.

P. P. for Alt.		Moon's App. Alt.	MOON'S HORIZONTAL PARALLAX.										P. P. for Par.
			54'	55'	56'	57'	58'	59'	60'	61'			
"	"	0	"	"	"	"	"	"	"	"	"	"	
1	1	50	0	33 54	34 32	35 11	35 49	36 28	37 6	37 45	38 24	"	
2	2	10	33 46	34 25	35 3	35 42	36 20	36 58	37 37	38 15	1 0'6	"	
3	3	20	33 40	34 19	34 57	35 35	36 13	36 52	37 30	38 8	2 1'2	"	
4	4	30	33 33	34 11	34 49	35 28	36 5	36 44	37 22	38 0	3 1'9	"	
5	5	40	33 26	34 4	34 41	35 20	35 58	36 36	37 14	37 52	4 2'5	"	
6	6	50	33 19	33 57	34 35	35 13	35 51	36 29	37 6	37 45	5 3'1	"	
7	7	51	0	33 12	33 50	34 27	35 5	35 43	36 21	36 59	6 3'8	"	
8	8	10	33 5	33 42	34 20	34 57	35 35	36 13	36 51	37 28	7 4'5	"	
9	9	20	32 58	33 36	34 13	34 51	35 28	36 6	36 43	37 21	8 5'1	"	
10	10	30	32 51	33 28	34 6	34 43	35 21	35 58	36 35	37 12	9 5'7	"	
11	11	40	32 43	33 21	33 57	34 35	35 12	35 49	36 27	37 4	10 5'7	"	
12	12	50	32 36	33 13	33 51	34 27	35 4	35 42	36 19	36 56	"	"	
13	13	52	0	32 29	33 6	33 43	34 19	34 57	35 33	36 10	36 48	"	
14	14	10	32 21	32 58	33 35	34 12	34 49	35 25	36 2	36 40	1 0'6	"	
15	15	20	32 15	32 52	33 28	34 5	34 41	35 18	35 55	36 32	2 1'2	"	
16	16	30	32 7	32 44	33 20	33 57	34 34	35 10	35 47	36 23	3 1'8	"	
17	17	40	32 0	32 36	33 13	33 49	34 25	35 2	35 39	36 14	4 2'4	"	
18	18	50	31 53	32 30	33 6	33 42	34 18	34 54	35 31	36 7	5 3'0	"	
19	19	53	0	31 46	32 22	32 58	33 34	34 11	34 47	35 23	6 3'6	"	
20	20	10	31 38	32 14	32 50	33 26	34 2	34 38	35 14	35 50	7 4'2	"	
21	21	20	31 32	32 7	32 43	33 19	33 55	34 31	35 7	35 43	8 4'8	"	
22	22	30	31 24	32 0	32 36	33 11	33 47	34 22	34 58	35 34	9 5'4	"	
23	23	40	31 16	31 52	32 28	33 3	33 39	34 15	34 50	35 25	"	"	
24	24	50	31 10	31 46	32 21	32 56	33 32	34 7	34 43	35 18	"	"	
25	25	54	0	31 2	31 38	32 13	32 48	33 23	33 59	34 34	35 9	"	
26	26	10	30 55	31 30	32 5	32 40	33 15	33 50	34 26	35 1	1 0'6	"	
27	27	20	30 47	31 22	31 57	32 32	33 7	33 43	34 17	34 52	2 1'2	"	
28	28	30	30 40	31 14	31 49	32 24	32 59	33 34	34 8	34 43	3 1'7	"	
29	29	40	30 32	31 7	31 41	32 16	32 50	33 25	34 0	34 35	4 2'3	"	
30	30	50	30 25	31 0	31 34	32 9	32 44	33 18	33 53	34 27	5 2'9	"	
31	31	55	0	30 17	30 52	31 26	32 0	32 35	33 9	33 44	6 3'4	"	
32	32	10	30 9	30 44	31 18	31 53	32 27	33 1	33 35	34 9	7 4'0	"	
33	33	20	30 3	30 37	31 11	31 45	32 19	32 54	33 28	34 2	8 4'6	"	
34	34	30	29 55	30 29	31 3	31 37	32 11	32 45	33 19	33 53	9 5'1	"	
35	35	40	29 48	30 21	30 55	31 29	32 3	32 37	33 10	33 44	"	"	
36	36	50	29 41	30 14	30 48	31 22	31 55	32 29	33 3	33 37	"	"	
37	37	56	0	29 33	30 7	30 40	31 13	31 47	32 20	32 54	33 28	"	
38	38	10	29 25	29 58	30 32	31 5	31 38	32 12	32 46	33 19	1 0'5	"	
39	39	20	29 17	29 50	30 23	30 57	31 30	32 4	32 37	33 10	2 1'1	"	
40	40	30	29 9	29 43	30 16	30 49	31 22	31 55	32 28	33 1	3 1'6	"	
41	41	40	29 1	29 34	30 7	30 41	31 13	31 46	32 19	32 52	4 2'1	"	
42	42	50	28 54	29 27	30 0	30 33	31 6	31 39	32 11	32 44	5 2'7	"	
43	43	57	0	28 47	29 20	29 52	30 24	30 57	31 30	32 3	6 3'2	"	
44	44	10	28 39	29 11	29 44	30 17	30 49	31 21	31 54	32 26	7 3'7	"	
45	45	20	28 32	29 4	29 37	30 9	30 41	31 14	31 46	32 18	8 4'2	"	
46	46	30	28 24	28 56	29 28	30 1	30 33	31 5	31 37	32 10	9 4'8	"	
47	47	40	28 16	28 48	29 20	29 52	30 24	30 57	31 28	32 1	"	"	
48	48	50	28 9	28 41	29 13	29 45	30 17	30 49	31 20	31 53	"	"	

TABLE XVII.—CORRECTION OF THE MOON'S ALTITUDE.

P. P. for Alt.	Moon's App. Alt.	MOON'S HORIZONTAL PARALLAX.										P. P. for Par.
		54'	55'	56'	57'	58'	59'	60'	61'			
	0	' "	' "	' "	' "	' "	' "	' "	' "	' "	' "	
' "	58	0 28 1	28 33	29 5	29 37	30 8	30 40	31 12	31 44			
—	10	27 53	28 25	28 56	29 28	29 59	30 31	31 3	31 34	' "		
1	1	20 27 45	28 16	28 48	29 19	29 51	30 22	30 54	31 25	1 0'5		
2	2	30 27 37	28 8	28 40	29 11	29 42	30 14	30 45	31 16	2 1'0		
3	3	40 27 29	28 0	28 31	29 2	29 34	30 5	30 36	31 7	3 1'5		
4	3	50 27 22	27 53	28 24	28 55	29 26	29 57	30 28	30 59	4 2'1		
5	4	59 0 27 14	27 45	28 15	28 47	29 17	29 48	30 19	30 50	5 2'6		
6	5	10 27 6	27 36	28 7	28 38	29 9	29 39	30 10	30 41	6 3'1		
7	6	20 26 58	27 29	28 0	28 30	29 1	29 31	30 2	30 33	7 3'6		
8	7	30 26 51	27 21	27 51	28 22	28 52	29 22	29 53	30 24	8 4'1		
9	7	40 26 42	27 13	27 43	28 13	28 43	29 14	29 44	30 15	9 4'6		
	50	26 34	27 4	27 34	28 4	28 35	29 5	29 35	30 5			
' "	60	0 26 26	26 56	27 26	27 56	28 26	28 56	29 26	29 56			
—	10	26 18	26 48	27 18	27 48	28 17	28 47	29 17	29 47	' "		
1	1	20 26 11	26 40	27 10	27 40	28 10	28 39	29 9	29 38	1 0'5		
2	2	30 26 2	26 32	27 2	27 31	28 1	28 30	29 0	29 29	2 1'0		
3	3	40 25 54	26 23	26 53	27 22	27 52	28 21	28 50	29 20	3 1'4		
4	3	50 25 47	26 16	26 45	27 15	27 44	28 13	28 42	29 12	4 1'9		
5	4	6 0 25 39	26 8	26 37	27 6	27 35	28 4	28 33	29 2	5 2'4		
6	5	10 25 30	25 59	26 29	26 57	27 26	27 55	28 24	28 53	6 2'9		
7	6	20 25 22	25 51	26 20	26 48	27 17	27 46	28 15	28 44	7 3'4		
8	7	30 25 14	25 42	26 11	26 40	27 9	27 37	28 6	28 35	8 3'8		
9	8	40 25 6	25 34	26 2	26 31	27 0	27 28	27 57	28 25	9 4'3		
	50	24 58	25 27	25 55	26 24	26 52	27 20	27 48	28 16			
' "	62	0 24 50	25 18	25 46	26 15	26 43	27 11	27 39	28 7			
—	10	24 42	25 10	25 38	26 6	26 34	27 2	27 30	27 58	' "		
1	1	20 24 34	25 2	25 30	25 58	26 26	26 54	27 22	27 49	1 0'4		
2	2	30 24 26	24 54	25 22	25 49	26 17	26 44	27 12	27 40	2 0'9		
3	3	40 24 17	24 45	25 13	25 40	26 8	26 35	27 3	27 31	3 1'3		
4	4	50 24 10	24 37	25 4	25 32	25 59	26 26	26 53	27 21	4 1'8		
5	4	63 0 24 1	24 28	24 55	25 23	25 50	26 17	26 44	27 11	5 2'2		
6	5	10 23 53	24 20	24 47	25 14	25 41	26 8	26 35	27 2	6 2'7		
7	6	20 23 45	24 12	24 39	25 6	25 33	26 0	26 27	26 54	7 3'1		
8	7	30 23 36	24 3	24 30	24 57	25 24	25 51	26 17	26 44	8 3'6		
9	8	40 23 28	23 55	24 21	24 48	25 15	25 41	26 8	26 35	9 4'0		
	50	23 21	23 47	24 14	24 40	25 7	25 33	26 0	26 26			
' "	64	0 23 12	23 39	24 5	24 31	24 58	25 24	25 50	26 16			
—	10	23 4	23 30	23 56	24 22	24 48	25 16	25 41	26 7	' "		
1	1	20 22 55	23 21	23 48	24 13	24 39	25 5	25 31	25 57	1 0'4		
2	2	30 22 47	23 13	23 39	24 4	24 30	24 56	25 22	25 48	2 0'8		
3	3	40 22 39	23 4	23 30	23 55	24 21	24 47	25 12	25 38	3 1'2		
4	4	50 22 31	22 56	23 22	23 47	24 13	24 38	25 4	25 29	4 1'7		
5	4	65 0 22 22	22 47	23 13	23 38	24 4	24 29	24 55	25 20	5 2'1		
6	5	10 22 14	22 39	23 4	23 29	23 55	24 20	24 45	25 10	6 2'5		
7	6	20 22 5	22 30	22 55	23 20	23 46	24 10	24 35	25 1	7 2'9		
8	7	30 21 56	22 22	22 46	23 11	23 36	24 1	24 26	24 51	8 3'3		
9	8	40 21 48	22 13	22 37	23 2	23 27	23 52	24 16	24 41	9 3'7		
	50	21 41	22 5	22 30	22 54	23 18	23 43	24 8	24 32			

TABLE XVII.—CORRECTION OF THE MOON'S ALTITUDE.

P. P. for Alt.	Moon's App. Alt.	MOON'S HORIZONTAL PARALLAX.									P. P. for Par.
		54'	55'	56'	57'	58'	59'	60'	61'		
	0	21 32	21 56	22 11	22 45	23 9	23 34	23 58	24 23		
	10	21 23	21 48	22 12	22 36	23 0	23 24	23 48	24 13		
1	1	20	21 16	21 40	22 4	22 28	22 52	23 16	23 40	1 0.4	
2	2	30	21 7	21 31	21 55	22 19	22 43	23 7	23 31	2 0.8	
3	3	40	20 58	21 22	21 46	22 10	22 33	22 57	23 21	3 1.1	
4	4	50	20 49	21 13	21 37	22 0	22 24	22 48	23 11	4 1.5	
5	5	67	0	20 41	21 4	21 28	21 51	22 15	22 38	1 23 25	
6	5	10	20 32	20 55	21 19	21 42	22 6	22 29	22 52	23 15 6	
7	6	20	20 25	20 48	21 11	21 34	21 57	22 20	22 43	23 7 2.7	
8	7	30	20 16	20 39	21 2	21 25	21 48	22 11	22 34	22 56 8	
9	8	40	20 7	20 30	20 53	21 16	21 38	22 1	22 24	22 47 9	
	50	19 58	20 21	20 44	21 7	21 29	21 52	22 14	22 37		
	68	0	19 50	20 12	20 35	20 57	21 20	21 42	22 5	22 27	
	10	19 41	20 3	20 26	20 48	21 11	21 32	21 55	22 17		
1	1	20	19 33	19 56	20 18	20 39	21 2	21 24	21 46	22 8 1	
2	2	30	19 24	19 47	20 8	20 30	20 53	21 14	21 36	21 59 2	
3	3	40	19 15	19 38	19 59	20 21	20 43	21 3	21 25	21 49 3	
4	4	50	19 8	19 30	19 51	20 13	20 34	20 56	21 18	21 40 4	
5	5	69	0	18 59	19 21	19 42	20 4	20 25	20 46	21 8 21	
6	6	10	18 51	19 12	19 33	19 54	20 16	20 36	20 58	21 19 6	
7	6	20	18 42	19 3	19 24	19 45	20 6	20 27	20 49	21 10 7	
8	7	30	18 33	18 54	19 15	19 36	19 57	20 18	20 39	21 0 8	
9	8	40	18 24	18 45	19 6	19 27	19 46	20 8	20 29	20 50 9	
	50	18 16	18 37	18 58	19 18	19 39	19 59	20 20	20 41		
	70	0	18 7	18 28	18 48	19 9	19 29	19 50	20 10	20 31	
	10	17 58	18 19	18 39	18 59	19 20	19 40	20 1	20 21		
1	1	20	17 49	18 10	18 30	18 50	19 10	19 31	19 50	20 11 1	
2	2	30	17 41	18 1	18 20	18 41	19 1	19 20	19 41	20 12 2	
3	3	40	17 33	17 53	18 12	18 32	18 52	19 12	19 32	19 51 3	
4	4	50	17 24	17 44	18 3	18 23	18 42	19 2	19 22	19 42 4	
5	5	71	0	17 15	17 35	17 54	18 14	18 33	18 53	19 12 5	
6	6	10	17 6	17 25	17 45	18 4	18 23	18 43	19 2	19 21 6	
7	6	20	16 57	17 16	17 35	17 54	18 14	18 33	18 52	19 11 7	
8	7	30	16 48	17 7	17 26	17 45	18 4	18 23	18 42	19 2 8	
9	8	40	16 40	16 59	17 18	17 37	17 55	18 15	18 33	18 52 9	
	50	16 31	16 50	17 9	17 27	17 46	18 5	18 24	18 42		
	72	0	16 22	16 41	16 59	17 18	17 36	17 55	18 13	18 32	
	10	16 13	16 31	16 50	17 9	17 27	17 45	18 3	18 22		
1	1	20	16 4	16 22	16 41	16 59	17 17	17 36	17 54	18 12 1	
2	2	30	15 55	16 13	16 31	16 49	17 7	17 25	17 43	18 1 2	
3	3	40	15 47	16 5	16 23	16 41	16 59	17 17	17 35	17 52 3	
4	4	50	15 38	15 56	16 14	16 31	16 49	17 7	17 25	17 42 4	
5	5	73	0	15 29	15 47	16 4	16 22	16 40	16 57	17 14 5	
6	6	10	15 20	15 38	15 55	16 13	16 30	16 47	17 5	17 22 6	
7	7	20	15 11	15 28	15 46	16 3	16 20	16 37	16 55	17 12 7	
8	8	30	15 2	15 19	15 36	15 53	16 10	16 28	16 44	17 2 8	
9	9	40	14 54	15 11	15 28	15 45	16 2	16 18	16 35	16 52 9	
	50	14 45	15 2	15 18	15 35	15 52	16 9	16 26	16 42		

TABLE XVII.—CORRECTION OF THE MOON'S ALTITUDE.

P. P. for Alt.	Moon's App. Alt.	MOON'S HORIZONTAL PARALLAX.										P. P. Par.
		54	55	56	57	58	59	60	61			
' "	74 0	14 36	14 53	15 9	15 26	15 42	15 59	16 15	16 32	' "		
	10	14 27	14 44	15 0	15 16	15 32	15 49	16 5	16 21	' "		
1 1	20	14 18	14 34	14 50	15 6	15 23	15 39	15 55	16 11	1 0'3		
2 2	30	14 9	14 25	14 41	14 57	15 13	15 29	15 45	16 1	2 0'5		
3 3	40	14 1	14 16	14 33	14 48	15 4	15 20	15 36	15 52	3 0'8		
4 4	50	13 52	14 7	14 23	14 39	14 54	15 10	15 26	15 42	4 1'1		
5 5	75 0	13 43	13 58	14 13	14 29	14 45	15 0	15 16	15 31	5 1'3		
6 6	10	13 33	13 49	14 4	14 19	14 35	14 50	15 6	15 21	6 1'6		
7 7	20	13 24	13 40	13 55	14 10	14 25	14 40	14 55	15 10	7 1'8		
8 8	30	13 15	13 30	13 45	14 0	14 15	14 30	14 45	15 0	8 2'1		
9 9	40	13 7	13 22	13 37	13 52	14 7	14 22	14 36	14 51	9 2'4		
	50	12 58	13 13	13 28	13 42	13 57	14 11	14 26	14 41			
' "	76 0	12 49	13 4	13 18	13 32	13 47	14 1	14 16	14 31	' "		
	10	12 40	12 54	13 8	13 23	13 37	13 52	14 6	14 20	' "		
1 1	20	12 31	12 44	12 59	13 13	13 27	13 41	13 56	14 10	1 0'2		
2 2	30	12 22	12 35	12 49	13 4	13 17	13 31	13 46	13 59	2 0'5		
3 3	40	12 13	12 27	12 41	12 55	13 9	13 23	13 36	13 50	3 0'7		
4 4	50	12 4	12 18	12 32	12 45	12 59	13 12	13 26	13 39	4 0'9		
5 5	77 0	11 55	12 8	12 22	12 35	12 49	13 2	13 16	13 29	5 1'1		
6 6	10	11 45	11 59	12 12	12 26	12 40	12 53	13 7	13 20	6 1'4		
7 7	20	11 37	11 51	12 3	12 16	12 30	12 43	12 57	13 10	7 1'6		
8 8	30	11 28	11 41	11 54	12 7	12 21	12 34	12 47	13 0	8 1'8		
9 9	40	11 19	11 32	11 45	11 58	12 11	12 24	12 37	12 49	9 2'1		
	50	11 11	11 23	11 36	11 49	12 1	12 14	12 26	12 39			
' "	78 0	11 2	11 14	11 26	11 39	11 51	12 4	12 16	12 29	' "		
	10	10 52	11 5	11 17	11 29	11 42	11 54	12 6	12 19	' "		
1 1	20	10 43	10 55	11 8	11 20	11 32	11 44	11 56	12 8	1 0'2		
2 2	30	10 34	10 46	10 58	11 10	11 22	11 34	11 46	11 58	2 0'4		
3 3	40	10 26	10 38	10 49	11 1	11 12	11 24	11 36	11 48	3 0'6		
4 4	50	10 17	10 28	10 39	10 51	11 3	11 14	11 26	11 38	4 0'8		
5 5	79 0	10 7	10 18	10 30	10 41	10 53	11 4	11 16	11 27	5 1'0		
6 6	10	9 58	10 9	10 21	10 32	10 43	10 54	11 6	11 17	6 1'2		
7 7	20	9 48	10 0	10 11	10 22	10 33	10 44	10 56	11 7	7 1'4		
8 8	30	9 39	9 50	10 2	10 13	10 24	10 35	10 46	10 57	8 1'6		
9 9	40	9 31	9 42	9 52	10 3	10 14	10 25	10 35	10 46	9 1'8		
	50	9 22	9 33	9 43	9 53	10 4	10 15	10 25	10 36			
' "	80 0	9 13	9 23	9 33	9 44	9 54	10 5	10 15	10 25	' "		
	10	9 3	9 14	9 24	9 34	9 44	9 55	10 5	10 15	' "		
1 1	20	8 54	9 4	9 15	9 25	9 35	9 45	9 55	10 5	1 0'2		
2 2	30	8 45	8 55	9 5	9 15	9 25	9 35	9 45	9 55	2 0'3		
3 3	40	8 36	8 46	8 56	9 5	9 15	9 25	9 34	9 44	3 0'5		
4 4	50	8 27	8 37	8 46	8 56	9 5	9 15	9 24	9 34	4 0'6		
5 5	81 0	8 18	8 27	8 37	8 46	8 55	9 5	9 14	9 24	5 0'8		
6 6	10	8 9	8 18	8 27	8 36	8 45	8 55	9 4	9 13	6 1'0		
7 7	20	8 0	8 9	8 18	8 27	8 36	8 45	8 54	9 3	7 1'1		
8 8	30	7 50	7 59	8 8	8 17	8 26	8 35	8 44	8 52	8 1'3		
9 9	40	7 41	7 50	7 59	8 7	8 16	8 25	8 33	8 42	9 1'5		
	50	7 32	7 41	7 49	7 58	8 6	8 15	8 23	8 32			

TABLE XVII.—CORRECTION OF THE MOON'S ALTITUDE.

P. P. for Alt.		Moon's App. Alt.	MOON'S HORIZONTAL PARALLAX.								P. P. for Par.
			54'	55'	56'	57'	58'	59'	60'	61'	
'	"	82 0	7 23	7 31	7 40	7 48	7 56	8 5	8 13	8 21	' "
—	—	10	7 14	7 22	7 30	7 38	7 46	7 55	8 3	8 11	' "
1	1	20	7 5	7 13	7 21	7 29	7 37	7 45	7 53	8 1	1 0'1
2	2	30	6 55	7 3	7 11	7 19	7 27	7 35	7 42	7 50	2 0'3
3	3	40	6 46	6 54	7 2	7 9	7 17	7 25	7 32	7 40	3 0'4
4	4	50	6 37	6 45	6 52	7 0	7 7	7 14	7 22	7 29	4 0'5
5	5	83 0	6 28	6 35	6 42	6 50	6 57	7 4	7 12	7 19	5 0'6
6	6	10	6 19	6 26	6 33	6 40	6 47	6 54	7 2	7 9	6 0'8
7	7	20	6 9	6 16	6 23	6 30	6 37	6 44	6 51	6 58	7 0'9
8	8	30	6 0	6 7	6 14	6 21	6 27	6 34	6 41	6 48	8 1'0
9	9	40	5 51	5 58	6 4	6 11	6 18	6 24	6 31	6 37	9 1'2
		50	5 42	5 48	5 55	6 1	6 8	6 14	6 21	6 27	
'	"	84 0	5 33	5 39	5 45	5 52	5 58	6 4	6 10	6 17	' "
1	1	10	5 23	5 30	5 36	5 42	5 48	5 54	6 0	6 6	' "
2	2	20	5 14	5 20	5 26	5 32	5 38	5 44	5 50	5 56	1 0'1
3	3	30	5 5	5 11	5 17	5 22	5 28	5 34	5 40	5 45	2 0'2
4	4	40	4 56	5 1	5 7	5 13	5 18	5 24	5 29	5 35	3 0'3
5	5	50	4 47	4 52	4 57	5 3	5 8	5 14	5 19	5 24	4 0'4
6	6	85 0	4 37	4 43	4 48	4 53	4 58	5 4	5 9	5 14	5 0'5
7	7	10	4 28	4 33	4 38	4 43	4 48	4 53	4 59	5 4	6 0'6
8	8	20	4 19	4 24	4 29	4 34	4 38	4 43	4 48	4 53	7 0'6
9	9	30	4 10	4 14	4 19	4 24	4 29	4 33	4 38	4 43	8 0'7
		40	4 0	4 5	4 10	4 14	4 19	4 23	4 28	4 32	9 0'8
		50	3 51	3 56	4 0	4 4	4 9	4 13	4 17	4 22	
'	"	86 0	3 42	3 46	3 50	3 55	3 59	4 3	4 7	4 11	' "
1	1	10	3 33	3 37	3 41	3 45	3 49	3 53	3 57	4 1	' "
2	2	20	3 24	3 27	3 31	3 35	3 39	3 43	3 47	3 50	1 0'1
3	3	30	3 14	3 18	3 22	3 25	3 29	3 33	3 36	3 40	2 0'1
4	4	40	3 5	3 9	3 12	3 16	3 19	3 23	3 26	3 30	3 0'2
5	5	50	2 56	2 59	3 2	3 6	3 9	3 12	3 16	3 19	4 0'2
6	6	87 0	2 46	2 50	2 53	2 56	2 59	3 2	3 5	3 9	5 0'3
7	7	10	2 37	2 40	2 43	2 46	2 49	2 52	2 55	2 58	6 0'4
8	8	20	2 28	2 31	2 34	2 36	2 39	2 42	2 45	2 48	7 0'4
9	9	30	2 19	2 21	2 24	2 27	2 29	2 32	2 35	2 37	8 0'5
		40	2 10	2 12	2 14	2 17	2 19	2 22	2 24	2 27	9 0'5
		50	2 0	2 3	2 5	2 7	2 9	2 12	2 14	2 16	
'	"	88 0	1 51	1 53	1 55	1 57	1 59	2 2	2 4	2 6	' "
1	1	10	1 42	1 44	1 46	1 48	1 50	1 51	1 53	1 55	' "
2	2	20	1 33	1 34	1 36	1 38	1 40	1 41	1 43	1 45	1 0'0
3	3	30	1 23	1 25	1 26	1 28	1 30	1 31	1 33	1 34	2 0'1
4	4	40	1 14	1 15	1 17	1 18	1 20	1 21	1 22	1 24	3 0'1
5	5	50	1 5	1 6	1 7	1 8	1 10	1 11	1 12	1 13	4 0'1
6	6	89 0	0 56	0 57	0 58	0 59	1 0	1 1	1 2	1 3	5 0'1
7	7	10	0 46	0 47	0 48	0 49	0 50	0 51	0 52	0 52	6 0'2
8	8	20	0 37	0 38	0 38	0 39	0 40	0 41	0 41	0 42	7 0'2
9	9	30	0 28	0 28	0 29	0 29	0 30	0 30	0 31	0 31	8 0'2
		40	0 18	0 19	0 19	0 20	0 20	0 20	0 21	0 21	9 0'2
		50	0 9	0 9	0 10	0 10	0 10	0 10	0 10	0 10	

TABLE XVIII.

LOGARITHMS FOR FINDING THE HORARY ANGLE OR APPARENT TIME.

Min.	2 Hours.	Diff.	3 Hours.	Diff.	4 Hours.	Diff.	5 Hours.	Diff.	6 Hours.	Diff.	7 Hours.	Diff.	Min.
0	8-835992	11737	9-165679	7602	9-397940	5457	9-568894	4107	9-698970	3152	9-798933	2418	60
1	833034	170240	170240	7555	402114	5428	571358	4088	700861	3138	800384	2407	59
2	840015	174773	174773	7509	404471	5401	573811	4070	702743	3124	801828	2396	58
3	846936	179278	179278	7463	407713	5375	576253	4052	704618	3110	803266	2385	57
4	853798	183756	183756	7418	410938	5348	578684	4033	706484	3097	804697	2375	56
5	8-860602	188207	188207	7373	9-414147	5322	9-581104	4015	9-708342	3083	9-806122	2364	55
6	867349	192631	192631	7329	417340	5296	583513	3997	710192	3070	807540	2353	54
7	874040	197028	197028	7285	420517	5270	585911	3980	712034	3057	808952	2342	53
8	880676	201399	201399	7241	423679	5243	588299	3962	713868	3043	810357	2332	52
9	887258	205745	205745	7198	426825	5217	590676	3944	715694	3030	811756	2321	51
10	8-893785	210064	210064	7156	9-429955	5192	9-593042	3927	9-717512	3017	9-813149	2311	50
11	900261	214358	214358	7114	433070	5167	595398	3910	719322	3005	814535	2300	49
12	906684	218627	218627	7073	436170	5142	597744	3892	721124	2992	815915	2289	48
13	913055	222870	222870	7032	439255	5117	600078	3875	722919	2978	817289	2279	47
14	919377	227089	227089	6991	442325	5092	602403	3857	724705	2965	818656	2268	46
15	8-925648	231284	231284	6950	9-445379	5067	9-604717	3840	9-726484	2952	9-820017	2258	45
16	931871	235454	235454	6910	448419	5043	607021	3823	728255	2939	821372	2248	44
17	938045	239600	239600	6870	451445	5018	609315	3806	730018	2926	822721	2237	43
18	944171	243722	243722	6831	454455	4993	611598	3790	731774	2913	824063	2227	42
19	950251	247821	247821	6792	457451	4969	613872	3772	733522	2900	825399	2217	41
20	956284	251897	251897		460433	4946	616135		735262		826729		40
	21 Hours.	Diff.	20 Hours.	Diff.	19 Hours.	Diff.	18 Hours.	Diff.	17 Hours.	Diff.	16 Hours.	Diff.	

TABLE XVIII.

LOGARITHMS FOR FINDING THE HORARY ANGLE OR APPARENT TIME.

Min.	2 Hours.	Diff.	3 Hours.	Diff.	4 Hours.	Diff.	5 Hours.	Diff.	6 Hours.	Diff.	7 Hours.	Diff.	Min.
20	8°56284	9979	9°251897	6753	9°460433	4945	9°616135	3756	9°73262	2887	9°826729	2206	40
21	962271	9904	255949	6715	463400	4921	618388	3740	739994	2875	828053	2196	39
22	968213	9830	259978	6678	466354	4898	620632	3721	738719	2863	829370	2186	38
23	974111	9757	263985	6640	469293	4875	622865	3707	740437	2850	830682	2176	37
24	979965	9684	267969	6602	472218	4852	625089	3690	742147	2837	831987	2166	36
25	8°985775	9612	9°271930	6566	9°475129	4828	9°627903	3674	9°743849	2825	9°833287	2155	35
26	991543	9543	275870	6530	478026	4805	629507	3658	745544	2813	834580	2145	34
27	997269	9474	279788	6493	480909	4782	631701	3642	747232	2800	835867	2135	33
28	9°02953	9405	283684	6457	483779	4760	633886	3626	748912	2788	837148	2125	32
29	008596	9338	287558	6422	486635	4738	636061	3610	750585	2776	838424	2115	31
30	9°014198	9272	9°291412	6387	9°489478	4715	9°638227	3593	9°752251	2763	9°839693	2105	30
31	019761	9206	295244	6352	492307	4693	640383	3577	753909	2750	840956	2095	29
32	025284	9141	299055	6317	495123	4672	642529	3562	755560	2738	842213	2085	28
33	030768	9077	302845	6283	497926	4650	644666	3547	757203	2727	843464	2076	27
34	036213	9013	306615	6249	500716	4628	646794	3532	758840	2715	844710	2066	26
35	9°041621	8950	310364	6216	9°503492	4607	9°648913	3516	9°760469	2703	9°845949	2056	25
36	046991	8888	314094	6182	506256	4585	651022	3500	762091	2692	847183	2046	24
37	052323	8827	317803	6148	509007	4563	653122	3485	763706	2680	848410	2036	23
38	057619	8767	321492	6115	511745	4542	655213	3469	765314	2668	849632	2027	22
39	062879	8707	325161	6083	514470	4521	657294	3455	766914	2657	850848	2017	21
40	068103		328811		517183		659367		768508		852058		20
	21 Hours.	Diff.	20 Hours.	Diff.	19 Hours.	Diff.	18 Hours.	Diff.	17 Hours.	Diff.	16 Hours.	Diff.	

TABLE XVIII.

LOGARITHMS FOR FINDING THE HORARY ANGLE OR APPARENT TIME

Min.	2 Hours.	Diff.	3 Hours.	Diff.	4 Hours.	Diff.	5 Hours.	Diff.	6 Hours.	Diff.	7 Hours.	Diff.	Min.
40	9°06'8103	8648	9°32'8811	6052	9°51'7183	4500	9°65'9367	3440	9°76'8508	2645	9°85'2058	2007	20
41	073292	8590	332442	6019	519883	4479	661430	3425	770094	2633	853263	1998	19
42	078446	8532	336053	5987	522570	4458	663485	3409	771674	2622	854461	1988	18
43	083365	8477	339645	5956	525245	4438	665530	3395	773247	2610	855654	1979	17
44	088651	8419	343219	5924	527908	4418	667567	3379	774812	2598	856841	1969	16
45	0933702	8363	9°34'6773	5893	9°53'0559	4397	9°66'9594	3365	9°77'6371	2586	9°85'8022	1959	15
46	098720	8308	350309	5863	533197	4377	671613	3350	777922	2575	859198	1949	14
47	103706	8254	353827	5832	535823	4357	673623	3336	779467	2563	860367	1940	13
48	108658	8201	357326	5802	538437	4338	675621	3322	781005	2552	861532	1931	12
49	113579	8148	360807	5772	541040	4318	677617	3307	782536	2541	862690	1921	11
50	9°11'8468	8095	9°36'4270	5742	9°54'3630	4298	9°67'9601	3292	9°78'4061	2530	9°86'3843	1912	10
51	123325	8043	367715	5712	546208	4278	681576	3278	785578	2518	864990	1903	9
52	128151	7992	371142	5683	548775	4258	683543	3263	787089	2507	866131	1893	8
53	132946	7942	374552	5654	551330	4239	685501	3249	788593	2495	867267	1884	7
54	137711	7892	377945	5625	553874	4220	687450	3235	790090	2484	868397	1874	6
55	9°14'2446	7842	9°38'1320	5597	9°55'56406	4200	9°68'9391	3221	9°79'1580	2473	9°86'9522	1865	5
56	147151	7793	384678	5568	558926	4182	691324	3207	793064	2462	870641	1856	4
57	151826	7744	388018	5540	561435	4163	693248	3193	794541	2451	871754	1846	3
58	156473	7696	391342	5512	563933	4144	695163	3179	796012	2440	872862	1837	2
59	161090	7648	394650	5484	566419	4125	697071	3165	797476	2428	873964	1828	1
60	165679		397940		568894		698970		798933		875061		0
21 Hours.	Diff.	20 Hours.	Diff.	19 Hours.	Diff.	18 Hours.	Diff.	17 Hours.	Diff.	16 Hours.	Diff.	15 Hours.	Min.

TABLE XIX.
COMMON AND HYPERBOLIC LOGARITHMS.

	Common Logarithms.	Hyp. Logarithms.	Hyperbolic Logarithms.	Com. Logarithms.
1°		2°3025851	1°	°4342945
2°		4°6051702	2°	°8685890
3°		6°9077553	3°	1°3028834
4°		9°2103404	4°	1°7371779
5°		11°5129255	5°	2°1714724
6°		13°8155106	6°	2°6057669
7°		16°1180957	7°	3°0400614
8°		18°4206807	8°	3°4743559
9°		20°7232658	9°	3°9086503

TABLE XX.
CURVATURE OF THE EARTH AND REFRACTION.

Distance in Chains.	Curvature.	Curvature and Refraction.	Distance in Miles.	Curvature.	Curvature and Refraction.
	Feet.	Feet.		Feet.	Feet.
1	°00010	°00009	1	°67	°57
2	°00042	°00036	2	2°67	2°29
3	°00094	°00080	3	6°00	5°14
4	°00167	°00143	4	10°67	9°15
5	°00261	°00223	5	16°67	14°29
6	°00375	°00322	6	24°00	20°57
7	°00511	°00438	7	32°68	28°01
8	°00667	°00572	8	42°69	36°60
9	°00844	°00724	9	54°02	46°30
10	°01042	°00893	10	66°70	57°17
11	°01261	°01081	11	80°71	69°18
12	°01501	°01286	12	96°05	72°33
13	°01761	°01510	13	112°72	96°62
14	°02043	°01751	14	130°73	112°05
15	°02345	°02010	15	150°08	128°64
16	°02668	°02287	16	170°75	146°36
17	°03012	°02582	17	192°77	165°23
18	°03377	°02894	18	216°10	185°23
19	°03762	°03225	19	240°80	206°40
20	°04169	°03573	20	266°80	228°68
40	°16685	°14302	25	416°88	357°32
60	°37519	°32173	30	600°30	514°83

TABLE XXI.—TRIGONOMETRICAL EQUIVALENTS.
(Arc c = half the arc a .)

$$\begin{aligned}
 (1.) \quad \sin a &= \cos a \cdot \tan a = \frac{\cos a}{\cot a} = \sqrt{1 - (\cos a)^2} = \frac{1}{\operatorname{cosec} a} \\
 &= \frac{1}{\sqrt{1 + (\cot a)^2}} = \frac{\tan a}{\sqrt{1 + (\tan a)^2}} = 2 \sin c \cdot \cos c \\
 &= \sqrt{\frac{1 - \cos 2a}{2}} = \frac{2 \tan c}{1 + (\tan c)^2} = \frac{2}{\cot c + \tan c} \\
 &= \frac{1}{\cot a + \tan c} = 2 \{ \sin (45^\circ + c) \}^2 - 1 = 1 - 2 \{ \sin (45^\circ - c) \}^2 \\
 &= \frac{1 - \{ \tan (45^\circ - c) \}^2}{1 + \{ \tan (45^\circ - c) \}^2} = \sin (60^\circ + a) - \sin (60^\circ - a).
 \end{aligned}$$

$$\begin{aligned}
 (2.) \quad \cos a &= \sin a \cdot \cot a = \frac{\sin a}{\tan a} = \sqrt{1 - (\sin a)^2} = \frac{1}{\sec a} \\
 &= \frac{1}{\sqrt{1 + (\tan a)^2}} = \frac{\cot a}{\sqrt{1 + (\cot a)^2}} = (\cos c)^2 - (\sin c)^2 \\
 &= 1 - 2 (\sin c)^2 = 2 (\cos c)^2 - 1 = \sqrt{\frac{1 + \cos 2a}{2}} \\
 &= \frac{1 - (\tan c)^2}{1 + (\tan c)^2} = \frac{\cot c - \tan c}{\cot c + \tan c} = \frac{1}{1 + \tan a \cdot \tan c}
 \end{aligned}$$

$$\begin{aligned}
 (3.) \quad \tan a &= \frac{\sin a}{\cos a} = \frac{1}{\cot a} = \sqrt{\frac{1}{(\cos a)^2} - 1} = \sqrt{(\sec a)^2 - 1} \\
 &= \frac{\sec a}{\operatorname{cosec} a} = \frac{\sin a}{\sqrt{1 - (\sin a)^2}} = \frac{\sin a \cdot \cos a}{\cot a} = \frac{\sqrt{1 - (\cos a)^2}}{\cos a} \\
 &= \frac{2 \tan c}{1 - (\tan c)^2} = \frac{2 \cot c}{(\cot c)^2 - 1} = \frac{2}{\cot c - \tan c} = \frac{1 - \cos 2a}{\sin 2a} \\
 &= \cot a - 2 \cot 2a = \frac{\sin 2a}{1 + \cos 2a} = \sqrt{\frac{1 - \cos 2a}{1 + \cos 2a}}
 \end{aligned}$$

$$(4.) \quad \cot a = \sqrt{(\operatorname{cosec} a)^2 - 1} = \frac{\cos a}{\sin a} = \frac{1}{\tan a} = \text{the reciprocals of the above expressions for the tangent.}$$

$$(5.) \quad \sec a = \sqrt{1 + (\tan a)^2} = \frac{\tan a}{\sin a} = \frac{1}{\cos a} = \text{the reciprocals of the above expressions for the cosine.}$$

$$(6.) \quad \operatorname{cosec} a = \sqrt{1 + (\cot a)^2} = \frac{\sec a}{\tan a} = \sec a \cdot \cot a = \frac{1}{\sin a} = \text{the reciprocals of the above expressions for the sine.}$$

$$(7.) \quad \operatorname{Versin} a = \frac{(\sin a)^2}{1 + \cos a} \quad \left| \quad (8.) \quad \operatorname{Coversin} a = \frac{(\cos a)^2}{1 + \sin a} \right.$$

TABLE XXII.—EXPRESSIONS FOR MULTIPLE ARCS.

$$(1.) \sin \frac{1}{2} a = \sqrt{\frac{1 - \cos a}{2}}.$$

$$(2.) \sin 2 a = 2 \sin a \cdot \cos a.$$

$$(3.) \sin 3 a = 3 \sin a - 4 (\sin a)^3.$$

$$(4.) \sin 4 a = \cos a \{4 \sin a - 8 (\sin a)^3\}.$$

$$(5.) \sin 5 a = 5 \sin a - 20 (\sin a)^3 + 16 (\sin a)^5.$$

$$(6.) \sin n a = 2^{n-1} \cdot \sin a \cdot \sin \left(\beta + \frac{\pi}{n} \right) \cdot \sin \left(\beta + \frac{2\pi}{n} \right) + \&c.$$

$$(7.) \begin{aligned} &= \cos a \left\{ (2 \sin a)^{n-1} - \frac{n-2}{1} (2 \sin a)^{n-3} \right. \\ &\quad + \frac{(n-3) \cdot (n-4)}{1 \cdot 2} (2 \sin a)^{n-5} \\ &\quad \left. - \frac{(n-4) \cdot (n-5) \cdot (n-6)}{1 \cdot 2 \cdot 3} (2 \sin a)^{n-7} + \&c. \right\} \end{aligned}$$

$$(8.) \cos \frac{1}{2} a = \sqrt{\frac{1 + \cos a}{2}}.$$

$$(9.) \cos 2 a = 2 (\cos a)^2 - 1.$$

$$(10.) \cos 3 a = 4 (\cos a)^3 - 3 \cos a.$$

$$(11.) \cos 4 a = 8 (\cos a)^4 - 8 (\cos a)^2 + 1.$$

$$(12.) \cos 5 a = 16 (\cos a)^5 - 20 (\cos a)^3 + 5 \cos a.$$

$$(13.) \cos n a = \frac{1}{2} \left\{ (2 \sin a)^n - n (2 \sin a)^{n-2} + \frac{n(n-3)}{1 \cdot 2} (2 \sin a)^{n-4} \right. \\ \left. - \frac{n(n-4) \cdot (n-5)}{1 \cdot 2 \cdot 3} (2 \sin a)^{n-6} + \&c. \right\}.$$

$$(14.) \tan \frac{a}{2} = \frac{\tan a}{1 + \sqrt{1 + (\tan a)^2}}.$$

$$(15.) \tan 2 a = \frac{2 \tan a}{1 - (\tan a)^2}.$$

$$(16.) \tan 3 a = \frac{3 \tan a - (\tan a)^3}{1 - 3 (\tan a)^2}.$$

$$(17.) \tan 4 a = \frac{4 \tan a - 4 (\tan a)^3}{1 - 6 (\tan a)^2 + (\tan a)^4}.$$

$$(18.) \tan 5 a = \frac{5 \tan a - 10 (\tan a)^3 + (\tan a)^5}{1 - 10 (\tan a)^2 + 5 (\tan a)^4}.$$

$$(19.) \cot \frac{a}{2} = \frac{1}{\sqrt{1 + (\cot a)^2} + \cot a}.$$

$$(20.) \cot 2 a = \frac{(\cot a)^2 - 1}{2 \cot a}.$$

$$(21.) \cot 3 a = \frac{(\cot a)^3 - 3 \cot a}{3 (\cot a)^2 - 1}.$$

$$(22.) \cot 4 a = \frac{(\cot a)^4 - 6 (\cot a)^2 + 1}{4 (\cot a)^2 - 4 \cot a}.$$

$$(23.) \cot 5 a = \frac{(\cot a)^5 - 10 (\cot a)^3 + 5 \cot a}{5 (\cot a)^4 - 10 (\cot a)^2 + 1}.$$

TABLE XXIII.—FORMULÆ RELATING TO TWO ARCS OR ANGLES.

- (1.) $\sin (a + \beta) = \sin a \cdot \cos \beta + \cos a \cdot \sin \beta.$
- (2.) $\sin (a - \beta) = \sin a \cdot \cos \beta - \cos a \cdot \sin \beta.$
- (3.) $\cos (a + \beta) = \cos a \cdot \cos \beta - \sin a \cdot \sin \beta.$
- (4.) $\cos (a - \beta) = \cos a \cdot \cos \beta + \sin a \cdot \sin \beta.$
- (5.) $\tan (a + \beta) = \frac{\tan a + \tan \beta}{1 - \tan a \cdot \tan \beta}.$
- (6.) $\tan (a - \beta) = \frac{\tan a - \tan \beta}{1 + \tan a \cdot \tan \beta}.$
- (7.) $\cot (a + \beta) = \frac{\cot a \cdot \cot \beta - 1}{\cot \beta + \cot a}.$
- (8.) $\cot (a - \beta) = \frac{\cot a \cdot \cot \beta + 1}{\cot \beta - \cot a}.$
- (9.) $\sin (a + \beta) \cdot \sin (a - \beta) = (\sin a)^2 - (\sin \beta)^2 = (\cos \beta)^2 - (\cos a)^2.$
- (10.) $\cos (a + \beta) \cdot \cos (a - \beta) = (\cos a)^2 - (\sin \beta)^2 = (\cos \beta)^2 - (\sin a)^2.$
- (11.) $\frac{\sin (a + \beta)}{\sin (a - \beta)} = \frac{\tan a + \tan \beta}{\tan a - \tan \beta} = \frac{\cot \beta + \cot a}{\cot \beta - \cot a}.$
- (12.) $\frac{\cos (a + \beta)}{\sin (a - \beta)} = \frac{\cot \beta - \tan a}{\cot \beta + \tan a} = \frac{\cot a - \tan \beta}{\cot a + \tan \beta}.$
- (13.) $\sin a + \sin \beta = 2 \sin \frac{1}{2} (a + \beta) \cdot \cos \frac{1}{2} (a - \beta).$
- (14.) $\sin a - \sin \beta = 2 \sin \frac{1}{2} (a - \beta) \cdot \cos \frac{1}{2} (a + \beta).$
- (15.) $\cos a + \cos \beta = 2 \cos \frac{1}{2} (a + \beta) \cdot \cos \frac{1}{2} (a - \beta).$
- (16.) $\cos a - \cos \beta = 2 \sin \frac{1}{2} (a - \beta) \cdot \sin \frac{1}{2} (a + \beta).$
- (17.) $\tan a + \tan \beta = \frac{\sin (a + \beta)}{\cos a \cdot \cos \beta}.$
- (18.) $\tan a - \tan \beta = \frac{\sin (a - \beta)}{\cos a \cdot \cos \beta}.$
- (19.) $\cot a + \cot \beta = \frac{\sin (a + \beta)}{\sin a \cdot \sin \beta}.$
- (20.) $\cot a - \cot \beta = \frac{\sin (a - \beta)}{\sin a \cdot \sin \beta}.$
- (21.) $2 \sin a \cdot \cos \beta = \sin (a + \beta) + \sin (a - \beta).$
- (22.) $2 \cos a \cdot \sin \beta = \sin (a + \beta) - \sin (a - \beta).$
- (23.) $2 \cos a \cdot \cos \beta = \cos (a + \beta) + \cos (a - \beta).$
- (24.) $2 \sin a \cdot \sin \beta = \cos (a - \beta) - \cos (a + \beta).$
- (25.) $\tan (a + \beta + \gamma) = \frac{\tan (a + \beta) + \tan \gamma}{1 - \tan (a + \beta) \cdot \tan \gamma}$
 $= \frac{\tan a + \tan \beta + \tan \gamma - \tan a \cdot \tan \beta \cdot \tan \gamma}{1 - \tan a \cdot \tan \beta - \tan a \cdot \tan \gamma - \tan \beta \cdot \tan \gamma}.$

If $a + \beta + \gamma = \pi.$

- (26.) $\tan a + \tan \beta + \tan \gamma = \tan a \cdot \tan \beta \cdot \tan \gamma.$

TABLE XXIV.—TRIGONOMETRICAL EXPRESSIONS.

Expressions for the sin, cos, tan, and cot, in terms of the arc a .

$$(1.) \sin a = a - \frac{a^3}{1 \cdot 2 \cdot 3} + \frac{a^5}{1 \cdot 2 \cdot 3 \cdot 4 \cdot 5} - \frac{a^7}{1 \cdot 2 \cdot 3 \cdot 4 \cdot 5 \cdot 6 \cdot 7} + \&c.$$

$$= a \left(1 - \frac{a^2}{\pi^2}\right) \cdot \left(1 - \frac{a^2}{4\pi^2}\right) \cdot \left(1 - \frac{a^2}{9\pi^2}\right) \cdot \&c.$$

$$(2.) \cos a = 1 - \frac{a^2}{1 \cdot 2} + \frac{a^4}{1 \cdot 2 \cdot 3 \cdot 4} - \frac{a^6}{1 \cdot 2 \cdot 3 \cdot 4 \cdot 5 \cdot 6} + \&c.$$

$$= \left(1 - \frac{4a^2}{\pi^2}\right) \cdot \left(1 - \frac{4a^2}{9\pi^2}\right) \cdot \left(1 - \frac{4a^2}{25\pi^2}\right) \cdot \&c.$$

$$(3.) \tan a = \frac{8a}{\pi^2 - 4a^2} + \frac{8a}{9\pi^2 - 4a^2} + \frac{8a}{25\pi^2 - 4a^2} + \&c.$$

$$(4.) \cot a = \frac{1}{a} - \frac{2a}{\pi^2 - a^2} - \frac{2a}{4\pi^2 - a^2} - \&c.$$

Expressions for the arc in terms of the sin and tan.

$$(5.) \text{Arc } a = \sin a + \frac{(\sin a)^3}{1 \cdot 2 \cdot 3} + \frac{1 \cdot 3 \cdot (\sin a)^5}{1 \cdot 2 \cdot 3 \cdot 4 \cdot 5} + \&c.$$

$$(6.) \text{Arc } a = \tan a - \frac{(\tan a)^3}{3} + \frac{(\tan a)^5}{5} - \&c.$$

Expressions for the powers of the sin and cos.

$$(7.) 2(\sin a)^2 = 1 - \cos 2a,$$

$$(8.) 4(\sin a)^3 = 3 \sin a - \sin 3a,$$

$$(9.) 8(\sin a)^4 = 3 - 4 \cos 2a + \cos 4a,$$

$$(10.) 16(\sin a)^5 = \sin 5a - 5 \sin 3a + 10 \sin a,$$

$$(11.) 2^n (\sin a)^n = \pm 2 \sin na \mp 2n \cdot \sin(n-2)a \pm \frac{2n(n-1)}{1 \cdot 2} \sin(n-4)a$$

$$+ \frac{2n(n-1) \cdot (n-2)}{1 \cdot 2 \cdot 3} \sin(n-6)a \pm \&c.$$

$$(12.) \text{Or, } 2^n (\sin a)^n = \pm 2 \cos na \mp 2n \cdot \cos(n-2)a \pm \frac{2n(n-1)}{1 \cdot 2} \cos(n-4)a$$

$$+ \frac{2n(n-1) \cdot (n-2)}{1 \cdot 2 \cdot 3} \cos(n-6)a \pm \&c.$$

When n is of the form $4m+1$, use series (11) with the upper signs." n " $4m-1$, " (11) " lower signs." n " $4m$, " (12) " upper signs." n " $4m+2$, " (12) " lower signs.

$$(13.) 2(\cos a)^2 = \cos 2a + 1,$$

$$(14.) 4(\cos a)^3 = \cos 3a + 3 \cos a,$$

$$(15.) 8(\cos a)^4 = \cos 4a + 4 \cos 2a + 3,$$

$$(16.) 16(\cos a)^5 = \cos 5a + 5 \cos 3a + 10 \cos a.$$

$$(17.) 2^n (\cos a)^n = 2 \cos na + 2n \cdot \cos(n-2)a + \frac{2n(n-1)}{1 \cdot 2} \cos(n-4)a$$

$$+ \frac{2n(n-1) \cdot (n-2)}{1 \cdot 2 \cdot 3} \cos(n-6)a + \&c.$$

The formula ending in $\frac{2n(n-1) \cdot (n-2) \cdot \&c.}{1 \cdot 2 \cdot 3 \cdot \&c.} \cos(n-n)a$, or in $\frac{2n(n-1) \cdot (n-2) \cdot \&c.}{1 \cdot 2 \cdot 3 \cdot \&c.} \cos a$, according as n is an even or an odd number, and in the former case half the expression is to be taken for the last term.

TABLE XXV.—FORMULE FOR SOLVING ALL THE CASES OF A RECTILINEAL TRIANGLE, OF WHICH THREE PARTS ARE KNOWN.

Value of any side, as A.

$$(1.) A = \frac{B \cdot \sin \alpha}{\sin \beta}$$

$$(2.) = \frac{C \cdot \sin \alpha}{\sin \gamma}$$

$$(3.) = \frac{B}{\cos \gamma + \sin \gamma \cdot \cot \alpha}$$

$$(4.) = \frac{C}{\cos \beta + \sin \beta \cdot \cot \alpha}$$

$$(5.) = B \cdot \cos \gamma + B \cdot \sin \gamma \cdot \cot \beta$$

$$(6.) = C \cdot \cos \beta + C \cdot \sin \beta \cdot \cot \gamma$$

$$(7.) = \sqrt{B^2 + C^2 - 2 B \cdot C \cdot \cos \alpha}$$

$$(8.) = B \cdot \cos \gamma \pm \sqrt{C^2 - B^2 \cdot (\sin \gamma)^2}$$

$$(9.) = C \cdot \cos \beta \pm \sqrt{B^2 - C^2 \cdot (\sin \beta)^2}$$



Value of the sin of any angle, as β .

$$(10.) \sin \beta = \frac{B \cdot \sin \alpha}{A}$$

$$(11.) = \frac{B \cdot \sin \gamma}{C}$$

$$(12.) = \sin (\gamma + \alpha)$$

$$(13.) = \sin \gamma \cdot \cos \alpha + \cos \gamma \cdot \sin \alpha$$

$$(14.) = \frac{B \cdot \sin \alpha}{\sqrt{B^2 + C^2 - 2 B \cdot C \cdot \cos \alpha}}$$

$$(15.) = \frac{B \cdot \sin \gamma}{\sqrt{B^2 + A^2 - 2 B \cdot A \cdot \cos \gamma}}$$

$$(16.) = \sqrt{1 - \left(\frac{A^2 + C^2 - B^2}{2 A \cdot C} \right)^2}$$

$$(17.) = \frac{\sin \alpha \{ C \cdot \cos \alpha \pm \sqrt{A^2 - C^2 \cdot (\sin \alpha)^2} \}}{A}$$

$$(18.) = \frac{\sin \gamma \{ A \cdot \cos \gamma \pm \sqrt{C^2 - A^2 \cdot (\sin \gamma)^2} \}}{C}$$

TABLE XXVI.—TRIGONOMETRICAL FORMULAE FOR THE SOLUTION OF QUADRATICS AND CUBICS.

EQUATIONS OF THE SECOND DEGREE.

$$(1.) x^2 + px = q.$$

$$\text{Let } \tan a = \frac{2}{p} \sqrt{q},$$

$$\text{Root } x = \sqrt{q} \cdot \tan \frac{1}{2} a,$$

$$\text{2nd Root } x = -\sqrt{q} \cdot \cot \frac{1}{2} a.$$

$$(2.) x^2 - px = q.$$

$$\tan a = \frac{2}{p} \sqrt{q},$$

$$x = -\sqrt{q} \cdot \tan \frac{1}{2} a,$$

$$x = \sqrt{q} \cdot \cot \frac{1}{2} a.$$

$$(3.) x^2 + px = -q.$$

$$\sin a = \frac{2}{p} \sqrt{q},$$

$$x = -\sqrt{q} \cdot \tan \frac{1}{2} a,$$

$$x = -\sqrt{q} \cdot \cot \frac{1}{2} a.$$

EQUATIONS OF THE THIRD DEGREE.

$$(5.) x^3 + px + q = 0.$$

$$\text{Let } \tan a = \frac{p}{3q} \sqrt[3]{\frac{p}{3}},$$

$$\text{Let } \tan \beta = \sqrt[3]{\tan \frac{1}{2} a},$$

$$\text{Only real root } x = -2\sqrt[3]{\frac{p}{3}} \cdot \cot 2\beta.$$

$$(6.) x^3 + px - q = 0.$$

$$\tan a = \frac{p}{3q} \sqrt[3]{\frac{p}{3}},$$

$$\tan \beta = \sqrt[3]{\tan \frac{1}{2} a},$$

$$x = 2\sqrt[3]{\frac{p}{3}} \cdot \cot 2\beta.$$

$$(7.) x^3 - px + q = 0.$$

$$\sin a = \frac{p}{3q} \sqrt[3]{\frac{p}{3}},$$

$$\tan a = \sqrt[3]{\tan \frac{1}{2} a},$$

$$x = -2\sqrt[3]{\frac{p}{3}} \cdot \sin 2\beta.$$

$$(8.) x^3 - px - q = 0.$$

$$\sin a = \frac{p}{3q} \sqrt[3]{\frac{p}{3}},$$

$$\tan a = \sqrt[3]{\tan \frac{1}{2} a},$$

$$x = 2\sqrt[3]{\frac{p}{3}} \cdot \sin 2\beta.$$

If $p^3 \wedge 4q$,
is imaginary.

When $4p^3 \wedge 27q^2$.

$$(9.) x^3 - px + q = 0.$$

$$\text{Let } \sin 3a = \frac{3q}{p} \cdot \frac{1}{2\sqrt[3]{\frac{p}{3}}},$$

$$\text{Root } x = 2\sqrt[3]{\frac{p}{3}} \cdot \sin a.$$

$$\text{2nd root } x = 2\sqrt[3]{\frac{p}{3}} \cdot \sin (60^\circ - a).$$

$$\text{3rd root } x = -2\sqrt[3]{\frac{p}{3}} \cdot \sin (60^\circ + a).$$

$$(10.) x^3 - xp - q = 0.$$

$$\sin 3a = \frac{3q}{p} \cdot \frac{1}{2\sqrt[3]{\frac{p}{3}}},$$

$$x = -2\sqrt[3]{\frac{p}{3}} \cdot \sin a.$$

$$x = -2\sqrt[3]{\frac{p}{3}} \cdot \sin (60^\circ - a).$$

$$x = 2\sqrt[3]{\frac{p}{3}} \cdot \sin (60^\circ + a).$$

When $4p^3 >$ or $= 27q^2$, the following will be the solution of the two last cases.

TABLE XXVII.—DIFFERENTIAL COEFFICIENTS.

Value of u .	Value of $\frac{du}{dx}$.
(1.) x .	1.
(2.) nx	n .
(3.) x^n .	nx^{n-1} .
(4.) $\log_b x$.	$\frac{m}{x}$ { in which m is the modulus of the system of logarithms.
(5.) $\log_e x$.	$\frac{1}{x}$ [$e = 2.7182818$.]
(6.) a^x .	$a^x \log_e a$.
(7.) $\sin x$.	$\cos x$.
(8.) $\cos x$.	$-\sin x$.
(9.) $\tan x$.	$\frac{1}{(\cos x)^2}$.
(10.) $\cot x$.	$-\frac{1}{(\sin x)^2}$.
(11.) $(\sin x)^2$.	$2 \sin x \cdot \cos x$.
(12.) $(\cos x)^2$.	$-2 \sin x \cdot \cos x$.
(13.) $(\tan x)^2$.	$\frac{2 \tan x}{(\cos x)^2}$.
(14.) $(\cot x)^2$.	$\frac{2 \cot x}{(\sin x)^2}$.
(15.) $\sin^{-1} x$.	$\frac{1}{\sqrt{1-x^2}}$.
(16.) $\cos^{-1} x$.	$-\frac{1}{\sqrt{1-x^2}}$.
(17.) $\tan^{-1} x$.	$\frac{1}{1+x^2}$.
(18.) $\phi x \pm \psi x$.	$\frac{d(\phi x)}{dx} \pm \frac{d(\psi x)}{dx}$.
(19.) $\frac{\phi x}{\psi x}$.	$\frac{\psi x \cdot \frac{d(\phi x)}{dx} - \phi x \cdot \frac{d(\psi x)}{dx}}{(\psi x)^2}$.
(20.) $f x \cdot \phi x \cdot \psi x$.	$\phi x \cdot \psi x \cdot \frac{d(f x)}{dx} + f x \cdot \psi x \cdot \frac{d(\phi x)}{dx}$ $+ f x \cdot \phi x \cdot \frac{d(\psi x)}{dx}$.
(21.) ϕv , in which $v = \psi x$.	$\frac{d_v(\psi x)}{dx} \cdot \frac{d_x(\phi v)}{dv}$.

TABLE XXVIII.
USEFUL NUMBERS, WITH THEIR LOGARITHMS.

	Number.	Logarithm.	Complement of Logarithm.
Circumference of a circle } = π = whose dia. = 1 . . . }	3'1415927	0'4971499	9'5028501
Area of the same . . . = $\frac{\pi}{4}$ =	0'7853982	1'8950899	10'1049101
Diameter of a circle } = $\sqrt{\frac{4}{\pi}}$ = whose area = 1 }	1'1283792	0'0524551	9'9475449
Surface of a sphere whose } = π = dia. = 1 }	3'1415927	0'4971499	9'5028501
Solidity of the same . . . = $\frac{\pi}{6}$ =	0'5235988	1'7189986	10'2810014
Diameter of a sphere } = $\sqrt[3]{\frac{6}{\pi}}$ = whose solidity = 1 }	1'2407010	0'0936672	9'9063328
Length of arc 1" = sin 1" (rad. } = being unity) . . . }	0'000004848	6'6855749	15'3144251
Length of arc 2" = sin 2" (rad. } = being unity) . . . }	0'000009696	6'9866049	15'0133951
Length of arc 3" = sin 3" (rad. } = being unity) . . . }	0'000014544	5'1626961	14'8373039
Length of arc 1' = sin 1' (rad. } = being unity) . . . }	0'000290888	4'4637261	13'5362739
Length of arc 1° (rad being unity) =	0'017453293	2'2418774	11'7581226
Length of sin 1° (rad being unity) =	0'017452406	2'2418553	11'7581447
Radius reduced to seconds . =	206264'8	5'3144251	4'6855749
" " to minutes . . =	3437'74677	3'5362739	6'4637261
" " to degrees . . =	57'295780	1'7581226	8'2418774
360 degrees expressed in seconds =	1296000	6'1126050	3'8873940
12 hours expressed in seconds =	43200	4'6354837	5'3645163
24 hours expressed in seconds =	86400	4'9365137	5'0634863
No. whose hyperbolic loga- } = e = rithm is 1 }	2'718281829	0'4342944	9'5437056
Modulus of common logarithms =	434294482	1'6377843	10'3622157
No. of French metres in a toise . =	1'949040	0'2898127	9'7101873
No. of English yards in a French } = toise }	2'1315308	0'3286916	9'6713084
No. of English feet in a French } = toise }	6'3945925	0'8058128	9'1941872
No. of English yards in a French } = metre }	1'0936331	0'0388716	9'8611284
No. of English feet in a French } = metre }	3'2808992	0'5159929	9'4840071
No. of English inches in a French } = metre }	39'37079	1'5951742	8'4048258
No. of English feet in a French foot =	1'0657654	0'0276616	9'9723384
No. of English acres in a French are =	0'02471143	2'3928978	11'6071022
No. of imp. lbs. Troy in a French } = gramme }	0'00268098	3'4282936	12'5717064

TABLE XXVIII.
USEFUL NUMBERS, WITH THEIR LOGARITHMS.

	Number.	Logarithm.	Complement of Logarithm.
No. of imp. lbs. Avoird. in a French gramme	= 0'00220606	3'3436173	12'6563827
No. of English cwts. in a French kilogramme	= 0'0196969	2'2943979	11'7056021
No. of imp. gallons in a French litre	= 0'22009687	1'3426137	10'6573863
No. of Sexagesimal degrees in a Centesimal degree	= 0'9	1'9542425	10'0457575
No. of Sexagesimal minutes in a Centesimal minute	= 0'54	1'7323938	10'2676062
No. of Sexagesimal seconds in a Centesimal second	= 0'324	1'5105450	10'4894540
Weight of a cubic foot of pure water in lbs. Avoird. the Bar. being 30, and the Ther. 62°	= 62'3210606	1'7946348	8'2053652
Length in inches of a pendulum which vibrates seconds in the latitude of Greenwich	= 39'1393	1'5976130	8'4073860
Velocity (in feet per second) acquired in a second by a body falling in vacuo in the lat. of Greenwich	= g = 32'19084	1'5077222	8'4922778
No. of cubic inches in an imperial gallon	= 277'274	2'4429092	7'5570908
No. of feet in a statute mile	= 5280	3'7226339	6'2773661
No. of feet in a geographical or nautical mile	= 6075'6	3'7835892	6'2164108
Diurnal acceleration of stars ($= 3^m 55^s \cdot 9093$) expressed in mean solar seconds	= 235'9093	2'3727441	8'6272559
Sidereal day ($= 23^h 56^m 4^s \cdot 09$) expressed in mean solar days	= 0'99726967	1'9988127	10'0011873
Mean solar day ($= 24^h 3^m 56^s \cdot 5554$) expressed in sidereal days	= 1'00273791	0'0011874	9'9988126
Sidereal revolution of Earth expressed in mean solar days	= 365'25636	2'5625978	7'4374022
Tropical revolution of Earth expressed in mean solar days	= 365'24224	2'5625910	7'4374080
Earth's equatorial radius expressed in feet	= 20921665	7'3205963	2'6794037
Earth's polar radius expressed in feet	= 20852394	7'3191559	2'6808441
Compression of the Earth	= $\frac{1}{302}$	3'5199931	12'4800069
Length of a degree of latitude in feet at the Equator	= 362732	5'5595859	4'4404141
Length of a degree of latitude in feet in latitude 45°	= 364543'5	5'5617494	4'4382506

165
TABLE XXIX.

Long.	Sun's Declination.																				Time from Noon.
	0°	2°	4°	6°	8°	10°	11°	12°	13°	14°	15°	16°	17°	18°	19°	20°	21°	22°	23°	23° 15'	
0	'	'	'	'	'	'	'	'	'	'	'	'	'	'	'	'	'	'	'	'	
1	0	4	0	4	0	4	0	4	0	3	0	3	0	3	0	2	0	2	0	1	
2	0	8	0	8	0	7	0	7	0	7	0	6	0	6	0	5	0	4	0	1	
3	0	12	0	12	0	11	0	11	0	10	0	9	0	8	0	7	0	6	0	2	
4	0	16	0	16	0	15	0	14	0	14	0	12	0	11	0	10	0	8	0	2	
5	0	20	0	20	0	19	0	18	0	18	0	15	0	14	0	13	0	11	0	3	
6	0	24	0	24	0	23	0	22	0	22	0	18	0	16	0	14	0	13	0	4	
7	0	27	0	27	0	26	0	25	0	24	0	21	0	19	0	17	0	15	0	4	
8	0	31	0	31	0	30	0	29	0	27	0	24	0	22	0	21	0	19	0	4	
9	0	35	0	35	0	34	0	32	0	31	0	27	0	24	0	23	0	19	0	5	
10	0	39	0	39	0	37	0	36	0	34	0	31	0	28	0	26	0	21	0	6	
20	1	19	1	17	1	16	1	14	1	10	1	20	0	56	0	48	0	37	0	16	
30	1	58	1	56	1	54	1	51	1	45	1	32	1	28	1	22	1	11	1	4	
40	2	37	2	35	2	32	2	28	2	24	2	31	2	18	2	11	2	5	2	0	
50	3	16	3	13	3	10	3	6	3	0	2	42	2	19	2	10	1	39	1	28	
60	3	55	3	52	3	48	3	43	3	35	3	5	2	36	2	23	2	8	1	26	
70	4	35	4	33	4	26	4	20	4	12	4	6	3	27	2	15	3	47	1	41	
80	5	14	5	12	5	4	5	4	4	48	4	41	4	34	3	28	3	43	1	58	
90	5	53	5	52	5	42	5	34	5	16	5	8	4	59	4	37	4	51	6	0	
100	6	32	6	31	6	27	6	21	6	11	5	59	5	42	5	33	5	44	9	14	
110	7	11	7	10	7	6	6	59	6	26	5	53	5	35	4	23	5	33	3	24	
120	7	51	7	49	7	44	7	37	7	25	6	51	5	33	5	12	4	33	21	38	
130	8	30	8	28	8	23	8	15	8	2	7	47	7	36	6	16	3	39	53	1	
140	9	9	9	7	9	2	8	53	8	40	8	23	8	12	7	59	7	37	71	12	
150	9	48	9	45	9	30	9	17	8	58	9	9	8	47	8	33	8	54	21	55	
160	10	28	10	25	10	20	10	9	9	54	9	35	9	22	9	8	9	33	35	4	
170	11	6	11	4	10	58	10	47	10	31	10	11	9	57	9	42	9	41	52	12	
180	11	46	11	43	11	37	11	25	11	8	10	46	10	32	10	16	9	58	50	22	

LONDON :
BRADBURY AND EVANS, PRINTERS, WHITEFRIARS.

T A B L E S
OF
NATURAL SINES AND TANGENTS
AND
NATURAL COSINES.



A D D E N D A.

EXPLANATION OF THE FOLLOWING TABLES.

PP. 9 TO 47.

THE following Tables are intended to be used conjointly with the "Mathematical Tables"—published in the series of Rudimentary Treatises—in the various computations of Navigation and Nautical Astronomy. They are four in number, and the purposes they serve will be readily understood from the following brief explanation:

TABLES 1 AND 2.

Sines, Cosines, &c., to every Quarter-Point of the Compass.

The first of these Tables exhibits the *Natural* sines, cosines, &c., of *Courses* to every quarter-point of the compass, and the second furnishes the *Logarithmic* sines, cosines, &c., of the same angles. Here are two examples of their use:

1. A ship from latitude $37^{\circ} 3' N.$, sails S.W. by S. $\frac{1}{2}$ S. a distance of 148 miles: required the latitude in and the departure made?

BY TABLE 1.

*For the diff. lat.*Diff. lat. = cos course \times dist.cos course, $3\frac{1}{2}$ points = .773

distance = 148

6184

3092

773

diff. lat. S. = 114.404

= 1° 54' S.

lat. left . 37 3 N.

lat. in. . 35 9 N.

*For the departure.*Dep. = sin course \times dist.sin course, $3\frac{1}{2}$ points = .6343

distance = 148

50744

25372

6343

departure W. = 93.8764

Hence the departure is 93.9
miles W.

BY TABLE 2.

*For the diff. lat.*Diff. lat. = cos course \times dist.*Logs.*cos course, $3\frac{1}{2}$ points = 9.88818

distance = 148 . 2.17026

diff. lat. S. = 114 . 2.05844

or diff. lat. = 1° 54' S.

*For the departure.*Dep. = sin course \times dist.*Logs.*sin course, $3\frac{1}{2}$ points = 9.80236

distance = 148 . 2.17026

departure = 93.9 . 1.97262 \therefore the departure is 93.9 m. W.

2. A ship sails from latitude 15° 55' S. on a S.E. $\frac{1}{2}$ E. course till she finds herself in latitude 18° 49' S. : required the departure made ?

BY TABLE 1.

*For the departure.*Dep. = tan course \times diff. lat.tan course, $4\frac{1}{2}$ points = 1.2185

diff. lat. = 174

48740

85295

12185

departure E. = 212.019

BY TABLE 2.

*For the departure.*Dep. = tan course \times diff. lat.*Logs.*tan course, $4\frac{1}{2}$ points = 10.08583

diff. lat. = 174 . 2.24055

departure = 212 E. 2.32638Hence the departure is 212
miles E.

TABLE 3.

Natural Sines, Cosines, Tangents, and Cotangents.

This is a table of natural sines, cosines, tangents, and cotangents to every degree and minute of the quadrant. It will be found useful in finding the direct course from the beginning to the end of a traverse, and in many other computations of Navigation and Trigonometry in which it may be inconvenient to employ logarithms. Ample illustration of the advantage of this table is given in the Rudimentary Navigation and Nautical Astronomy.

TABLE 4.

Natural Cosines to Degrees, Minutes, and Seconds.

This Table is employed in the Author's method of clearing the lunar distance for the purpose of finding the longitude at sea. The several columns of cosines are headed by the degrees, the accompanying minutes being inserted in the first column on the left of the page: this is equally a column of the seconds, and is accordingly headed by the marks for minutes and seconds. As in the ordinary trigonometrical tables, the cosine of an arc or angle belonging to any number of degrees and minutes is found in the column of cosines, under the degrees, and in a horizontal line with the minutes found in the first column.

Suppose this cosine to have been extracted from the table; then, if there are seconds also in the arc or angle, we again refer to the same first column for these, and in the same horizontal line with them, and in the column headed "parts for " which immediately follows the column from which our cosine has been extracted, we shall find the correction for that cosine: this correction is always to be

subtracted. The remainder will be the cosine of the given degrees, minutes, and seconds. But in taking out a cosine to degrees, minutes, and seconds, it will in general be better to enter the marginal column first with the *seconds*, to write the “parts” for these on a slip of paper, and then, entering the same column with the minutes, instead of extracting the corresponding cosine, to place the slip under it, and subtract the correction written thereon. The Table extends from 0° to 90° only, so that it does not give immediately the cosines of obtuse angles: when therefore the angle is obtuse, we must enter the Table with the supplement of that angle, and regard the corresponding cosine as negative. It was thought better that this trifling amount of trouble should be incurred, than that the extent of the Table should be doubled.

There is indeed a way of avoiding this enlargement of the Table, and yet providing for the supplementary arcs; but as the Table would then have to be used in a peculiar manner—disturbing the general principle upon which the extracts from it are made in the other cases—it was thought preferable, after due consideration, to reject it. The plan is this. Suppose a marginal column added to the right of each page, for the minutes and seconds, proceeding upwards from 0 to 60, and that the degrees supplementary to those at the top of the page (one degree in each case being omitted in the supplement) were given at the bottom, as in the ordinary tables of sines and cosines; we should then have to use the table as in the following instance. Required the cosine of $115^{\circ} 41' 34''$? Referring to page 43, we should find 115° at the bottom of the column headed 64° , from which column opposite the $41'$ on the *right*, we should take the cosine 43397, then referring to the *left* for the $34''$, we should extract the “parts” 149, which we should have

to *add* to 43397: we should thus get 433546 for the required cosine. As the Table at present stands, however, we enter it with $64^{\circ} 18' 26''$, the supplement of $115^{\circ} 41' 34''$, and for $64^{\circ} 18'$ we find 433659, while the "parts" for $26''$ are found in a similar manner to be 113, which subtracted from 433659 gives 433546 for the required cosine.

It has not been thought necessary to insert the decimal point before each cosine; indeed, in the operation for which this Table is specially prepared, the numbers may always be regarded as integers. (See p. 227, Rudimentary Naut. Ast.)

Ex. 1. Suppose the natural cosine of $37^{\circ} 21' 33''$ were required:

Turning to the page containing 37° at the top (page 39), we find the "parts" against $33''$ to be 98, and the cosine against $21'$ to be 794944, subtracting the 98 from this, we write down 794846 for the cosine required.

2. Again, suppose we wanted the cosine of $118^{\circ} 16' 43''$:

Subtracting this from 180° , the angle in the Table is $61^{\circ} 43' 17''$. Under 61° , and against $17''$, the "parts" are 72, and against $43'$, the cosine is 473832: subtracting the 72 from this, we find 473760 for the required cosine, which is negative because the proposed angle is obtuse.

3. Required the angle whose cosine is 452801?

By the Table $452954 = \cos 63^{\circ} 4'$

Given cosine 452801

Parts for the secs. 153	35"
-------------------------	-----

Hence the angle is $63^{\circ} 4' 35''$.

If given the cosine had been—452801, then the supplement of the angle thus determined, namely $116^{\circ} 55' 25''$, would have been the angle to which that cosine belongs.

TABLE 1.

NATURAL SINES AND TANGENTS TO EVERY QUARTER
POINT OF THE COMPASS.

POINTS.	SINE.	COSINE.	TANGENT.	COTANGENT.	
0 N 0°	0.00000 04907 09802 14730	1.00000 99890 99618 99318	0.00000 04913 09849 14834	Infinite 20 35580 10 15319 6 74146	8 7½ 7¼ 7⅛
1 N 1½ 1¼ 1⅛	19509 24298 29028 33689	98079 97003 95694 94154	19891 25049 30335 35781	5 02794 3 90222 3 29483 2 79481	7 6¾ 6½ 6¼
2 N 2½ 2¼ 2⅛	38268 42756 47140 51410	92338 90899 88492 85773	41421 47296 53451 59933	2 41421 2 11432 1 87087 1 60840	6 5¾ 5½ 5¼
3 N 3½ 3¼ 3⅛ 4	55556 59570 63439 67156 70711	83147 80321 77301 74095 70711	66818 74165 82068 90635 1 00000	1 49681 1 34834 1 21830 1 10333 1 00000	5 4¾ 4½ 4¼ 4
	COSINE.	SINE.	COTANGENT.	TANGENT.	POINTS.

TABLE 2.

LOGARITHMIC SINES AND TANGENTS TO EVERY QUARTER
POINT OF THE COMPASS.

POINTS.	SINE.	COSINE.	TANGENT.	COTANGENT.	
0 N 0°	0.00000 8 69079 8 99130 9 16652	10.00000 9 99948 9 99790 9 99527	0.00000 8 69132 8 99340 9 17125	Infinite 11 30869 11 00660 10 82875	8 7¾ 7½ 7¼
1 N 1½ 1¼ 1⅛	9 29024 9 38557 9 46282 9 52749	9 99157 9 98679 9 98068 9 97384	9 29866 9 39878 9 48194 9 55365	10 70134 10 60121 10 51806 10 44635	7 6¾ 6½ 6¼
2 N 2½ 2¼ 2⅛	9 56254 9 63099 9 67399 9 71105	9 96562 9 95816 9 94643 9 93335	9 61722 9 67483 9 72796 9 77770	10 38378 10 32617 10 27204 10 22230	6 5¾ 5½ 5¼
3 N 3½ 3¼ 3⅛ 4	9 74474 9 77508 9 80236 9 82708 9 84949	9 91985 9 90483 9 88818 9 86979 9 84949	9 82489 9 87020 9 91417 9 95729 10 00000	10 17511 10 12980 10 08583 10 04270 10 00000	5 4¾ 4½ 4¼ 4
	COSINE.	SINE.	COTANGENT.	TANGENT.	POINTS.

TABLE 3.

NATURAL SINE.										[TABLE 3.]	
	0°	1°	2°	3°	4°	5°	6°	7°	8°	9°	
0	00 00	017 45	034 90	052 34	069 76	087 16	104 53	121 87	138 59	155 58	
1	29	74	035 19	63	070 05	45	82	122 16	139 25	156 44	
2	58	018 03	48	92	84	74	105 11	122 45	139 54	157 13	
3	87	52	77	053 21	63	088 03	40	74	123 02	140 11	
4	001 16	62	036 06	50	92	31	69	123 02	140 11	157 13	
5	45	91	35	79	071 21	60	97	31	55	141 20	
6	75	019 20	64	054 03	50	89	106 26	123 02	140 11	157 13	
7	002 04	49	93	37	79	069 18	55	69	53	142 29	
8	33	78	037 23	66	072 06	47	94	124 18	141 27	158 46	
9	62	020 07	52	95	37	76	107 13	124 47	142 56	159 15	
10	91	36	81	055 24	66	090 05	42	76	125 04	143 14	
11	008 20	65	038 10	53	96	84	71	125 04	143 14	159 15	
12	49	94	39	82	078 24	63	108 00	125 04	143 14	159 15	
13	78	021 23	08	056 11	53	92	23	62	47	144 23	
14	004 07	52	97	40	82	091 21	58	91	46	145 32	
15	36	81	039 26	69	074 11	50	87	126 20	144 23	160 51	
16	65	022 11	55	98	40	79	109 16	126 20	144 23	160 51	
17	95	40	84	057 27	69	092 08	45	78	127 29	145 32	
18	005 24	69	040 13	56	99	37	73	127 29	145 32	161 10	
19	53	99	42	85	075 27	68	110 02	127 29	145 32	161 10	
20	82	023 27	71	058 14	56	95	31	64	40	162 19	
21	006 11	56	041 00	44	85	098 24	60	93	39	163 28	
22	40	85	29	73	076 14	53	89	123 22	146 41	164 37	
23	69	024 14	59	059 02	43	82	111 18	123 22	146 41	164 37	
24	98	43	88	31	72	094 11	47	80	124 31	147 50	
25	007 27	72	042 17	60	077 01	40	76	124 31	147 50	165 59	
26	56	025 01	46	89	30	69	112 05	124 31	147 50	165 59	
27	85	30	75	060 18	59	98	34	66	33	166 68	
28	008 14	60	043 04	47	88	095 27	63	95	32	167 77	
29	44	89	33	76	078 17	56	91	130 24	148 01	168 86	
30	73	026 19	62	061 05	46	85	113 20	130 24	148 01	168 86	
31	009 02	47	91	34	75	096 14	49	81	131 29	149 10	
32	31	76	014 20	63	079 04	42	78	131 29	149 10	169 95	
33	60	027 05	49	92	33	71	114 07	131 29	149 10	169 95	
34	90	31	78	062 21	62	097 00	36	68	132 38	150 04	
35	010 18	63	045 07	50	91	29	65	97	25	151 13	
36	47	92	36	79	080 20	58	94	132 38	150 04	170 03	
37	76	028 21	65	063 08	49	87	115 23	132 38	150 04	170 03	
38	011 05	50	94	37	78	098 16	52	83	133 47	151 13	
39	34	79	046 23	66	081 07	45	80	133 47	151 13	171 12	
40	64	029 08	53	95	36	74	116 09	133 47	151 13	171 12	
41	93	38	82	064 24	65	099 03	38	70	134 57	152 22	
42	012 22	67	047 11	53	94	32	67	99	18	172 21	
43	51	94	40	82	082 23	61	96	134 27	152 22	173 30	
44	80	030 25	69	065 11	52	90	117 25	134 27	152 22	173 30	
45	013 09	54	93	40	81	100 19	54	85	15	174 39	
46	38	84	048 27	69	068 10	48	83	135 14	153 31	175 48	
47	67	031 12	56	98	39	77	118 12	135 14	153 31	175 48	
48	96	41	85	066 27	68	101 06	40	72	12	176 57	
49	014 25	70	049 14	56	97	35	69	136 00	154 40	177 06	
50	54	99	43	85	064 26	64	98	29	10	178 15	
51	83	032 28	72	067 14	55	92	119 27	58	9	179 24	
52	015 13	57	050 01	43	84	102 21	56	87	8	180 33	
53	42	86	30	73	085 13	50	85	137 16	7	181 42	
54	71	033 16	59	068 02	42	79	120 14	44	6	182 51	
55	016 00	45	88	31	71	103 08	43	73	5	183 60	
56	29	74	051 17	60	086 00	37	71	138 02	4	184 69	
57	59	034 09	46	89	29	66	121 00	31	3	185 78	
58	87	32	76	069 18	58	95	29	60	2	186 87	
59	017 16	61	052 05	47	87	104 24	58	89	1	187 96	
60	45	90	34	76	067 16	53	87	139 17	0	188 05	
	89°	86°	87°	86°	85°	84°	83°	82°			
NATURAL COSINE.											

TABLE 3.]

NATURAL TANGENT.

11

'	0°	1°	2°	3°	4°	5°	6°	7°	'
0	000 00	017 46	034 92	052 41	069 93	087 49	105 10	122 78	60
1	29	75	035 21	70	070 22	78	40	123 08	59
2	58	018 04	50	053 00	51	088 07	69	38	58
3	87	83	79	28	80	37	99	67	57
4	001 16	62	096 08	87	071 10	66	106 23	97	56
5	45	91	38	87	89	95	58	124 26	55
6	75	019 20	67	054 16	08	089 25	87	56	54
7	002 04	49	98	45	97	54	107 16	85	53
8	83	78	087 25	74	072 27	83	46	125 15	52
9	62	020 07	54	055 03	56	090 13	75	44	51
10	91	37	83	33	85	42	108 05	74	50
11	003 20	66	058 12	62	073 14	71	34	126 03	49
12	49	95	42	91	44	091 01	63	53	48
13	78	021 24	71	056 20	73	30	93	62	47
14	004 07	53	089 00	49	074 02	59	109 22	92	46
15	36	82	29	78	81	89	52	127 22	45
16	65	022 11	58	057 08	61	092 18	81	51	44
17	95	40	87	37	90	47	110 11	81	43
18	005 24	69	040 16	66	075 19	77	40	128 10	42
19	53	98	46	85	48	093 06	70	40	41
20	82	023 28	75	058 24	78	85	99	69	40
21	006 11	57	041 04	54	076 07	65	111 23	99	39
22	40	86	38	83	36	94	58	129 29	38
23	69	024 15	62	050 12	65	094 23	87	58	37
24	98	44	91	41	95	53	112 17	88	36
25	007 27	73	042 20	70	077 24	82	46	130 17	35
26	56	025 02	50	99	83	095 11	76	47	34
27	85	31	79	060 29	82	41	113 05	76	33
28	008 15	60	043 08	58	078 12	70	35	131 06	32
29	44	89	37	87	41	096 00	64	36	31
30	73	026 19	66	061 16	70	29	94	65	30
31	009 02	48	85	45	99	58	114 23	95	29
32	31	77	044 24	75	079 29	88	53	132 24	28
33	60	027 06	54	062 04	68	097 17	82	54	27
34	89	35	83	38	87	46	115 11	84	26
35	010 18	64	045 12	62	080 17	76	41	133 13	25
36	47	93	41	91	46	098 05	70	42	24
37	76	028 22	70	063 21	75	34	116 00	72	23
38	011 05	51	99	60	061 04	64	29	134 02	22
39	35	81	046 28	79	34	93	59	32	21
40	64	029 10	58	064 08	63	099 23	88	61	20
41	93	39	87	38	92	52	117 18	91	19
42	012 22	68	047 16	67	082 22	81	47	135 21	18
43	51	97	45	96	51	100 11	77	50	17
44	80	030 26	74	065 25	80	40	118 06	80	16
45	013 09	55	048 03	54	083 09	69	36	136 09	15
46	38	84	33	84	39	99	65	39	14
47	67	031 14	62	066 13	68	101 23	95	69	13
48	96	43	91	42	97	58	119 24	98	12
49	014 25	72	049 20	71	084 27	87	54	137 28	11
50	55	032 01	49	067 00	56	102 16	83	53	10
51	84	30	78	30	85	46	120 13	87	9
52	015 13	59	050 07	59	085 14	75	42	138 17	8
53	42	88	37	88	44	103 05	72	47	7
54	71	033 17	66	068 17	73	84	121 01	78	6
55	016 00	46	95	47	086 02	63	31	139 06	5
56	29	76	051 24	76	32	93	60	35	4
57	58	034 05	53	069 05	61	104 22	90	65	3
58	87	34	82	34	90	52	122 19	95	2
59	017 16	63	052 12	63	087 20	81	49	140 24	1
60	46	92	41	93	49	105 10	78	54	0
'	89°	88°	87°	86°	85°	84°	83°	82°	'

NATURAL COTANGENT.

	8°	9°	10°	11°	12°	13°	14°	15°	
0	139 17	156 43	173 65	190 81	207 91	224 93	241 92	258 82	60
1	46	72	93	191 09	208 20	225 23	242 20	259 10	59
2	75	157 01	174 22	38	48	52	49	38	58
3	140 04	30	51	67	77	80	77	66	57
4	83	58	79	95	209 05	226 08	243 05	260 02	56
5	61	87	175 08	192 24	33	37	33	260 22	55
6	90	158 16	37	52	62	65	62	50	54
7	141 19	45	65	81	90	93	90	79	53
8	48	73	94	193 09	210 19	227 22	244 18	261 07	52
9	77	159 02	176 23	38	47	50	46	35	51
10	142 06	31	51	66	76	78	74	63	50
11	34	59	80	95	211 04	228 07	245 03	262 19	49
12	63	88	177 08	194 23	32	35	31	262 19	48
13	92	160 17	37	52	61	63	59	47	47
14	143 20	46	66	81	89	92	87	75	46
15	49	74	94	195 09	212 18	229 20	246 15	263 03	45
16	78	161 03	178 23	38	46	48	44	31	44
17	144 07	32	52	66	75	77	72	59	43
18	36	60	80	95	213 03	230 05	247 00	264 07	42
19	64	89	179 09	196 23	31	33	28	264 15	41
20	93	162 18	37	52	60	62	58	43	40
21	145 22	47	66	80	88	90	84	71	39
22	51	75	95	197 09	214 17	231 18	248 13	265 00	38
23	80	163 04	180 23	37	45	46	41	28	37
24	146 08	33	52	66	74	75	69	56	36
25	37	61	81	94	215 02	232 03	249 07	266 12	34
26	66	90	181 09	198 23	30	31	249 25	266 12	34
27	95	164 19	38	51	59	60	54	40	33
28	147 23	47	66	80	87	88	82	68	32
29	52	76	95	199 08	216 16	233 16	250 10	267 16	31
30	81	165 05	182 24	37	44	45	38	267 24	30
31	148 10	33	52	65	72	73	66	52	29
32	33	62	81	94	217 01	234 01	251 22	268 08	28
33	67	91	183 09	200 22	29	29	251 22	268 08	27
34	96	166 20	38	51	58	58	51	36	26
35	149 25	48	67	79	86	86	79	64	25
36	54	77	95	201 08	218 14	235 14	252 07	269 20	24
37	82	167 06	184 24	36	43	42	36	269 20	23
38	150 11	34	52	65	71	71	63	48	22
39	40	63	81	93	99	99	91	76	21
40	69	92	185 09	202 22	219 28	236 27	253 20	270 04	20
41	97	168 20	38	50	56	56	48	32	19
42	151 26	49	67	79	85	84	76	60	18
43	55	78	95	203 07	220 13	237 12	254 04	271 16	17
44	84	169 06	186 24	36	41	40	32	271 16	16
45	152 12	35	52	64	70	69	60	44	15
46	41	64	81	93	98	97	88	72	14
47	70	92	187 10	204 21	221 26	238 25	255 16	272 00	13
48	99	170 21	38	50	55	53	45	29	12
49	153 27	50	67	78	83	82	73	56	11
50	56	78	95	205 07	222 12	239 10	256 01	273 12	10
51	85	171 07	188 24	35	40	38	29	273 12	9
52	154 14	36	52	63	68	66	57	40	8
53	42	64	81	92	97	95	85	68	7
54	71	93	189 10	206 20	223 25	240 23	257 13	274 24	6
55	155 00	172 22	38	49	53	51	41	274 24	5
56	29	50	67	77	82	79	70	52	4
57	57	79	95	207 06	224 10	241 06	258 29	275 08	3
58	86	173 08	190 24	34	38	36	268 26	275 08	2
59	156 15	36	52	63	67	64	54	36	1
60	43	65	81	91	95	93	82	64	0
	81°	80°	79°	78°	77°	76°	75°	74°	

NATURAL COSINE.

TABLE 3.]

NATURAL TANGENT.

13

	8°	9°	10°	11°	12°	13°	14°	15°	
0	140 54	158 38	176 33	194 38	212 56	230 87	249 33	267 85	60
1	84	68	63	68	88	231 17	64	208 26	59
2	141 13	93	93	98	213 16	48	95	57	58
3	43	159 28	177 23	195 29	47	79	250 26	88	57
4	73	53	53	59	77	232 09	56	269 20	56
5	142 02	88	83	89	214 08	40	87	51	55
6	32	160 17	178 13	196 19	88	71	251 18	82	54
7	62	47	43	49	69	233 01	49	270 18	53
8	91	77	73	80	99	82	80	44	52
9	143 21	161 07	179 03	197 10	215 29	63	252 11	76	51
10	51	37	33	40	60	93	42	271 07	50
11	81	67	63	70	90	234 24	73	38	49
12	144 10	96	93	198 01	216 21	55	253 04	69	48
13	40	162 26	180 23	31	51	85	35	272 01	47
14	70	53	53	61	82	235 16	68	32	46
15	145 00	86	83	91	217 12	47	97	63	45
16	29	163 16	181 13	199 21	43	78	254 28	94	44
17	59	46	43	52	73	236 08	69	273 26	43
18	88	76	73	82	218 04	39	90	57	42
19	146 18	164 06	182 03	200 12	34	70	255 21	88	41
20	43	35	33	42	64	237 00	52	274 19	40
21	78	65	63	73	95	31	83	51	39
22	147 07	95	93	201 03	219 25	62	256 14	82	39
23	37	165 25	183 23	33	56	93	45	275 13	37
24	67	55	53	64	86	238 23	76	45	36
25	96	85	84	94	220 17	54	257 07	76	35
26	148 26	166 15	184 14	202 24	47	85	38	276 07	34
27	56	45	44	54	78	239 16	69	39	33
28	86	74	74	85	221 08	46	258 00	70	32
29	149 15	167 04	185 04	203 15	39	77	31	277 01	31
30	45	34	34	45	69	240 08	62	32	30
31	75	64	64	76	222 00	89	93	64	29
32	150 05	94	94	204 06	31	69	259 24	95	28
33	84	168 24	186 24	36	61	241 00	55	278 26	27
34	64	54	54	66	92	31	86	58	26
35	94	84	84	97	223 22	62	260 17	89	25
36	151 24	169 14	187 14	205 27	53	93	48	279 21	24
37	53	44	45	57	83	242 23	79	52	23
38	83	74	75	88	224 14	54	261 10	83	22
39	152 13	170 04	188 05	206 18	44	85	41	280 15	21
40	48	35	35	48	75	243 16	72	46	20
41	72	63	65	79	225 05	47	262 03	77	19
42	153 02	93	95	207 09	36	77	35	281 09	18
43	32	171 23	189 25	39	67	244 08	66	40	17
44	62	63	65	70	97	89	97	72	16
45	91	83	86	208 00	226 28	70	263 28	282 03	15
46	154 21	172 13	190 16	30	58	245 01	59	84	14
47	51	43	46	61	80	32	90	66	13
48	81	73	76	91	227 19	62	264 21	97	12
49	155 11	173 03	191 06	209 21	50	93	52	283 29	11
50	40	33	36	52	81	346 24	83	60	10
51	70	63	66	82	228 11	55	265 15	91	9
52	156 00	93	97	210 13	42	86	46	284 23	8
53	30	174 23	192 27	43	72	247 17	77	54	7
54	60	53	57	73	229 03	48	266 08	86	6
55	89	83	87	211 04	34	78	39	285 17	5
56	157 19	175 13	193 17	84	64	248 09	70	49	4
57	49	43	47	64	95	40	267 01	80	3
58	79	73	78	95	230 26	71	33	286 12	2
59	158 09	176 03	194 08	212 25	56	249 02	64	43	1
60	38	33	38	56	87	53	95	74	0
'	81°	80°	79°	78°	77°	76°	75°	74°	'

NATURAL COTANGENT.

	16°	17°	18°	19°	20°	21°	22°	23°	
0	275 61	292 37	309 02	325 57	342 02	359 37	374 61	390 73	60
1	92	65	29	84	29	84	88	391 00	59
2	276 20	93	57	326 12	57	91	375 15	27	58
3	48	293 21	85	59	84	359 18	42	53	57
4	76	48	310 12	67	343 11	45	69	80	56
5	277 04	76	40	94	39	73	95	392 07	55
6	31	294 04	68	327 23	66	360 00	376 22	34	54
7	59	32	95	49	93	27	49	60	53
8	87	60	311 23	77	344 21	54	76	87	52
9	278 15	87	51	328 04	48	81	377 03	393 14	51
10	43	295 15	78	32	75	361 08	30	41	50
11	71	43	312 06	53	345 03	35	57	67	49
12	99	71	33	87	30	62	84	94	48
13	279 27	99	61	329 14	57	90	378 11	394 21	47
14	55	296 25	89	42	84	362 17	38	49	46
15	83	54	313 16	69	346 12	44	65	74	45
16	280 11	82	44	97	39	71	92	395 01	44
17	39	297 10	72	330 24	66	98	379 19	28	43
18	67	37	99	51	94	363 25	46	55	42
19	95	65	314 27	79	347 21	52	73	81	41
20	281 23	93	54	331 06	48	79	392	396 08	40
21	50	298 21	82	34	75	364 06	380 26	35	39
22	78	49	315 10	61	348 03	34	53	61	38
23	282 06	76	37	89	30	61	60	88	37
24	34	299 04	65	332 16	57	88	381 07	397 15	36
25	62	32	93	44	84	365 15	34	41	35
26	90	60	316 20	71	349 12	42	61	68	34
27	283 18	87	48	98	39	69	68	95	33
28	46	300 15	75	333 26	66	96	382 15	398 22	32
29	74	43	317 03	53	93	366 23	41	48	31
30	284 02	71	80	81	350 21	50	68	75	30
31	29	98	58	334 08	48	77	95	399 03	29
32	57	301 26	86	36	75	367 04	383 22	29	28
33	85	54	318 13	63	351 02	31	49	55	27
34	285 13	82	41	90	30	58	76	82	26
35	41	302 09	68	335 18	57	85	384 03	400 08	25
36	69	37	96	45	84	368 12	30	35	24
37	97	65	319 24	73	352 11	39	56	62	23
38	286 25	92	51	336 00	39	67	83	88	22
39	52	303 20	79	27	66	94	385 10	401 15	21
40	80	48	320 06	55	93	369 21	37	42	20
41	287 08	76	84	62	353 20	48	64	68	19
42	36	304 03	61	337 10	47	75	91	95	18
43	64	31	89	37	75	370 02	386 17	402 21	17
44	92	59	321 16	64	354 02	29	44	48	16
45	288 20	86	44	92	29	56	71	75	15
46	47	305 14	71	338 19	56	83	98	403 01	14
47	75	42	99	46	84	371 10	387 25	28	13
48	289 03	70	322 27	74	355 11	37	52	55	12
49	31	97	54	339 01	38	64	73	81	11
50	59	306 25	82	29	65	91	388 05	404 08	10
51	87	53	323 09	56	92	372 18	32	34	9
52	290 15	80	37	83	356 19	45	59	61	8
53	42	307 08	64	340 11	47	72	66	88	7
54	70	36	92	38	74	99	889 12	405 14	6
55	98	63	324 19	65	357 01	373 26	39	41	5
56	291 26	91	47	93	28	53	66	67	4
57	54	308 19	74	341 20	55	80	93	94	3
58	82	46	325 02	47	82	374 07	390 20	406 21	2
59	292 08	74	29	75	358 10	84	46	47	1
60	37	309 02	57	342 02	37	61	73	74	0
'	73°	72°	71°	70°	69°	68°	67°	66°	'

TABLE 3.]

NATURAL TANGENT.

15

	16°	17°	18°	19°	20°	21°	22°	23°	
0	286 74	305 73	324 92	344 33	363 97	383 66	404 03	424 47	60
1	287 06	306 06	325 24	345 65	364 30	384 20	405 36	425 52	59
2	288	307	326	346	365	385	406	426	58
3	289	308	327	347	366	386	407	427	57
4	288 01	307 00	326 21	346 63	365 29	385 20	406 38	427 55	56
5	289	308	327	347	366	386	407	428	55
6	290	309	328	348	367	387	408	429	54
7	291	310	329	349	368	388	409	430	53
8	292	311	330	350	369	389	410	431	52
9	293	312	331	351	370	390	411	432	51
10	294	313	332	352	371	391	412	433	50
11	295	314	333	353	372	392	413	434	49
12	296	315	334	354	373	393	414	435	48
13	297	316	335	355	374	394	415	436	47
14	298	317	336	356	375	395	416	437	46
15	299	318	337	357	376	396	417	438	45
16	300	319	338	358	377	397	418	439	44
17	301	320	339	359	378	398	419	440	43
18	302	321	340	360	379	399	420	441	42
19	303	322	341	361	380	400	421	442	41
20	304	323	342	362	381	401	422	443	40
21	305	324	343	363	382	402	423	444	39
22	306	325	344	364	383	403	424	445	38
23	307	326	345	365	384	404	425	446	37
24	308	327	346	366	385	405	426	447	36
25	309	328	347	367	386	406	427	448	35
26	310	329	348	368	387	407	428	449	34
27	311	330	349	369	388	408	429	450	33
28	312	331	350	370	389	409	430	451	32
29	313	332	351	371	390	410	431	452	31
30	314	333	352	372	391	411	432	453	30
31	315	334	353	373	392	412	433	454	29
32	316	335	354	374	393	413	434	455	28
33	317	336	355	375	394	414	435	456	27
34	318	337	356	376	395	415	436	457	26
35	319	338	357	377	396	416	437	458	25
36	320	339	358	378	397	417	438	459	24
37	321	340	359	379	398	418	439	460	23
38	322	341	360	380	399	419	440	461	22
39	323	342	361	381	400	420	441	462	21
40	324	343	362	382	401	421	442	463	20
41	325	344	363	383	402	422	443	464	19
42	326	345	364	384	403	423	444	465	18
43	327	346	365	385	404	424	445	466	17
44	328	347	366	386	405	425	446	467	16
45	329	348	367	387	406	426	447	468	15
46	330	349	368	388	407	427	448	469	14
47	331	350	369	389	408	428	449	470	13
48	332	351	370	390	409	429	450	471	12
49	333	352	371	391	410	430	451	472	11
50	334	353	372	392	411	431	452	473	10
51	335	354	373	393	412	432	453	474	9
52	336	355	374	394	413	433	454	475	8
53	337	356	375	395	414	434	455	476	7
54	338	357	376	396	415	435	456	477	6
55	339	358	377	397	416	436	457	478	5
56	340	359	378	398	417	437	458	479	4
57	341	360	379	399	418	438	459	480	3
58	342	361	380	400	419	439	460	481	2
59	343	362	381	401	420	440	461	482	1
60	344	363	382	402	421	441	462	483	0
	73°	72°	71°	70°	69°	68°	67°	66°	

NATURAL COTANGENT.

	24°	25°	26°	27°	28°	29°	30°	31°	
0	406 74	422 82	438 37	453 99	469 47	484 81	500 00	515 04	60
1	407 00	88	63	454 25	78	485 06	25	29	59
2	27	423 15	89	51	99	32	50	54	58
3	53	41	439 16	77	470 24	57	76	79	57
4	80	67	42	455 03	80	83	501 01	516 04	56
5	408 06	94	68	29	76	496 08	26	28	55
6	33	424 20	94	54	471 01	34	51	53	54
7	60	46	440 20	80	27	59	76	78	53
8	86	73	46	456 06	53	84	502 01	517 03	52
9	409 13	99	72	32	78	457 10	27	28	51
10	39	425 25	98	58	472 04	35	52	53	50
11	66	52	441 24	84	29	61	77	78	49
12	92	78	51	457 10	85	86	503 02	518 08	48
13	410 19	426 04	77	86	81	488 11	27	28	47
14	45	81	442 03	62	473 06	87	52	52	46
15	72	57	29	87	32	62	77	77	45
16	98	83	55	458 13	58	88	504 03	519 02	44
17	411 25	427 09	81	39	83	489 13	28	27	43
18	51	86	443 07	65	474 09	88	53	52	42
19	78	62	33	91	34	64	79	77	41
20	412 04	88	50	459 17	60	89	505 03	520 02	40
21	31	428 15	85	42	86	490 14	28	28	39
22	57	41	414 11	68	475 11	49	53	51	38
23	84	67	37	94	37	65	78	76	37
24	418 10	94	64	460 20	62	90	506 03	521 01	36
25	37	429 20	90	46	88	491 16	28	26	35
26	63	46	445 16	72	476 14	41	54	51	34
27	90	72	42	87	39	66	79	73	33
28	414 16	99	68	461 23	65	92	507 04	522 00	32
29	43	430 25	94	49	90	492 17	29	25	31
30	69	51	446 20	75	477 16	42	54	50	30
31	96	77	46	462 01	41	68	79	75	29
32	415 22	431 04	72	28	67	93	508 04	523 00	26
33	49	30	98	52	93	493 18	29	24	27
34	75	56	447 24	78	478 18	44	54	49	26
35	416 02	82	50	463 04	44	69	79	74	25
36	28	432 09	76	30	69	94	509 04	524 00	24
37	55	35	448 02	55	95	494 19	29	22	23
38	81	61	23	81	479 20	45	54	48	22
39	417 07	87	54	464 07	46	70	79	73	21
40	34	438 13	80	33	71	86	510 04	525 00	20
41	60	40	449 06	58	97	495 21	29	22	19
42	87	66	32	84	480 22	46	54	47	18
43	418 13	92	58	465 10	48	71	79	72	17
44	40	434 18	84	36	73	96	511 04	526 00	16
45	66	45	450 10	61	99	496 22	29	21	15
46	92	71	36	87	481 24	47	54	46	14
47	419 19	97	62	466 13	50	72	79	71	12
48	45	435 23	88	39	75	97	512 04	527 00	11
49	72	49	451 14	64	482 01	497 23	29	20	10
50	98	75	40	90	28	48	54	45	9
51	420 24	436 02	66	467 16	52	73	79	70	8
52	51	28	92	42	77	98	513 04	528 00	7
53	77	54	452 18	67	483 03	498 24	29	19	6
54	421 04	80	43	93	28	49	54	44	5
55	30	437 06	69	468 19	54	74	79	69	4
56	56	83	95	44	79	99	514 04	529 00	3
57	83	59	453 21	70	484 05	499 24	29	18	2
58	422 09	85	47	96	80	50	54	43	1
59	35	438 11	73	469 21	58	75	79	67	0
60	62	87	99	47	81	500 00	515 04	530 00	0
	65°	64°	63°	62°	61°	60°	59°	58°	

TABLE 3.]

NATURAL TANGENT.

17

	24°	25°	26°	27°	28°	29°	30°	31°	
0	445 23	466 81	487 73	509 53	531 71	554 31	577 35	600 99	60
1	58	66	488 09	80	532 08	60	74	601 26	59
2	93	467 02	45	510 26	46	555 07	578 13	65	58
3	446 27	37	81	63	53	45	51	602 05	57
4	62	73	489 17	99	533 20	63	90	45	56
5	97	468 08	63	511 36	58	556 29	579 29	84	55
6	447 32	43	89	73	95	59	68	603 24	54
7	67	79	490 26	512 09	534 32	97	580 07	64	53
8	448 02	469 14	62	46	70	557 36	46	604 03	52
9	87	50	95	53	535 07	74	85	43	51
10	72	85	491 34	513 20	45	558 12	581 24	53	50
11	449 07	470 21	70	56	82	50	62	605 22	49
12	42	56	492 06	93	536 20	88	582 01	62	48
13	77	92	42	514 30	57	559 26	40	606 02	47
14	450 12	471 28	78	67	94	64	79	42	46
15	47	63	493 15	515 08	537 32	560 03	583 18	81	45
16	82	99	51	40	69	41	57	607 21	44
17	451 17	472 34	87	77	539 07	79	96	61	43
18	52	70	494 23	516 14	44	561 17	584 35	608 01	42
19	87	473 05	59	51	92	56	74	41	41
20	452 22	41	95	88	539 20	94	585 13	81	40
21	57	77	495 32	517 24	57	562 32	52	610 21	39
22	92	474 12	68	81	95	70	91	60	38
23	453 27	48	496 04	98	540 32	503 09	586 31	610 00	37
24	62	83	40	518 35	70	47	70	40	36
25	97	475 19	77	72	541 07	85	587 09	80	35
26	454 32	55	497 13	519 09	45	564 24	48	611 20	34
27	67	90	49	46	83	62	87	60	33
28	455 02	476 24	86	63	542 30	565 01	588 26	612 00	32
29	83	62	498 22	520 20	58	89	65	40	31
30	78	98	58	57	96	77	589 05	80	30
31	456 08	477 39	94	94	543 39	506 16	44	613 20	29
32	43	69	499 81	521 31	71	54	63	60	28
33	78	478 05	67	68	544 09	93	500 22	614 00	27
34	457 13	40	500 04	522 05	46	567 31	61	40	26
35	48	76	40	42	84	69	591 01	80	25
36	84	479 12	76	79	545 22	568 08	40	615 20	24
37	458 19	48	501 13	523 16	60	46	79	61	23
38	54	84	49	53	97	85	592 18	616 01	22
39	89	490 19	85	90	546 35	569 23	58	41	21
40	459 24	55	502 22	524 27	73	62	97	81	20
41	60	91	58	64	547 11	570 00	503 36	617 21	19
42	95	481 27	95	525 01	48	89	76	61	18
43	460 30	63	503 31	39	86	78	594 15	618 01	17
44	65	98	68	75	548 24	571 16	54	42	16
45	461 01	482 34	504 04	526 13	62	55	94	82	15
46	86	70	41	50	549 00	93	595 33	619 22	14
47	71	483 06	77	87	38	572 32	73	62	13
48	462 06	42	505 14	527 24	76	71	596 12	620 03	12
49	42	78	50	61	550 13	673 09	51	43	11
50	77	484 14	87	98	51	48	91	63	10
51	463 12	50	506 28	528 36	89	86	597 30	621 24	9
52	48	86	60	73	551 27	574 25	70	64	8
53	83	485 21	96	529 10	65	64	598 09	622 04	7
54	464 18	57	507 33	47	552 03	575 03	49	45	6
55	54	93	69	85	41	41	89	85	5
56	89	496 29	508 06	530 22	79	80	599 28	623 25	4
57	465 25	65	43	59	553 17	576 19	67	66	3
58	60	487 01	79	96	55	57	600 07	624 06	2
59	95	37	509 16	531 34	93	96	46	47	1
60	466 31	73	53	71	554 31	577 35	86	97	0
	65°	64°	63°	62°	61°	60°	59°	58°	

NATURAL COTANGENT.

'	32°	33°	34°	35°	36°	37°	38°	39°	'
0	529 92	544 64	559 19	573 58	587 79	601 82	615 66	629 32	60
1	530 17	545 88	560 43	574 81	588 02	602 06	616 89	630 55	59
2	41	545 13	560 68	574 05	588 26	602 28	616 12	630 77	58
3	08	37	560 92	574 29	588 49	602 51	616 35	631 00	57
4	91	61	560 16	574 53	588 73	602 74	616 58	631 22	56
5	531 15	86	40	574 77	588 96	602 98	616 81	631 45	55
6	40	546 10	64	575 01	589 20	603 21	617 04	631 68	54
7	65	35	88	575 24	589 43	603 44	617 26	631 90	53
8	89	59	561 12	575 48	589 67	603 67	617 49	632 13	52
9	532 14	83	36	575 72	589 90	603 90	617 72	632 35	51
10	38	547 08	60	576 96	590 14	604 14	618 95	632 58	50
11	63	32	84	576 19	590 37	604 37	618 18	633 20	49
12	88	56	562 08	576 43	590 61	604 60	618 41	633 43	48
13	533 12	81	32	576 67	590 84	604 83	618 64	633 65	47
14	37	549 05	56	576 91	591 08	605 06	618 87	633 88	46
15	61	29	80	577 15	591 31	605 29	619 09	634 11	45
16	86	54	563 05	577 38	591 54	605 53	619 32	634 34	44
17	534 11	78	29	577 62	592 78	606 76	619 55	634 57	43
18	35	549 02	53	577 86	592 01	606 99	620 78	635 20	42
19	60	27	77	578 10	592 25	607 22	620 01	635 43	41
20	84	51	564 01	578 33	592 48	607 45	620 24	635 66	40
21	535 09	75	25	578 57	592 72	607 68	620 46	635 89	39
22	34	550 00	49	579 81	593 95	607 91	620 69	636 12	38
23	58	24	73	579 04	593 18	608 14	620 92	636 35	37
24	83	48	97	579 28	593 42	608 38	621 15	636 58	36
25	536 07	72	565 21	579 52	593 65	608 61	621 38	637 21	35
26	32	97	45	580 76	593 89	608 84	621 60	637 44	34
27	56	551 21	69	580 99	594 12	609 07	621 83	637 67	33
28	81	45	93	581 23	594 36	609 30	622 06	637 90	32
29	537 05	69	566 17	581 47	594 59	609 53	622 29	638 13	31
30	30	94	41	581 70	595 82	610 76	622 51	638 36	30
31	54	552 18	65	581 94	596 06	610 99	623 74	638 59	29
32	79	42	89	582 18	596 29	611 22	623 97	639 22	28
33	538 04	66	567 13	582 41	596 52	611 45	624 20	639 45	27
34	28	91	36	582 65	597 76	611 68	624 42	639 68	26
35	53	553 15	60	582 89	597 99	611 91	624 65	639 91	25
36	77	39	84	583 12	598 22	612 15	624 88	640 14	24
37	539 02	63	568 08	583 36	598 46	612 38	625 11	640 37	23
38	26	88	32	583 60	598 69	612 61	625 33	640 60	22
39	51	554 12	56	583 83	598 93	612 84	625 56	640 83	21
40	75	36	60	584 07	599 16	613 07	626 79	641 06	20
41	540 00	60	569 04	584 31	599 39	613 30	626 02	641 29	19
42	24	84	23	584 54	599 63	613 53	626 24	641 52	18
43	49	555 09	52	585 78	599 86	613 76	626 47	642 15	17
44	73	33	76	586 01	599 09	614 00	626 70	642 38	16
45	97	57	570 00	586 25	599 32	614 22	626 92	642 61	15
46	541 22	61	24	586 49	599 56	614 45	627 15	642 84	14
47	46	556 05	47	586 72	599 79	614 68	627 38	643 07	13
48	71	80	71	586 96	599 02	614 91	627 61	643 30	12
49	95	54	95	587 19	599 26	615 14	627 83	643 53	11
50	542 20	78	571 19	587 43	599 49	615 37	628 06	644 76	10
51	44	557 02	43	587 67	599 72	615 60	628 29	645 00	9
52	69	26	67	587 90	599 95	615 83	628 51	645 23	8
53	93	50	91	588 14	600 19	616 06	628 74	645 46	7
54	543 17	75	572 15	588 37	600 42	616 29	628 96	645 69	6
55	42	99	39	588 61	600 65	616 51	629 19	645 92	5
56	86	558 23	62	588 84	600 89	616 74	629 42	646 15	4
57	91	47	86	589 08	601 12	616 97	629 64	646 38	3
58	544 15	71	573 10	589 31	601 35	617 20	629 87	646 61	2
59	40	95	34	589 55	601 58	617 43	630 09	646 84	1
60	61	559 19	59	589 79	601 82	617 66	630 32	647 07	0
'	57°	56°	55°	54°	53°	52°	51°	50°	'

NATURAL COSINE.

TABLE 3.]

NATURAL TANGENT.

19

	32°	33°	34°	35°	36°	37°	38°	39°	
0	624 87	649 41	674 51	700 21	726 54	753 55	781 29	809 78	60
1	625 27	82	93	61	99	754 01	75	810 27	59
2	68	650 24	675 26	701 07	727 43	754 47	782 22	811 23	58
3	626 08	65	73	51	88	92	69	812 20	57
4	49	651 06	676 20	702 34	728 32	755 38	783 16	813 16	56
5	89	48	63	702 34	77	84	63	814 10	55
6	627 30	69	677 05	81	729 21	756 29	784 10	815 08	54
7	70	652 31	48	703 25	68	75	57	816 16	53
8	628 11	72	90	88	730 10	757 21	785 04	817 04	52
9	52	653 14	678 32	704 12	55	67	51	818 13	51
10	92	55	75	55	731 00	758 12	786 45	819 43	50
11	629 33	97	679 17	99	44	58	787 39	820 44	49
12	73	654 38	60	705 42	89	759 04	92	821 41	48
13	630 14	80	680 02	86	732 34	50	787 39	822 40	47
14	55	655 21	45	706 29	78	96	86	823 38	46
15	95	63	88	73	733 23	760 42	788 34	824 36	45
16	631 38	656 04	681 30	707 17	68	88	81	825 34	44
17	77	46	73	60	734 13	761 34	789 28	826 32	43
18	632 17	68	682 15	708 04	57	80	75	827 30	42
19	58	657 29	58	48	735 02	762 26	790 22	828 28	41
20	99	71	683 01	91	47	72	70	829 26	40
21	633 40	658 13	43	709 35	92	763 18	791 17	830 24	39
22	80	54	86	79	736 37	64	61	831 22	38
23	634 21	96	684 29	710 23	81	764 10	792 12	832 20	37
24	62	659 38	71	66	737 26	56	69	833 18	36
25	635 03	80	685 14	711 10	71	765 02	793 06	834 16	35
26	44	660 21	57	54	738 16	48	54	835 14	34
27	84	63	686 03	98	61	94	794 01	836 12	33
28	636 25	661 05	42	712 42	739 06	766 40	795 40	837 10	32
29	66	47	85	85	51	86	96	838 08	31
30	637 07	89	687 28	713 29	96	767 33	796 44	839 06	30
31	48	662 30	71	73	740 41	79	91	840 04	29
32	89	72	688 14	714 17	86	768 25	796 39	841 02	28
33	638 30	603 14	57	61	741 31	71	86	842 00	27
34	71	56	689 00	715 05	76	769 18	797 34	843 00	26
35	639 12	98	42	49	742 21	61	81	844 00	25
36	53	664 40	85	93	67	770 10	798 29	845 00	24
37	94	82	690 28	716 37	743 12	57	77	846 00	23
38	640 35	665 24	71	81	57	771 03	799 24	847 00	22
39	76	66	691 14	717 25	744 02	49	72	848 00	21
40	641 17	666 08	57	69	47	96	800 20	849 00	20
41	58	50	692 00	718 13	92	772 42	67	850 00	19
42	99	92	43	57	745 38	89	801 15	851 00	18
43	642 40	667 34	86	719 01	83	773 35	63	852 00	17
44	81	76	693 29	46	746 28	82	802 11	853 00	16
45	643 22	668 18	72	90	74	774 28	58	854 00	15
46	63	60	694 16	720 34	747 19	75	803 06	855 00	14
47	644 04	609 02	59	78	64	775 21	54	856 00	13
48	46	41	695 02	721 22	748 10	68	804 02	857 00	12
49	87	86	45	67	55	776 15	50	858 00	11
50	645 23	670 28	89	722 11	749 00	61	88	859 00	10
51	89	71	696 31	55	43	777 08	805 46	860 00	9
52	646 10	671 13	75	99	91	54	94	861 00	8
53	52	55	697 18	723 44	750 37	778 01	806 42	862 00	7
54	93	97	61	88	62	48	90	863 00	6
55	647 34	672 39	698 04	724 32	751 28	95	807 88	864 00	5
56	75	82	47	77	73	779 41	86	865 00	4
57	648 17	673 24	91	725 21	752 19	89	808 34	866 00	3
58	58	68	699 34	65	64	780 35	82	867 00	2
59	99	674 09	77	726 10	753 10	82	809 30	868 00	1
60	649 41	51	700 21	54	55	781 29	78	869 00	0
	57°	56°	55°	54°	53°	52°	51°	50°	

NATURAL COTANGENT.

	40°	41°	42°	43°	44°	45°	46°	47°	
0	642 79	655 06	669 13	682 00	694 63	707 11	719 34	731 35	60
1	643 01	23	35	21	87	31	64	55	59
2	23	50	58	42	695 08	52	74	75	58
3	46	72	78	64	29	72	95	95	57
4	68	94	99	85	49	93	720 15	732 15	56
5	90	657 16	670 21	683 06	70	708 13	35	34	55
6	644 12	38	43	27	91	34	55	54	54
7	35	59	64	49	696 12	55	75	74	53
8	57	81	86	70	33	75	95	94	52
9	79	658 03	671 07	91	54	96	721 16	733 14	51
10	645 01	25	29	684 12	75	709 16	36	33	50
11	24	47	51	34	96	37	56	53	49
12	46	69	72	55	697 17	57	76	73	48
13	68	91	94	76	37	78	96	93	47
14	90	659 13	672 15	97	58	98	722 16	734 13	46
15	646 12	35	37	685 18	79	710 19	36	32	45
16	35	55	58	89	698 00	39	57	52	44
17	57	78	80	61	21	59	77	72	43
18	79	690 00	673 01	82	42	80	97	91	42
19	647 01	22	23	686 03	62	711 00	723 17	735 11	41
20	23	44	44	24	83	21	37	31	40
21	46	66	66	45	699 04	41	57	51	39
22	68	88	87	68	25	62	77	70	38
23	90	661 10	674 09	88	46	82	97	90	37
24	648 12	31	30	687 09	66	712 03	724 17	736 10	36
25	34	53	52	30	87	23	37	29	35
26	56	75	73	51	700 08	43	57	49	34
27	78	97	95	72	29	64	77	69	33
28	649 01	662 18	675 16	93	49	84	97	88	32
29	23	40	38	688 14	70	713 05	725 17	737 08	31
30	45	62	59	35	91	25	37	28	30
31	67	84	80	57	701 12	45	57	47	29
32	89	663 06	676 02	78	32	66	77	67	28
33	650 11	27	23	99	53	86	97	87	27
34	33	49	45	689 20	74	714 07	726 17	738 06	25
35	55	71	66	41	95	27	37	26	25
36	77	93	88	62	702 15	47	57	43	24
37	651 00	664 14	677 09	83	36	69	77	65	23
38	22	36	30	690 04	57	88	97	85	22
39	44	58	52	25	77	715 08	727 17	739 04	21
40	66	80	73	46	98	29	37	24	20
41	88	665 01	95	67	703 19	49	57	44	19
42	652 10	23	678 16	88	39	69	77	63	18
43	32	45	37	691 09	60	90	97	83	17
44	54	66	50	30	81	716 10	728 17	740 02	16
45	76	88	80	51	704 01	30	37	22	15
46	98	666 10	679 01	72	22	50	57	41	14
47	653 20	32	23	93	43	71	77	61	13
48	42	58	44	692 14	63	91	97	80	1

TABLE 3.]

NATURAL TANGENT.

21

'	40°	41°	42°	43°	44°	45°	46°	47°	'
0	839 10	869 29	900 40	932 52	965 69	1 00 000	1 03 553	1 07 237	80
1	60	60	93	933 06	966 25	068	613	299	59
2	840 09	870 31	901 46	934 15	967 88	116	674	362	58
3	59	82	99	934 15	967 88	175	734	425	57
4	841 08	871 33	902 51	935 24	968 50	233	794	487	56
5	58	84	903 04	936 24	969 07	291	855	550	55
6	842 08	872 36	904 10	937 33	970 20	350	915	613	54
7	58	87	904 10	938 33	971 33	408	976	676	53
8	843 07	873 38	905 16	939 42	972 46	467	1 04 036	738	52
9	57	89	905 16	940 46	973 02	525	097	801	51
10	844 07	874 41	906 21	941 53	974 13	583	158	864	50
11	57	92	906 21	942 52	975 25	642	218	927	49
12	845 07	875 43	907 27	943 52	976 36	701	279	990	48
13	56	95	907 27	944 53	977 46	759	340	1 05 053	47
14	846 06	876 46	908 34	945 53	978 57	818	401	116	46
15	56	98	909 40	946 53	979 67	876	461	179	45
16	847 06	877 49	910 46	947 53	980 78	935	522	243	44
17	56	101	911 52	948 53	981 88	994	583	306	43
18	848 06	878 51	912 53	949 53	982 98	1 01 053	644	369	42
19	56	104	913 53	950 53	983 13	112	705	432	41
20	849 06	879 54	914 53	951 53	984 23	170	766	496	40
21	56	107	915 53	952 53	985 33	229	827	559	39
22	850 06	880 57	916 53	953 53	986 43	288	888	622	38
23	57	110	917 53	954 53	987 53	347	949	686	37
24	851 07	881 10	918 53	955 53	988 63	406	1 05 010	749	36
25	57	113	919 53	956 53	989 73	465	072	813	35
26	852 07	882 14	920 53	957 53	990 83	524	133	876	34
27	57	116	921 53	958 53	991 93	583	194	940	33
28	853 07	883 17	922 53	959 53	992 13	642	255	1 09 003	32
29	59	119	923 53	960 53	993 23	702	317	067	31
30	854 08	884 21	924 53	961 53	994 33	761	378	131	30
31	58	122	925 53	962 53	995 43	820	439	195	29
32	855 09	885 24	926 53	963 53	996 53	879	501	258	28
33	59	125	927 53	964 53	997 63	938	562	322	27
34	856 10	886 28	928 53	965 53	998 73	998	624	386	26
35	60	128	929 53	966 53	999 83	1 02 057	685	450	25
36	857 10	887 32	930 53	967 53	1 00 000	117	747	514	24
37	61	131	931 53	968 53	1 01 053	176	809	578	23
38	858 11	888 36	932 53	969 53	1 02 057	236	870	642	22
39	62	134	933 53	970 53	1 03 012	295	932	706	21
40	859 12	889 40	934 53	971 53	1 04 036	355	994	770	20
41	63	137	935 53	972 53	1 05 053	414	1 05 053	834	19
42	860 14	890 45	936 53	973 53	1 06 068	474	117	899	18
43	64	140	937 53	974 53	1 07 083	533	179	963	17
44	861 15	891 49	938 53	975 53	1 08 098	593	241	1 10 027	16
45	66	143	939 53	976 53	1 09 113	653	303	091	15
46	862 16	892 53	940 53	977 53	1 10 128	713	365	156	14
47	67	146	941 53	978 53	1 11 143	772	427	220	13
48	863 18	893 57	942 53	979 53	1 12 158	832	489	285	12
49	68	149	943 53	980 53	1 13 173	892	551	349	11
50	864 19	894 61	944 53	981 53	1 14 188	952	613	414	10
51	70	152	945 53	982 53	1 15 203	1 03 012	676	478	9
52	865 21	895 65	946 53	983 53	1 16 218	072	738	543	8
53	72	155	947 53	984 53	1 17 233	132	800	608	7
54	866 23	896 69	948 53	985 53	1 18 248	192	862	672	6
55	74	158	949 53	986 53	1 19 263	252	925	737	5
56	867 25	897 73	950 53	987 53	1 20 278	312	987	802	4
57	76	161	951 53	988 53	1 21 293	372	1 07 049	867	3
58	868 27	898 77	952 53	989 53	1 22 308	432	112	931	2
59	78	164	953 53	990 53	1 23 323	492	174	996	1
60	869 29	899 81	954 53	991 53	1 24 338	553	237	1 11 061	0
'	49°	48°	47°	46°	45°	44°	43°	42°	'

NATURAL COTANGENT.

'	48°	49°	50°	51°	52°	53°	54°	55°	'
0	743 14	754 71	765 04	777 15	788 01	798 64	809 02	819 15	60
1	34	90	23	53	19	81	19	32	59
2	53	755 09	42	51	37	99	56	49	58
3	73	28	61	69	55	799 16	53	65	57
4	92	47	79	88	73	34	70	82	56
5	744 12	66	98	778 06	91	51	87	99	55
6	31	85	767 17	24	789 08	68	810 04	820 15	54
7	51	756 04	35	43	26	86	21	32	53
8	70	23	54	61	44	800 08	88	48	52
9	89	42	72	79	62	21	55	65	51
10	745 09	61	91	97	80	38	72	82	50
11	28	81	768 10	779 16	98	56	89	98	49
12	48	767 00	23	34	790 16	73	811 06	821 15	48
13	67	19	47	52	38	91	23	32	47
14	86	38	65	70	51	801 08	40	48	46
15	746 06	57	84	88	69	25	57	65	45
16	25	75	769 08	780 07	87	43	74	81	44
17	44	94	21	25	791 05	60	91	98	43
18	64	758 13	40	43	22	78	812 08	822 14	42
19	83	32	59	61	40	95	25	31	41
20	747 08	51	77	79	58	802 12	42	48	40
21	22	70	96	98	76	30	59	64	39
22	41	89	770 14	781 16	93	47	76	81	38
23	60	759 09	33	34	792 11	64	93	97	37
24	80	27	51	52	29	82	813 10	823 14	36
25	99	46	70	70	47	99	27	30	35
26	748 18	65	88	88	64	803 16	44	47	34
27	38	84	771 07	782 06	82	34	61	63	33
28	57	760 03	25	25	793 00	51	78	80	32
29	76	22	44	43	18	68	95	96	31
30	96	41	62	61	35	86	814 12	824 13	30
31	749 15	59	81	79	53	804 08	28	29	29
32	34	78	90	97	71	20	45	46	28
33	53	97	772 18	783 15	88	38	62	62	27
34	73	761 16	36	33	794 06	55	79	78	26
35	92	35	55	51	24	72	96	95	25
36	750 11	54	73	69	41	89	815 13	825 11	24
37	80	73	92	87	59	805 07	80	28	23
38	50	92	773 10	784 05	77	24	46	44	22
39	69	762 10	29	24	94	41	63	61	21
40	88	29	47	42	795 12	58	80	77	20
41	751 07	45	66	60	30	76	97	93	19
42	26	67	84	78	47	93	816 14	826 10	18
43	46	86	774 02	785 14	65	806 10	81	26	17
44	65	763 04	21	21	53	27	47	43	16
45	84	23	39	32	796 00	44	64	59	15
46	752 08	42	58	50	18	62	81	75	14
47	29	61	76	68	35	79	98	92	13
48	41	80	94	86	53	96	817 14	827 08	12
49	61	98	775 13	786 04	71	807 13	31	24	11
50	80	764 17	31	22	89	30	48	41	10
51	99	36	50	40	797 06	45	65	57	9
52	753 18	55	68	58	23	63	82	73	8
53	37	73	86	76	41	62	98	90	7
54	56	92	776 05	787 11	58	99	818 15	828 06	6
55	75	765 11	23	29	76	808 16	82	22	5
56	95	30	41	29	93	33	48	39	4
57	754 14	48	60	47	798 11	50	65	55	3
58	33	67	78	65	29	67	82	71	2
59	52	86	96	83	46	85	99	87	1
60	71	766 04	777 15	788 01	64	809 02	819 15	829 04	0
'	41°	40°	39°	38°	37°	36°	35°	34°	'

NATURAL COSINE.

TABLE 3.]

NATURAL TANGENT.

23

'	48°	49°	50°	51°	52°	53°	54°	55°	'
0	1.11 061	1.15 037	1.19 175	1.23 490	1.27 994	1.32 704	1.37 638	1.42 815	60
1	126	104	246	563	1.28 071	785	722	903	59
2	191	172	316	637	148	805	807	992	58
3	256	240	387	710	226	948	891	1.43 080	57
4	321	308	457	784	302	1.33 026	976	169	56
5	387	375	528	858	379	107	1.38 060	258	55
6	452	443	599	931	456	188	145	347	54
7	517	511	669	1.24 006	538	268	229	436	53
8	582	579	740	079	610	349	314	525	52
9	648	647	811	153	687	430	399	614	51
10	713	715	882	227	764	511	484	703	50
11	778	783	958	301	842	592	568	792	49
12	844	851	1.20 024	375	919	673	653	881	48
13	909	919	095.	449	997	754	738	970	47
14	975	987	166	523	1.29 074	835	824	1.44 060	46
15	1.12 041	1.16 066	237	597	152	916	909	149	45
16	106	124	308	672	229	998	994	239	44
17	172	192	379	746	307	1.34 079	1.39 079	329	43
18	238	261	451	820	385	160	165	418	42
19	303	329	522	895	463	242	250	508	41
20	369	393	593	969	541	323	326	598	40
21	435	464	665	1.25 044	619	405	421	688	39
22	501	535	736	118	696	487	507	778	38
23	567	603	808	193	775	568	593	868	37
24	633	672	879	268	853	650	679	958	36
25	699	741	951	343	931	732	764	1.45 049	35
26	765	809	1.21 023	417	1.30 009	814	850	139	34
27	831	878	094	492	067	896	936	229	33
28	897	947	166	567	166	978	1.40 022	320	32
29	963	1.17 016	238	642	244	1.35 060	109	410	31
30	1.18 029	085	810	717	323	142	195	501	30
31	093	154	382	792	401	224	281	592	29
32	162	223	454	867	480	307	367	692	28
33	228	292	526	943	558	389	454	773	27
34	295	361	598	1.26 018	637	472	540	864	26
35	361	430	670	093	716	554	627	965	25
36	428	500	742	169	795	637	714	1.46 046	24
37	494	569	814	244	873	719	800	137	23
38	561	638	887	320	952	802	897	229	22
39	627	708	969	395	1.31 031	885	974	320	21
40	694	777	1.22 031	471	110	968	1.41 061	411	20
41	761	846	104	546	190	1.36 051	148	503	19
42	828	916	176	622	269	134	235	595	18
43	894	986	249	698	348	217	322	686	17
44	961	1.18 055	321	774	427	300	400	778	16
45	1.14 028	125	394	849	507	383	497	870	15
46	095	194	467	925	586	466	584	962	14
47	162	264	539	1.27 001	666	549	672	1.47 064	13
48	229	334	612	077	745	633	759	146	12
49	296	404	685	153	825	716	847	238	11
50	363	474	758	230	904	800	934	330	10
51	430	544	831	306	984	883	1.42 022	422	9
52	498	614	904	382	1.32 064	967	110	514	8
53	565	684	977	458	144	1.37 060	198	607	7
54	632	754	1.23 050	535	224	134	286	699	6
55	699	824	123	611	304	218	374	792	5
56	767	894	196	688	384	302	462	885	4
57	834	964	270	764	464	388	550	977	3
58	902	1.19 035	343	841	544	470	638	1.48 070	2
59	969	105	416	917	624	554	726	163	1
60	1.15 037	175	490	994	704	638	815	256	0
'	41°	40°	39°	38°	37°	36°	35°	34°	'

NATURAL COTANGENT.

	56°	57°	58°	59°	60°	61°	62°	63°	
0	829 04	838 67	848 05	857 17	866 03	874 62	882 95	891 01	60
1	20	83	20	32	17	76	883 08	14	59
2	36	99	36	47	32	90	22	27	58
3	53	839 15	51	62	46	875 04	36	40	57
4	69	30	66	77	61	19	49	53	56
5	85	46	82	92	75	82	63	67	55
6	830 01	62	97	858 06	90	46	77	80	54
7	17	78	849 13	21	867 04	61	90	98	53
8	34	94	28	36	19	76	884 04	892 06	52
9	50	840 09	43	51	83	89	17	19	51
10	66	25	59	66	48	878 03	31	32	50
11	82	41	74	81	62	17	45	45	49
12	98	57	89	96	77	31	58	59	48
13	831 16	72	850 06	859 11	91	45	72	72	47
14	31	88	20	26	888 06	59	85	85	46
15	47	841 04	35	41	20	73	99	98	45
16	63	20	51	56	34	87	885 12	893 11	44
17	79	35	66	70	49	877 01	26	24	43
18	95	51	81	85	63	15	39	37	42
19	832 12	67	96	860 00	78	29	53	50	41
20	28	82	851 12	15	92	43	66	63	40
21	44	98	27	30	899 06	56	80	76	39
22	60	842 14	42	45	21	70	93	69	38
23	76	30	57	59	35	84	886 07	894 02	37
24	92	45	73	74	49	98	20	15	36
25	833 08	61	88	89	64	878 12	34	28	35
26	24	77	852 03	861 04	78	26	47	41	34
27	40	92	18	19	93	40	61	54	33
28	56	843 08	34	33	870 07	54	74	67	32
29	73	24	49	48	21	68	89	80	31
30	89	39	64	63	36	82	887 01	93	30
31	834 06	55	79	78	50	96	15	895 06	29
32	21	70	94	92	64	879 09	28	19	28
33	37	86	853 10	862 07	79	23	41	82	27
34	53	844 02	25	22	93	37	55	45	26
35	69	17	40	37	871 07	51	68	58	25
36	85	33	55	51	21	65	82	71	24
37	835 01	48	70	66	38	79	95	84	23
38	17	64	85	81	50	93	888 08	97	22
39	33	80	854 01	95	64	890 06	22	896 10	21
40	49	95	16	863 10	78	20	35	23	20
41	65	845 11	31	25	93	34	48	36	19
42	81	26	46	40	872 07	48	62	49	18
43	97	42	61	54	21	62	75	62	17
44	836 13	57	76	69	35	75	88	74	16
45	29	73	91	84	50	89	889 02	87	15
46	45	88	855 06	98	64	881 03	15	897 00	14
47	61	846 04	21	864 13	78	17	28	13	13
48	76	19	36	27	92	30	42	26	12
49	92	35	51	42	873 06	44	55	39	11
50	837 08	50	67	57	21	58	63	52	10
51	24	66	82	71	35	72	81	64	9
52	40	81	97	86	49	85	95	77	8
53	56	97	856 12	865 01	63	99	890 03	90	7
54	72	847 12	27	15	77	882 13	31	898 03	6
55	88	26	42	30	91	26	35	16	5
56	838 04	43	57	44	874 06	40	48	28	4
57	20	69	72	59	20	54	61	41	3
58	35	74	87	73	34	67	74	54	2
59	51	89	857 02	88	48	81	87	67	1
60	67	848 06	17	866 03	62	95	891 01	79	0
	33°	32°	31°	30°	29°	28°	27°	26°	

TABLE 3.]

NATURAL TANGENT.

25

	56°	57°	58°	59°	60°	61°	62°	63°	
0	1.48 256	1.53 987	1.60 033	1.68 488	1.73 205	1.80 405	1.88 073	1.96 261	60
1	349	1.54 085	137	538	321	529	205	402	59
2	442	183	241	647	438	653	337	544	58
3	536	291	345	757	555	777	469	685	57
4	629	379	449	867	671	901	602	827	56
5	722	478	553	978	788	1.01 025	734	969	55
6	816	576	657	1.07 088	905	150	887	1.07 111	54
7	909	675	761	198	1.74 022	274	1.89 000	253	53
8	1.49 008	774	865	309	140	399	133	396	52
9	097	873	970	419	257	524	266	538	51
10	190	972	1.61 074	530	375	649	490	681	50
11	284	1.55 071	179	641	492	774	533	823	49
12	378	170	263	752	610	899	637	966	48
13	472	269	388	863	728	1.82 025	801	1.98 110	47
14	566	368	493	974	846	150	935	253	46
15	661	467	598	1.08 085	964	276	1.90 069	396	45
16	755	567	703	196	1.75 062	402	203	540	44
17	849	666	809	308	200	528	337	684	43
18	944	766	914	419	319	654	472	828	42
19	1.50 038	866	1.62 019	531	437	780	607	972	41
20	133	965	125	643	556	908	741	1.99 116	40
21	228	1.56 065	230	754	675	1.83 033	876	261	39
22	322	165	338	866	794	159	1.91 012	406	38
23	417	265	442	979	913	286	147	550	37
24	512	366	548	1.69 091	1.76 032	413	292	695	36
25	607	466	603	203	151	540	418	841	35
26	702	566	760	316	271	667	554	986	34
27	797	667	866	428	390	794	690	2.00 131	33
28	893	767	972	541	510	922	826	277	32
29	988	868	1.63 079	653	630	1.84 049	962	423	31
30	1.51 064	969	185	766	749	177	1.92 098	569	30
31	179	1.57 069	292	879	869	306	235	715	29
32	275	170	398	992	990	433	371	862	28
33	370	271	505	1.70 106	1.77 110	561	508	2.01 068	27
34	466	372	612	219	230	689	645	155	26
35	562	474	719	332	351	818	782	302	25
36	658	575	826	446	471	946	920	449	24
37	754	676	984	560	592	1.85 075	1.93 057	596	23
38	850	778	1.64 041	673	713	204	195	743	22
39	946	879	148	787	834	333	332	891	21
40	1.52 043	981	256	901	955	462	470	2.02 039	20
41	139	1.58 068	363	1.71 015	1.78 077	591	608	187	19
42	235	184	471	129	198	720	746	335	18
43	332	286	579	244	319	850	885	463	17
44	429	388	687	358	441	979	1.94 028	631	16
45	525	490	795	473	563	1.86 109	162	790	15
46	622	593	903	588	685	239	301	929	14
47	719	695	1.65 011	702	807	369	440	2.03 078	13
48	816	797	120	817	929	499	579	227	12
49	913	900	228	932	1.79 051	630	718	376	11
50	1.53 010	1.69 002	337	1.72 047	174	760	858	526	10
51	107	105	445	163	206	891	997	675	9
52	205	208	554	276	419	1.87 021	1.95 137	825	8
53	302	311	663	393	542	152	277	975	7
54	400	414	772	509	685	283	417	2.04 125	6
55	497	517	881	625	789	415	557	276	5
56	595	620	990	741	911	546	688	426	4
57	693	723	1.66 099	857	1.80 034	677	838	577	3
58	791	826	209	973	158	809	979	728	2
59	888	930	318	1.73 089	281	941	1.96 120	879	1
60	987	1.60 033	428	205	405	1.88 073	261	2.05 090	0
	33°	32°	31°	30°	29°	28°	27°	26°	

NATURAL COTANGENT.

	64°	65°	66°	67°	68°	69°	70°	71°	
0	898 79	906 31	913 55	920 50	927 18	933 58	939 89	945 52	90
1	89	43	66	62	29	68	79	61	89
2	899 05	56	78	73	40	79	69	71	88
3	18	68	90	85	51	89	99	80	87
4	30	80	914 02	96	62	934 00	940 09	90	86
5	43	92	14	921 07	73	10	19	99	85
6	56	907 04	25	19	84	20	29	946 09	84
7	68	17	37	30	94	31	39	18	83
8	81	29	49	41	928 05	41	49	27	82
9	94	41	61	52	16	52	58	37	81
10	900 07	53	72	64	27	62	68	46	80
11	19	66	84	75	38	72	78	56	79
12	32	78	96	86	49	83	88	65	78
13	45	90	915 08	98	59	93	98	74	77
14	57	908 02	19	922 09	70	936 03	941 06	84	76
15	70	14	31	20	81	14	18	93	75
16	82	26	43	31	92	24	27	947 02	74
17	95	39	55	43	929 03	34	37	12	73
18	901 08	51	66	54	13	44	47	21	72
19	20	63	78	65	24	55	57	30	71
20	33	75	90	76	35	65	67	40	70
21	46	87	916 01	87	45	75	76	49	69
22	58	99	13	99	56	85	86	58	68
23	71	909 12	25	928 10	67	96	96	68	67
24	83	24	38	21	78	936 06	942 06	77	66
25	96	36	48	32	88	16	16	86	65
26	902 08	48	60	43	99	26	25	95	64
27	21	60	71	55	930 10	37	35	948 05	63
28	33	72	83	66	20	47	45	14	62
29	46	84	94	77	31	57	54	23	61
30	59	96	917 06	88	42	67	64	32	60
31	71	910 08	18	99	52	77	74	42	59
32	84	20	29	924 10	63	88	84	51	58
33	96	32	41	21	74	98	93	60	57
34	903 09	44	52	32	84	937 08	943 08	69	56
35	21	56	64	44	95	18	13	78	55
36	34	68	75	55	931 06	28	22	86	54
37	46	80	87	66	16	38	32	97	53
38	58	92	99	77	27	48	42	949 06	52
39	71	911 04	918 10	88	37	59	51	15	51
40	83	16	22	99	48	69	61	24	50
41	96	28	33	925 10	59	79	70	33	49
42	904 08	40	45	21	69	89	80	43	48
43	21	52	56	32	80	99	90	52	47
44	33	64	68	43	90	938 09	99	61	46
45	46	76	79	54	932 01	19	944 09	70	45
46	58	88	91	65	11	29	18	79	44
47	70	912 00	919 02	76	22	39	28	88	43
48	83	12	14	87	32	49	38	97	42
49	95	24	25	98	43	59	47	950 06	41
50	905 07	36	36	926 09	53	69	57	15	40
51	20	48	48	20	64	79	66	24	39
52	32	60	59	31	74	89	76	33	38
53	45	72	71	42	85	99	85	43	37
54	57	83	82	53	95	939 09	95	52	36
55	69	95	94	64	933 06	19	945 04	61	35
56	82	913 07	920 05	75	16	29	14	70	34
57	94	19	16	86	27	39	23	79	33
58	906 06	31	28	97	37	49	33	88	32
59	18	43	39	927 07	48	59	42	97	31
60	31	55	50	18	53	69	52	951 06	30
	25°	24°	23°	22°	21°	20°	19°	18°	

TABLE 3.]

NATURAL TANGENT.

27

	64°	65°	66°	67°	68°	69°	70°	71°	
0	2-05 080	2-14 451	2-24 604	2-35 586	2-47 509	2-60 509	2-74 748	2-90 431	60
1	182	614	780	776	716	736	897	696	59
2	833	777	956	967	924	963	2-75 248	971	58
3	485	910	2-25 132	2-36 158	2-48 132	2-61 190	496	2-91 246	57
4	637	2-15 104	809	849	840	418	746	523	56
5	790	268	486	541	549	645	996	799	55
6	942	432	663	733	758	874	2-76 247	2-92 076	54
7	2-06 094	596	840	925	967	2-62 103	498	854	53
8	247	760	2-26 018	2-37 119	2-49 177	832	750	682	52
9	400	925	196	811	386	561	2-77 002	910	51
10	553	2-16 090	874	504	597	791	254	2-93 189	50
11	708	255	552	697	807	2-63 021	507	468	49
12	860	420	730	891	2-50 018	254	761	748	48
13	2-07 014	585	909	2-38 084	229	483	2-78 014	2-94 028	47
14	167	751	2-27 088	279	440	714	269	809	46
15	321	917	267	473	652	945	523	591	45
16	476	2-17 083	447	668	864	2-64 177	778	872	44
17	630	249	628	893	2-51 078	410	2-79 083	2-95 155	43
18	785	416	806	2-39 058	299	642	289	437	42
19	939	582	967	253	502	875	545	721	41
20	2-08 094	749	2-28 167	449	715	2-65 109	802	2-96 004	40
21	250	916	348	645	929	342	2-80 059	298	39
22	405	2-18 054	528	841	2-52 142	576	316	578	38
23	560	251	710	2-40 038	357	811	574	858	37
24	716	419	891	235	571	2-66 046	838	2-97 144	36
25	872	587	2-29 078	432	786	251	2-81 091	430	35
26	2-09 028	755	254	629	2-53 001	516	850	717	34
27	184	923	437	827	217	752	610	2-98 004	33
28	341	2-19 092	619	2-41 025	432	969	870	292	32
29	498	261	801	228	648	2-67 225	2-82 130	580	31
30	654	430	964	421	865	462	391	869	30
31	811	599	2-30 167	620	2-54 082	700	653	2-99 153	29
32	969	769	851	819	299	937	914	447	28
33	2-10 125	938	534	2-42 019	516	2-68 175	2-89 176	738	27
34	294	2-20 108	718	218	734	414	439	3-00 028	26
35	442	278	902	418	952	653	702	819	25
36	600	449	2-31 085	618	2-55 170	892	965	611	24
37	758	619	271	819	389	2-69 131	2-84 229	903	23
38	916	790	456	2-43 019	608	371	494	3-01 196	22
39	2-11 075	961	641	220	827	612	759	489	21
40	233	2-21 132	826	422	2-56 046	853	2-85 023	783	20
41	392	904	2-32 012	623	266	2-70 094	289	3-02 077	19
42	552	475	197	825	487	535	555	872	18
43	711	647	383	2-44 027	707	577	822	667	17
44	871	819	570	230	928	819	2-86 089	963	16
45	2-12 080	992	756	438	2-57 150	2-71 062	356	3-03 260	15
46	190	2-22 164	943	636	871	905	624	556	14
47	350	337	2-33 130	839	593	518	892	854	13
48	511	510	317	2-45 043	815	792	2-87 161	3-04 152	12
49	671	663	505	246	2-58 038	2-72 036	430	450	11
50	832	857	693	451	261	281	700	749	10
51	993	2-23 080	881	655	484	526	970	3-05 049	9
52	2-13 154	204	2-34 080	860	708	771	2-88 240	318	8
53	816	378	258	2-46 065	932	2-73 017	511	643	7
54	477	553	447	270	2-59 156	263	783	950	6
55	639	727	636	476	381	509	2-89 055	3-06 252	5
56	801	902	825	682	606	758	327	544	4
57	963	2-24 077	2-35 015	888	831	2-74 004	600	857	3
58	2-14 125	252	905	2-47 005	2-60 057	251	873	3-07 160	2
59	288	428	395	302	283	499	2-90 147	464	1
60	451	604	585	509	509	748	421	788	0
	25°	24°	23°	22°	21°	20°	19°	18°	

NATURAL COTANGENT.

	72°	73°	74°	75°	76°	77°	78°	79°	
0	951 06	956 30	961 26	965 93	970 30	974 37	978 15	981 63	60
1	15	89	34	966 00	37	44	21	68	59
2	24	47	42	08	44	50	27	74	58
3	33	56	50	15	51	57	33	79	57
4	42	64	58	23	58	63	39	85	56
5	51	73	66	30	65	70	45	90	55
6	59	81	74	38	72	76	51	96	54
7	68	90	82	45	79	83	57	982 01	53
8	77	98	90	53	86	89	63	07	52
9	86	987 07	98	60	93	96	69	12	51
10	95	15	962 06	67	971 00	975 02	75	18	50
11	962 04	24	14	75	06	06	81	23	49
12	13	32	22	82	13	15	87	29	48
13	22	40	30	90	20	21	93	34	47
14	31	49	38	97	27	28	99	40	46
15	40	57	46	967 05	34	34	979 05	45	45
16	48	66	53	12	41	41	10	50	44
17	57	74	61	19	48	47	16	56	43
18	66	82	69	27	55	53	22	61	42
19	75	91	77	34	62	60	29	67	41
20	84	99	85	42	69	66	34	72	40
21	93	968 07	93	49	76	73	40	77	39
22	963 01	16	963 01	56	82	79	46	83	38
23	10	24	03	64	89	85	52	88	37
24	19	32	16	71	96	92	58	94	36
25	28	41	24	78	972 03	98	63	99	35
26	37	49	32	86	10	976 04	69	983 04	34
27	45	57	40	93	17	11	75	10	33
28	54	65	47	968 00	23	17	81	15	32
29	63	74	55	07	30	23	87	20	31
30	72	82	63	15	37	30	92	25	30
31	80	90	71	22	44	36	96	31	29
32	89	96	79	29	51	42	960 04	36	28
33	98	969 07	86	37	57	48	10	41	27
34	954 07	15	94	44	64	55	16	47	26
35	15	23	51	51	71	61	21	52	25
36	24	31	10	58	78	67	27	57	24
37	33	40	17	66	84	73	33	62	23
38	41	48	25	73	91	80	39	68	22
39	50	56	33	80	98	86	44	73	21
40	59	64	40	87	973 04	92	50	78	20
41	67	72	48	94	11	98	56	83	19
42	76	81	56	969 02	18	977 05	61	89	18
43	85	89	63	09	25	11	67	94	17
44	93	97	71	16	31	17	73	99	16
45	955 02	960 05	79	23	38	23	79	964 04	15
46	11	13	86	30	45	29	84	09	14
47	19	21	94	37	51	35	90	14	13
48	28	29	965 02	45	58	42	96	20	12
49	36	37	09	52	65	48	981 01	25	11
50	45	46	17	59	71	54	07	30	10
51	54	54	24	66	78	60	12	35	9
52	62	62	32	73	84	68	18	40	8
53	71	70	40	80	91	72	24	45	7
54	79	78	47	87	96	78	29	50	6
55	88	86	55	94	974 04	84	35	55	5
56	96	94	62	970 01	11	91	40	61	4
57	956 05	961 02	70	08	17	97	44	66	3
58	13	10	78	15	24	978 03	52	71	2
59	22	18	85	23	30	09	57	76	1
60	30	26	93	30	37	15	63	81	0
'	17°	16°	15°	14°	13°	12°	11°	10°	'

TABLE 3.]

NATURAL TANGENT.

29

	72°	73°	74°	75°	76°	77°	78°	79°	
0	3.07 768	3.27 085	3.48 741	3.73 205	4.01 078	4.33 148	4.70 463	5.14 455	60
1	3.08 073	426	3.49 125	640	578	723	4.71 137	5.15 258	59
2	379	767	509	3.74 075	4.02 074	4.34 300	813	5.16 058	58
3	685	3.28 109	894	512	574	879	4.72 490	863	57
4	991	452	3.50 279	950	4.03 076	4.35 459	4.73 170	5.17 671	56
5	3.09 298	795	698	3.75 398	578	4.36 040	851	5.18 480	55
6	606	3.29 139	5.51 053	828	4.04 081	623	4.74 534	5.19 298	54
7	914	483	441	3.76 288	589	4.37 207	4.75 219	5.20 107	53
8	3.10 223	829	829	709	4.05 092	793	906	925	52
9	532	3.30 174	3.52 219	3.77 152	599	4.38 381	4.76 585	5.21 744	51
10	842	521	609	595	4.06 107	909	4.77 286	5.22 566	50
11	3.11 153	888	3.53 001	3.78 040	616	4.39 569	978	5.23 391	49
12	464	3.31 216	393	495	4.07 127	4.40 152	4.78 673	5.24 218	48
13	775	565	785	931	639	745	4.79 370	5.25 048	47
14	3.12 087	914	3.54 179	3.79 378	4.08 152	4.41 840	4.80 088	880	46
15	400	3.32 264	573	827	666	936	769	5.26 715	45
16	713	614	989	3.80 276	4.09 182	4.42 534	4.81 471	5.27 553	44
17	3.13 027	965	3.55 884	726	699	4.43 134	4.82 175	5.28 393	43
18	341	3.33 317	761	3.81 177	4.10 216	735	882	5.29 235	42
19	656	670	3.56 159	630	736	4.44 338	4.83 590	5.30 080	41
20	972	3.34 023	557	3.82 083	4.11 256	942	4.84 300	928	40
21	3.14 288	377	957	537	778	4.45 549	4.85 013	5.31 778	39
22	635	732	3.57 357	992	4.12 301	4.46 155	727	5.32 631	38
23	922	3.35 087	758	3.83 449	825	764	4.86 444	5.33 497	37
24	3.15 240	443	3.58 100	906	4.13 350	4.47 374	4.87 162	5.34 345	36
25	558	800	502	3.84 364	877	966	882	5.35 206	35
26	877	3.36 168	966	824	4.14 405	4.48 600	4.88 605	5.36 070	34
27	3.16 197	516	3.59 370	3.85 284	934	4.49 215	4.89 330	996	33
28	517	875	775	745	4.15 465	852	4.90 056	5.37 805	32
29	838	3.37 234	3.60 181	3.86 208	997	4.50 451	785	5.38 677	31
30	3.17 159	594	588	671	4.16 530	4.51 071	4.91 516	5.39 552	30
31	481	955	996	3.87 136	4.17 064	693	4.92 249	5.40 429	29
32	804	3.38 317	3.61 406	601	600	4.52 316	984	5.41 309	28
33	3.18 127	*679	814	3.88 069	4.18 137	941	4.93 721	5.42 192	27
34	451	3.39 042	3.62 224	536	675	4.53 569	4.94 460	5.43 078	26
35	775	406	636	3.89 004	4.19 215	4.54 196	4.95 201	966	25
36	3.19 100	771	3.63 048	474	756	826	945	5.44 837	24
37	426	3.40 136	461	945	4.20 298	4.55 458	4.96 690	5.45 751	23
38	752	502	874	3.90 417	842	4.56 091	4.97 438	5.46 618	22
39	3.20 079	869	3.64 289	590	4.21 387	726	4.98 186	5.47 548	21
40	406	3.41 236	705	3.91 364	933	4.57 363	940	5.48 451	20
41	734	004	3.65 121	839	4.22 481	4.58 001	4.99 065	5.49 356	19
42	3.21 063	973	538	3.92 316	4.23 030	641	5.00 451	5.50 264	18
43	392	3.42 343	957	793	580	4.59 283	5.01 210	5.51 176	17
44	722	713	3.66 376	3.93 271	4.24 132	927	971	5.52 090	16
45	3.22 053	3.43 084	796	751	685	4.60 572	5.02 734	5.53 007	15
46	894	456	3.67 217	3.94 232	4.25 239	4.61 219	5.03 499	927	14
47	715	829	638	713	795	868	5.04 267	5.54 851	13
48	3.23 048	3.44 202	3.68 061	3.95 196	4.26 352	4.62 518	5.05 037	5.55 777	12
49	881	576	485	680	911	4.63 171	809	5.56 706	11
50	714	951	909	3.96 165	4.27 471	825	5.06 584	5.57 638	10
51	3.24 049	3.45 327	3.69 335	651	4.28 032	4.64 480	5.07 369	5.58 573	9
52	888	703	761	3.97 139	595	4.65 138	5.08 139	5.59 511	8
53	719	3.46 080	3.70 188	627	4.29 159	797	921	5.60 452	7
54	3.25 055	458	616	3.98 117	724	4.66 458	5.09 794	5.61 397	6
55	892	837	3.71 046	607	4.30 291	4.67 121	5.10 490	5.62 344	5
56	729	3.47 216	476	3.99 099	860	786	5.11 279	5.63 295	4
57	3.26 067	596	907	592	4.31 430	4.68 452	5.12 069	5.64 248	3
58	406	977	3.72 338	4.00 086	4.32 001	4.69 121	862	5.65 206	2
59	745	3.48 359	771	582	573	791	5.13 658	5.66 165	1
60	3.27 085	741	3.73 205	4.01 078	4.33 143	4.70 463	5.14 455	5.67 125	0
	37°	16°	15°	14°	13°	12°	11°	10°	

NATURAL COTANGENT.

	80°	81°	82°	83°	84°	85°	86°	87°	88°
0	9843 1	9876 9	9902 7	9925 5	9945 2	9961 9	9975 6	9986 3	60
1	9843 6	9877 3	9903 1	9925 8	9945 5	9962 2	9976 8	9987 4	59
2	9849 1	988 8	9903 5	9926 2	9945 8	9962 5	9976 0	9987 6	58
3	9849 6	9878 2	9903 9	9926 5	9946 1	9963 0	9976 2	9987 7	57
4	9850 1	9879 7	9904 3	9927 9	9946 4	9963 4	9976 4	9987 9	56
5	9851 6	9879 1	9904 7	9927 2	9947 7	9963 7	9976 6	9987 0	55
6	9851 1	9880 6	9905 1	9927 6	9947 0	9964 0	9976 8	9987 2	54
7	9852 6	9880 0	9905 5	9928 9	9947 3	9964 3	9977 0	9987 5	53
8	9852 1	9880 5	9906 9	9928 3	9948 6	9964 6	9977 2	9987 8	52
9	9852 6	9881 9	9906 3	9928 6	9948 9	9964 9	9977 4	9988 0	51
10	9853 1	9881 4	9907 7	9929 0	9949 2	9965 2	9977 6	9988 3	50
11	9853 6	9881 8	9907 1	9929 3	9949 5	9965 5	9977 8	9988 6	49
12	9854 1	9882 3	9907 5	9929 7	9949 8	9965 8	9978 0	9988 9	48
13	9854 6	9882 7	9908 9	9930 0	9949 1	9966 2	9978 2	9989 2	47
14	9855 1	9883 2	9908 3	9930 3	9949 4	9966 5	9978 4	9989 4	46
15	9855 6	9883 6	9908 7	9930 7	9949 7	9966 8	9978 6	9989 6	45
16	9856 1	9884 1	9909 1	9931 0	9950 0	9967 2	9978 8	9989 8	44
17	9856 6	9884 5	9909 5	9931 4	9950 3	9967 5	9979 0	9990 0	43
18	9857 0	9884 9	9909 8	9931 7	9950 6	9967 8	9979 2	9990 2	42
19	9857 5	9885 4	9910 2	9932 0	9950 8	9968 2	9979 4	9990 4	41
20	9858 0	9885 8	9910 6	9932 4	9951 1	9968 5	9979 6	9990 6	40
21	9858 5	9886 3	9911 0	9932 7	9951 4	9968 8	9979 8	9990 8	39
22	9859 0	9886 7	9911 4	9933 1	9951 7	9969 2	9980 0	9991 0	38
23	9859 5	9887 1	9911 8	9933 4	9952 0	9969 5	9980 2	9991 2	37
24	9860 0	9887 5	9912 2	9933 7	9952 3	9969 8	9980 4	9991 4	36
25	9860 5	9888 0	9912 6	9934 1	9952 6	9970 2	9980 6	9991 6	35
26	9861 0	9888 4	9913 0	9934 4	9952 9	9970 5	9980 8	9991 8	34
27	9861 5	9888 8	9913 4	9934 7	9953 2	9970 8	9981 0	9992 0	33
28	9862 0	9889 2	9913 8	9935 1	9953 5	9971 2	9981 2	9992 2	32
29	9862 5	9889 6	9914 2	9935 4	9953 8	9971 5	9981 4	9992 4	31
30	9863 0	9890 0	9914 6	9935 7	9954 1	9971 8	9981 6	9992 6	30
31	9863 5	9890 4	9915 0	9936 1	9954 4	9972 2	9981 8	9992 8	29
32	9864 0	9890 8	9915 4	9936 4	9954 7	9972 5	9982 0	9993 0	28
33	9864 5	9891 2	9915 8	9936 7	9955 0	9972 8	9982 2	9993 2	27
34	9865 0	9891 6	9916 2	9937 1	9955 3	9973 2	9982 4	9993 4	26
35	9865 5	9892 0	9916 6	9937 4	9955 6	9973 5	9982 6	9993 6	25
36	9866 0	9892 4	9917 0	9937 7	9955 9	9973 8	9982 8	9993 8	24
37	9866 5	9892 8	9917 4	9938 1	9956 2	9974 2	9983 0	9994 0	23
38	9867 0	9893 2	9917 8	9938 4	9956 5	9974 5	9983 2	9994 2	22
39	9867 5	9893 6	9918 2	9938 7	9956 8	9974 8	9983 4	9994 4	21
40	9868 0	9894 0	9918 6	9939 1	9957 1	9975 2	9983 6	9994 6	20
41	9868 5	9894 4	9919 0	9939 4	9957 4	9975 5	9983 8	9994 8	19
42	9869 0	9894 8	9919 4	9939 7	9957 7	9975 8	9984 0	9995 0	18
43	9869 5	9895 2	9919 8	9940 1	9958 0	9976 2	9984 2	9995 2	17
44	9870 0	9895 6	9920 2	9940 4	9958 3	9976 5	9984 4	9995 4	16
45	9870 5	9896 0	9920 6	9940 7	9958 6	9976 8	9984 6	9995 6	15
46	9871 0	9896 4	9921 0	9941 1	9958 9	9977 2	9984 8	9995 8	14
47	9871 5	9896 8	9921 4	9941 4	9959 2	9977 5	9985 0	9996 0	13
48	9872 0	9897 2	9921 8	9941 7	9959 5	9977 8	9985 2	9996 2	12
49	9872 5	9897 6	9922 2	9942 1	9959 8	9978 2	9985 4	9996 4	11
50	9873 0	9898 0	9922 6	9942 4	9960 1	9978 5	9985 6	9996 6	10
51	9873 5	9898 4	9923 0	9942 7	9960 4	9978 8	9985 8	9996 8	9
52	9874 0	9898 8	9923 4	9943 1	9960 7	9979 2	9986 0	9997 0	8
53	9874 5	9899 2	9923 8	9943 4	9961 0	9979 5	9986 2	9997 2	7
54	9875 0	9899 6	9924 2	9943 7	9961 3	9979 8	9986 4	9997 4	6
55	9875 5	9899 9	9924 6	9944 1	9961 6	9980 2	9986 6	9997 6	5
56	9876 0	9900 3	9925 0	9944 4	9961 9	9980 5	9986 8	9997 8	4
57	9876 5	9900 7	9925 4	9944 7	9962 2	9980 8	9987 0	9998 0	3
58	9877 0	9901 1	9925 8	9945 1	9962 5	9981 2	9987 2	9998 2	2
59	9877 5	9901 5	9926 2	9945 4	9962 8	9981 5	9987 4	9998 4	1
60	9878 0	9901 9	9926 6	9945 7	9963 1	9981 8	9987 6	9998 6	0
	9°	8°	7°	6°	5°	4°	3°	2°	

TABLE 3.]

NATURAL TANGENT.

31

	80°	81°	82°	83°	84°	85°	86°	87°	
0	5.6 7128	6.3 1375	7.1 1587	8.1 4435	9.5 1436	11. 4301	14. 8007	19. 0811	60
1	8094	2566	3042	6398	4106	4685	3607	1879	59
2	9064	3761	4553	8370	6791	5072	4212	2959	58
3	5.7 0037	4961	6071	8.2 0852	9490	5461	4823	4051	57
4	1013	6165	7594	2344	9.6 2205	5853	5438	5159	56
5	1992	7374	9125	4345	4935	6248	6059	6273	55
6	2974	8587	7.2 0661	6355	7690	6685	6685	7403	54
7	3960	9804	2204	8376	9.7 0441	7045	7317	8548	53
8	4949	6.4 1026	3754	8.3 0406	3217	7448	7954	9702	52
9	5941	2253	5310	2446	6009	7858	8506	20. 0872	51
10	6937	3484	6873	4496	6817	8262	9244	2056	50
11	7936	4720	8412	6555	9.8 1641	8673	9693	3253	49
12	8938	5961	7.3 0018	8625	4482	9087	15. 0557	4463	48
13	9944	7206	1600	8.4 0705	7338	9504	12.22	5691	47
14	5.8 0953	8456	3190	2795	9.9 0211	9923	1893	6832	46
15	1966	9710	4786	4890	3101	12. 0346	2571	8188	45
16	2982	6.5 0070	6389	7007	6007	0772	3254	9460	44
17	4001	2234	7999	9128	8931	1201	3943	21. 0747	43
18	5024	3508	9616	8.5 1259	10. 0187	1632	4638	2049	42
19	6051	4777	7.4 1240	3402	0453	2067	5340	3369	41
20	7080	6055	2871	5555	0780	2505	6048	4704	40
21	8114	7339	4509	7718	1080	2946	6762	6056	39
22	9151	8627	6154	9803	1381	3390	7483	7426	38
23	5.9 0191	9921	7608	8.6 2078	1683	3828	8211	8813	37
24	1236	6.6 1219	9465	4275	1988	4298	8945	22. 0217	36
25	2283	2523	7.5 1132	6482	2294	4742	9687	1640	35
26	3335	3831	2806	8701	2602	5199	16. 0435	3081	34
27	4390	5144	4457	8.7 0931	2913	5660	1190	4511	33
28	5448	6463	6176	3172	3224	6124	1952	6020	32
29	6510	7787	7872	5425	3598	6591	2722	7519	31
30	7576	9114	9575	7689	3854	7062	3499	9038	30
31	8646	6.7 0450	7.6 1267	9964	4172	7536	4283	23. 0517	29
32	9720	1789	3005	8.8 2252	4491	8014	5075	2137	28
33	6.0 0797	8189	4732	4551	4813	8496	5874	3718	27
34	1878	4483	6468	6862	5136	8981	6691	5321	26
35	2902	5689	8208	9185	5462	9469	7496	6945	25
36	4051	7199	9637	8.9 1520	5789	9962	8319	8593	24
37	5143	8664	7.7 1715	3867	6118	13. 0458	9150	24. 0283	23
38	6240	9696	3490	6227	6450	0958	9990	1957	22
39	7340	6.8 1312	5254	8593	6783	1461	17. 0837	3675	21
40	8444	2694	7035	9.0 0883	7119	1969	1693	5418	20
41	9562	4082	8825	3379	7457	2450	2558	7185	19
42	6.1 0664	5475	7.8 0622	5789	7797	2996	3432	5978	18
43	1779	6874	2428	8211	8139	3515	4314	25. 0798	17
44	2899	8278	4242	9.1 0646	8483	4039	5205	2644	16
45	4023	9688	6064	3093	8929	4563	6106	4517	15
46	5151	6.9 1104	7895	5551	9178	5098	7015	6418	14
47	6283	2525	9734	8029	9629	5634	7934	8348	13
48	7419	3952	7.9 1582	9.2 0516	9882	6174	8863	26. 0807	12
49	8569	5395	3439	3016	11. 0237	6719	9802	2296	11
50	9708	6829	5902	5530	0594	7267	19. 0750	4316	10
51	6.2 0851	8263	7176	8058	0954	7821	1708	6367	9
52	2003	9719	9069	9.3 0599	1316	8378	2677	5450	8
53	3160	7.0 1174	8.0 0949	3155	1681	8940	3655	27. 0566	7
54	4321	2637	2849	5724	2048	9507	4645	2715	6
55	5486	4105	4756	8307	2417	14. 0079	5646	4699	5
56	6655	5579	6674	9.4 0904	2789	0655	6556	7117	4
57	7829	7059	8600	3515	3163	1235	7678	9372	3
58	9007	8546	8.1 0636	6141	3540	1821	8711	28. 1684	2
59	6.3 0189	7.1 0039	2481	8781	3919	2411	9755	8994	1
60	1375	1537	4435	9.5 1436	4301	3007	19. 0511	6363	0
	9°	8°	7°	6°	5°	4°	3°	2°	

NATURAL COTANGENT.

32 NATURAL SINE.				NATURAL TANGENT.			
'	88°	89°	'	'	83°	89°	'
0	9993 9	9998 5	60	0	29° 6363	57° 2900	60
1	9994 0	5	59	1	5771	58° 2612	59
2	1	6	58	2	29° 1220	59° 2659	58
3	2	6	57	3	3711	60° 3058	57
4	3	7	56	4	6245	61° 3429	56
5	4	7	55	5	8623	62° 4992	55
6	5	8	54	6	30° 1446	63° 6567	54
7	6	8	53	7	4116	64° 8580	53
8	7	9	52	8	6933	66° 1055	52
9	8	9	51	9	9599	67° 4019	51
10	9	9	50	10	31° 2416	68° 7501	50
11	9995 0	9999 0	49	11	5284	70° 1533	49
12	1	0	48	12	8205	71° 6151	48
13	2	1	47	13	32° 1181	73° 1390	47
14	2	1	46	14	4213	74° 7292	46
15	3	1	45	15	7303	76° 3900	45
16	4	2	44	16	33° 0452	78° 1263	44
17	5	2	43	17	8662	79° 9434	43
18	6	3	42	18	6935	81° 8470	42
19	7	3	41	19	34° 0273	83° 8435	41
20	8	3	40	20	3678	85° 9398	40
21	9	4	39	21	7151	88° 1436	39
22	9996 0	4	38	22	35° 0695	90° 4633	38
23	0	4	37	23	4313	92° 9085	37
24	1	5	36	24	8006	95° 4895	36
25	2	5	35	25	36° 1776	98° 2179	35
26	3	5	34	26	5627	101° 1069	34
27	3	5	33	27	9560	104° 1709	33
28	4	6	32	28	37° 3579	107° 4265	32
29	5	6	31	29	7686	110° 5921	31
30	6	6	30	30	38° 1895	114° 5887	30
31	6	6	29	31	6177	118° 5402	29
32	7	7	28	32	39° 0568	122° 7740	28
33	8	6	27	33	5059	127° 3218	27
34	9	7	26	34	9655	132° 2185	26
35	9	7	25	35	40° 4368	137° 5075	25
36	9997 0	8	24	36	9174	143° 2371	24
37	1	8	23	37	41° 4106	149° 4650	23
38	2	8	22	38	9158	156° 2591	22
39	2	8	21	39	42° 4335	163° 7002	21
40	3	8	20	40	9641	171° 8854	20
41	4	8	19	41	43° 5081	180° 9322	19
42	4	9	18	42	44° 0661	190° 9842	18
43	5	9	17	43	6386	202° 2188	17
44	6	9	16	44	45° 2261	214° 8576	16
45	6	9	15	45	8294	229° 1817	15
46	7	9	14	46	46° 4489	245° 5620	14
47	7	9	13	47	47° 0853	264° 4408	13
48	8	9	12	48	7395	286° 4777	12
49	9	9	11	49	48° 4121	312° 6214	11
50	9	1° 0000 0	10	50	40° 1039	343° 7737	10
51	9998 0	0	9	51	8157	381° 9710	9
52	0	0	8	52	50° 5485	429° 7176	8
53	1	0	7	53	51° 3032	491° 1080	7
54	2	0	6	54	52° 0807	572° 9572	6
55	2	0	5	55	8821	687° 5489	5
56	3	0	4	56	53° 7086	859° 4363	4
57	3	0	3	57	54° 5613	1145° 9153	3
58	4	0	2	58	55° 4415	1718° 8732	2
59	4	0	1	59	56° 3506	3437° 7467	1
60	5	0	0	60	57° 2900	Infinit.	0
'	1°	0°	'	'	1°	0°	'
NATURAL COSINE.				NATURAL COTANGENT.			

TABLE 4.

TABLE 4. NATURAL COSINES.												33
N	0°		1°		2°		3°		4°		5°	
	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "
0	000000	0	999848	0	999391	0	998630	0	997564	0	996195	0
1	00	0	843	0	381	0	614	0	544	0	6169	0
2	00	0	837	0	370	0	599	1	523	1	6144	1
3	00	0	832	0	360	1	584	1	503	1	6118	1
4	999999	0	827	0	350	1	568	1	482	1	6093	2
5	99	0	821	0	339	1	552	1	462	2	6067	2
6	99	0	816	1	329	1	537	2	441	2	6041	3
7	99	0	810	1	318	1	521	2	420	3	6015	3
8	97	1	804	1	307	1	505	2	399	3	5989	3
9	97	1	799	1	296	2	489	2	378	3	5963	4
10	96	1	793	1	285	2	473	3	357	4	5937	4
11	999995	1	997787	1	990274	2	998457	3	997336	4	995911	5
12	94	1	781	1	263	2	441	3	315	4	584	5
13	93	1	774	1	252	2	425	4	293	5	5818	6
14	92	1	768	1	240	3	408	4	272	5	582	6
15	91	1	762	2	229	3	392	4	250	5	5805	7
16	89	1	756	2	218	3	375	4	229	6	5778	7
17	88	1	749	2	206	3	358	4	207	6	5752	7
18	86	1	743	2	194	3	342	5	185	6	5725	8
19	85	1	736	2	183	4	325	5	163	7	5698	8
20	83	1	729	2	171	4	308	5	141	7	5671	9
21	999981	1	997722	2	999159	4	998291	6	997119	7	995644	9
22	80	2	716	2	147	4	274	6	7097	8	617	10
23	78	2	709	2	135	4	257	6	7075	8	589	10
24	76	2	701	3	123	5	240	7	7053	8	562	11
25	74	2	694	3	111	5	223	7	7030	9	535	11
26	71	2	687	3	998	5	205	7	7009	9	507	11
27	69	2	680	3	986	5	188	8	6985	10	480	12
28	67	2	672	3	973	5	170	8	6963	10	452	12
29	64	2	665	3	961	6	153	8	6940	11	424	13
30	62	2	657	3	948	6	135	9	6917	11	396	14
31	999959	2	999650	4	999036	7	998117	9	996805	12	995368	15
32	57	2	642	4	9023	7	8099	10	872	13	340	15
33	54	2	634	4	9010	7	8081	10	849	13	312	16
34	51	2	626	4	8997	8	8063	11	825	14	284	16
35	48	2	618	4	8984	8	8045	11	802	14	256	17
36	45	2	610	5	8971	8	8027	11	779	15	227	17
37	42	2	602	5	8957	9	8008	12	756	15	199	18
38	39	2	594	5	8944	9	7990	12	732	16	171	19
39	36	2	585	5	8931	9	7972	12	709	16	142	19
40	32	2	577	6	8917	9	7953	13	685	16	113	20
41	999929	2	999568	6	998904	10	997934	13	996961	17	995084	20
42	925	2	560	6	890	10	916	13	637	17	5066	21
43	922	2	551	6	876	10	897	14	614	17	5027	21
44	918	2	542	6	862	10	878	14	590	18	4998	21
45	914	3	534	6	849	11	859	14	566	18	4969	22
46	911	3	525	6	834	11	840	15	541	19	4939	22
47	907	3	516	7	820	11	821	15	517	19	4910	23
48	903	3	507	7	806	11	802	15	493	20	4881	23
49	898	3	497	7	792	11	782	16	469	20	4851	24
50	894	3	488	7	778	12	763	16	444	20	4822	25
51	999890	3	999479	7	998763	12	997743	16	996420	21	994792	25
52	886	3	469	7	749	12	724	16	395	21	763	26
53	881	3	460	7	734	12	704	17	370	22	739	26
54	877	3	450	8	719	13	684	17	345	22	703	27
55	872	3	441	8	705	13	665	17	320	22	678	27
56	867	3	431	8	690	13	645	18	295	23	648	28
57	863	3	421	8	675	14	625	18	270	23	618	28
58	858	3	411	8	660	14	605	18	245	24	588	29
59	853	3	401	8	645	14	584	19	220	24	552	29
60	848	4	391	9	630	14	564	19	195	24	522	30

°	6°		7°		8°		9°		10°		11°	
	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "
0	994522	0	992546	0	990288	0	987688	0	984908	0	981627	0
1	491	1	511	1	022	1	643	1	757	1	572	1
2	461	1	475	1	0187	1	597	1	707	2	518	2
3	430	2	439	2	0146	2	551	2	658	3	460	3
4	400	2	404	2	0108	3	506	3	605	3	405	4
5	369	3	368	3	0065	3	460	4	554	4	349	5
6	338	3	332	4	0024	4	414	5	503	5	293	6
7	307	4	296	4	999983	5	368	6	452	6	237	7
8	276	4	260	5	9942	6	322	7	401	7	181	7
9	245	5	224	6	9900	6	275	8	350	8	124	8
10	214	5	187	6	9859	7	229	8	299	9	068	9
11	994182	6	992151	7	990818	8	987183	9	984247	9	981012	10
12	4151	6	2115	7	776	8	7136	10	4196	10	0955	11
13	4120	7	2078	8	735	9	7090	11	4144	11	0899	12
14	4088	7	2042	9	693	10	7043	12	4092	12	0842	13
15	4056	8	2006	9	651	10	6996	12	4041	13	0785	14
16	4025	8	1968	10	610	11	6950	13	3989	14	0729	15
17	3993	9	1931	10	568	12	6903	13	3937	15	0672	16
18	3961	9	1894	11	526	12	6856	14	3885	16	0615	17
19	3929	10	1857	12	484	13	6809	15	3833	16	0558	18
20	3897	10	1820	12	442	14	6762	15	3781	17	0501	19
21	993865	11	991783	13	990899	14	986714	16	983729	18	980448	20
22	833	11	746	13	357	15	667	17	676	19	0386	21
23	800	12	709	14	315	16	620	18	624	20	0329	22
24	768	13	671	15	272	17	572	19	572	21	0271	23
25	736	13	634	15	230	17	525	19	519	22	0214	24
26	708	14	596	16	187	18	477	20	466	22	0156	25
27	670	14	558	17	145	19	429	21	414	23	0098	26
28	634	15	521	17	102	19	382	22	361	24	0041	27
29	606	15	483	18	059	20	334	23	308	25	97983	28
30	572	16	445	19	016	21	286	24	256	26	9925	29
31	993539	17	991407	20	990973	22	986238	25	983902	27	979867	30
32	506	18	369	21	990	23	6189	26	3149	28	800	31
33	473	19	331	22	847	24	6141	27	3006	29	750	32
34	440	19	292	22	843	25	6088	28	3042	30	692	33
35	408	20	254	23	800	26	6045	29	2989	31	634	34
36	378	21	216	24	756	26	5996	30	2936	32	575	35
37	339	21	177	24	713	27	5948	31	2882	33	517	36
38	306	22	138	25	669	28	5899	32	2828	34	458	37
39	272	22	100	26	626	28	5850	33	2774	35	399	38
40	238	23	061	26	582	29	5801	33	2721	36	341	39
41	993206	23	991023	27	990598	30	985752	34	982667	37	979282	40
42	3171	24	983	28	494	31	704	35	613	38	9223	41
43	3137	24	944	28	450	32	654	35	559	39	9164	42
44	3103	25	905	29	406	32	606	36	506	40	9106	43
45	3069	25	866	30	362	33	556	37	450	41	9046	44
46	3034	26	827	30	317	34	507	38	396	41	8986	45
47	3000	27	787	31	273	35	457	39	342	42	8927	46
48	2966	28	749	32	228	35	408	40	287	43	8867	47
49	2931	28	708	32	184	36	358	41	235	44	8808	48
50	2896	29	669	33	139	37	309	42	178	45	8748	49
51	992862	29	990629	34	990095	38	985259	42	982123	46	978980	50
52	847	30	630	34	8050	38	520	43	2009	47	820	51
53	792	30	549	35	7006	39	5159	44	2014	48	560	52
54	757	31	510	36	7960	40	5109	45	1959	49	509	53
55	722	31	469	36	7915	41	5059	45	1904	50	449	54
56	687	32	429	37	7870	41	5009	46	1849	50	389	55
57	652	32	389	38	7825	42	4959	47	1793	51	329	56
58	617	33	349	38	7779	43	4909	48	1738	52	268	58
59	582	34	309	39	7734	44	4859	49	1683	53	208	59
60	548	34	268	39	7688	44	4808	50	1627	54	148	60

TABLE 4.

NATURAL COSINES.

35

°	12°		13°		14°		15°		16°		17°	
	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "
0	978148	0	974370	0	970296	0	965926	0	961262	0	956306	0
1	8087	1	4305	1	0225	1	850	1	1182	1	6220	1
2	8026	2	4239	2	0155	2	775	2	1101	3	6135	3
3	7966	3	4173	3	0084	3	700	4	1021	4	6049	4
4	7905	4	4108	4	0014	5	624	5	0940	5	5964	6
5	7844	5	4042	6	99943	6	548	6	0860	7	5879	7
6	7783	6	3976	7	9872	7	473	8	0779	8	5798	9
7	7722	7	3910	8	9801	8	397	9	0698	9	5707	10
8	7661	8	3844	9	9730	9	321	10	0618	11	5622	11
9	7600	9	3778	10	9659	10	245	11	0537	12	5536	12
10	7539	10	3712	11	9588	12	169	13	0456	14	5450	14
11	977477	11	973645	13	969517	13	965098	14	960375	15	955364	16
12	7416	12	579	14	9445	14	5016	15	0294	16	5278	17
13	7354	13	512	15	9374	15	4940	16	0213	18	5192	19
14	7293	14	446	16	9302	16	4864	18	0131	19	5106	20
15	7231	15	379	17	9231	18	4787	19	0050	20	5020	22
16	7169	16	313	18	9159	19	4711	20	999068	22	4934	23
17	7108	17	246	19	9088	20	4634	21	9987	23	4847	24
18	7046	18	179	20	9016	21	4557	23	9936	24	4761	26
19	6984	19	112	21	8944	22	4481	24	9874	26	4674	27
20	6922	20	045	22	8872	24	4404	26	9842	27	4588	29
21	976850	22	972978	24	968900	25	964327	27	959500	28	954501	30
22	797	23	911	25	729	26	4250	28	9478	30	4414	32
23	795	24	843	26	656	27	4173	29	9406	31	4327	33
24	672	25	776	27	583	28	4095	31	9314	32	4240	35
25	610	26	708	28	511	30	4018	32	9232	34	4153	36
26	547	27	641	29	438	31	3941	33	9150	35	4066	37
27	485	28	573	30	366	32	3863	34	9067	36	3979	39
28	422	29	506	31	293	33	3786	36	8985	38	3892	40
29	359	30	439	32	220	34	3708	37	8902	39	3804	42
30	296	31	370	34	148	36	3631	38	8820	41	3717	44
31	976233	32	972302	35	968075	37	963553	40	958737	43	953629	45
32	6170	33	2234	36	8002	38	8475	42	8654	44	3542	47
33	6107	35	2168	38	7929	40	8397	43	8572	46	3454	48
34	6044	36	2098	39	7856	41	8319	44	8489	47	3366	50
35	5980	37	2024	40	7783	43	8241	46	8406	49	3279	51
36	5917	38	1951	41	7709	44	8163	47	8323	50	3191	53
37	5853	39	1883	42	7636	45	8084	48	8239	51	3103	55
38	5790	40	1824	44	7562	47	8006	49	8156	53	3015	56
39	5726	41	1755	45	7489	48	7928	51	8073	54	2926	58
40	5662	42	1687	46	7415	49	7850	52	7990	55	2838	59
41	975509	43	971618	47	967342	50	962770	53	957906	57	952750	61
42	535	44	1549	48	7268	52	092	55	824	58	2602	62
43	471	45	1480	49	7194	53	618	56	739	59	2573	64
44	407	46	1411	50	7120	54	534	57	656	61	2494	65
45	342	47	1342	52	7046	55	455	59	571	62	2396	67
46	278	49	1273	53	6972	57	376	60	484	64	2307	68
47	214	50	1204	54	6898	58	297	61	404	65	2218	70
48	149	51	1134	55	6823	59	218	63	320	66	2129	71
49	085	52	1065	56	6749	60	139	64	236	68	2040	73
50	020	53	0995	57	6675	62	059	65	154	69	1951	74
51	974956	54	970928	59	966600	63	961980	67	957067	71	951662	76
52	891	56	856	60	6526	64	901	68	0989	72	773	77
53	826	58	796	61	6451	65	821	69	0908	74	694	79
54	761	57	717	62	6376	66	741	71	0814	75	594	80
55	696	58	647	63	6301	68	662	72	0729	77	506	82
56	631	59	577	64	6226	69	582	73	0644	78	415	83
57	566	60	507	66	6151	70	502	75	0560	80	326	85
58	501	61	436	67	6076	72	422	76	0475	81	236	86
59	436	62	366	68	6001	73	342	78	0390	82	146	88
60	370	64	296	69	5926	74	262	79	0305	83	057	89

°	18°		19°		20°		21°		22°		23°	
	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "
0	951057	0	945519	0	939693	0	933580	0	927184	0	920505	0
1	0967	2	5424	2	9593	2	3476	2	7075	2	0391	2
2	0877	3	5329	3	9494	3	8372	4	6966	4	0277	4
3	0787	5	5234	5	9394	5	3267	5	6857	5	0164	6
4	0696	6	5139	6	9294	7	3163	7	6747	7	0050	8
5	0606	8	5044	8	9194	8	3058	9	6638	9	91938	10
6	0516	9	4919	10	9094	10	2954	11	6529	11	9622	11
7	0425	11	4854	11	8994	12	2849	12	6419	13	9707	13
8	0335	12	4759	13	8894	13	2744	14	6310	15	9598	15
9	0244	14	4663	14	8794	15	2639	16	6200	17	9479	17
10	0154	15	4568	16	8694	17	2534	18	6090	18	9364	19
11	950063	17	944472	18	938593	18	932429	19	925981	20	919250	21
12	949972	18	4376	19	8493	20	2324	21	5871	22	9135	23
13	9881	20	4281	21	8393	22	2219	23	5761	24	9021	25
14	9790	21	4185	22	8292	23	2113	25	5651	26	8906	27
15	9699	23	4089	24	8191	25	2008	26	5541	28	8791	29
16	9608	24	3993	26	8091	27	1902	28	5430	29	8676	31
17	9517	26	3897	27	7990	28	1797	30	5320	31	8561	33
18	9426	27	3801	29	7890	30	1691	32	5210	33	8446	35
19	9334	29	3705	30	7788	32	1586	33	5099	35	8331	37
20	9243	30	3609	32	7687	34	1480	35	4989	37	8216	38
21	949151	32	943512	34	937588	35	931374	37	924978	39	918101	40
22	9060	33	3416	35	7485	37	1268	39	4768	40	7986	42
23	8968	35	3319	37	7383	39	1162	40	4657	42	7870	44
24	8876	36	3223	38	7282	40	1056	42	4546	44	7755	46
25	8784	38	3126	40	7181	42	9450	44	4435	46	7639	48
26	8692	39	3029	42	7079	44	8343	46	4324	48	7523	50
27	8600	41	2932	43	6977	46	7237	48	4213	50	7408	52
28	8508	42	2836	45	6876	47	6131	50	4102	52	7292	54
29	8416	44	2739	47	6774	49	5024	52	3991	54	7176	56
30	8324	46	2642	48	6672	51	4918	53	3880	56	7060	58
31	948221	48	942544	51	936570	53	930311	55	923768	58	916944	60
32	8139	50	2447	52	6468	55	0204	57	3637	60	6828	62
33	8046	51	2350	54	6366	57	0097	59	3545	62	6712	64
34	7954	53	2253	56	6264	58	929991	61	3434	64	6596	66
35	7861	54	2155	57	6162	60	9884	63	3322	65	6479	68
36	7768	56	2058	59	6060	62	9777	65	3210	67	6363	70
37	7676	57	1960	60	5957	63	9669	67	3098	69	6246	72
38	7583	59	1862	62	5855	65	9562	69	2987	71	6130	74
39	7490	61	1764	64	5752	67	9453	71	2875	73	6013	76
40	7397	62	1667	66	5650	69	9348	72	2762	75	5896	78
41	947304	64	941569	67	935517	70	929240	74	922650	77	915780	80
42	7210	65	1471	69	5444	72	9138	76	2538	79	5663	82
43	7117	67	1372	71	5341	74	9025	78	2426	81	5546	84
44	7024	68	1274	72	5238	75	8917	80	2313	83	5429	86
45	6930	70	1176	74	5135	77	8810	81	2201	84	5312	88
46	6837	71	1078	75	5032	79	8702	83	2088	86	5194	90
47	6743	73	9979	77	4929	81	8594	85	1976	88	5077	92
48	6649	75	9881	79	4826	82	8486	87	1863	90	4960	94
49	6556	76	9782	80	4722	84	8378	89	1750	92	4842	96
50	6462	78	9684	82	4619	86	8270	90	1638	94	4725	98
51	946368	79	940585	84	934515	87	928161	92	921525	96	914607	100
52	6274	81	0486	85	4412	89	8053	94	1412	98	4490	102
53	6180	82	0387	87	4308	91	7945	96	1299	100	4372	104
54	6086	84	0288	89	4205	93	7836	98	1185	101	4254	106
55	5991	85	0189	90	4101	95	7728	100	1072	103	4136	108
56	5897	87	0090	92	3997	96	7619	101	0959	105	4018	110
57	5802	88	99991	94	3893	98	7510	103	0846	107	3900	112
58	5706	90	9891	95	3789	100	7402	105	0732	109	3782	114
59	5613	92	9792	97	3685	101	7293	107	0619	110	3664	116
60	5519	93	9693	98	3580	103	7184	109	0505	112	3546	118

TABLE 4

NATURAL COSINES.

37

°	24°		25°		26°		27°		28°		29°	
	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "
0	913546	0	906308	0	898794	0	891007	0	882948	0	874620	0
1	3427	2	6185	2	8667	2	0874	2	2811	2	4479	2
2	3309	4	6062	4	8539	4	0742	4	2674	4	4338	5
3	3190	6	5939	6	8411	6	0610	6	2538	6	4196	7
4	3072	8	5815	8	8283	8	0478	8	2401	9	4055	9
5	2953	10	5692	10	8156	11	0345	11	2264	11	3914	12
6	2834	12	5569	12	8028	13	0213	13	2127	13	3772	14
7	2715	14	5445	14	7900	15	0080	15	1990	16	3631	16
8	2597	16	5322	16	7772	17	889948	17	1853	18	3489	19
9	2478	18	5198	18	7643	19	9815	19	1716	21	3345	21
10	2359	20	5075	21	7515	21	0682	21	1578	23	3206	24
11	912239	22	904951	23	897387	23	890549	23	881441	25	873064	26
12	2120	24	4827	25	7258	26	9416	26	1304	27	2922	29
13	2001	26	4708	27	7130	28	9288	28	1166	30	2750	31
14	1882	28	4579	29	7001	30	9150	30	1028	32	2638	33
15	1762	30	4455	31	6873	32	9017	32	0891	34	2406	36
16	1643	32	4331	33	6744	34	8884	35	0753	37	2354	38
17	1523	34	4207	35	6615	36	8751	37	0615	39	2212	40
18	1403	36	4083	37	6486	38	8617	39	0477	41	2069	43
19	1284	38	3958	39	6358	40	8484	41	0339	43	1927	45
20	1164	40	3834	41	6229	43	8350	44	0201	46	1784	47
21	911044	42	903709	43	896099	45	888217	46	880063	48	871642	49
22	0924	44	3585	45	5970	47	8063	48	879925	52	1499	52
23	0804	46	3460	47	5841	49	7949	50	9787	54	1357	54
24	0684	48	3335	49	5712	52	7815	52	9649	56	1214	56
25	0564	50	3211	51	5582	54	7682	55	9510	58	1071	59
26	0443	52	3086	54	5453	57	7548	58	9372	60	0928	61
27	0323	54	2961	56	5323	58	7413	60	9233	62	0785	64
28	0202	56	2836	58	5194	60	7279	62	9095	64	0642	66
29	0082	58	2711	60	5064	62	7145	64	8956	67	0499	69
30	906961	60	2585	63	4934	65	7011	67	8817	69	0356	71
31	909841	62	902400	65	894805	67	886877	69	878678	71	870212	74
32	9720	64	2355	67	4675	69	6742	71	8539	73	0069	77
33	9599	66	2229	69	4545	71	6606	74	8400	76	869926	79
34	9478	68	2084	71	4415	73	6473	76	8261	78	0782	82
35	9357	70	1958	73	4284	75	6338	78	8122	81	9639	84
36	9236	72	1833	75	4154	78	6204	81	7983	84	9495	87
37	9115	74	1707	77	4024	80	6069	83	7844	86	9351	89
38	8994	76	1581	79	3894	82	5934	85	7704	89	9207	91
39	8873	78	1455	81	3763	84	5799	87	7565	91	9064	94
40	8751	80	1329	84	3633	86	5664	90	7425	93	8920	96
41	909630	82	901203	86	893502	89	885529	92	877286	95	868777	98
42	8508	84	1077	88	3371	91	5394	94	7146	97	8632	101
43	8387	86	0951	90	3241	93	5258	96	7006	100	8487	103
44	8265	88	0825	92	3110	95	5123	98	6867	102	8343	106
45	8143	90	0699	95	2979	97	4988	101	6727	105	8199	108
46	8021	92	0572	97	2848	100	4852	103	6587	107	8054	110
47	7900	94	0445	99	2717	102	4717	105	6447	109	7910	112
48	7778	96	0319	101	2586	104	4581	107	6307	112	7766	115
49	7655	98	0192	103	2455	106	4445	110	6167	114	7621	117
50	7533	100	0065	105	2323	108	4310	112	6026	117	7476	119
51	907411	102	899989	107	892192	111	884174	114	875886	119	867331	122
52	7269	104	0912	109	2061	113	4038	116	5746	122	7187	124
53	7167	106	0885	111	1929	115	3902	119	5605	124	7042	127
54	7044	108	0859	113	1798	117	3766	121	5466	126	6897	129
55	6922	111	0431	116	1666	119	3630	124	5324	129	6752	132
56	6799	113	0304	118	1534	122	3493	126	5183	131	6607	134
57	6676	115	0176	120	1402	124	3357	129	5042	133	6461	137
58	6554	117	0049	122	1271	126	3221	131	4902	136	6316	139
59	6431	119	8922	124	1139	129	3084	133	4761	138	6171	142
60	6308	121	8794	127	1007	131	2948	136	4620	140	6025	144

N	30°		31°		32°		33°		34°		35°	
	Cosine.	Parts for "	Cosine.	Parts for "	Cosine.	Parts for "	Cosine.	Parts for "	Cosine.	Parts for "	Cosine.	Parts for "
0	860025	0	857187	0	848048	0	838671	0	829098	0	819152	0
1	5880	2	7017	3	7894	3	8512	3	8875	3	8985	3
2	5734	5	6808	5	7740	5	8354	5	8712	6	8818	6
3	5589	7	6718	8	7585	8	8195	8	8549	8	8651	9
4	5443	9	6567	10	7431	10	8036	11	8396	11	8484	11
5	5297	12	6417	13	7277	13	7878	13	8223	14	8317	14
6	5151	15	6267	15	7122	16	7719	16	8060	16	8150	17
7	5006	17	6117	17	6967	18	7560	19	7897	19	7982	20
8	4860	19	5966	20	6813	20	7401	22	7734	22	7816	23
9	4713	22	5816	22	6658	23	7242	24	7571	25	7648	25
10	4567	24	5666	25	6503	26	7083	27	7407	27	7480	26
11	864421	27	855518	27	846948	28	838024	29	827244	30	817313	31
12	4275	29	5364	30	6193	31	6764	32	7081	33	7145	34
13	4128	32	5214	32	6038	33	6605	35	6917	36	6977	36
14	3982	34	5063	35	5883	36	6446	38	6753	38	6809	39
15	3836	37	4912	38	5728	39	6286	40	6590	41	6642	42
16	3689	39	4761	40	5573	41	6127	43	6424	44	6474	44
17	3542	41	4610	43	5417	44	5967	46	6262	47	6306	47
18	3396	44	4459	45	5262	47	5807	48	6098	49	6138	50
19	3249	46	4308	47	5106	49	5648	51	5934	52	5970	53
20	3102	49	4156	50	4951	52	5488	54	5770	55	5801	56
21	862955	51	854008	52	844795	54	835325	56	825606	57	815633	58
22	2908	54	3954	55	4640	57	5168	59	5442	60	5485	61
23	2661	56	3702	57	4484	60	5008	62	5278	63	5296	64
24	2514	59	3551	60	4328	62	4848	65	5118	65	5128	67
25	2366	61	3399	62	4172	65	4688	67	4949	68	4959	70
26	2219	63	3248	65	4016	68	4527	70	4785	71	4791	73
27	2072	66	3096	67	3860	72	4367	72	4620	73	4622	76
28	1924	68	2944	70	3704	74	4207	75	4456	76	4453	79
29	1777	71	2792	73	3548	76	4046	78	4291	79	4284	82
30	1629	74	2640	76	3391	78	3890	81	4126	82	4116	84
31	861482	77	852468	78	843235	81	833725	84	823961	84	813947	87
32	1334	80	2336	81	3079	84	3586	87	3797	87	3778	90
33	1186	82	2184	83	2922	87	3404	90	3632	90	3608	93
34	1038	84	2032	85	2766	90	3243	93	3467	93	3439	95
35	0890	87	1879	88	2609	92	3082	95	3302	96	3270	98
36	0742	89	1727	90	2452	94	2921	98	3130	99	3104	101
37	0594	92	1575	93	2296	97	2760	101	2971	102	2931	104
38	0446	94	1423	96	2139	99	2599	103	2800	105	2762	107
39	0298	97	1269	99	1982	102	2436	106	2641	108	2592	110
40	0149	99	1117	102	1825	105	2277	108	2475	111	2428	113
41	860001	102	850904	105	841608	108	832115	111	822310	114	812253	115
42	869852	103	8611	107	1511	111	1954	114	2144	116	2084	118
43	9704	106	0808	109	1354	113	1793	116	1978	119	1914	121
44	9555	109	0656	111	1198	115	1631	119	1813	122	1744	124
45	9406	112	0505	114	1040	118	1470	121	1647	125	1574	127
46	9258	114	0353	117	0882	121	1308	124	1481	128	1404	130
47	9109	116	0201	119	0724	123	1146	127	1315	131	1234	133
48	8960	118	0048	122	0567	126	0984	129	1149	134	1064	136
49	8811	121	9739	125	0409	128	0823	132	0983	136	0894	139
50	8662	124	8586	128	0251	131	0661	135	0817	139	0723	142
51	858513	126	849438	131	840094	134	830489	138	820651	142	810653	144
52	8394	129	8279	133	830936	136	82037	141	0485	145	0383	147
53	8214	131	8125	135	81778	139	0174	143	0318	147	0212	150
54	8045	134	8072	138	8020	142	0012	146	0152	150	0042	153
55	7916	136	8018	140	9462	144	82850	148	81968	153	80871	156
56	7766	139	8064	143	9004	147	8088	151	8019	156	7970	159
57	7616	142	8010	145	9146	150	9525	154	9652	158	9530	162
58	7467	145	8056	148	8087	152	9360	156	9486	161	9369	164
59	7317	147	8002	151	8029	155	9200	159	9319	164	9188	167
60	7167	149	8048	153	8071	157	9038	162	9152	166	9017	170

TABLE 4.]

NATURAL COSINES.

39

°	36°		37°		38°		39°		40°		41°	
	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "
0	909017	0	799935	0	789011	0	777146	0	765044	0	754710	0
1	8946	3	8440	3	7832	3	6963	3	5957	3	4519	3
2	8075	6	8285	6	7652	6	6789	6	5670	6	4328	6
3	8504	9	8110	9	7473	9	6596	9	5483	9	4137	10
4	8833	11	7935	12	7294	12	6413	12	5296	13	3946	13
5	8161	14	7759	15	7114	15	6230	15	5109	16	3755	16
6	7990	17	7584	18	6935	18	6046	18	4921	19	3563	19
7	7819	20	7408	20	6756	21	5863	21	4734	22	3372	22
8	7647	23	7233	23	6576	24	5679	24	4547	25	3181	25
9	7475	26	7057	26	6396	27	5496	27	4359	28	2989	28
10	7304	29	6882	29	6217	30	5312	31	4171	31	2796	32
11	807132	32	796706	32	786037	33	775128	34	763984	34	752606	35
12	6900	34	6530	35	5857	36	4945	37	3736	38	2415	38
13	6789	37	6354	38	5677	39	4761	40	3906	41	2223	41
14	6617	40	6178	41	5497	42	4577	43	3420	44	2032	44
15	6445	43	6002	44	5317	45	4393	46	3232	47	1840	48
16	6273	46	5828	47	5137	48	4209	49	3044	50	1648	51
17	6101	49	5650	50	4957	51	4024	52	2856	53	1456	54
18	5929	52	5473	53	4776	54	3940	55	2668	57	1264	57
19	5756	55	5297	56	4596	57	3656	58	2480	60	1072	60
20	5584	57	5121	59	4416	60	3472	61	2292	63	0880	64
21	905411	60	794914	62	784235	63	773287	65	762104	66	750688	67
22	5239	63	4768	65	4065	66	3108	68	1915	69	0496	70
23	5066	66	4591	68	3874	69	2918	71	1727	72	0303	73
24	4894	69	4415	71	3694	72	2734	74	1538	75	0111	86
25	4721	72	4238	74	3513	75	2549	77	1350	78	74919	80
26	4548	75	4061	76	3339	78	2364	80	1161	82	9728	83
27	4376	78	3884	79	3151	81	2179	83	0972	85	9534	86
28	4203	81	3707	82	2970	84	1995	86	0784	88	9341	89
29	4030	84	3530	85	2789	87	1810	89	0595	91	9148	92
30	3857	86	3353	88	2608	90	1625	92	0406	94	8956	96
31	808684	89	798178	92	787427	94	771440	97	760217	98	748763	101
32	3511	92	2999	95	2246	97	1254	100	0626	101	8570	104
33	3338	95	2822	98	2065	100	1069	103	75839	105	8377	107
34	3164	98	2644	101	1883	103	0884	106	9650	108	8184	110
35	2991	101	2467	104	1702	106	0690	109	9461	111	7991	113
36	2818	104	2290	107	1520	109	0513	112	9271	114	7798	117
37	2644	107	2112	110	1339	112	0326	115	9082	117	7606	120
38	2471	110	1935	113	1157	115	0142	118	8893	120	7412	123
39	2297	113	1757	116	0976	118	76957	121	8705	123	7218	126
40	2123	116	1579	119	0794	121	9771	124	8514	127	7025	129
41	801950	118	791401	121	780812	125	769585	127	758324	130	746882	133
42	1776	121	1224	124	0430	128	9400	130	8134	133	6648	136
43	1602	124	1046	127	0249	131	9214	133	7945	136	6445	139
44	1428	127	0868	130	0067	134	9028	136	7755	139	6251	142
45	1254	130	0690	133	779884	137	8842	139	7565	142	6057	145
46	1080	133	0512	136	9702	140	8656	143	7375	146	5864	149
47	0906	136	0333	139	9520	143	8470	146	7186	149	5670	152
48	0731	139	0155	142	9338	146	8284	149	6996	152	5476	155
49	0557	142	78977	145	9156	149	8097	152	6805	155	5282	158
50	0383	145	4796	148	8973	152	7911	155	6615	158	5088	162
51	800278	147	789620	151	778791	155	767725	158	756426	161	744884	166
52	0034	150	9441	154	8608	158	7538	161	6234	165	4700	169
53	799839	153	9263	157	8426	161	7352	164	6044	168	4506	172
54	9686	156	9084	160	8243	164	7165	167	5854	171	4312	175
55	9510	159	8906	163	8060	167	6979	171	5663	174	4117	178
56	9336	162	8727	166	7878	170	6792	174	5472	177	3923	181
57	9160	165	8548	169	7695	173	6605	177	5282	180	3728	184
58	8986	168	8369	172	7512	176	6418	180	5091	184	3534	188
59	8811	171	8190	175	7329	179	6231	183	4900	187	3339	191
60	8636	174	8011	178	7146	182	6044	186	4710	190	3145	194

°	42°		43°		44°		45°		46°		47°	
	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "
0	743145	0	731854	0	718340	0	707107	0	694638	0	681998	0
1	2950	8	1155	3	9138	3	6901	3	4449	3	1786	4
2	2755	7	0957	7	8936	7	6695	7	4240	7	1573	7
3	2561	10	0758	10	8733	10	6489	10	4030	11	1360	10
4	2366	13	0560	13	8531	14	6284	14	3821	14	1147	14
5	2171	17	0361	16	8329	17	6078	17	3611	18	0934	18
6	1976	20	0162	20	8126	20	5872	21	3402	21	0721	21
7	1781	23	729903	23	7924	24	5666	24	3192	25	0508	25
8	1586	26	7065	26	7721	27	5459	28	2983	28	0295	28
9	1391	29	6866	29	7519	31	5253	31	2773	32	0081	32
10	1195	33	9367	33	7316	34	5047	34	2563	35	679868	36
11	741000	36	729168	38	717113	38	704841	38	692353	39	679655	39
12	0905	39	8909	39	6911	41	4634	41	2143	42	9441	43
13	0609	42	8770	42	6708	45	4425	45	1933	46	9228	46
14	0414	45	8570	46	6505	48	4221	48	1723	49	9014	50
15	0218	49	8371	50	6302	51	4015	52	1513	52	8801	53
16	0023	52	8172	53	6099	55	3808	55	1303	56	8587	57
17	739527	55	7972	56	5806	58	3601	59	1093	59	8373	60
18	9631	58	7773	60	5603	62	3395	62	0882	63	8160	64
19	9435	62	7573	63	5490	65	3188	66	0672	66	7946	67
20	9239	65	7374	66	5286	68	2981	69	0462	70	7732	71
21	739043	68	727174	70	715083	72	702774	73	690251	73	677518	74
22	8848	71	6974	73	4880	75	2567	76	0041	77	7304	78
23	8651	75	6775	76	4676	79	2360	80	689830	80	7090	81
24	8455	78	6576	80	4473	82	2153	83	9620	84	6876	85
25	8259	81	6376	83	4269	85	1946	86	9409	87	6662	88
26	8063	84	6175	85	4066	88	1739	90	9198	91	6448	92
27	7867	88	5975	90	3862	92	1531	93	8987	94	6233	96
28	7670	91	5775	93	3658	96	1324	97	8776	98	6019	99
29	7474	94	5575	96	3454	99	1117	100	8566	101	5805	103
30	7277	98	5374	100	3250	102	0909	103	8355	105	5590	107
31	737081	106	725174	104	713047	106	700702	107	688144	110	675376	111
32	6884	106	4974	107	2843	109	0494	111	7932	113	5161	115
33	6687	110	4778	110	2639	112	0287	114	7721	117	4947	118
34	6491	113	4573	113	2434	116	0079	118	7510	120	4732	122
35	6294	116	4372	117	2230	119	629871	121	7299	124	4517	125
36	6097	119	4172	120	2026	123	9663	125	7088	127	4302	129
37	5900	123	3971	123	1822	126	9455	128	6876	131	4088	133
38	5703	126	3771	127	1617	130	9248	132	6665	134	3873	136
39	5506	129	3570	130	1413	133	9040	135	6453	138	3658	140
40	5309	132	3369	134	1209	137	8832	139	6242	141	3443	143
41	735112	135	723168	137	711004	140	698623	142	686030	144	673228	147
42	4915	139	2967	141	0799	143	8415	145	5818	148	3013	151
43	4717	142	2766	144	0595	146	8207	149	5607	152	2797	154
44	4520	145	2565	147	0390	150	7999	152	5395	156	2582	158
45	4323	149	2364	150	0185	153	7790	156	5183	159	2367	161
46	4125	152	2163	154	709081	157	7582	159	4971	163	2151	165
47	3927	155	1962	157	9776	160	7374	163	4759	167	1936	169
48	3730	158	1760	161	9571	164	7165	166	4547	170	1721	172
49	3532	162	1559	164	9366	167	6957	170	4335	174	1505	176
50	3334	165	1357	168	9161	171	6748	173	4123	177	1290	179
51	733137	169	721156	171	708956	174	696539	177	683911	181	671074	183
52	2939	172	0954	174	8750	177	6330	180	8696	184	0558	186
53	2741	175	0753	177	8545	181	6122	184	8486	188	0642	190
54	2543	178	0551	181	8340	184	5913	187	8274	191	0427	193
55	2345	182	0349	184	8135	188	5704	191	8061	195	0211	197
56	2147	185	0148	188	7929	191	5495	194	7849	198	689936	201
57	1949	188	719940	191	7724	195	5286	198	7636	202	9779	204
58	1750	191	9744	194	7518	198	5077	201	7424	205	9569	208
59	1552	194	9549	197	7312	202	4868	205	7211	209	9347	211
60	1354	197	9340	201	7107	205	4658	208	6998	212	9131	214

TABLE 4.]

NATURAL COSINES.

41

°	48°		49°		50°		51°		52°		53°	
	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "
0	669131	0	556059	0	542798	0	629320	0	615661	0	601815	0
1	8914	4	5840	4	2565	4	9094	4	5432	4	1533	4
2	8698	7	5620	7	2342	8	8888	8	5203	8	1350	8
3	8482	11	5400	11	2119	11	8642	11	4974	12	1118	12
4	8265	14	5180	15	1896	15	8418	15	4744	16	0885	16
5	8049	18	4961	19	1673	19	8189	19	4515	19	0653	19
6	7833	22	4741	22	1450	22	7963	23	4285	23	0420	23
7	7616	25	4521	26	1226	26	7737	26	4056	27	0188	27
8	7399	29	4301	30	1003	30	7510	30	3826	31	599556	31
9	7182	32	4081	33	0780	34	7284	34	3596	35	9722	35
10	6966	36	3861	37	0557	37	7057	38	3367	38	9499	39
11	666749	39	353641	41	640333	41	626530	42	613137	42	599256	43
12	6532	43	3421	44	0110	45	6004	45	2907	46	9024	47
13	6316	46	3200	48	339886	49	6377	49	2677	50	8791	50
14	6099	50	2980	52	9963	53	6150	53	2447	54	8558	54
15	5882	54	2760	55	9439	56	5923	57	2217	57	8325	58
16	5665	57	2539	59	9215	60	5697	61	1987	61	8092	62
17	5448	61	2319	63	8992	64	5470	64	1757	65	7858	66
18	5230	64	2098	66	8768	68	5243	68	1527	69	7625	70
19	5013	68	1878	70	8544	72	5016	72	1297	73	7392	74
20	4796	72	1657	73	8320	75	4789	76	1067	77	7159	78
21	664579	75	351437	77	839096	78	624561	80	610836	81	596925	82
22	4361	79	1216	81	7872	82	4334	84	0605	85	6692	86
23	4144	82	0995	85	7648	86	4107	88	0376	89	6458	90
24	3926	86	0774	89	7424	90	3880	92	0145	92	6225	94
25	3709	90	0553	93	7200	94	3652	95	09915	96	5991	98
26	3491	93	0332	96	6976	97	3425	99	9684	100	5758	102
27	3273	97	0111	100	6751	101	3197	103	9454	104	5524	106
28	3054	101	649690	103	6527	105	2970	107	9223	108	5290	110
29	2838	105	9669	107	6308	109	2742	111	8992	111	5057	114
30	2620	109	9448	110	6078	112	2515	114	8761	115	4823	117
31	662402	114	649227	115	636854	117	622287	119	608681	119	594589	121
32	2184	118	9006	118	5629	121	2059	123	8300	123	4355	125
33	1966	121	8784	122	5405	124	1831	127	8069	127	4121	129
34	1748	125	8563	126	5180	128	1604	131	7839	131	3887	133
35	1530	128	8341	129	4955	131	1376	134	7607	135	3653	137
36	1312	132	8120	133	4731	134	1148	138	7376	139	3419	141
37	1094	136	7898	137	4506	138	0920	142	7145	143	3185	145
38	0875	139	7677	141	4281	142	0692	146	6914	147	2951	149
39	0657	143	7455	144	4056	146	0464	150	6682	151	2716	153
40	0439	146	7233	148	3831	150	0235	153	6451	154	2492	156
41	660220	150	647012	152	633606	153	620007	157	606220	158	592248	160
42	0002	154	6790	155	3381	157	619779	161	5988	162	2013	164
43	659783	157	6568	159	3156	161	9551	165	5757	166	1779	168
44	9565	161	6346	163	2931	165	9322	169	5526	170	1544	172
45	9346	164	6124	167	2705	169	9094	172	5294	174	1310	176
46	9127	168	5902	171	2480	172	8865	176	5062	178	1075	180
47	8908	172	5680	174	2255	176	8637	180	4831	182	0840	184
48	8689	175	5458	178	2029	180	8408	184	4599	186	0606	188
49	8471	179	5236	181	1804	183	8180	188	4367	190	0371	192
50	8252	183	5013	185	1578	187	7951	191	4136	194	0136	196
51	659033	187	644791	188	631353	191	617722	195	603904	197	589901	199
52	7814	190	4569	192	1127	195	7494	199	3672	201	9669	203
53	7594	194	4346	196	0902	199	7265	203	3440	205	9431	207
54	7375	197	4124	200	0676	202	7036	206	3208	209	9190	211
55	7156	201	3901	204	0450	206	6807	210	2976	213	8961	215
56	6937	204	3679	207	0224	210	6578	214	2744	217	8726	219
57	6717	208	3456	211	629098	214	6349	218	2512	220	8491	223
58	6498	212	3233	215	9772	218	6120	221	2280	224	8256	227
59	6279	215	3010	218	9546	221	5891	225	2047	228	8021	231
60	6059	219	2788	222	9320	225	5661	228	1815	231	7785	234

n	54°		55°		56°		57°		58°		59°	
	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "
0	587786	0	573576	0	559193	0	544639	0	529919	0	515088	0
1	7550	4	8338	4	9052	4	4305	4	9673	4	4780	4
2	7315	8	8100	8	8710	8	4151	8	9426	8	4539	8
3	7079	12	7861	12	8469	12	3907	12	9179	12	4290	12
4	6844	16	7623	16	8228	16	3663	16	8932	17	4040	17
5	6608	20	7384	20	7987	20	3419	20	8685	21	3791	21
6	6372	24	7146	24	7745	24	3174	24	8438	25	3541	25
7	6137	28	6907	28	7504	28	2930	28	8191	29	3292	29
8	5901	32	6669	32	7262	32	2686	32	7944	33	3042	33
9	5665	36	6430	36	7021	36	2442	37	7697	37	2792	37
10	5429	39	6191	40	6779	40	2197	41	7450	41	2543	42
11	585194	43	570952	44	556537	45	541953	45	527208	45	512293	46
12	4958	47	0714	48	6296	49	1708	49	6956	49	2043	50
13	4722	51	0475	52	6054	53	1464	53	6709	54	1793	54
14	4486	55	0236	56	5812	57	1219	57	6461	58	1543	58
15	4250	59	599977	60	5570	61	0976	61	6214	62	1293	63
16	4014	63	9758	64	5328	65	0730	65	5967	66	1043	67
17	3777	67	9519	68	5086	69	0486	69	5719	70	0793	71
18	3541	71	9280	72	4844	73	0240	73	5472	74	0543	75
19	3305	75	9040	76	4602	77	539996	77	5224	78	0293	79
20	3069	79	8801	80	4360	81	9751	81	4977	82	0043	83
21	582532	83	568582	84	554118	85	539506	86	524729	87	509792	87
22	2596	87	8323	88	3876	89	9261	90	4481	91	9642	91
23	2360	91	8083	92	3634	93	9016	94	4234	95	9292	95
24	2123	95	7844	96	3392	97	8771	98	3986	99	9041	99
25	1886	99	7604	100	3149	101	8526	102	3738	103	8791	104
26	1650	103	7365	104	2907	105	8281	106	3490	107	8541	108
27	1413	107	7125	108	2664	109	8035	110	3242	111	8290	112
28	1176	111	6886	112	2422	113	7790	114	2995	115	8040	117
29	0940	115	6646	116	2180	117	7545	118	2747	119	7789	121
30	0708	118	6406	120	1937	122	7300	122	2499	124	7538	126
31	580466	122	566166	124	551694	126	537054	127	522251	128	507288	130
32	0229	126	5927	128	1452	130	6809	131	2002	132	7087	134
33	579692	130	5687	132	1209	134	6563	135	1754	136	6788	138
34	9755	134	5447	136	0966	138	6318	139	1506	141	6538	142
35	9518	138	5207	140	0724	142	6072	143	1258	145	6285	146
36	9281	142	4967	144	0481	146	5827	148	1010	149	6034	151
37	9044	146	4727	148	0238	150	5581	152	0761	153	5783	155
38	8807	150	4487	152	549695	154	5336	156	0513	158	5532	159
39	8570	154	4247	156	9752	158	5090	160	0265	162	5281	163
40	8332	158	4007	160	9509	162	4844	164	0016	166	5030	168
41	578096	162	563766	164	549266	166	534596	168	519768	170	504779	172
42	7858	166	3526	168	9023	171	4352	172	9519	174	4528	176
43	7620	170	3286	172	8780	175	4107	176	9271	178	4277	180
44	7383	174	3045	176	8536	179	3861	180	9022	182	4025	184
45	7145	178	2805	180	8293	183	3615	184	8773	186	3774	188
46	6908	182	2564	184	8050	187	3369	189	8525	190	3523	193
47	6670	186	2324	188	7807	191	3122	193	8276	195	3271	197
48	6432	190	2083	192	7563	195	2876	197	8027	199	3020	201
49	6195	194	1843	196	7320	199	2630	201	7778	203	2769	205
50	5957	198	1602	200	7076	203	2384	205	7529	207	2517	210
51	575719	202	561361	204	546533	207	532138	209	517280	212	502286	214
52	5481	206	1121	208	6589	211	1891	213	7031	216	2014	218
53	5243	210	0880	212	6346	215	1645	217	6782	220	1762	222
54	5005	214	0639	216	6102	219	1399	221	6533	224	1511	226
55	4767	218	0398	220	5858	223	1152	226	6284	228	1259	230
56	4529	222	0157	224	5615	227	0906	230	6035	233	1007	235
57	4291	226	559016	228	5371	231	0659	234	5786	237	0756	239
58	4053	230	9675	232	5127	235	0413	238	5537	241	0504	243
59	3815	234	9434	236	4883	239	0166	242	5287	245	0252	247
60	3578	237	9193	240	4639	243	599919	246	5038	249	0000	251

TABLE 4.

NATURAL CORNERS.

43

°	60°		61°		62°		63°		64°		65°	
	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "
0	500000	0	484810	0	469472	0	453991	0	438371	0	422618	0
1	499748	4	4555	4	9215	4	3731	4	8110	4	2355	4
2	9400	8	4301	8	8958	8	3472	9	7848	9	2091	9
3	9244	12	4046	13	8701	13	3213	13	7587	13	1827	13
4	8992	17	3792	17	8444	17	2964	17	7325	17	1563	18
5	8740	21	3537	21	8187	21	2694	22	7063	22	1300	22
6	8488	25	3282	25	7930	26	2435	26	6802	26	1038	26
7	8236	30	3029	30	7673	30	2175	30	6540	31	9772	31
8	7983	34	2773	34	7416	34	1916	35	6278	35	9508	35
9	7731	38	2518	38	7158	38	1658	39	6017	39	9244	40
10	7479	42	2263	43	6901	43	1397	43	5755	44	419960	44
11	497226	46	482009	47	466644	47	451137	48	435498	48	419716	48
12	6974	50	1754	51	6357	51	6878	52	5231	52	9452	53
13	6722	54	1499	55	6129	55	6618	56	4969	57	9188	57
14	6469	58	1244	59	5872	60	6358	61	4707	61	8924	62
15	6217	63	989	63	5615	64	6098	65	4446	66	8660	66
16	5964	67	734	67	5357	68	5839	69	4183	70	8396	71
17	5711	71	479	72	5100	72	5579	74	3921	74	8131	75
18	5459	75	224	76	4842	77	5319	78	3659	79	7867	79
19	5206	79	47908	80	4585	81	5059	82	3397	83	7603	84
20	4953	84	9713	85	4327	85	4799	87	3135	87	7339	88
21	494701	88	479458	89	434099	90	448539	91	432873	92	417074	92
22	4448	92	9203	93	3812	94	8279	95	2510	96	6810	97
23	4193	96	8947	97	3554	98	8019	100	2348	100	6545	101
24	3942	100	8692	101	3296	103	7769	104	2086	105	6281	106
25	3689	105	8436	106	3038	107	7499	108	1823	109	6016	110
26	3436	109	8181	110	2780	111	7239	113	1561	113	5752	114
27	3183	113	7926	115	2523	115	6979	117	1299	118	5487	119
28	2930	117	7670	119	2265	120	6718	121	1036	122	5223	123
29	2677	121	7414	123	2007	124	6458	126	774	126	4958	128
30	2424	126	7159	128	1749	129	6198	130	5511	131	4693	132
31	492170	131	476903	132	461491	133	445938	134	430240	136	414429	137
32	1917	135	6647	136	1233	138	5677	139	429966	140	4164	141
33	1664	140	6392	141	974	142	5417	143	9723	145	3899	146
34	1411	144	6136	145	6716	146	5156	147	9461	149	3634	150
35	1157	148	5880	149	4458	151	4896	152	9195	153	3369	154
36	904	152	5624	154	4200	155	4635	156	8935	158	3104	159
37	650	156	5368	158	45942	159	4375	160	8672	162	2840	163
38	397	161	5112	162	9693	164	4114	165	8410	167	2575	168
39	143	165	4856	166	9425	168	3853	169	8147	171	2310	172
40	459890	169	4600	171	9167	172	3593	174	7884	175	2045	177
41	489636	173	474344	175	458905	177	443332	178	427621	180	411780	181
42	9383	178	4488	179	8050	181	3071	182	7359	184	1514	185
43	9129	182	3832	183	8391	185	2910	187	7095	189	1249	189
44	8875	186	3576	187	8133	189	2550	191	6832	193	6094	194
45	8621	190	3320	192	7874	194	2289	195	6569	197	5719	199
46	8367	195	3063	196	7615	198	2028	199	6306	202	5454	203
47	8114	199	2807	200	7357	202	1767	204	6043	206	5188	207
48	7860	203	2551	204	7098	207	1506	208	5779	210	4923	212
49	7606	207	2294	208	6839	211	1245	212	5516	215	4658	216
50	7352	212	2038	213	6580	215	984	217	5253	219	4392	221
51	487098	216	471782	217	456322	220	440723	221	424990	224	409127	225
52	6844	220	1525	221	6063	224	4062	226	4716	228	8932	230
53	6590	224	1269	225	5804	228	3800	230	4463	232	8668	234
54	6333	229	1012	230	5545	233	3539	234	4199	237	8403	239
55	6081	233	755	234	5286	237	3278	239	3936	241	8138	243
56	5827	237	499	238	5027	241	3017	243	3673	245	7873	247
57	5573	241	243	242	4768	246	2756	247	3409	250	7608	252
58	5318	245	46985	247	4509	250	2494	251	3146	254	7343	256
59	5064	249	9728	251	4250	254	2233	256	2882	259	7078	260
60	4810	254	9472	256	3991	258	2071	260	2618	263	6813	265

°	66°		67°		68°		69°		70°		71°	
	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "
0	406737	0	390731	0	374607	0	358368	0	342020	0	325568	0
1	6471	4	0463	4	4337	5	8096	5	1747	5	5283	5
2	6205	9	0196	9	4067	9	7825	9	1473	9	5018	9
3	5939	13	389928	13	3797	14	7553	14	1200	14	4743	14
4	5673	18	8560	18	3528	18	7281	18	0927	18	4468	18
5	5408	22	9392	22	3258	23	7010	23	0653	23	4193	23
6	5142	27	9124	27	2988	27	6738	27	0380	27	3917	27
7	4876	31	8854	31	2718	32	6466	32	0100	32	3642	32
8	4610	36	8588	36	2448	36	6194	36	339833	36	3367	37
9	4344	40	8320	40	2178	41	5923	41	9559	41	3092	41
10	4078	44	8052	45	1909	45	5651	46	9285	46	2816	46
11	403811	49	387784	49	371638	50	355379	50	339012	50	322541	51
12	3545	53	7516	54	1368	54	5107	54	8738	55	2265	55
13	3279	58	7247	58	1098	59	4835	59	8464	59	1990	60
14	3013	62	6979	63	0828	63	4563	63	8191	64	1715	64
15	2747	66	6711	67	0557	65	4291	65	7917	65	1440	65
16	2480	71	6443	72	0287	72	4019	73	7643	73	1164	74
17	2214	76	6174	76	0017	77	3747	77	7369	78	0889	78
18	1948	80	5906	81	369747	81	3475	82	7095	82	0613	83
19	1681	85	5638	85	9477	86	3203	87	6821	87	0337	87
20	1415	89	5369	89	9206	90	2931	91	6548	91	0062	92
21	401149	94	385101	93	368936	95	352658	98	336274	96	319786	96
22	0882	98	4832	98	8685	100	2388	100	6000	100	9611	101
23	0616	103	4564	102	8395	104	2114	105	5728	105	9235	106
24	0349	107	4295	107	8125	108	1842	109	5452	109	8959	110
25	0083	112	4027	111	7854	113	1569	114	5178	114	8684	115
26	399816	116	3758	116	7584	117	1297	118	4903	118	8408	119
27	9549	121	3490	121	7313	122	1025	123	4629	123	8132	124
28	9283	125	3221	125	7043	126	0752	127	4355	127	7856	128
29	9016	129	2952	130	6772	131	0480	132	4081	132	7581	133
30	8749	133	2683	134	6501	135	0207	136	3807	137	7305	138
31	398482	138	382415	139	366231	140	349335	141	333533	142	317029	143
32	8216	142	2146	143	5960	144	9662	145	3258	146	6753	147
33	7949	147	1877	148	5689	149	9390	150	2984	151	6477	152
34	7682	151	1608	152	5418	153	9117	155	2710	155	6201	157
35	7415	156	1339	157	5148	158	8845	159	2436	160	5925	161
36	7148	160	1070	161	4877	162	8572	164	2161	165	5649	166
37	6881	165	0801	166	4606	167	8299	168	1887	169	5373	171
38	6614	169	0532	170	4335	171	8027	173	1612	173	5097	175
39	6347	174	0263	175	4064	176	7754	177	1338	178	4821	180
40	6080	178	379994	179	3793	180	7481	182	1063	183	4545	184
41	395813	182	379725	184	363522	185	347209	186	330789	187	314269	189
42	5546	187	9456	188	3251	189	6936	191	0514	192	3093	193
43	5278	191	9187	193	2960	194	6663	196	0240	197	3716	198
44	5011	196	8918	197	2709	198	6390	200	329965	201	3440	202
45	4744	200	8649	202	2438	203	6117	205	9691	206	3164	207
46	4477	205	8379	206	2167	207	5844	209	9416	210	2888	212
47	4209	209	8110	211	1896	212	5571	214	9141	215	2611	216
48	3942	214	7841	215	1625	216	5298	218	8867	220	2335	221
49	3675	218	7571	220	1353	221	5025	223	8592	224	2059	225
50	3407	223	7302	224	1082	226	4752	228	8317	229	1782	230
51	393140	227	377033	229	360811	230	344479	232	328042	234	311506	235
52	2872	231	6763	233	0540	235	4206	237	7768	238	1229	239
53	2605	236	6494	238	0268	239	3933	241	7493	243	0953	244
54	2337	240	6224	242	359997	244	3660	246	7218	247	0676	248
55	2070	245	5955	247	9725	248	3387	250	6943	252	0400	253
56	1802	249	5685	251	9454	253	3113	255	6668	256	0123	258
57	1534	254	5416	256	9183	257	2840	259	6393	261	30847	262
58	1267	258	5146	260	8911	262	2567	264	6118	265	9570	267
59	0999	263	4876	265	8640	266	2294	268	5843	270	9294	271
60	0731	267	4607	269	8369	271	2020	273	5568	274	9017	276

TABLE 4.]

NATURAL COSINES.

45

° N	72°		73°		74°		75°		76°		77°	
	Co- sine.	Parts for "	Co- sine.	Parts for "	Co- sine.	Parts for "	Co- sine.	Parts for "	Co- sine.	Parts for "	Co- sine.	Parts for "
0	309017	0	292372	0	275637	0	258819	0	241922	0	224951	0
1	8740	5	2094	5	5358	5	8538	5	1640	5	4668	5
2	9464	9	1815	9	5078	9	8257	9	1357	9	4384	9
3	8187	14	1537	14	4799	14	7976	14	1075	14	4101	14
4	7910	18	1259	18	4519	18	7636	18	0793	18	3817	18
5	7633	23	0981	23	4239	23	7414	23	0510	23	3534	23
6	7357	28	0702	28	3959	28	7133	28	0228	28	3250	28
7	7080	32	0424	32	3679	32	6852	32	239946	32	2967	32
8	6803	37	0146	37	3400	37	6571	37	9863	37	2683	37
9	6529	42	29967	42	3120	42	6289	42	9381	42	2399	42
10	6249	46	9589	46	2840	46	6008	46	9098	46	2116	46
11	305972	51	289310	51	272560	51	255727	51	238816	51	221832	51
12	5696	55	9032	55	2280	55	5446	55	8534	55	1549	55
13	5418	60	8753	60	2000	60	5166	60	8251	60	1265	60
14	5141	65	8475	65	1720	65	4883	65	7968	65	0981	65
15	4864	69	8196	69	1440	69	4602	69	7686	69	0697	69
16	4587	74	7918	74	1161	74	4321	74	7403	74	0414	74
17	4310	78	7639	78	0881	78	4039	78	7121	78	0130	78
18	4031	83	7361	83	0600	83	3758	83	6838	83	219846	83
19	3750	88	7082	88	0320	88	3477	88	6556	88	9562	88
20	3479	92	6803	92	0040	92	3196	92	6273	92	9279	92
21	303202	97	186525	97	269760	97	252914	97	235990	97	218995	100
22	2924	102	6248	102	9480	102	2632	102	5708	102	8711	102
23	2647	106	5967	106	9200	106	2351	106	5425	106	8427	106
24	2370	111	5688	111	8920	111	2069	111	5142	111	8143	111
25	2093	116	5410	116	8640	116	1788	116	4859	116	7859	116
26	1815	120	5131	120	8359	120	1506	120	4577	120	7575	120
27	1538	125	4852	125	8079	125	1225	125	4294	125	7292	125
28	1261	130	4573	130	7799	130	0943	130	4011	130	7008	130
29	0983	134	4294	134	7519	134	0662	134	3728	134	6724	134
30	0706	139	4015	139	7238	139	0380	139	3445	139	6440	139
31	300428	143	283736	143	266858	143	250098	143	233163	143	216156	147
32	0161	148	3458	148	6978	148	249317	148	2280	148	5472	148
33	299873	153	3179	153	6697	153	9535	153	2597	153	5588	157
34	9596	157	2900	157	6417	157	9253	157	2314	157	5304	161
35	9318	162	2621	162	6137	162	8972	162	2031	162	5019	166
36	9041	167	2342	167	5856	167	8690	167	1748	167	4735	171
37	8763	171	2062	171	5576	171	8408	171	1465	171	4451	176
38	8485	176	1783	176	5295	176	8126	176	1182	176	4167	180
39	8206	181	1504	181	4715	181	7845	181	0899	181	3883	185
40	7930	185	1225	185	4434	185	7563	185	0616	185	3599	190
41	297663	190	280946	190	264154	190	247281	190	230383	194	213315	195
42	7375	195	0687	195	3873	197	6999	198	0050	198	3030	199
43	7097	199	0388	200	3593	201	6717	202	229767	203	2746	204
44	6819	204	0108	205	3312	206	6435	207	9484	208	2462	209
45	6542	208	279829	210	3031	211	6153	212	9200	213	2178	213
46	6264	213	9550	214	2751	215	5871	216	8917	217	1893	218
47	5986	218	9270	219	2470	220	5589	221	8634	222	1609	223
48	5708	222	8991	224	2189	225	5307	226	8351	227	1325	228
49	5430	227	8712	228	1909	230	5025	230	8068	232	1040	232
50	5152	231	8432	233	1628	234	4743	235	7784	236	0756	237
51	294874	236	278153	238	261347	239	244461	240	227501	241	210472	242
52	4596	241	7574	242	1066	244	4179	245	7218	246	0187	247
53	4318	245	7294	247	0785	248	3897	249	6935	250	209903	251
54	4040	250	7015	252	0505	253	3615	254	6651	255	9919	256
55	3762	254	6735	256	0224	258	3333	259	6368	260	9634	261
56	3484	259	6456	261	259943	262	3051	263	6085	265	9050	266
57	3206	264	6176	266	9662	267	2769	268	5801	269	8765	270
58	2928	268	6197	270	9381	272	2486	273	5518	274	8481	275
59	2650	273	5917	275	9100	276	2204	277	5235	279	8196	280
60	2372	277	5637	279	8819	281	1922	282	4951	283	7912	284

°	78°		79°		80°		81°		82°		83°	
	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "
0	207912	0	190800	0	173649	0	156435	0	139173	0	121869	0
1	7627	5	0523	5	3362	5	6147	5	8885	5	1581	5
2	7343	9	0238	10	3075	10	5890	10	8597	10	1292	10
3	7058	14	180952	14	2789	14	5573	14	8309	14	1003	14
4	6773	19	9687	19	2502	19	5255	19	8021	19	0714	19
5	6489	24	9381	24	2216	24	4998	24	7735	24	0426	24
6	6204	28	9095	29	1929	29	4710	29	7445	29	0137	29
7	5920	33	8810	33	1643	33	4423	33	7156	34	119648	34
8	5635	38	8524	38	1356	38	4136	38	6868	38	9559	39
9	5350	43	8239	43	1069	43	3848	43	6580	43	9270	43
10	5066	47	7953	48	0783	48	3561	48	6292	48	8982	48
11	204781	52	187667	52	170496	52	153273	53	136004	53	118803	53
12	4496	57	7381	57	0210	57	2096	57	5716	58	8404	58
13	4211	62	7096	62	169923	62	2698	62	5427	62	8115	63
14	3927	66	6810	67	9636	67	2411	67	5139	67	7826	67
15	3642	71	6524	71	9350	72	2123	72	4851	72	7537	72
16	3357	76	6239	76	9063	76	1836	77	4563	77	7249	77
17	3072	81	5952	81	8776	81	1548	81	4274	82	6960	82
18	2787	85	5667	86	8489	86	1261	86	3986	86	6671	87
19	2502	90	5381	91	8203	91	0973	91	3698	91	6382	91
20	2218	95	5095	95	7916	96	0686	96	3410	96	6093	96
21	201938	100	184806	100	167629	100	150898	101	133121	101	115804	101
22	1648	104	4523	105	7342	105	0111	106	2933	106	5515	106
23	1363	109	4237	110	7056	110	149823	111	2545	110	5226	111
24	1078	114	3951	115	6769	115	9535	116	2256	115	4937	116
25	0793	119	3665	119	6482	119	9248	120	1968	120	4648	120
26	0508	123	3380	124	6195	124	8960	125	1680	125	4359	125
27	0223	128	3094	129	5908	129	8672	130	1391	130	4070	130
28	199938	133	2808	134	5621	134	8385	135	1103	134	3781	135
29	9653	138	2522	138	5335	138	8097	140	0815	139	3492	140
30	9368	143	2236	143	5048	143	7809	144	0526	144	3203	144
31	199083	147	181950	148	164761	148	147522	149	130288	149	112914	149
32	8798	152	1634	153	4474	153	7234	153	129949	154	2625	154
33	8513	157	1377	157	4187	158	6946	158	9661	159	2336	159
34	8228	162	1091	162	3900	163	6659	163	9373	163	2047	164
35	7943	166	0805	167	3613	167	6371	168	9084	168	1758	169
36	7657	171	0519	172	3326	172	6083	172	8796	173	1469	174
37	7372	176	0233	176	3039	177	5795	177	8507	178	1180	179
38	7087	181	179947	181	2752	182	5508	182	8219	183	0891	184
39	6802	186	9681	186	2465	187	5220	187	7930	187	0602	189
40	6517	190	9375	191	2178	191	4932	192	7642	192	0313	193
41	196231	195	179088	195	161891	196	144644	196	127353	197	110023	196
42	6246	200	8802	200	1604	201	4356	201	7063	202	109734	203
43	5961	205	8516	205	1317	206	4069	206	6776	207	9445	208
44	5676	209	8230	210	1030	210	3781	211	6488	212	9156	212
45	5390	214	7944	214	0743	215	3493	215	6199	216	8867	217
46	4905	219	7657	219	0456	220	3205	220	5910	221	8578	222
47	4520	224	7371	224	0168	226	2917	225	5622	226	8289	227
48	4234	228	7085	229	159581	230	2629	230	5333	231	7999	231
49	3949	233	6798	234	9594	234	2341	235	5045	236	7710	236
50	3664	238	6512	238	9307	239	2053	240	4756	240	7421	241
51	193378	243	176226	243	159020	244	141765	244	124467	245	107132	246
52	3093	247	5940	248	8738	249	1477	249	4179	250	6643	250
53	2807	252	5653	253	8445	254	1189	254	3890	255	6353	255
54	2522	257	5367	257	8158	258	0901	259	3602	260	6064	260
55	2237	262	5080	262	7871	263	0613	264	3313	264	5975	265
56	1951	267	4794	267	7584	268	0325	268	3024	269	5686	270
57	1666	271	4508	272	7296	273	0037	273	2736	274	5396	275
58	1380	276	4221	276	7009	277	139749	278	2447	279	5107	279
59	1095	281	3935	281	6722	282	9461	283	2158	284	4818	284
60	0809	285	3648	286	6435	287	9173	287	1869	288	4529	289


TABLE 4.

NATURAL COSINES.

47

°	84°		85°		86°		87°		88°		89°	
	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "	Co-sine.	Parts for "
0	104529	0	087156	0	060757	0	052336	0	034989	0	017452	0
1	4239	5	6896	5	9486	5	2046	5	4609	5	7162	5
2	3950	10	6576	10	9176	10	1755	10	4318	10	6871	10
3	3661	15	6286	15	8886	15	1465	15	4027	15	6580	15
4	3371	19	5997	19	8596	19	1174	19	3737	19	6289	19
5	3082	24	5707	24	8306	24	0884	24	3446	24	5998	24
6	2792	29	5417	29	8016	29	0593	29	3155	29	5707	29
7	2503	34	5127	34	7725	34	0302	34	2864	34	5417	34
8	2214	39	4837	39	7435	39	0012	39	2574	39	5128	39
9	1925	44	4547	44	7146	44	049721	44	2283	44	4836	44
10	1635	48	4258	48	6854	48	9431	48	1992	48	4544	48
11	101346	53	083068	53	066561	53	049140	53	031701	53	014253	53
12	1050	58	3678	58	6274	58	8850	58	1411	58	3962	58
13	0767	63	3388	63	5984	63	8559	63	1120	63	3671	63
14	0478	68	3098	68	5693	68	8269	68	0829	68	3381	68
15	0188	73	2808	73	5403	73	7978	73	0539	73	3090	73
16	090899	77	2518	77	5113	77	7688	77	0248	77	2799	77
17	9009	82	2228	82	4823	82	7397	82	029957	82	2508	82
18	9320	87	1939	87	4532	87	7107	87	9666	87	2217	87
19	9030	92	1649	92	4242	92	6816	92	9376	92	1926	92
20	8741	97	1359	97	3952	97	6525	97	9085	97	1635	97
21	098451	102	081069	102	063661	102	046235	102	028794	102	011344	102
22	8162	107	0779	107	3371	106	5944	106	8503	106	1054	107
23	7872	112	0489	112	3081	111	5654	111	8212	111	0763	112
24	7583	116	0199	116	2791	116	5363	116	7922	116	0472	116
25	7293	121	079909	121	2500	121	5072	121	7631	121	0181	121
26	7004	126	9619	126	2210	126	4782	126	7340	126	009890	126
27	6714	131	9329	131	1920	131	4491	131	7049	131	9699	131
28	6425	136	9039	136	1629	136	4201	136	6759	136	9398	136
29	6135	141	8749	141	1339	140	3910	140	6468	140	9017	141
30	5846	145	8459	145	1049	145	3619	145	6177	145	8726	145
31	095556	150	078169	150	060758	150	043329	150	025886	150	008436	150
32	5267	155	7879	155	0408	155	3038	155	5595	155	8145	155
33	4977	160	7589	160	0178	160	2748	160	5305	160	7854	160
34	4688	164	7299	164	059887	165	2457	165	5014	165	7563	165
35	4398	169	7009	169	9597	169	2166	169	4723	170	7272	170
36	4108	174	6719	174	9306	174	1876	174	4432	175	6981	175
37	3819	179	6429	179	9016	179	1585	179	4141	179	6690	179
38	3529	184	6139	184	8726	184	1294	184	3851	184	6400	184
39	3240	189	5849	189	8436	189	1004	189	3560	189	6109	189
40	2950	193	5559	193	8146	194	0713	191	3269	194	5818	194
41	092660	198	075269	198	057854	198	040422	198	022978	199	005527	199
42	2371	203	4979	203	7564	203	0132	203	2687	204	6236	204
43	2081	208	4689	208	7274	208	030841	208	2397	209	4945	209
44	1791	213	4399	213	6983	213	9551	213	2106	213	4654	213
45	1502	218	4109	218	6693	218	9260	218	1815	218	4363	218
46	1212	222	3818	222	6402	223	8969	223	1524	223	4072	223
47	0922	227	3528	227	6112	227	8679	227	1233	228	3782	228
48	0633	232	3238	232	5822	232	8388	232	0942	233	3491	233
49	0343	237	2948	237	5531	237	8097	237	0652	238	3200	238
50	0053	242	2658	242	5241	242	7807	242	0361	243	2909	243
51	069784	247	072368	247	054950	247	037516	247	020070	247	002618	247
52	9174	252	2078	252	4660	252	7225	252	019779	252	2327	252
53	8884	257	1788	257	4369	257	6934	257	9488	257	2036	257
54	8594	261	1497	261	4079	261	6644	261	9197	262	1745	262
55	8305	266	1207	266	3788	266	6353	266	8907	267	1454	267
56	8015	271	0917	271	3498	271	6062	271	8616	272	1164	272
57	7725	276	0627	276	3207	276	5772	276	8325	276	0873	276
58	7435	281	0337	281	2917	281	5481	281	8034	281	0582	281
59	7146	285	0047	285	2626	286	5190	286	7743	286	0291	286
60	7156	290	069757	290	2336	290	4899	290	7452	291	0000	291

005707360



MR. WEALE'S PUBLICATIONS FOR 1861.

RUDIMENTARY SERIES.

In demy 12mo, cloth, price 1s.
RUDIMENTARY.—1.—CHEMISTRY, by Professor FOWNES, F.R.S., including Agricultural Chemistry, for the Use of Farmers.

In demy 12mo, with Woodcuts, cloth, price 1s.
RUDIMENTARY.—2.—NATURAL PHILOSOPHY, by CHARLES TOMLINSON.

In demy 12mo, with Woodcuts, cloth, price 1s. 6d.
RUDIMENTARY.—3.—GEOLOGY, by Major-Gen. PORTLOCK, F.R.S., &c.

In demy 12mo, with Woodcuts, cloth, price 2s.
RUDIMENTARY.—4, 5.—MINERALOGY, with Mr. DANA'S Additions. 2 vols. in 1.

In demy 12mo, with Woodcuts, cloth, price 1s.
RUDIMENTARY.—6.—MECHANICS, by CHARLES TOMLINSON.

In demy 12mo, with Woodcuts, cloth, price 1s. 6d.
RUDIMENTARY.—7.—ELECTRICITY, by Sir WILLIAM SNOW HARRIS, F.R.S.

In demy 12mo, with Woodcuts, cloth, price 1s. 6d.
RUDIMENTARY.—7*.—ON GALVANISM; ANIMAL AND VOLTAIC ELECTRICITY; by Sir W. SNOW HARRIS.

In demy 12mo, with Woodcuts, cloth, price 3s. 6d.
RUDIMENTARY.—8, 9, 10 — MAGNETISM, Concise Exposition of, by Sir W. SNOW HARRIS, 3 vols. in 1.

In demy 12mo, with Woodcuts, cloth, price 2s.
RUDIMENTARY.—11, 11*.—ELECTRIC TELEGRAPH, History of the, by E. HIGHTON, C.E.

In demy 12mo, with Woodcuts, cloth, price 1s.
RUDIMENTARY.—12.—PNEUMATICS, by CHARLES TOMLINSON.

In demy 12mo, with Woodcuts, cloth, price 4s. 6d.
RUDIMENTARY.—13, 14, 15, 15*.—CIVIL ENGINEERING, by HENRY LAW, C.E., 3 vols.; and Supplement by G. R. BURNELL, C.E.

In demy 12mo, with Woodcuts, cloth, price 1s.
RUDIMENTARY.—16.—ARCHITECTURE, Orders of, by W. H. LEEDS.

In demy 12mo, with Woodcuts, cloth, price 1s. 6d.
RUDIMENTARY.—17.—ARCHITECTURE Styles of, by T. BURY, Architect.
John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S RUDIMENTARY SERIES.

In demy 12mo, with Woodcuts, cloth, price 2s.

RUDIMENTARY.—18, 19.—ARCHITECTURE,
Principles of Design in by E. L. GARBETT, Architect, 2 vols.
in 1.

In demy 12mo, with Woodcuts, cloth, price 2s.

RUDIMENTARY.—20, 21.—PERSPECTIVE,
by G. PYNE, Artist, 2 vols. in 1.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY.—22.—BUILDING, Art of,
by E. DOBSON, C.E.

In demy 12mo, with Woodcuts, cloth, price 2s.

RUDIMENTARY.—23, 24.—BRICK-MAKING,
TILE-MAKING, &c., Art of, by E. DOBSON, C.E., 2 vols.
in 1.

In demy 12mo, with Woodcuts, cloth, price 2s.

RUDIMENTARY.—25, 26.—MASONRY AND
STONE-CUTTING, Art of, by E. DOBSON, C.E., 2 vols.
in 1.

In demy 12mo, with Woodcuts, cloth, price 2s.

RUDIMENTARY.—27, 28.—PAINTING, Art of,
or a GRAMMAR OF COLOURING, by GEORGE FIELD,
2 vols. in 1.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY.—29.—PRACTICE OF
DRAINING DISTRICTS AND LANDS, Art of, by G. D.
DEMPSEY, C.E.

In demy 12mo, with Woodcuts, cloth, price 1s. 6d.

RUDIMENTARY.—30.—PRACTICE OF
DRAINING AND SEWAGE OF TOWNS AND BUILD-
INGS, Art of, by G. D. DEMPSEY, C.E.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY.—31.—WELL-SINKING
AND BORING, Art of, by G. R. BURNELL, C.E.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY.—32.—USE OF INSTRU-
MENTS, Art of the, by J. P. HEATHER, M.A.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY.—33.—CONSTRUCTING
CRANES, Art of, by J. GLYNN, F.R.S., C.E.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY.—34.—STEAM ENGINE,
Treatise on the, by Dr. LARDNER.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY.—35.—BLASTING ROCKS
AND QUARRYING, AND ON STONE, by Lieut.-Gen. Sir
J. BURGOYNE, Bart., G.C.B., R.E.

In demy 12mo, with Woodcuts, cloth, price 4s.

RUDIMENTARY.—36, 37, 38, 39.—DICTION-
ARY OF TERMS used by Architects, Builders, Civil and
Mechanical Engineers, Surveyors, Artists, Ship-builders, &c.,
vols. in 1.

In demy 12mo, cloth, price 1s.

RUDIMENTARY.—40.—GLASS STAINING
Art of, by Dr. M. A. GESSERT.

John Weale, 69, High Holborn, London, W.C.

MR. WEALE'S RUDIMENTARY SERIES.

In demy 12mo, cloth, price 1s.

RUDIMENTARY. — 41. — PAINTING ON GLASS, Essay on, by E. O. FROMBERG.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY. — 42. — COTTAGE BUILDING, Treatise on.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY. — 43. — TUBULAR AND GIRDER BRIDGES, and others, Treatise on, more particularly describing the Britannia and Conway Bridges.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY. — 44. — FOUNDATIONS, &c., by E. DORSON, C.E.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY. — 45. — LIMES, CEMENTS, MORTARS, CONCRETE, MASTICS, &c., by G. R. BURNELL, C.E.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY. — 46. — CONSTRUCTING AND REPAIRING COMMON ROADS, by H. LAW, C.E.

In demy 12mo, with Woodcuts, cloth, price 3s.

RUDIMENTARY. — 47, 48, 49. — CONSTRUCTION AND ILLUMINATION OF LIGHTHOUSES, by ALAN STEVENSON, C.E., 3 vols. in 1.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY. — 50. — LAW OF CONTRACTS FOR WORKS AND SERVICES, by DAVID GIBBONS, S.P.

In demy 12mo, with Woodcuts, cloth, price 3s.

RUDIMENTARY. — 51, 52, 53. — NAVAL ARCHITECTURE, Principles of the Science, by J. PEAKE, N.A., 3 vols. in 1.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY AND ELEMENTARY. — 53*. — PRACTICAL CONSTRUCTION concisely stated of Ships for Ocean or River Service, by Captain H. A. SOMMERFELDT, N.R.N.

In royal 4to with Engraved Plates, cloth, price 7s. 6d.

RUDIMENTARY. — 53. — ATLAS of 15 Plates** to ditto, drawn and engraved to a Scale for Practice.—For the convenience of the Operative Ship Builder the Atlas may be had in three separate Parts. Part I., 2s. 6d. Part II., 2s. 6d. Part III., 2s. 6d.

In demy 12mo, with Woodcuts, cloth, price 1s. 8d.

RUDIMENTARY. — 54. — MASTING, MAST-MAKING, AND RIGGING OF SHIPS, by R. KIPPING, A.

In demy 12mo, with Woodcuts, cloth, price 2s. 6d.

RUDIMENTARY. — 54*. — IRON SHIP BUILDING, by JOHN GRANTHAM, N.A. and C.E.

In demy 12mo, with Woodcuts, cloth, price 2s.

RUDIMENTARY. — 55, 56. — NAVIGATION; THE SAILOR'S SEA-BOOK.—How to Keep the Log and Work it Off—Latitude and Longitude—Great Circle Sailing—Law of Storms and variable Winds; and an Explanation of Terms used, with coloured Illustrations of Flags.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S RUDIMENTARY SERIES.

In demy 12mo, with Woodcuts, cloth, price 2s.
RUDIMENTARY.—57, 58.—WARMING AND VENTILATION, by CHARLES TOMLINSON, 2 vols. in 1.

In demy 12mo, with Woodcuts, cloth, price 1s.
RUDIMENTARY.—59.—STEAM BOILERS, by R. ARMSTRONG, C.E.

In demy 12mo, with Woodcuts, cloth, price 2s.
RUDIMENTARY.—60, 61.—LAND AND ENGINEERING SURVEYING, by T. BAKER, C.E., 2 vols. in 1.

In demy 12mo, with Woodcuts, cloth, price 1s.
RUDIMENTARY AND ELEMENTARY.—62.—PRINCIPLES OF RAILWAYS, for the Use of the Beginner in his Studies; with Sketches for Construction. By Sir R. MACDONALD STEPHENSON. Vol. I.

In demy 12mo, with Woodcuts, cloth, price 1s.
RUDIMENTARY.—62*.—RAILWAY WORKING IN GREAT BRITAIN, Statistical Details, Table of Capital and Dividends, Revenue Accounts, Signals, &c., Vol. II.

In demy 12mo, with Woodcuts, cloth, price 3s.
RUDIMENTARY.—63, 64, 65.—AGRICULTURAL BUILDINGS, the Construction of, on Motive Powers, and the Machinery of the Steading; and on Agricultural Field Engines, Machines, and Implements, by G. H. ANDREWS, 3 vols in 1. —John Weale, 59, High Holborn, London, W.C.

In demy 12mo, cloth, price 1s.
RUDIMENTARY.—66.—CLAY LANDS AND LOAMY SOILS, by Professor JOHN DONALDSON, A.E.

In demy 12mo, with Woodcuts, cloth, price 3s.
RUDIMENTARY.—67, 68.—CLOCK AND WATCH-MAKING, AND ON CHURCH CLOCKS AND BELLS, by E. B. DENISON, M.A., 2 vols. in 1, considerably extended. Fourth Edition.

In demy 12mo, with Woodcuts, cloth, price 2s.
RUDIMENTARY.—69, 70.—MUSIC, Practical Treatise on, by C. C. SPENCER, Mus. Dr. 2 vols. in 1.

In demy 12mo, cloth, price 1s.
RUDIMENTARY.—71.—PIANOFORTE, Instruction for Playing the, by C. C. SPENCER, Mus. Dr.

In demy 12mo, with Steel Engravings and Woodcuts, cloth, price 6s. 6d.

RUDIMENTARY.—72, 73, 74, 75, 75*.—RECENT FOSSIL SHELLS (A Manual of the Mollusca), by SAMUEL P. WOODWARD, of the Brit. Mus. 4 vols. in 1, with Supplement.

In demy 12mo., with Woodcuts, cloth, price 2s.
RUDIMENTARY.—76, 77.—DESCRIPTIVE GEOMETRY, by J. F. HEATHER, M.A. 2 vols. in 1.

In demy 12mo, with Woodcuts, price 1s.
RUDIMENTARY.—77*.—ECONOMY OF FUEL, by T. S. PRIDEAUX.

In demy 12mo, 2 vols. in 1, with Woodcuts, cloth, price 2s.
RUDIMENTARY.—78, 79.—STEAM AS APPLIED TO GENERAL PURPOSES.
 John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S RUDIMENTARY SERIES.

In demy 12mo, with Woodcuts, cloth, price 1s. 6d.

RUDIMENTARY.—78*.—LOCOMOTIVE ENGINE, by G. D. DEMPSEY, C.E.

In royal 4to, cloth, price 4s. 6d.

RUDIMENTARY.—79*.—ATLAS OF ENGRAVED PLATES to DEMPSEY'S LOCOMOTIVE ENGINES.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY.—79.—ON PHOTOGRAPHY,** the Composition and Properties of the Chemical Substances used, by Dr. H. HALLEUR.

In demy 12mo., with Woodcuts, cloth, price 2s. 6d.

RUDIMENTARY.—80, 81.—MARINE ENGINES AND ON THE SCREW, &c., by R. MURRAY, C.E. 2 vols. in 1.

In demy 12mo, cloth, price 2s.

RUDIMENTARY.—80*, 81*.—EMBANKING LANDS FROM THE SEA, by JOHN WIGGINS, F.G.S. 2 vols. in 1.

In demy 12mo, with Woodcuts, cloth, price 2s.

RUDIMENTARY.—82, 82*.—POWER OF WATER, AS APPLIED TO DRIVE FLOUR MILLS, by JOSEPH GLYNN, F.R.S., C.E.

In demy 12mo, cloth, price 1s.

RUDIMENTARY.—83.—BOOK-KEEPING, by JAMES HADDON, M.A.

In demy 12mo, with Woodcuts, price 3s.

RUDIMENTARY.—82, 83*, 83 (bis) COAL GAS,** on the Manufacture and Distribution of, by SAMUEL HUGHES, C.E.

In demy 12mo, with Woodcuts, cloth, price 3s.

RUDIMENTARY.—82*.—WATER WORKS FOR THE SUPPLY OF CITIES AND TOWNS;** Works which have been executed for procuring Supplies by means of Drainage Areas and by Pumping from Wells, by SAMUEL HUGHES, C.E.

In demy 12mo, with Woodcuts, cloth, price 1s. 6d.

RUDIMENTARY.—83.—CONSTRUCTION OF DOOR LOCKS.**

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY.—83 (bis) — FORMS OF SHIPS AND BOATS, by W. BLAND, of Hartlip.

In demy 12mo, cloth, price 1s. 6d.

RUDIMENTARY.—84.—ARITHMETIC, with numerous Examples, by Prof. J. R. YOUNG.

In demy 12mo, cloth, price 1s. 6d.

RUDIMENTARY.—84*.—KEY to the above, by Prof. J. R. YOUNG.

In demy 12mo, cloth, price 1s.

RUDIMENTARY.—85.—EQUATIONAL ARITHMETIC, Questions of Interest, Annuities, &c., by W. HIPSLEY.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S RUDIMENTARY SERIES.

In demy 12mo, cloth, price 1s.

RUDIMENTARY.—85*.—SUPPLEMENTARY
VOLUME TO HIPSLEY'S EQUATIONAL ARITHMETIC, Tables for the Calculation of Simple Interest, with Logarithms for Compound Interest and Annuities, &c, &c., by W. HIPSLEY.

In demy 12mo, cloth, price 2s.

RUDIMENTARY.—86, 87.—ALGEBRA, by JAMES HADDON, M.A. 2 vols. in 1.

In demy 12mo, in cloth, price 1s. 6d.

RUDIMENTARY.—86*, 87*.—ELEMENTS OF ALGEBRA, Key to the, by Prof. YOUNG.

In demy 12mo, with Woodcuts, price 2s.

RUDIMENTARY.—88, 89.—ELEMENTS OF GEOMETRY, by HENRY LAW, C.E. 2 vols. in 1.

In demy 12mo. with Woodcuts, cloth, price 1s.

RUDIMENTARY.—90.—GEOMETRY, ANALYTICAL, by Prof. JAMES HANN.

In demy 12mo, with Woodcuts, cloth, price 2s.

RUDIMENTARY.—91, 92.—PLANE AND SPHERICAL TRIGONOMETRY, by the same. 2 vols. in 1.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY.—93.—MENSURATION, by T. BAKER, C.E.

In demy 12mo, cloth, price 2s. 6d.

RUDIMENTARY.—94, 95.—LOGARITHMS, Tables for facilitating Astronomical, Nautical, Trigonometrical, and Logarithmic Calculations, by H. LAW, C.E. New Edition, with Tables of Natural Sines and Tangents, and Natural Cosines. 2 vols. in 1.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY.—96.—POPULAR ASTRONOMY. By the Rev. ROBERT MAIN, M.R.A.S.

In demy 12mo, with Woodcuts, cloth, price 1s.

RUDIMENTARY.—97.—STATICS AND DYNAMICS, by T. BAKER, C.E.

In demy 12mo, with 220 Woodcuts, cloth, price 2s. 6d.

RUDIMENTARY.—98, 98*.—MECHANISM AND PRACTICAL CONSTRUCTION OF MACHINES, by T. BAKER, C.E., and ON TOOLS AND MACHINES, by JAMES NASMYTH, C.E.

In demy 12mo, with Woodcuts, cloth, price 2s.

RUDIMENTARY.—99, 100.—NAUTICAL ASTRONOMY AND NAVIGATION, by Prof. YOUNG. 2 vols. in 1.

In demy 12mo, cloth, price 1s. 6d.

RUDIMENTARY.—100*.—NAVIGATION TABLES, compiled for practical use with the above.

In demy 12mo, cloth, price 1s.

RUDIMENTARY.—101.—DIFFERENTIAL CALCULUS, by Mr. WOOLHOUSE, F.R.A.S. John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S RUDIMENTARY SERIES.

In demy 12mo, cloth, price 1s. 6d.

RUDIMENTARY. — 101*. — WEIGHTS AND MEASURES OF ALL NATIONS: Weights, Coins, and the various Divisions of Time, with the principles which determine Rates of Exchange, by Mr. WOOLHOUSE, F.R.A.S.

In demy 12mo, in cloth, price 1s.

RUDIMENTARY. — 102. — INTEGRAL CALCULUS, by H. COX, M.A.

In demy 12mo, in cloth, price 1s.

RUDIMENTARY. — 103. — INTEGRAL CALCULUS, Examples of, by Prof. JAMES HANN.

In demy 12mo, cloth, price 1s.

RUDIMENTARY. — 104. — DIFFERENTIAL CALCULUS. Examples of, by J. HADDON, M.A.

In demy 12mo, with Woodcuts, cloth, price 1s. 6d.

RUDIMENTARY. — 105. — ALGEBRA, GEOMETRY, AND TRIGONOMETRY, Mnemonical Lessons, by the R.-v. T. PENYNGTON KIRKMAN, M.A.

In demy 12mo, with Woodcuts, cloth, price 1s. 6d.

RUDIMENTARY. — 106. — SHIPS' ANCHORS FOR ALL SERVICES, by Mr. GEORGE COTSELL, N.A.

In demy 12mo, with Woodcuts, price 2s. 6d.

RUDIMENTARY. — 107. — METROPOLITAN BUILDINGS ACT in present operation, with Notes, and the Act dated August 28th, 1860, for better supplying of Gas to the Metropolis.

In demy 12mo, cloth, price 1s. 6d.

RUDIMENTARY. — 108. — METROPOLITAN LOCAL MANAGEMENT ACTS. All the Acts.

In demy 12mo, cloth, price 1s. 6d.

RUDIMENTARY. — 109. — LIMITED LIABILITY AND PARTNERSHIP ACTS.

In demy 12mo, cloth, price 1s.

RUDIMENTARY. — 110. — SIX RECENT LEGISLATIVE ENACTMENTS, for Contractors, Merchants, and Tradesmen.

In demy 12mo, cloth, price 1s.

RUDIMENTARY. — 111. — NUISANCES REMOVAL AND DISEASE PREVENTION ACT.

In demy 12mo, cloth, price 1s. 6d.

RUDIMENTARY. — 112. — DOMESTIC MEDICINE, PRESERVING HEALTH, by M. RASPAIL.

In demy 12mo, cloth, price 1s. 6d.

RUDIMENTARY. — 113. — USE OF FIELD ARTILLERY ON SERVICE, by Lieut.-Col. HAMILTON MAXWELL, B.A.

In demy 12mo, with Woodcuts, cloth, price 1s. 6d.

RUDIMENTARY. — 114. — ON MACHINERY: Rudimentary and Elementary Principles of the Construction and on the Working of Machinery, by C. D. ABEL, C.E.

In royal 4to, cloth, price 7s. 6d.

RUDIMENTARY. — 115. — ATLAS OF PLATES OF SEVERAL KINDS OF MACHINES, 17 very valuable Illustrative plates.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S RUDIMENTARY SERIES.

In demy 12mo, with Woodcuts, cloth, price 1s. 6d.

RUDIMENTARY. — 116. — TREATISE ON ACOUSTICS: The Distribution of Sound, by T. ROGER SMITH, Architect.

In demy 12mo, with Woodcuts, cloth, price 2s. 6d.

RUDIMENTARY. — 117. — SUBTERRANEAN SURVEYING, RANGING THE LINE WITHOUT THE MAGNET. By THOMAS FENWICK, Coal Viewer. With Improvements and Modern Additions by T. BAKER, C.E.

In demy 12mo, with Plates and Woodcuts, cloth, price 3s.

RUDIMENTARY. — 118, 119. — ON THE CIVIL ENGINEERING OF NORTH AMERICA, by D. STEVENSON, C.E. 2 vols. in 1.

In demy 12mo, with Woodcuts, cloth, price 3s.

RUDIMENTARY. — 120. — ON HYDRAULIC ENGINEERING, by G. R. BURNELL, C.E. 2 vols. in 1.

In demy 12mo, with 2 Engraved Plates, cloth, price 1s. 6d.

RUDIMENTARY. — 121. — TREATISE ON RIVERS AND TORRENTS, from the Italian of PAUL FRISI.

In demy 12mo, by PAUL FRISI, in cloth, price 1s.

RUDIMENTARY. — 122. — ON RIVERS THAT CARRY SAND AND MUD, and an ESSAY ON NAVIGABLE CANALS. 121 and 122 bound together, 2s. 6d.

In demy 12mo, with Woodcuts, cloth, price 1s. 6d.

RUDIMENTARY. — 123. — ON CARPENTRY AND JOINERY, founded on Dr. Robison's Work.

In demy 4to, cloth, price 4s. 6d.

RUDIMENTARY. — 123*. — ATLAS OF PLATES in detail to the CARPENTRY AND JOINERY. 123 and 123* bound together in cloth in 1 vol.

In demy 12mo, with Woodcuts, cloth, price 1s. 6d.

RUDIMENTARY. — 124. — ON ROOFS FOR PUBLIC AND PRIVATE BUILDINGS, founded on Dr. Robison's Work.

In roy-1 4to, cloth, price 4s. 6d.

RUDIMENTARY. — 124*. — RECENTLY CONSTRUCTED IRON ROOFS, Atlas of plates.

In demy 12mo, with Woodcuts, cloth, price 3s.

RUDIMENTARY. — 125. — ON THE COMBUSTION OF COAL AND THE PREVENTION OF SMOKE, Chemically and Practically Considered, by CHARLES WYE WILLIAMS.

In demy 12mo, cloth. 125 and 126 together, price 3s.

RUDIMENTARY. — 126. — ILLUSTRATIONS to WILLIAMS'S COMBUSTION OF COAL. 125 and 126, 2 vols. bound in 1.

In demy 12mo, with Woodcuts, cloth, price 1s. 6d.

RUDIMENTARY. — 127. — PRACTICAL INSTRUCTIONS IN THE ART OF ARCHITECTURAL MODELLING.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S RUDIMENTARY SERIES.

In demy 12mo, with Engravings and Woodcuts.

RUDIMENTARY.—128.—THE TEN BOOKS OF M. VITRUVIUS ON CIVIL, MILITARY, AND NAVAL ARCHITECTURE, translated by JOSEPH GWILT, Arch. 2 vols. in 1.

In demy 12mo, 128 and 129 together, cloth, price 5s.

RUDIMENTARY.—129.—ILLUSTRATIVE PLATES TO VITRUVIUS'S TEN BOOKS, by the Author and JOSEPH GANDY, R.A.

In demy 12mo, cloth, price 1s.

RUDIMENTARY.—130.—INQUIRY INTO THE PRINCIPLES OF BEAUTY IN GRECIAN ARCHITECTURE, by the Right Hon. the Earl of ABERDEEN, &c. &c.

In demy 12mo, cloth, price 1s.

RUDIMENTARY.—131.—THE MILLER'S, MERCHANT'S, AND FARMER'S READY RECKONER, for ascertaining at Sight the Value of any quantity of Corn; together with the approximate value of Millstones and Millwork.

In demy 12mo, with Woodcuts, cloth, price 2s. 6d.

RUDIMENTARY.—132.—TREATISE ON THE ERECTION OF DWELLING HOUSES, WITH SPECIFICATIONS, QUANTITIES OF THE VARIOUS MATERIALS, &c., by S. H. BROOKS, Architect. 27 Plates.

RUDIMENTARY SERIES.—ON MINES, SMELTING WORKS, AND THE MANUFACTURE OF METALS, as follows.

In demy 12mo, with Woodcuts, cloth, price 2s.

RUDIMENTARY.—Vol. 1.—TREATISE ON THE METALLURGY OF COPPER, by R. H. LAMBORN.

In demy 12mo, to have Woodcuts, cloth.

RUDIMENTARY.—Vol. 2.—TREATISE ON THE METALLURGY OF SILVER AND LEAD.

In demy 12mo, to have Woodcuts, cloth.

RUDIMENTARY AND ELEMENTARY.—Vol. 3.—TREATISE ON IRON METALLURGY up to the Manufacture of the latest processes.

In demy 12mo, to have Woodcuts, cloth.

RUDIMENTARY AND ELEMENTARY.—Vol. 4.—TREATISE ON GOLD MINING AND ASSAYING PLATINUM, IRIDIUM, &c.

In demy 12mo, to have Woodcuts, cloth.

RUDIMENTARY AND ELEMENTARY.—Vol. 5.—TREATISE ON THE MINING OF ZINC, TIN, NICKEL, COBALT, &c.

In demy 12mo, to have Woodcuts, cloth.

RUDIMENTARY AND ELEMENTARY.—Vol. 6.—TREATISE ON COAL MINING (Geology and Means of Discovering, &c.)

In demy 12mo, with Woodcuts, cloth, price 1s. 6d.

RUDIMENTARY.—Vol. 7.—ELECTRO-METALLURGY.—Practically treated by ALEXANDER WATT, F.R.S.A.

John Weale, 59, High Holborn, London, W.C.

NEW SERIES OF EDUCATIONAL WORKS.

In demy 12mo, with Woodcuts, cloth, price 4s.
INSTITUTIONAL HISTORY OF ENGLAND.—1, 2, 3, 4.—By W. D. HAMILTON, of the State P. O.

In demy 12mo, with Woodcuts, cloth, price 2s. 6d.
OUTLINES OF THE HISTORY OF GREECE.
 —5, 6.—By W. D. HAMILTON, 2 vols.

In demy 12mo, with Map of Italy and Woodcuts, cloth, price 2s. 6d.
OUTLINE OF THE HISTORY OF ROME.—
 7, 8.—By W. D. HAMILTON, 2 vols.

In demy 12mo, cloth, price 2s. 6d.
CHRONOLOGY OF CIVIL AND ECCLESIASTICAL HISTORY, LITERATURE, ART, AND CIVILISATION, from the earliest period to the present.—9, 10.—2 vols.

In demy 12mo, cloth, price 1s.
GRAMMAR OF THE ENGLISH LANGUAGE.
 —11.—By HYDE CLARKE, D.C.L.

In demy 12mo, cloth, price 1s.
HANDBOOK OF COMPARATIVE PHILOLOGY.—11*.—By HYDE CLARKE, D.C.L.

In demy stout 12mo, cloth, price 3s. 6d.
DICTIONARY OF THE ENGLISH LANGUAGE.—12, 13.—A New Dictionary of the English Tongue as spoken and written, above 100,000 words, or 50,000 more than in any existing work, by HYDE CLARKE, D.C.L., 3 vols. in 1.

In demy 12mo, cloth, price 1s.
GRAMMAR OF THE GREEK LANGUAGE.
 —14.—By H. C. HAMILTON.

In demy 12mo, cloth, price 2s.
DICTIONARY OF THE GREEK AND ENGLISH LANGUAGES.—15, 16.—By H. R. HAMILTON, 2 vols. in 1.

In demy 12mo, cloth, price 2s.
DICTIONARY OF THE ENGLISH AND GREEK LANGUAGES.—17, 18.—By H. R. HAMILTON, 2 vols. in 1.

In demy 12mo, cloth, price 1s.
GRAMMAR OF THE LATIN LANGUAGE.
 —19.—By the Rev. T. GOODWIN, A.B.

In demy 12mo, cloth, price 2s.
DICTIONARY OF THE LATIN AND ENGLISH LANGUAGES.—20, 21.—By the Rev. T. GOODWIN, B.A. Vol. 1.

In demy 12mo, cloth, price 1s. 6d.
DICTIONARY OF THE ENGLISH AND LATIN LANGUAGES.—22, 23.—By the Rev. T. GOODWIN, A.B. Vol. II.

In demy 12mo, cloth, price 1s.
GRAMMAR OF THE FRENCH LANGUAGE.
 —24.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S EDUCATIONAL SERIES.

In demy 12mo, cloth, price 1s.
D ICTIONARY OF THE FRENCH AND
 ENGLISH LANGUAGES.—25.—By A. ELWES. Vol. I.

In demy 12mo, cloth, price 1s. 6d.
D ICTIONARY OF THE ENGLISH AND
 FRENCH LANGUAGES.—26.—By A. ELWES. Vol. II.

In demy 12mo, cloth, price 1s.
G RAMMAR OF THE ITALIAN LANGUAGE
 —27.—By A. ELWES.

In demy 12mo, cloth, price 2s.*
D ICTIONARY OF THE ITALIAN, ENG-
 LISH, AND FRENCH LANGUAGES.—28, 29.—By A.
 ELWES. Vol. I.

In demy 12mo, cloth, price 2s.
D ICTIONARY OF THE ENGLISH, ITALIAN,
 AND FRENCH LANGUAGES.—30, 31.—By A. ELWES.
 Vol. II.

In demy 12mo, cloth, price 2s.
D ICTIONARY OF THE FRENCH, ITALIAN,
 AND ENGLISH LANGUAGES.—32, 33.—By A. ELWES.
 Vol. III.

In demy 12mo, cloth, price 1s.
G RAMMAR OF THE SPANISH LANGUAGE.
 —34.—By A. ELWES.

In demy 12mo, cloth, price 4s.
D ICTIONARY OF THE SPANISH AND
 ENGLISH LANGUAGES.—35, 36, 37, 38.—By A. ELWES.
 4 vols. in 1.

In demy 12mo, cloth, price 1s.
G RAMMAR OF THE GERMAN LANGUAGE.
 —39.

In demy 12mo, cloth, price 1s.
C LASSICAL GERMAN READER.—40.—From
 the best Authors.

In demy 12mo, cloth, price 3s.
D ICTIONARIES OF THE ENGLISH, GER-
 MAN, AND FRENCH LANGUAGES.—41, 42, 43.—By N.
 E. HAMILTON, 3 vols., separately, 1s. each.

In demy 12mo, cloth, price 7s.
D ICTIONARY OF THE HEBREW AND
 ENGLISH LANGUAGES.—44, 45.—Containing the Biblical
 and Rabbinical words, 2 vols. (together with the Grammar, which
 may be had separately for 1s.), by Dr. BRESSLAU, Hebrew Pro-
 fessor.

In demy 12mo, cloth, price 3s.
D ICTIONARY OF THE ENGLISH AND
 HEBREW LANGUAGES.—46.—Vol. III. to complete.

In demy 12mo, cloth, price 1s.
F RENCH AND ENGLISH PHRASE BOOK.
 —47.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S CLASSICAL SERIES.

Now in course of Publication, in demy 12mo, price 1s. per Volume (except in some instances, and those are 1s. 6d. or 2s. each), very neatly printed on good paper. Those priced are published.

GREEK AND LATIN CLASSICS.—A Series of Volumes containing the principal Greek and Latin Authors, accompanied by Explanatory Notes in English, principally selected from the best and most recent German Commentators, and comprising all those Works that are essential for the Scholar and the Pupil, and applicable for the Universities of Oxford, Cambridge, Edinburgh, Glasgow, Aberdeen, and Dublin—the Colleges at Belfast, Cork, Galway, Winchester, and Eton, and the great Schools at Harrow, Rugby, &c.—also for Private Tuition and Instruction, and for the Library, as follows:

LATIN SERIES.

In demy 12mo, boards, price 1s.

A NEW LATIN DELECTUS.—1.—Extracts from Classical Authors, with Vocabularies and Explanatory Notes.

In demy 12mo, boards, price 2s.

CÆSAR'S COMMENTARIES ON THE GAL-LIC WAR.—2.—With Grammatical and Explanatory Notes in English, and a Geographical Index.

In demy 12mo, boards, price 1s.

CORNELIUS NEPOS.—3.—With English Notes, &c.

In demy 12mo, boards, price 1s.

VIRGIL.—4.—The Georgics, Bucolics, with English Notes.

In demy 12mo, boards, price 2s.

VIRGIL'S ÆNEID.—5.—(On the same plan as the preceding).

In demy 12mo, boards, price 1s.

HORACE.—6.—Odes and Epodes; with English Notes, and Analysis and Explanation of the Metres.

In demy 12mo, boards, price 1s. 6d.

HORACE.—7.—Satires and Epistles, with English Notes, &c.

In demy 12mo, boards, price 1s. 6d.

SALLUST.—8.—Conspiracy of Catiline, Jugurthine War, with English Notes.

In demy 12mo, boards, price 1s. 6d.

TERENCE.—9.—*Andria* and *Heautontimorumenos*, with English Notes.

In demy 12mo, boards, price 2s.

TERENCE.—10.—*Phormio*, *Adelphi*, and *Hecyra*, with English Notes.

In demy 12mo.

CICERO.—11.—Orations against Catiline, for Sulla, for Archias, and for the Manilian Law.

In demy 12mo.

CICERO.—12.—First and Second Philippics; Orations for Milo, for Marcellus, &c.

John Weale, 59, 111h Holborn London, W.C.

MR. WEALE'S CLASSICAL SERIES.

CICERO.—13.—De Officiis.
In demy 12mo.

CICERO.—14.—De Amicitia, de Senectute, and Brutus, with English Notes.
In demy 12mo, boards, price 2s.

JUVENAL AND PERSIUS.—15.—(The indelicate parts expunged.)
In demy 12mo.

LIVY.—16.—Books i. to v. in two vols., with English Notes.
In demy 12mo, boards, price 3s.

LIVY.—17.—Books xxi. and xxii., with English Notes.
In demy 12mo, boards, price 1s.

TACITUS.—18.—Agricola; Germania; and Annals, Book i.
In demy 12mo.

SELECTIONS FROM TIBULLUS, OVID, and PROPERTIUS.—19.—With English Notes,
In demy 12mo, boards, price 2s.

SELECTIONS FROM SUETONIUS and the later Latin Writers.—20.
In demy 12mo.

GREEK SERIES, ON A SIMILAR PLAN TO THE LATIN SERIES.

Those not priced are in the Press.

INTRODUCTORY GREEK READER.—1.—
On the same plan as the Latin Reader.
In demy 12mo, boards, price 1s.

XENOPHON.—2.—Anabasis, i. ii. iii., with English Notes.
In demy 12mo, boards, price 1s.

XENOPHON.—3.—Anabasis, iv. v. vi. vii., with English Notes.
In demy 12mo, boards, price 1s.

LUCIAN.—4.—Select Dialogues, with English Notes.
In demy 12mo, boards, price 1s.

HOMER.—5.—Iliad, i. to vi., with English Notes.
In demy 12mo, boards, price 1s. 6d.

HOMER.—6.—Iliad, vii. to xii., with English Notes.
In demy 12mo, boards, price 1s. 6d.

HOMER.—7.—Iliad, xiii. to xviii., with English Notes.
In demy 12mo, boards, price 1s. 6d.

HOMER.—8.—Iliad, xix. to xxiv., with English Notes.
In demy 12mo, boards, price 1s. 6d.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S CLASSICAL SERIES.

In demy 12mo, boards, price 1s. 6d.
HOMER.—9.—*Odyssey*, i. to vi., with English Notes.

In demy 12mo, boards, price 1s. 6d.
HOMER.—10.—*Odyssey*, vii. to xii., with English Notes.

In demy 12mo, boards, price 1s. 6d.
HOMER.—11.—*Odyssey*, xiii. to xviii. with English Notes.

In demy 12mo, boards, price 1s. 6d.
HOMER.—12.—*Odyssey*, xix. to xxiv.; and Hymns, with English Notes.

In demy 12mo, boards, price 2s.
PLATO.—13.—*Apology*, *Crito*, and *Phædo*, with English Notes.

In demy 12mo, boards, price 1s. 6d.
HERODOTUS.—14.—i. ii., with English Notes.—Dedicated to His Grace the Duke of Devonshire.

In demy 12mo, boards, price 1s. 6d.
HERODOTUS.—15.—iii. iv., with English Notes.—Dedicated to His Grace the Duke of Devonshire.

In demy 12mo.
HERODOTUS.—16.—v. vi. and part of vii.—Dedicated to His Grace the Duke of Devonshire.

In demy 12mo.
HERODOTUS.—17.—Remainder of vii., viii., and ix. Dedicated to His Grace the Duke of Devonshire.

In demy 12mo, boards, price 1s.
SOPHOCLES.—18.—*Œdipus Rex*, with English Notes.

In demy 12mo.
SOPHOCLES.—19.—*Œdipus Coloneus*.

In demy 12mo.
SOPHOCLES.—20.—*Antigone*.

In demy 12mo.
SOPHOCLES.—21.—*Ajax*.

In demy 12mo.
SOPHOCLES.—22.—*Philoctetes*.

In demy 12mo, boards, price 1s. 6d.
EURIPIDES.—23.—*Hecuba*, with English Notes.

In demy 12mo.
EURIPIDES.—24.—*Medea*.

In demy 12mo.
EURIPIDES.—25.—*Hippolytus*.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S CLASSICAL SERIES.

In demy 12mo, boards, price 1s.

EURIPIDES.—26.—*Alceſtis*, with English Notes.

In demy 12mo.

EURIPIDES.—27.—*Oreſtes*.

In demy 12mo.

EURIPIDES.—28.—Extracts from the remaining Plays.

In demy 12mo.

SOPHOCLES.—29.—Extracts from the remaining Plays.

In demy 12mo.

ÆSCHYLUS.—30.—*Prometheus Vincſtus*.

In demy 12mo.

ÆSCHYLUS.—31.—*Persæ*.

In demy 12mo.

ÆSCHYLUS.—32.—*Septem contra Thebas*.

In demy 12mo.

ÆSCHYLUS.—33.—*Choëphoræ*.

In demy 12mo.

ÆSCHYLUS.—34.—*Enmenides*.

In demy 12mo.

ÆSCHYLUS.—35.—*Agamemnon*.

In demy 12mo.

ÆSCHYLUS.—36.—*Supplices*.

In demy 12mo.

PLUTARCH.—37.—*Select Lives*.

In demy 12mo.

ARISTOPHANES.—38.—*Clouds*.

In demy 12mo.

ARISTOPHANES.—39.—*Frogs*.

In demy 12mo.

ARISTOPHANES.—40.—Selections from the remaining Comedies.

In demy 12mo, boards, price 1s.

THUCYDIDES.—41.—I., with English Notes.

In demy 12mo.

THUCYDIDES.—42.—II.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S CLASSICAL SERIES.

THEOCRITUS.—43.—Select Idyls.
 in demy 12mo.

PINDAR.—44.
 In demy 12mo.

SOCRATES.—45.
 In demy 12mo.

HESIOD.—46.
 In demy 12mo.

**MR. WEALE'S PUBLICATIONS OF WORKS
 ON ARCHITECTURE, ENGINEERING, AND THE
 FINE ARTS.**

In 1 large Atlas, folio Volume, with fine Plates, price £4 4s.

**“BRITISH GOVERNMENT WORK.”—THE
 ARCHITECTURAL ANTIQUITIES AND RESTO-
 RATION OF ST. STEPHEN'S CHAPEL, WESTMINSTER
 (late the House of Commons).**

Fine Plates and Vignettes, Atlas folio, price £3 10s.

**“NORWEGIAN GOVERNMENT WORK.”
 —THE CATHEDRAL OF THRONDHEIM, IN
 NORWAY. Text by Professor MUNCH; drawings by H. E.
 SCHIRMER, Architect.**

Large Atlas folio, 4 livraisons, published in Madrid, at 100 reals
 each, or £1 in England. Illustrated by beautifully executed
 Engravings, some of which are coloured.

**“SPANISH GOVERNMENT WORK.”—
 MONUMENTS ARCHITECTONQUES DE L'ES-
 PAGNE, PUBLIÉS AUX FRAIS DE LA NATION.—PART I
 Provincia de Toledo, Granada, Alcalá de Henares.—PART 2. Cate-
 dral Toledo, Detallles.—PART 3. Granada, Segovia, Toledo, Sala-
 manca.—PART 4. Santa Maria de Alcalá de Henares, Casa Lonja de
 Valencia, Toledo, Segovia, &c.—This work surpasses in beauty all
 other works.**

Columbier folio plates, with text also uniform, with gold borders,
 and sumptuously bound in red morocco, gilt; gilt leaves, £12 12s.,
 Columbier folio plates, with text also uniform, with gold borders,
 and elegantly half-bound in morocco, gilt, £10 10s.; Plates in
 Columbier folio, and text in Imperial 4to, half-bound in morocco,
 gilt, £7 7s.; Plates in Columbier folio, and text in Imperial 4to,
 in cloth extra, boards and lettered, £4 14s. 6d.

**THE VICTORIA BRIDGE, AT MONTREAL,
 IN CANADA.**—Elaborately illustrated by views, plans,
 elevations, and details of the Bridge; together with the illustrations
 of the Machinery and Contrivances used in the construction of this
 stupendously important and valuable engineering work. The whole
 produced in the finest style of art, pictorially and geometrically
 drawn, and the views highly coloured, and a descriptive text.
 Dedicated to His Royal Highness the Prince of Wales. By JAMES
 HODGES, Engineer to the Contractors. Engineers: ROBERT
 STEPHENSON and ALEX. M. ROSS. Contractors: Sir S.
 MORTON PETO, Bart., M.P., THOMAS BRASSEY, and ED-
 WARD LADD BETTS, Esqrs.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S WORKS ON ARCHITECTURE, ENGINEERING, FINE ARTS, &c.

In one imperial folio volume, with exquisite illustrative Plates from costly Drawings made by the most eminent artists, half-bound very neat, price £5 5s. Only 150 copies printed for sale.

PROFESSOR COCKERELL'S WORK.—
THE TEMPLES OF JUPITER PANHELLENIUS AT ÆGINA, AND OF APOLLO EPICURIUS AT BASSÆ, NEAR PHIGALÆIA, IN ARCADIA.

It is proposed to publish the Life and Works of the late

ISAMBARD KINGDON BRUNEL, F.R.S.,
Civil Engineer. — The genius, talent, and great enterprise of the late Mr. Brunel has a world-wide fame, his whole life was devoted alone to the science of his profession, not in imitation or copying others, but in invention. In finding out new roads to the onward advancement of his Art, the lifting up from the slow and beating path of Engineering Art, new ideas and realities, and which has or have given to England a name for reference and of renowned intelligence in this Art.

Just published, in 4to, with 100 Engravings, price, bound, 21s.

THE PRACTICAL HOUSE CARPENTER.—

More particularly for country practice, with specifications, quantities, and contracts: also containing—1. Designs for the Centering of Groins, Niches, &c.; 2. Designs for Roofs and Staircases; 3. The Five Orders laid down to a scale; 4. Modern Method of Trussing Girders, Joints of Carpenters' work; 5. Designs for Modern Shop Fronts with their details; 6. Designs for Modern Doors with their details; 7. Designs for Modern Windows, with their details, and for Villa Architecture. The whole amply described, for the use of the Operative Carpenter and Builder. Firstly written and published by WILLIAM PAIN. Secondly, with Modern Designs, and Improvements, by S. H. BROOKS, Architect.

In 1861 will be published a volume in 12mo, entitled

A DIGEST OF PRICES of Works in Civil Engineering and Railway Engineering, Mechanical Engineering, Tools, Wrought and Cast Iron Works, Stone, Timber and Wire Works, and every kind of information that can be obtained and made useful in Estimating, Specifying, and Reporting.

In 4to, 2s. 6d.

AIRY, ASTRONOMER ROYAL, F.R.S., &c.—
Results of Experiments on the Disturbance of the Compass in Iron-built Ships.

In a sheet, 3s., in case, 3s. 6d.

ANCIENT DOORWAYS AND WINDOWS
(Examples of). Arranged to illustrate the different styles of Gothic Architecture, from the Conquest to the Reformation.

In 1 vol. imperial 4to, with 20 fine Plates, neatly half-bound in cloth, £1 5s.

ANCIENT DOMESTIC ARCHITECTURE.—
Principally selected from original drawings in the collection of the late Sir William Burrell, Bart., with observations on the application of ancient architecture to the pictorial composition of modern edifices.

The stained glass fac-simile. 4s. 6d., in an extra case, or in a sheet, 3s. 6d.

ANGLICAN CHURCH ORNAMENT.—

Wherein are figured the Saints of the English calendar, with their appropriate emblems; the different styles of stained glass; and various sacred symbols and ornaments used in churches.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S WORKS ON ARCHITECTURE, ENGINEERING, FINE ARTS, &c.

In 4to, 1s. 6d.

A RAGO, Mons. — Report on the Atmospheric System, and on the proposed Atmospheric Railway at Paris.

In 4to, with about 500 Engravings, some of which are highly coloured, 4 vols., original copies, half-bound in morocco, £6 6s.

ARCHITECTURAL PAPERS.

2 Engravings, in folio, useful to learners and for schools, 2s. 6d.

ARCHITECTURAL ORDERS (FIVE) AND THEIR ENTABLATURES, drawn to a larger scale, with Figured Dimensions.

4to, 1s.

ARNOLLET, M. — Report on his Atmospheric Railway.

In 4to, 10 Plates, 7s. 6d.

ATMOSPHERIC RAILWAYS. — THREE REPORTS on improved methods of Constructing and Working Atmospheric Railways. By R. MALLET, C.E.

In 8vo, 1s. 6d.

BARLOW, P. W. — Observations on the Niagara Railway Suspension Bridge.

In large 4to, very neat half-morocco, 18s., with Engravings.

BARRY, SIR CHARLES, R.A., &c. — Studies of Modern English Architecture. By W. H. LEEDS; The Travellers' Club-House, illustrated by Engravings of Plans, Sections, Elevations, and details.

In 1 Vol., large 8vo, with coloured Plates, half-morocco, price £1 1s.

BEWICK'S (J. G.) GEOLOGICAL TREATISE ON THE DISTRICT OF CLEVELAND IN NORTH YORKSHIRE, its Ferruginous Deposits, Lias and Oolites; with some Observations on Ironstone Mining.

In 8vo, with Plates. Price 4s.

BINNS, W. S. — Work on Geometrical Drawing, embracing Practical Geometry, including the use of Drawing Instruments, the construction and use of Scales, Orthographic Projection, and Elementary Descriptive Geometry.

In 4to, with 105 Illustrative Plates, cloth boards, £1 11s. 6d.

BLASHFIELD, J. M., M. R. Inst., &c. — SELECTIONS OF VASES, STATUES, BUSTS, &c, from TERRA COTTAS.

In 8vo, Woodcuts, 1s.

BLASHFIELD, J. M., M. R., Inst., &c. — ACCOUNT OF THE HISTORY AND MANUFACTURE OF ANCIENT AND MODERN TERRA COTTA.

In 4to, 2s. 6d.

BODMER, R., C.E. — On the Propulsion of Vessels by the Screw.

16s.

BRIDGE. — A large magnificent Plate, 3 feet 6 inches by 2 feet, on a scale of 25 feet to an inch, of LONDON BRIDGE; containing Plan and Elevation. Engraved and elaborately finished. The Work of the RENNIES.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S WORKS ON ARCHITECTURE, ENGINEERING, FINE ARTS, &c.

10s.
BRIDGE. — Plan and Elevation, on a scale of 10 feet to an inch, of **STAINES BRIDGE**; a fine Engraving. The work of the **RENNIES**.

In royal 8vo, with very elaborate Plates (folded), £1 10s.
BRIDGES, SUSPENSION. — An Account, with Illustrations, of the Suspension Bridge across the River Danube, by **Wm. T. CLARK, F.R.S.**

In 4 vols., royal 8vo, bound in 3 vols., half-morocco, price £1 10s.
BRIDGES. — **THE THEORY, PRACTICE, AND ARCHITECTURE OF BRIDGES OF STONE, IRON, TIMBER, AND WIRE**; with Examples on the Principle of Suspension; Illustrated by 138 Engravings and 92 Woodcuts.

In one large 8vo volume, with explanatory Text, and 68 Plates comprising details and measured dimensions. Bound in half-morocco, uniform with the preceding work, price £2 10s.

BRIDGES. — **SUPPLEMENT TO "THE THEORY, PRACTICE, AND ARCHITECTURE OF BRIDGES OF STONE, IRON, TIMBER, WIRE, AND SUSPENSION."**

1 large folio Engraving, price 7s. 6d.
BRIDGE across the Thames.—**SOUTHWARK IRON BRIDGE.**

1 large folio Engraving, price 5s.
BRIDGE across the Thames.—**WATERLOO STONE BRIDGE.**

1 very large Engraving, price 5s.
BRIDGE across the Thames.—**VAUXHALL IRON BRIDGE.**

1 very large Engraving, price 4s. 6d.
BRIDGE across the Thames.—**HAMMERSMITH SUSPENSION BRIDGE.**

1 large Engraving, price 4s. 6d.
BRIDGE (the **UPPER SCHUYLKILL**) at **PHILADELPHIA**, the greatest known span of one arch, covered.

1 large Engraving, price 3s. 6d.
BRIDGE (the **SCHUYLKILL**) at **PHILADELPHIA**, covered.

1 large Engraving, price 3s. 6d.
BRIDGE. — **ON THE PRINCIPLE OF SUSPENSION**, by **Sir I. BRUNEL**, in the **ISLAND OF BOURBON**.

1 large Engraving, price 4s.
BRIDGE. — **PLAN and ELEVATION** of the **PATENT IRON BAR BRIDGE** over the River Tweed, near Berwick.

34 Plates, folio, £1 1s., boards.
BRIGDEN, R. — **Interior Decorations, Details, and Views** of **Sefton Church, Lancashire**, erected in the reign of **Henry VIII.**

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S WORKS ON ARCHITECTURE, ENGINEERING, FINE ARTS, &c.

1 large Engraving, price 3s. 6d.

BRITTON'S (John) VIEWS of the WEST FRONTS of 14 ENGLISH CATHEDRALS.

1 large Engraving in outline, price 2s. 6d.

BRITTON'S (John) PERSPECTIVE VIEWS of the INTERIOR of 14 CATHEDRALS.

In 4to, 2s. 6d.

BRODIE, R., C.E. — Rules for Ranging Railway Curves, with the Theodolite, and without Tables.

1 large Engraving, price 4s. 6d.

BROWN'S (Capt. S.) CHAIN PIER at Brighton, with Details.

The Text in one large volume 8vo, and the Plates, upwards of 70 in number, in an atlas folio volume, very neatly half-bound, £2 10s.

BUCHANAN, R. — PRACTICAL ESSAYS ON MILL WORK AND OTHER MACHINERY; with Examples of Tools of modern invention; first published by ROBERT BUCHANAN, M.E.; afterwards improved and edited by THOMAS TREDGOLD, C.E.; and re-edited, with the improvements of the present age, by GEORGE RENNIE, F.R.S., C.E., &c. The whole forming 70 Plates, and 103 Woodcuts.

John Weale, 59, High Holborn, London, W.C.

Text in royal 8vo, and Plates in imperial folio, 18s.

BUCHANAN, R. — SUPPLEMENT. — PRACTICAL EXAMPLES ON MODERN TOOLS AND MACHINES; a Supplementary Volume to Mr. RENNIE'S edition of BUCHANAN "On Mill-Work and Other Machinery," by TREDGOLD. The work consists of 18 Plates.

In 8vo, with Plates, 2nd Edition, 1s. 6d.

BURN, C., C.E. — On Tram and Horse Railways.

In one volume, 4to, 21 Plates, half-bound in morocco, £1 1s.

BURY, T., Architect. — Examples of Ancient Ecclesiastical Woodwork.

7s. 6d.

CALCULATOR (THE): Or, TIMBER MERCHANT'S AND BUILDER'S GUIDE. By WILLIAM RICHARDSON and CHARLES GANE, of Wisbeach.

In 8vo, Plates, cloth boards, 7s. 6d.

CALVER, E. K., R.N. — THE CONSERVATION AND IMPROVEMENT OF TIDAL RIVERS.

In 8vo, Woodcuts, 1s. 6d.

CALVER, E.K., R.N. — ON THE CONSTRUCTION AND PRINCIPLE OF A WAVE SCREEN, designed for the Formation of Harbours of Refuge.

In 4to, half-bound, price £1 5s.

CARTER, OWEN B., Architect. — A SERIES OF THE ANCIENT PAINTED GLASS OF WINCHESTER CATHEDRAL, Examples of. 28 Coloured Illustrations.

In 4to, 17 Plates, half-bound, 7s. 6d.

CARTER, OWEN B., Architect. — ACCOUNT OF THE CHURCH OF ST. JOHN THE BAPTIST, at Bishopstone, with Illustrations of its Architecture.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S WORKS ON ARCHITECTURE, ENGINEERING, FINE ARTS, &c.

In 4to, with 19 Engravings, £1 1s.

CHATEAUNEUF, A. de, Architect.—*Architectura Domestica*; a Series of very neat examples of Interiors and Exteriors of residences in the Italian style.

Large 4to, in half-red morocco, price £1 8s.

CHIPPENDALE, INIGO JONES, JOHNSON, LOCK, and PETHER.—Old English and French Ornaments: comprising 244 designs on 105 Plates of elaborate examples of Hall Glasses, Picture Frames, Chimney-pieces, Cellings, Stands for China, Clock and Watch Cases, Girandoles, Brackets, Grates, Lanterns, Ornamental Furniture, Ornaments for brass workers, and silver workers, real ornamental iron work Patterns, and for carvers, modellers, &c., &c., &c.

4to, third Edition with additions, price £1 11s. 6d.

CLEGG, SAM., C.E.—*A PRACTICAL TREATISE ON THE MANUFACTURE AND DISTRIBUTION OF COAL GAS*, illustrated by Engravings from Working Drawings, with General Estimates.

In 4to, Plates, and 76 Woodcuts, boards, price 6s.

CLEGG, SAM., C.E.—*ARCHITECTURE OF MACHINERY*. An Essay on Propriety of Form and Proportion. For the use of Students and Schoolmasters.

In 8vo, 1s.

COLBURNS, Z.—*On Steam Boiler Explosions*.

One very large Engraving, price 4s. 6d.

CONEY'S (J.) Interior View of the Cathedral Church of St. Paul.

In 4to, on card board, 1s.

COWPER, C.—*Diagram of the Expansion of Steam*.

In one vol. 4to, with 20 Folding Plates, price £1 1s.

CROTON AQUEDUCT.—Description of the New York Croton Aqueduct, in 20 large detailed and engineering explanatory Plates, with text in the English, German, and French languages, by T. SCHRAMKE, C.E.

In demy 12mo, cloth, extra bound and lettered, price 4s.

DENISON.—*A Rudimentary Treatise on Clocks and Watches, and Bells*; with a full account of the Westminster Clock and Bells, by EDMUND BECKET DENISON, M.A., Q.C. Fourth Edition re-written and enlarged, with Engravings.

In royal 4to, cloth boards, price £1 11s. 6d.

DOWNES, CHARLES, Architect.—*Great Exhibition Building*. The Building erected in Hyde Park for the Great Exhibition, 1851; 28 large folding Plates, embracing Plans, Elevations, Sections, and Details, laid down to a large scale, and the Working and Measured Drawings.

DRAWING BOOKS.—Showing to Students the superior method of Drawing and Shadowing.

DRAWING BOOK.—*COURS ELEMENTAIRES DE LAVIS APPLIQUÉ À L'ARCHITECTURE*; folio volume, containing 40 elaborately engraved Plates, in shadows and tints, very finely executed, by the best artists in France. £2. Paris.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S WORKS ON ARCHITECTURE, ENGINEERING, FINE ARTS, &c.

DRAWING BOOK.—COURS ÉLÉMENTAIRES DE LAVIS APPLIQUÉ À MÉCANIQUE) folio volume, containing 50 elaborately engraved Plates, in shadows and tints, very finely executed, by the best artists in France. £2 10s. Paris.

DRAWING BOOK.—COURS ÉLÉMENTAIRES DE LAVIS APPLIQUÉ À ORNEMENTATION; folio volume, containing 20 elaborately engraved Plates, in shadows and tints, very finely executed, by the best artists in France. £1. Paris.

DRAWING BOOK.—ÉTUDES PROGRESSIVES ET COMPLÈTES D'ARCHITECTURE DE LAVIS, par J. B. TRITON; large folio, 24 fine Plates, comprising the Orders of Architecture, mouldings, with profiles, ornaments, and forms of their proportion, art of shadowing doors, balusters, parterres, &c., &c., &c. £1 4s. Paris.

In 12mo, cloth boards, lettered, price 5s.

ECKSTEIN, G. F.—A Practical Treatise on Chimneys; with remarks on Stoves, the consumption of Smoke and Coal, Ventilation, &c.

Plates, imperial 8vo, price 7s.

ELLET, CHARLES, C. E., of the U. S.—Report on the Improvement of Kanawha, and incidentally of the Ohio River, by means of Artificial Lakes.

In 8vo, with Plates, price 12s.

EXAMPLES of Cheap Railway Making, American and Belgian.

In one vol. 4to, 49 Plates, with dimensions, extra cloth boards, price 21s.

EXAMPLES for Builders, Carpenters, and Joiners; being well-selected Illustrations of recent Modern Art and Construction.

With Engravings and Woodcuts, price 12s.

FROME, Lieutenant-Colonel, R.E.—Outline of the Method of conducting a Trigonometrical Survey, for the Formation of Topographical Plans; and Instructions for filling in the Interior Detail, both by Measurement and Sketching; Military Reconnaissances, Levelling, &c., &c., together with Colonial Surveying.

In 4to, with Plates, price 7s. 6d.

FAIRBAIRN, W., C.E., F.R.S.—ON WATER-WHEELS, WITH VENTILATED BUCKETS.

In royal 8vo, with Plates and Woodcuts, Second Edition, much improved, price, in extra cloth boards, 16s.

FAIRBAIRN, W., C.E., F.R.S.—ON THE APPLICATION OF CAST AND WROUGHT IRON TO BUILDING PURPOSES.

In imperial 8vo, with fine Plates, a re-issue, price 16s., or 21s. in half-morocco, gilt edges,

FERGUSON'S (J.) Essay on the Ancient Topography of Jerusalem, with restored Plans of the Temple, &c.

In 8vo, sewed in wrapper, price 2s.

GILL, J.—ESSAY ON THE THERMODYNAMICS OF ELASTIC FLUIDS, by JOSEPH GILL, with Diagrams.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S WORKS ON ARCHITECTURE, ENGINEERING, FINE ARTS, &c.

Plates, 8vo, boards, 5s.

GWILT, JOSEPH, Architect.—TREATISE ON THE EQUILIBRIUM OF ARCHES.

In 8vo, cloth boards, with 8 Plates, 4s. 6d.

HAKEWELL, S. J.—Elizabethan Architecture ;
Illustrated by parallels of Dorton House, Hatfield, Long-
le , and Wollaton, in England, and the Palazzo Della Cancelleria
at Rome.

8vo, with a Map, 1s.

HAMILTON, P. S., Barrister-at-Law, Halifax
Nova Scotia—Nova Scotia considered as a Field for Emi-
gration.

In imperial 8vo, Third Edition, with additions, 11 Plates, cloth
boards, 8s.

HART, J., On Oblique Bridges. — A Practical
Treatise on the Construction of Oblique Arches.

In 4to, with Woodcuts, 3s. 6d.

HEALD, GEORGE, C.E.—System of Setting Out
Railway Curves.

Royal 8vo, Plates and Woodcuts, price 12s. 6d.

HEDLEY, JOHN. — Practical Treatise on the
Working and Ventilation of Coal Mines, with Suggestions
for Improvements in Mining.

Two Vols., demy 12mo, in cloth extra boards and lettered, price
12s. 6d.

HOMER. — The Iliad and Odyssey, with the
Hymns of Homer, Edition with an accession of English notes
by the Rev. T. H. L. LEARY, M.A.

In 8vo, with Engravings, cloth boards, Third Edition, 10s. 6d.

HOPKINSON, JOSEPH, C.E.—The Working of
the Steam Engine Explained by the use of the Indicator.

In 8vo, in boards, 18s.

HUNTINGTON, J. B., C.E. — TABLES and
RULES for Facilitating the Calculation of Earthwork, Land,
Curves, Distances, and Gradients, required in the Formation of
Railways, Roads, and Canals.

Separate from the above, price 3s.

HUNTINGTON, J. B., C.E. — THE TABLES
OF GRADIENTS.

10 Plates, 8vo, bound, 5s.

INIGO JONES.—Designs for Chimney Glasses
and Chimney Pieces of the Time of Charles the 1st.

In a sheet, 2s.

IRISH.—Plantation and British Statute Measure
(comparative Table of), so that English Measure can be trans-
ferred into Irish, and *vice versa*.

In 4to, with 8 Engravings, in a wrapper, 6s.

IRON. — ACCOUNT OF THE CONSTRU-
TION OF THE IRON ROOF OF THE NEW HOUSES
OF PARLIAMENT, with elaborate Engravings of details.

Imperial 4to, with 50 Engravings, and 2 fine Woodcuts, half-
bound in morocco, £1 4s.

IRON. — DESIGNS OF ORNAMENTAL
GATES, LODGES, PALISADING, AND IRON-WORK OF
THE ROYAL PARKS, with some other Designs.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S WORKS ON ARCHITECTURE, ENGINEERING, FINE ARTS, &c.

In 4to, with 10 Plates, 12s.

JEBB'S, Colonel, Modern Prisons.—Their Construction and Ventilation.

In 3 vols. 8vo, with 26 elaborate Plates, cloth boards, £2 2s.

JONES, Major-Gen. Sir John, Bart. — Journal of the Sieges carried on by the Army under the Duke of Wellington in Spain, between the years 1811 and 1814, with an Account of the Lines of Torres Vedras. By Major-Gen. Sir JOHN T. JONES, Bart., K.C.B. Third Edition, enlarged and edited by Lieut.-General Sir HARRY D. JONES, Bart.

16mo, cloth boards, 2s. 6d.

KENNEDY AND HACKWOOD'S Tables for Setting out Curves.

In 4to, 37 Plates, half-cloth boards, 9s.

KING, THOMAS.—The Upholsterer's Guide; Rules for Cutting and Forming Draperies, Valances, &c.

Illustrated by large Draughts and Engravings. In 1 volume 4to, text, and a large atlas folio volume of Plates, half bound, £6 6s.

KNOWLES, JOHN, F.R.S.—The Elements and Practice of Naval Architecture; or, A Treatise on Ship Building, theoretical and practical, on the best principles established in Great Britain; with copious Tables of Dimensions, Scantlings, &c. The Third Edition, with an Appendix, containing the principles of constructing the Royal and Mercantile Navies, by Sir ROBERT SEPPINGS.

41 Plates of a fine and an elaborate description in large atlas folio half-bound, £2 12s. 6d.; with the text half-bound in 4to.

LOCOMOTIVE ENGINES. — The Principles and Practice and Explanation of the Machinery of Locomotive Engines in operation.

In 12mo, sewed, 1s.

MAIN, Rev. ROBERT. — An Account of the Observatories in and about London.

4to, in boards, 15s.

MANUFACTURES AND MACHINERY. — Progress of, in Great Britain, as exhibited chiefly in Chronological notices of some Letters Patent granted for Inventions and Improvements, from the earliest times to the reign of Queen Anne.

16mo, 2s. 6d.

MAY, R. C., C.E.—Method of setting out Railway Curves.

Imperial 4to, with fine Illustrations, extra cloth boards, £1 5s., or half-bound in morocco, £1 11s. 6d.

METHVEN, CAPTAIN ROBERT.—THE LOG OF A MERCHANT OFFICER, Viewed with Reference to the Education of Young Officers and the Youth of the Merchant Service. By ROBERT METHVEN, Commander in the Peninsular and Oriental Company's Service.

In royal 8vo, 1s. 6d.

METHVEN, CAPTAIN ROBERT.—NARRATIVES WRITTEN BY SEA COMMANDERS, ILLUSTRATIVE OF THE LAW OF STORMS. The "Blenheim" Hurricane of 1851, with Diagrams.

Part 1, large 8vo, 5s. Part 2, in preparation.

MURRAY, JOHN, C.E. — A Treatise on the Stability of Retsining Walls, elucidated by Engravings and Diagrams.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S WORKS ON ARCHITECTURE, ENGINEERING, FINE ARTS, &c.

On a large folio sheet, price 2s. 6d.

NEVILLE, JOHN, C.E., M.R.I.A. — OFFICE HYDRAULIC TABLES; for the use of Engineers engaged in Water Works, giving the Discharge and Dimensions of River Channels and Pipes.

In 8vo, Second and much Improved Edition, with an Appendix, cloth boards, price 16s.

NEVILLE, JOHN, C.E., M.R.I.A. — HYDRAULIC TABLES, COEFFICIENTS, AND FORMULÆ; for Finding the Discharge of Water from Orifices, Notches, Weirs, Pipes, and Rivers, with Extensive Additions, New Formulæ, Tables, and General Information on Rain-Fall Catchment-Basins, Drainage, Sewerage, Water Supply for Towns and Mill Power.

On 33 folio Plates, 12s.

ORNAMENTS. — Ornaments displayed on a full size for Working, proper for all Carvers, Painters, &c., containing a variety of accurate examples of foliage and friezes.

Plates, 8vo, 2s. 6d.

O'BRIEN'S, W., C.E. — Prize Essay on Canals and Canal Conveyance.

In demy 8vo, cloth, boards, 12s.

PAMBOUR, COUNT DE. — STEAM ENGINE; the Theory of the Proportions of Steam Engines, and a series of practical formulæ.

In 8vo, cloth, boards, with Plates, a second edition, 18s.

A PRACTICAL TREATISE ON LOCOMOTIVE ENGINES UPON RAILWAYS. — With practical Tables and an Appendix, showing the expense of conveying Goods by means of Locomotives on Railroads. By COUNT F. M. G. DE PAMBOUR.

4to, 72 finely executed Plates, in cloth, £1 16s.

PARKER, CHARLES, Architect, F.R.A. — The Rural and Villa Architecture of Italy, portraying the several very interesting examples in that country, with Estimates and Specifications for the application of the same designs in England; selected from buildings and scenes in the vicinity of Rome and Florence, and arranged for Rural and Domestic Buildings generally.

Price, complete, £2 2s. In 4to.

POLE, WILLIAM, M. Inst., C. E. — CORNISH PUMPING ENGINE; designed and constructed at the Hayle Copper House in Cornwall, under the superintendence of CAPTAIN JENKINS; erected and now on duty at the Coal Mines of Languin, Department of the Loire Inferieur, Nantes. Nine elaborate Drawings, historically and scientifically described.

With Plate. 10s. 6d.

AN ANALYTICAL INVESTIGATION OF THE ACTION OF THE CORNISH PUMPING ENGINE. — This Third Part sold separately from above.

28s. bound in 4to size.

PORTFOLIO OF ENGINEERING ENGRAVINGS. — Useful to Students as a Text Book, or a Drawing Book of Engineering and Mechanics; being a series of Practical Examples in Civil, Hydraulic, and Mechanical Engineering. Fifty Engravings to a scale for drawing.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S WORKS ON ARCHITECTURE, ENGINEERING, FINE ARTS, &c.

50 Plates, 28s., boards.

PORTFOLIO OF GREEK ARCHITECTURE.

—Or, Dilettanti Drawing Book; Architectural Engravings, with descriptive Text. Being adapted as studies of the best Classic Models in the Grecian style of Architecture.

50 Plates, £1 8s., bound.

PORTFOLIO OR DRAWING BOOK OF GOTHIC CHURCH ARCHITECTURE.

—Of the periods of the 14th, 15th, and 16th centuries. Useful to Architects, Builders, and Students.

25 Plates, folio. 25s.

PORTFOLIO OF ARCHÆOLOGICAL COLLECTIONS.

—Of curious, interesting, and ornamental subjects and patterns for stained glass windows, from York.

18 Plates, 10s. 6d. Small folio.

PORTFOLIO OF ANCIENT CAPITAL LETTERS, MONOGRAMS, QUIANT DESIGNS, &c.

—Beautifully Coloured and Ornamented.

153 Plates, folio, half-bound in morocco, very neat, £4 4s.

PUBLIC WORKS OF GREAT BRITAIN.

Consisting of Railways, Rails, Chairs, Blocks, Cuttings, Embankments, Tunnels, Oblique Arches, Viaducts, Bridges, Stations, Locomotive Engines, &c.; Cast-Iron Bridges, Iron and Gas Works, Canals, Lock-gates, Centering, Masonry and Brickwork for Canal Tunnels; Canal Boats: the London and Liverpool Docks, Plans and Dimensions, Dock gates, Walls, Quays, and their Masonry; Mooring-Chains; Plan of the Harbour and Port of London, and other important Engineering Works, with Descriptions and Specifications.

In two Parts. Imperial folio.

PUBLIC WORKS OF THE UNITED STATES OF AMERICA.

And the text in an 8vo Volume, price together £2 6s.

REPORTS, SPECIFICATIONS, AND ESTIMATES OF PUBLIC WORKS OF THE UNITED STATES OF AMERICA; explanatory of the Atlas Folio of Detailed Engravings, elucidating practically these important Engineering Works. The Plates are Engraved in the best style.

Imperial 8vo, 50 Engravings, £1 5s.

PAPERS AND PRACTICAL ILLUSTRATIONS OF PUBLIC WORKS OF RECENT CONSTRUCTION—BOTH BRITISH AND AMERICAN. Supplementary to previous Publications, and containing all the details of the Niagara Suspension Bridge.

Half-bound in morocco, finely coloured Plates, price £3 8s.

RAWLINSON'S, ROBERT, C.E.—Designs for

Factory, Furnace, and other Tall Chimney Shafts. Tall chimneys are necessary for purposes of Trade and Manufactures. They are required for Factories, for Foundries, for Gas Works, for Chemical Works, for Baths and Wash-houses, and for many other purposes.

Third Edition, in royal 8vo, boards, with 13 Charts, &c., 12s.

REID, Major-General Sir W., F.R.S., &c.—AN

ATTEMPT TO DEVELOP THE LAW OF STORMS by means of facts arranged according to place and time; and hence to point out a cause for the variable winds, with a view to practical use in navigation.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S WORKS ON ARCHITECTURE, ENGINEERING, FINE ARTS, &c.

In royal 8vo, uniform with the preceding, 9s., with Charts and Woodcuts. The work together in 2 vols., £1 1s.

REID, Major-General Sir W., F.R.S., &c. — THE PROGRESS OF THE DEVELOPMENT OF THE LAW OF STORMS AND OF THE VARIABLE WINDS, with the practicable application of the subject to navigation.

Illustrated with 17 Plates, Third Edition, 8vo, cloth, 7s. 6d.

RICHARDSON, C. J., Architect. — A Popular Treatise on the Warming and Ventilation of Buildings; showing the advantage of the improved system of Heated Water Circulation. And a method to effect the combination of large and small pipes to the same apparatus, and ventilating buildings.

Bound in 2 vols., very neat, half-morocco, gilt tops, price £18.

RENNIE'S, Sir JOHN, F.R.S., Work on the Theory, Formation, and Construction of British and Foreign Harbours, Docks, and Naval Arsenals. This great work may now be had complete, 20 parts and supplement, price £16.

In 8vo, 2s.

RÉVY, J. L., C.E. — THE PROGRESSIVE SCREW AS A PROPELLER IN NAVIGATION.

12mo, cloth boards, 8s. 6d.

SIMMS, F. W. — Treatise on the principal Mathematical and Drawing Instruments employed by the Engineer, Architect, and Surveyor; with a description of the Theodolite, together with instructions in Field Works.

4to, with fine Plates, a New Edition, extended, sewed, 5s.

SMITH, C. H., Sculptor. — Report and Investigation into the Qualifications and Fitness of Stone for Building Purposes.

In 1 vol. 8vo, in boards, 7s. 6d.

SMITH'S, Colonel of the Madras Engineers, Observations on the Duties and Responsibilities Involved in the Management of Mines.

8vo, cloth boards, with Index Map, 5s.

SOPWITH, THOMAS, F.R.S. — THE AWARD OF THE DEAN FOREST COMMISSIONERS AS TO THE COAL AND IRON MINES.

16 large folio Plates, £1 4s. Separately, 2s. each.

SOPWITH, THOMAS, F.R.S. — SERIES OF ENGRAVED PLANS OF THE COAL AND IRON MINES.

12 Plates, 4to, 6s. in a wrapper.

STAIRCASES, HANDRAILS, BALUSTRADES, AND NEWELS OF THE ELIZABETHAN AGE, &c. — Consisting of — 1. Staircase at Audley-end Old Manor House, Wilts; 2. Charlton House, Kent; 3. Great Ellingham Hall, Norfolk; 4. Dorfold, Cheshire; 5. Charterhouse; 6. Oak Staircase at Clare Hall, Cambridge; 7. Cromwell Hall, Highgate; 8. Ditto; 9. Catherine Hall, Cambridge; 10. Staircase by Inigo Jones at a house in Chandos Street; 11. Ditto at East Sutton; 12. Ditto, ditto. Useful to those constructing edifices in the early English domestic style.

Large atlas folio Plates, price £2 2s.

STALKARTT, M., N.A. — Naval Architecture; or, The Rudiments and Rules of Ship Building: exemplified in a Series of Draughts and Plans. No text.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S WORKS ON ARCHITECTURE, ENGINEERING, FINE ARTS, &c.

With Illustrative Diagrams. In 8vo, 7s. 6d.

STEVENSON'S, THOMAS, C.E., of Edinburgh,
Description of the Different kinds of Lighthouse Apparatus.

8vo, 2s. 6d.

STEVENSON, DAVID, C.E., of Edinburgh. —
Supplement to his Work on Tidal Rivers.

Text in 4to, and large folio Atlas of 75 Plates, half-cloth boards,
£2 12s. 6d.

STEAM NAVIGATION. — Vessels of Iron and Wood; the Steam Engine; and on Screw Propulsion. By WM. FAIRBAIRN, F.R.S., of Manchester; Messrs. FORRESTER, M.I.C.E., of Liverpool; JOHN LAIRD, M.I.C.E., of Birkenhead; OLIVER LANG, (late) of Woolwich; Messrs. SEAWARD, Limehouse, &c. &c. &c. Together with Results of Experiments on the Disturbance of the Compass in Iron-built Ships. By G. B. AIRY, M.A., Astronomer Royal.

10s.

ST. PAUL'S CATHEDRAL, LONDON, SECTION OF. — The Original Splendid Engraving by J. GWYN, J. WALE, decorated agreeably to the original intention of Sir Christopher Wren; a very fine large print, showing distinctly the construction of that magnificent edifice.

Size of Plate $4\frac{1}{2}$ feet in height, 10s.

ST. PAUL'S CATHEDRAL, LONDON, GREAT PLAN. — J. WALE and J. GWYN'S GREAT PLAN, accurately measured from the Building, with all the Dimensions figured and in detail, description of Compartments by engraved Writing.

Second Edition, greatly enlarged, royal 8vo, with Plates, cloth boards, price 16s.

STRENGTH OF MATERIALS. — FAIRBAIRN, WILLIAM, C.E., F.R.S., and of the Legion of Honour of France. On the application of Cast and Wrought Iron to Building Purposes.

With Plates and Diagrams. New Edition. The work complete in 2 vols., bound in 1 vol., price, in cloth boards, 16s. The second portion of the work, containing Mr. Hodgkinson's Experimental Researches, may be had separately, price 9s.

STRENGTH OF MATERIALS. — HODGKINSON, EATON, F.R.S., AND THOMAS TREDGOLD, C.E. A PRACTICAL ESSAY ON THE STRENGTH OF CAST IRON AND OTHER METALS; intended for the assistance of engineers, ironmasters, millwrights, architects, founders, smiths and others engaged in the construction of machines, buildings, &c. By EATON HODGKINSON, F.R.S.

To be published in 1861, in crown 8vo, bound for use.

STRENGTH OF MATERIALS. — POLE, WILLIAM, C.E., F.R.S. — Tables and popular explanations of the Strength of Materials, of Wrought and Cast Iron with other metals, for structural purposes; developing in a systematic form, the strengths, bearings, weights, and forms of these materials, whether used as girders or arches, for the construction of bridges and viaducts, public buildings, domestic mansions, private buildings, columns or pillars, brassmasonry for warehouses, shops, working and manufacturing factories, &c. &c. &c. The whole rendered of easy reference for architects, builders, civil and mechanical engineers, millwrights, ironfounders, &c. &c. &c., and forming Ready Reckoner or Calculator.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S WORKS ON ARCHITECTURE, ENGINEERING, FINE ARTS, &c.

30 very elaborately drawn Engravings. In large 4to, neatly half-bound and lettered, £1 1s. A few copies on large Imperial size, extra half-binding, £1 11s. 6d.

TEMPLE CHURCH.—The Architectural History and Architectural Ornaments, Embellishments, and Painted Glass, of the Temple Church, London.

Part I., with 26 Engravings on Wood and Copper, in cloth boards, 4to, 15s.

THAMES TUNNEL.—A Memoir of the several Operations and the Construction of the Thames Tunnel, from Papers by the late Sir ISAMBARD BRUNEL, F.R.S., Civil Engineer.

Fourth Edition, with a Supplementary Addition, large 8vo, 12s. 6d.

THOMAS (LYNALL), F.R.S.L.—Rifled Ordnance.—A Practical Treatise on the Application of the Principle of the Rifle to Guns and Mortars of every calibre; to which is added a New Theory of the Initial Action and Force of Fixed Gunpowder plates.

In 4to, complete, cloth, Vol. 1., with Engravings, £1 10s.; Vol. II., ditto, £1 8s.; Vol. III., ditto, £2 12s. 6d.

TRANSACTIONS OF THE INSTITUTION OF CIVIL ENGINEERS.

8 vols., numerous Engravings of Sections of Coal Mines, &c., large folding Plates, several of which are coloured, in large 8vo, half-bound in calf, price £1 1s. per volume.

TRANSACTIONS OF THE NORTH OF ENGLAND INSTITUTE OF MINING ENGINEERS.—Commencing in 1852, and continued to 1860.

A New Edition revised by the translator, and with additional Plates, in demy 12mo, India proof Plates and Vignettes, half-bound in morocco, gilt tops, price 12s. Only 25 printed on India paper.

VITRUVIUS.—The Architecture of Marcus Vitruvius Pollio in 10 Books. Translated from the Latin by JOSEPH GWILT, F.S.A., F.R.A.S.

In 4to, with Plates, 7s. 6d.

WALKER'S, THOMAS, Architect.—Account of the Church at Stoke Golding.

£1 10s.

WEALE'S QUARTERLY PAPERS ON ENGINEERING.—Vol. VI. (Parts 11 and 12 completing the work.) Comprising, "On the Principles of Water Power." Plates. Experiments on Locomotive Engines. Coloured Plates. On Naval Armaments. On the Mode of Forming Foundations under water and on bad ground. Plates. On the Improvement of the River Medway and of the Port and Arsenal of Chatham. On the Improvement of Portsmouth Harbour. An Analysis of the Cornish Pumping. Plates. On Water Wheels. Plates.

Text in 8vo, cloth boards, and Plates in atlas folio, in cloth, 16s.

WHITE'S, THOMAS, N.A., Theory and Practice of Ship Building.

In 8vo, with a large Sectional Plate, 1s. 6d.

WHICHORD, JOHN, Architect.—OBSERVATIONS ON KENTISH RAG STONE AS A BUILDING MATERIAL.

John Weale, 59, High Holborn, London, W.C.

MR. WEALE'S WORKS ON ARCHITECTURE, ENGINEERING FINE ARTS, &c.

4to, coloured Plates, in half-morocco, 7s 6d.

WHICHORD, JOHN, Architect.—HISTORY AND ANTIQUITIES OF THE COLLEGIATE CHURCH OF ALL SAINTS, MAIDSTONE.

In 4to, 6s.

WICKSTEED, THOMAS, C.E.—AN EXPERIMENTAL INQUIRY CONCERNING THE RELATIVE POWER OF, AND USEFUL EFFECT PRODUCED BY, THE CORNISH AND BOULTON & WATT PUMPING ENGINES, and Cylindrical and Waggon-Head Boilers.

In 8vo, 1s.

WICKSTEED, THOMAS, C.E.—FURTHER ELUCIDATION OF THE USEFUL EFFECTS OF CORNISH PUMPING ENGINES; showing the average working for long periods, &c., &c., &c.

£2 2s.

WICKSTEED, THOMAS, C.E.—THE ELABORATELY ENGRAVED ILLUSTRATIONS OF THE CORNISH AND BOULTON & WATT ENGINES erected at the East London Water Works, Old Ford. Eight large atlas folio very fine line engravings by GLADWIN, from elaborate drawings made expressly by Mr. WICKSTEED; folio, together with a 4to explanation of the plates, containing an engraving, by LOWRY, of Harvey and West's patent pump-valve, with specification.

With numerous Woodcuts.

WILLIAMS, C. WYE, Esq., M. Inst. C. E.—THE COMBUSTION OF COAL AND THE PREVENTION OF SMOKE, chemically and practically considered.

Imperial 8vo, with a Portrait, 2s. 6d.

WILLIAMS, C. WYE, Esq., M. Inst. C. E.—PRIZE ESSAY ON THE PREVENTION OF THE SMOKE NUISANCE, with a fine portrait of the Author.

With 3 Plates, containing 51 figures, 4to, 5s.

WILLIS, REV. PROFESSOR, M.A.—A system of Apparatus for the use of Lecturers and Experimenters in Mechanical Philosophy.

In 4to, bound, with 26 large plates and 17 woodcuts, 12s.

WILME'S MANUALS.—A MANUAL OF WRITING AND PRINTING CHARACTERS, both ancient and modern.

Maps and Plans, in 4to, plates coloured, half-bound morocco, £2.

WILME'S MANUALS.—A HANDBOOK FOR MAPPING, ENGINEERING, AND ARCHITECTURAL DRAWING.

Three Vols., large 8vo, £3.

WOOLWICH.—COURSE OF MATHEMATICS. This course is essential to all Students destined for the Royal Military Academy at Woolwich.

8vo, 1s.

YULE, MAJOR-GENERAL.—ON BREAK-WATERS AND BUOYS OF VERTICAL FLOATS.

John Weale, 59, High Holborn, London, W.C.

FOREIGN WORKS, KEPT IN STOCK AS FOLLOWS:—

Large folio, 32 plates, some coloured, and 12 woodcuts, 50 francs.
£2 10s.

ARCHITECTURE SUISSE.—Ou Choix de Maisons Rustiques des Alpes du Canton de Berne, par GRAF-FINRIED et STÜRLER, Architectes. Berne, 1844.

Small folio, 52 most interesting and explanatory plates of Public Works, Bridges, Iron Works, &c., &c., &c., very neatly half-bound in morocco, £1 10s.

BAUERNFEIND, CARL MAX.—VORLEGE-BLAETTER ZUR BRUCKENBAU KUNDE. München.

Large folio, 36 plates of Byzantine capitals, 12s.

BYZANTINISCHE CAPITAELE.—München.

Second edition, 126 plates, large folio, best Paris edition, 100 f., printed on fine paper, half-cloth boards, £4 4s.

CALLIAT, VICTOR, ARCT.—Parallèle des Maisons de Paris, construites depuis 1830 jusqu'à nos jours.—1857.

Large folio, 60 francs, 60 plates, and several vignettes, £2 8s.

CANÉTO, F.—Sainte-Marié d'Auch. Atlas Monographique de Cette Cathédrale. The Plates consist principally of outline drawings of the Painted Glass Windows in this Cathedral.

120 plates, elegant in half-morocco extra, interleaved, £5 15s. 6d.

CASTERMAN, A.—PARALLÈLE des MAISONS de BRUXELLES et des PRINCIPALES VILLES de la BELGIQUE, construites depuis 1830 jusqu'à nos jours, représentées en plans, élévations, coupes et détails intérieurs et extérieurs.—Paris.

Small folio, 48 plates of edifices, £1 1s.

DEGEN, L.—LES CONSTRUCTIONS EN BRIQUES, composées et publiées. 8 livraisons.—1858.

Small folio, 48 plates of houses, parts of houses, details of all kinds of singularly beautiful woodwork, coloured plates in imitation of the objects given, £1 1s.

DEGEN, L.—LES CONSTRUCTIONS ORNAMENTALES EN BOIS, 8 livraisons.

In 3 very large folio parts, 35 fine plates, £1 11s. 6d.

GAERTNER, F. V.—The splendid works of M. GAERTNER of Munich, drawn to a very large size, consisting of the library in plans, elevations, interiors, details, and sections, and coloured ornaments. The church, with details, ornaments, &c.—München.

Small folio, 86 fine plates of the Architecture, ornament, and detail of the houses and churches of Germany during the middle age, very neatly half-bound in morocco, £2 12s. 6d.

KALLENBACH, C. C.—Chronologie der Deutsch-Mittelalterlichen Baukunst.—München. Fine Work.

The works of the great master KLENZIE of Munich, in 5 parts very large folio, 50 plates of elevations, plans, sections, details and ornaments of his public and private buildings executed in Munich and St. Petersburg, £2 2s.

KLENZE, LEO VON.—Sammlung Architectonischer Entwürfe, für die Ausführung bestimmt oder wirklich ausgeführt. Published in Munich.

John Weale, 59, High Holborn, London, W.C.

FOREIGN WORKS KEPT IN STOCK AS FOLLOWS:—

Upwards of 100 plates, large 4to, £2 12s. 6d.

PETIT, VICTOR.—CHATEAUX DE FRANCE.
Architecture Pittoresque, ou Monuments des quinzième et seizième siècles. Paris.

Livraisons 1 à 18, very finely executed plates, large imperial folio,
£5 8s.

**CHATEAUX DE LA VALLÉE DE LA
LOIRE DES XV, XVI, ET COMMENCEMENT DU XVII
SIECLE.**—Paris, 1857—60.

4to, 96 plates, 72f.; £2 10s.

RECUEIL DE SCULPTURES GOTHIQUE.—
Dessinées et gravées à l'eau forte d'après les plus beaux monuments construits en France depuis le onzième jusqu'au quinzième siècle, par ADAMS, Inspecteur des travaux de la Sainte Chapelle. Paris, 1856.

4 parts are published, price 14s.

RAMEE.—HISTOIRE GÉNÉRALE DE L'ARCHITECTURE. L'Histoire générale de l'Architecture, par DANIEL RAMEE, forme 2 vol. grande in 8vo, publiés en 8 fascicules.

5 vols., large 8vo, numerous fine woodcuts, half morocco.

VIOLET-LE-DUC. — DICTIONNAIRE RAISONNÉ, de l'Architecture Française du quinzième au seizième siècle. Paris, 1854-8.

2 vols., extra imperial folio, price £6 16s. 6d.

BADIA D'ALTACOMBA.—Storia e Descrizione della Antico Sepolchro dei Reali di Savola, fondita da Amedeo III. rinnovata da Carlo Felice e Maria Christina.

79 livraisons in large 4to, 200 engravings, £8 18s. 6d.

BELLE ARTI.—Il Palazzo Ducale di Venezia, illustrato da Francesco Zanotto. Venezia, 1846—1858.

2 vols. large 4to, 62 very neatly engraved outline Plates, £1 5s.

CANOVA.—Le Tombe ed i Monumenti Illustri d'Italia. Milano.

2 vols. 4to, 67 elaborate Plates, £1 16s.

CAVALIERI SAN-BERTOLO (NICOLA).—ISTITUZIONI DI ARCHITETTURA STATICA E IDRAULICA. Mantova.

2 vols. imperial folio, in parts of eight divisions, &c., New and much Improved Edition, comprising 259 Plates of the Public Buildings of Venice, plans, elevations, sections, and details, £8 18s. 6d.

CICOGNARA (COUNT).—Le Fabbriche ei Monumenti Cospicui di Venezia, illustrati da L. Cicognara, da A. Diedo, e da G. A. Selva, edizione con copiose note ed aggiunte di Francesco Zanotto, arricchita di nuove tavole e della Versione Francese. Venezia nello stab. naz. di G. Antonelli a spese degli edit. G. Antonelli e Luceno Basadonna, 1853. The elaborately descriptive text is in French and Italian, beautifully printed.

Copies elegantly half-bound in morocco, extra gilt, library copy and interleaved, £12 12s. Venezia, 1858.

Folio, Portrait, and 147 Plates, consisting of subjects of public buildings, executed at Verona, plans, elevations, sections, details, and ornaments, with some executed works at Venice, &c., £4 4s.

FABBRICHE.—CIVILI ECCLESIASTICHE
E MILITARI DI MICHELE SAN MICHELE disegnate ed incise da RONZANI FRANCESCO e L. GIROLAMO.

John Weale, 59, High Holborn, London, W.C.

FOREIGN WORKS KEPT IN STOCK AS FOLLOWS.

Large folio, containing a profusion of Plates of the palaces, theatres, hôtel de villes, and other public buildings in several parts of Italy. Elegantly half-bound in red morocco, extra gilt and interleaved, £6 6s.

**FABBRICHE.—E DISEGNI D'ANTONIO
DIEDO, NOBILE VENETO.** Venezia.

36 livraisons, price £12 12s.

GALLERIA DI TORINO (LA REALE).—

Illustrata da R. D'AZEGLIO, Memb. dell' Accad., &c. &c.

Copies, Indian proofs, £18 18s.

. Bound copies in elegant half-morocco binding, India proof, £23 2s.

2 vols. folio, complete, 177 Plates of outline elevations, plans, in teriors, details, &c., first impression, 150 francs, half-bound. £6 6s.

**GAUTHIER, M.P., Architecte.—Les PLUS
BEAUX ÉDIFICES de la VILLE de GENES et des ses
ENVIRONS.** Paris, 1830-2.

Folio, 109 Plates of plans, elevations, sections, and details, £2 8s.

**GRANDJEAN de MONTIGNY et A. FAMIN.
—ARCHITECTURE TOSCANE, ou palais, maisons, et
autres édifices, de la Toscane.** Paris, 1815.

Oblong folio, containing a profusion of picturesque views of palaces and public buildings and scenes of Venice, executed in tinted lithography, with full descriptions attached to each. Elegant in half extra morocco, interleaved, £4 11s. 6d.

**KIER, G.—VENEZIA MONUMENTALE PIT-
TORESCA.** Venezia.

Large folio, 61 livraisons or 3 vols., with 3 vols. of text in 4to,
£18 18s.

**LETAROUILLY, P.—Édifices de Rome Mo-
derne.** Paris, 1825-55.

Fine Plates of the New Palace of Justice, Senate House, &c., plans, elevations, sections, doors, &c., details of the several parts, &c., £1 1s.

**MICHELA, IGNAZIO.—DESCRIZIONE e
DISEGNI del PALAZZO del MAGISTRATI SUPREMI
di TORINO.** Torino.

Large folio, 94 Plates, bound in extra half-morocco, gilt and interleaved, price £6 10s.

**REYNAUD, L.—Trattato di Architettura, con-
tenente nozioni generali sui Principii della Construzione e
sulla storia dell' Arti, con annot. per cura di Lorenzo Urbani.** Venezia, 1857.

4 Imperial bulky 8vo volumes, printed and published under authority, and treats of the early foundation of Venice and establishment as a kingdom, its wealth and commerce, and its once great political position, with Plates, £3 3s.

VENEZIA.—E le sue Lagune. Venezia, 1847.

**VENEZIA.—Copies elegantly bound and gilt,
£4 14s. 6d.** Venezia, 1847.

In 2 large folio volumes, numerous and elaborately drawn Plates, very well executed in outline, altogether a very fine work. Very elegantly half-bound in morocco, extra gilt and interleaved, £12 12s.

**ACCADEMIA DI BELLI ARTI.—Opere dei
Grandi Concorsi Premiate dall' I. R. Accademia delle Belle Arti,
in Milano, e pubblicate, per cura dell' Architetto, G. ALUISETTI—
per la Classi di Ornato—per la Classi di Architettura, figura ed
Ornato.** Milano, 1825-29.

John Weale, 59, High Holborn, London, W.C.

FOREIGN WORKS, KEPT IN STOCK AS FOLLOWS:—

Atlas folio, very fine impressions, complete in 3 parts, Columbier folio, £3 13s. 6d. Elegantly half-bound in extra morocco and interleaved, £5 15s. 6d.

ALBERTOLLI, G.—*Alcune Decorazioni di Nobili Sale ed Altri Ornamenti.* Milano, 1787, 1824, 1838.

To be had separately, £1 8s.

ALBERTOLLI, G.—Part III., very frequently required to make up sets.

2 vols., folio, 80 Plates of the most exquisite kind in colours, far superior to any existing work of the present day, £7 10s.

HOFFMAN, ET KELLERHOVEN.—*Recueil de Dessins relatifs à l'Art de la Décoration chez tous les peuples et aux plus belles époques de leur civilisation, &c., destinés à servir de motifs et de matériaux aux peintres, décorateurs, peintres sur verre, et aux dessinateurs de fabriques.*

Price £1 1s.

HOPE, ALEXANDER J. BERESFORD, Esq.—*Abbildungen der Glasgemälde in der Salvator-Kirche zu Kilndown in der Grafschaft Kent. Copies of paintings on glass in Christ Church, Kilndown, in the county of Kent, executed in the Royal Establishment for Painting on Glass, Munich, by order of ALEXANDER J. BERESFORD HOPE, Esq., published by F. Eggert, Painter on Glass, München. The work contains one sheet with the dedication to A. J. B. HOPE, Esq., and fourteen windows; in the whole fifteen, beautifully engraved and carefully coloured.*

In large folio, 80 Plates, containing a profusion of rich Italian and other ornaments. Elegant in half-morocco, gilt, and interleaved, £6 6s.

JULIENNE, E.—*Industria Artistica o Raccolto di Composizioni e Decorazioni Ornamentali, come suppellettili, tappezzerie, armature, cristalli, soffitti, cornici, lampade, bronzi, &c.* Venezia, 1851—1858.

Prix 50f., in folio, £3.

LE PAUTRE.—*Collection des plus belles Compositions, gravées par DE CLOUX, Archte.* L'ouvrage contient cent planches. Paris.

This unique collection is in 2 Vols. 4to, had its commencement in 1812, and contains upwards of 500 rich Designs. Price £5 5s.

METIVIER, MONS., Architecte.—The original Sketches, Drawings, and Tracings, in pencil and pen and ink, of executed Works and Proposals, displaying the genius of Mons. Metivier, as an architect of high attainments, whose recent death was much regretted in Bavaria. He was a native of France, and was induced to settle in Munich by the late Duke of Leuchtenberg, under whose patronage he was much employed in the construction of private edifices for the Bavarian nobility and gentry; and for decoration and fittings of them; his interiors are still much in admiration. He built a mansion for Prince Charles, in a most simple and elegant style (in Brienner Street), which is still now considered one of the purest buildings of Munich. The above Sketches are his professional life and practice.

Twelve Parts, in small oblong 4to, 60 coloured Plates of 90 elaborately coloured and gilt ornaments. £1 1s.

ORNAMENTENBUCH.—*Farbige Verzierungen für Fabrikanten, Zimmermaler und andere Bengewerke.* München.

John Weale, 59, High Holborn, London, W.C.

FOREIGN WORKS, KEPT IN STOCK AS FOLLOWS;—

410 Plates, in two thick large 4to. Vols., designed and engraved by MM. Reister Arget, d'Hautel, de Wailly, Wagner, L. Feuchère et Regnier, &c. £5 5s.

ORNEMENTS.—Tirés ou imités des Quatre Écoles. Paris.

Six Parts, large folio, Plates beautifully coloured, in fac-similes of the Interiors, Ornaments, Compartments, Cellings, &c. £2 12s. 6d. Also, elegantly half-bound in morocco gilt, £4 4s.


ROTTMANN, L.—Ornamente aus den vorzüg- lichsten Bauwerken Münchens. München.

Very elegant, in half red morocco, gilt, and interleaved, £7 17s. 6d.

**ZANETTI, G.—STUDII ARCHITETTONICO
ORNAMENTALI**, dedicati all' J. R. Accademia Veneta delle Belle Arti, seconda edizione con aggiunte del Prof. L. URBANI. 56 livraisons, in imperial folio, about 200 of most elaborately designed subjects of Architecture and Interior Fittings, Designs for Chimney Pieces, Iron Work for Interiors and Exteriors, Gates and Wooden Gates, Garden Decorations, &c., &c., including the Appendices. Venezia.

A Catalogue, of 40 pages, to be had gratis; printed in demy 8vo.

Export Orders executed either for Principals abroad, or Merchants at home.



In Atlas of Plates and Text, 12mo, price 25s. together,

IRON SHIP BUILDING.

WITH

PRACTICAL ILLUSTRATIONS.

BY

JOHN GRANTHAM, N.A.

DESCRIPTION OF PLATES.

1. Hollow and Bar Keels, Stem and Stern Posts.
2. Side Frames, Floorings, and Bilge Pieces.
3. Floorings continued — Keelsons, Deck Beams, Gunwales, and Stringers.
4. Gunwales continued — Lower Decks, and Orlop Beams.
5. Angle-Iron, T Iron, Z Iron, Bulb Iron, as rolled for Iron Ship-Building.
6. Rivets, shown in section, natural size, Flush and Lapped Joints, with Single and Double Riveting.
7. Plating, three plans, Bulkheads, and modes of securing them.
8. Iron Masts, with Longitudinal and Transverse Sections.
9. Sliding Keel, Water Ballast, Moulding the Frames in Iron Ship-building, Levelling Plates.
10. Longitudinal Section, and Half-breadth Deck Plans of large Vessels, on a reduced scale.
11. Midship Sections of Three Vessels of different sizes.
12. *Large Vessel*, showing details. — *Fore End* in Section, and End View, with Stern Post, Crutches, Deck Beams, &c.
13. *Large Vessel*, showing details. — *After End* in section, with End View, Stern Frame for Screw, and Rudder.
14. *Large Vessel*, showing details. — *Midship Section*, Half breadth.
15. *Machines* for Punching and Shearing Plates and Angle-Iron, and for Bending Plates; Rivet Hearth.
16. *Machines*. — Garforth's Riveting Machine, Drilling and Counter Sinking Machine.
17. *Air Furnace* for Heating Plates and Angle-Iron; various Tools used in Riveting and Plating.
18. *Gunwale*, Keel, and Flooring; Plan for Sheathing Iron Ships with Copper.
19. Illustrations of the Magnetic Condition of various Iron Ships.
20. Gray's Floating Compass and Binnacle, with Adjusting Magnets.
21. Corroded Iron Bolt in Frame of Wooden Ship; Caulking Joints of Plates.
22. *Great Eastern*—Longitudinal Sections and Half-breadth Plans.
23. *Great Eastern*—Midship Section, with details.
24. *Great Eastern*—Section in Engine Room, and Paddle Boxes.

This Work may be had of Messrs. LOCKWOOD & Co., No. 7, Stationers' Hall Court, and also of Mr. WEALE; either the Atlas separately for 1l. 2s. 6d., or together with the Text price as above stated.

Bradbury and Evans, Printers Whitechapel.



